

## **Table of Contents**

2012 Induced Terminations of Pregnancy for Texas Residents .....	2
Number of Induced Abortions .....	3
Induced Abortion Rate and Ratio & Percent of Pregnancies Resulting in Induced Abortions .....	3
Age, Race/Ethnicity & Marital Status* .....	7
Gestation, Facility & Procedure .....	7
Previous Pregnancies .....	8
Notes .....	8

## **2012 Induced Terminations of Pregnancy for Texas Residents**

The Texas Abortion Facility Reporting and Licensing Act, Health and Safety Code, Chapter 245, mandates that each abortion facility in the state must submit an annual report to the Texas Department of State Health Services (DSHS) on each abortion that is performed at the facility. Neither patient nor physician performing the abortion may be identified in this report. These reports are confidential and are not considered open records.


Data provided to DSHS as part of this Act include:

- 1) patient's year of birth, race, marital status, and state and county of residence;
- 2) type of abortion procedure;
- 3) date the abortion was performed;
- 4) period of gestation at the time of the procedure;
- 5) date of the patient's last menstrual cycle;
- 6) number of previous live births;
- 7) number of previous induced abortions;
- 8) whether the patient survived the procedure and, if not, the cause of death.

The report is submitted on a form provided by the Vital Statistics Unit. The Vital Statistics Unit has been involved in the collection of these data since 1990.

Requests for more specific information than that contained in this report should be directed to the Center for Health Statistics, DSHS.

Figure 21  
 Induced Abortions as a Percentage  
 of Reported Pregnancies  
 Texas Residents  
 2000-2012



[\(Figure 21 Data\)](#)

**Number of Induced Abortions**


In 2012, a total of 68,298 induced abortions were reported to DSHS. This number includes all induced abortions performed in Texas plus those obtained in other states by Texas residents. There were 4,172 fewer induced terminations of pregnancy (abortions) reported to DSHS in 2012 than in 2011. Texas residents obtained 66,098 (96.8 percent) of the total abortions reported. This year, the total number of induced abortions reported to DSHS decreased by 5.8 percent (there were 72,470 in 2011).

**Induced Abortion Rate and Ratio & Percent of Pregnancies Resulting in Induced Abortions**

The abortion rate, abortion ratio, and the percent of pregnancies resulting in induced abortion have decreased in 2012. The abortion rate, the total


number of induced abortions among Texas residents of all ages per 1,000 women aged 15-44 years, was 12.1 in 2012 compared to 13.0 in 2011. The abortion ratio, the total number of induced abortions among Texas residents per 1,000 live births, was 172.8 in 2012, down from 185.5 in 2011. In 2012, 14.7 percent of all reported pregnancies among Texas residents resulted in induced abortions compared to 15.6 percent in 2011. Reported pregnancies equals the sum of reported live births, fetal deaths and induced abortions.

**Map of Induced Abortion Rates by County of Residence – Texas, 2008-2012**



<b>Table 1: INDUCED ABORTION RATES (# of Women of All Ages, per 1,000 Women Aged 15-44) 2007-2011</b>	
	0.9 – 4.7
	4.8 – 6.4
	6.5 – 8.1
	8.2 – 10.0
	10.1 – 113.2

**Map of Induced Abortion Ratios by County of Residence – Texas, 2008-2012**



<b>Table 2: INDUCED ABORTION RATIOS (per 1000 live births) 2007-2011</b>	
	0.0 – 60.5
	60.6 – 87.2
	87.3 – 111.4
	111.5 – 145.2
	145.3 – 1423.9

### ***Age, Race/Ethnicity & Marital Status\****

Of Texas resident women with a reported age who obtained an abortion in 2012, 59.1 percent were 20-29 years, 8.9 percent were 16-19 years, and only 0.7 percent were teens 15 years of age or younger. The mean age of Texas residents who obtained abortions in 2012 was 26.9 years, and the age at which the greatest number of abortions were performed was 22 years.

Among Texas residents with reported race information, 30.5 percent of abortions were obtained by white women, 25.3 percent by black women, 37.9 percent by Hispanic women, and 6.3 percent by women of other racial/ethnic groups. In comparison, the 2012 Texas female population 15 to 44 years of age was 39.1 percent white, 12.5 percent black, 41.9 percent Hispanic, and 6.5 percent other racial/ethnic groups.

Approximately 15.7 percent of Texas resident abortions were obtained by married women. Black women obtaining abortions were the least likely to be married. Hispanic women were more likely to be married than white women, and Asian women were the most likely to be married of all racial/ethnic groups.

\* Age-related statistics for this section are scheduled to be updated. Please see the updated [2012 Selected Characteristics of Induced Terminations of Pregnancy](#) for more information.

### ***Gestation, Facility & Procedure***

Of those for whom information was available, nearly three-fourths (73.2 percent) of all abortions among Texas residents occurred at 8 or fewer weeks gestation, and 85.4 percent were performed at 10 weeks gestation or earlier. Only 1.7 percent of Texas resident abortions were performed at 17 weeks gestation or later, and only 0.5 percent were performed at 21 or more weeks gestation. The majority, 78.4 percent of resident abortions, were performed in abortion facilities. The remainder were performed in physicians' offices, hospitals, ambulatory surgery centers and out-of-state facilities. Suction Curettage was the most common abortion procedure (65.6 percent of Texas resident abortions) followed by medical-non surgical (27.7 percent), and dilation and evacuation (6.6 percent).

### ***Previous Pregnancies***

In 2012, 56.7 percent of Texas residents who obtained abortions underwent their first abortion, 27.0 percent had one prior abortion, 10.4 percent had two prior abortions and 5.9 percent had three or more previous abortions.

More than 37 percent of Texas resident abortions occurred among women who had not had any live births, 26.0 percent had one live birth, 21.2 percent had two live births and 15.7 percent had three or more live births.

### ***Notes***

Percentages reported in this narration do not include unknowns in the denominator. See [2012 Selected Characteristics of Induced Terminations of Pregnancy](#) for counts on data reported as "Not Stated."