
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 2 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	58
Table B-7: Students Reporting A Grades on Average	62
Table B-8: Students Reporting Grades Lower Than an A on Average	66
Table B-9: Students Living with 2 Parents	70
Table B-10: Students Not Living with 2 Parents	74
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	78
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	82
3 Margin Tables	86
Appendix: Reporting Methods for Prevalence & Recency of Use	106

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	15.4%	20.1%	33.7%	66.3%
Grade 7	6.5%	7.7%	12.9%	87.1%
Grade 8	9.7%	11.6%	20.2%	79.8%
Grade 9	14.2%	17.6%	35.0%	65.0%
Grade 10	22.3%	30.9%	49.2%	50.8%
Grade 11	22.3%	30.1%	42.9%	57.1%
Grade 12	23.3%	30.8%	54.4%	45.6%
Cigarettes?				
All	6.2%	9.2%	20.8%	79.2%
Grade 7	1.2%	3.2%	9.2%	90.8%
Grade 8	4.4%	5.1%	13.0%	87.0%
Grade 9	6.9%	9.9%	22.6%	77.4%
Grade 10	6.7%	8.9%	28.3%	71.7%
Grade 11	7.9%	14.2%	27.0%	73.0%
Grade 12	12.9%	18.9%	32.3%	67.7%
Smokeless Tobacco?				
All	2.9%	5.1%	10.4%	89.6%
Grade 7	1.9%	2.4%	4.0%	96.0%
Grade 8	2.5%	4.2%	8.1%	91.9%
Grade 9	1.8%	4.3%	7.2%	92.8%
Grade 10	5.4%	6.1%	13.6%	86.4%
Grade 11	3.9%	6.0%	14.8%	85.2%
Grade 12	2.2%	9.4%	19.5%	80.5%
Electronic Vapor Products?				
All	7.0%	12.6%	24.7%	75.3%
Grade 7	1.7%	3.2%	9.1%	90.9%
Grade 8	4.1%	7.1%	15.2%	84.8%
Grade 9	8.7%	12.0%	26.0%	74.0%
Grade 10	6.7%	17.6%	35.8%	64.2%
Grade 11	9.3%	22.4%	34.4%	65.6%
Grade 12	15.2%	18.6%	36.6%	63.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 119

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	82.0%	2.8%	1.9%	1.7%	2.4%	3.6%	5.7%
Grade 7	95.2%	1.0%	0.2%	0.3%	0.0%	0.8%	2.6%
Grade 8	88.4%	1.6%	0.4%	1.1%	1.5%	3.2%	3.8%
Grade 9	82.9%	2.2%	2.9%	2.2%	3.1%	1.1%	5.7%
Grade 10	73.5%	3.9%	3.3%	3.5%	3.0%	4.9%	7.9%
Grade 11	74.6%	5.6%	1.5%	1.4%	4.9%	6.3%	5.7%
Grade 12	69.4%	3.5%	4.6%	2.3%	2.7%	6.9%	10.6%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.9%	24.7%	7.0%	9.2%	15.5%	24.6%
Grade 7	28.2%	39.6%	10.6%	7.2%	6.7%	7.7%
Grade 8	22.4%	34.7%	8.7%	10.9%	12.5%	10.8%
Grade 9	24.4%	27.2%	5.1%	9.4%	12.8%	21.2%
Grade 10	13.2%	17.3%	8.6%	9.4%	24.4%	27.2%
Grade 11	11.6%	12.6%	3.7%	10.3%	20.8%	41.0%
Grade 12	7.5%	7.2%	3.6%	7.7%	19.9%	54.1%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	59.8%	24.2%	9.7%	5.8%	0.5%
Grade 7	84.4%	11.6%	3.1%	0.4%	0.4%
Grade 8	74.4%	16.9%	4.0%	4.6%	0.1%
Grade 9	62.8%	20.7%	9.5%	6.9%	0.0%
Grade 10	41.7%	35.8%	15.3%	6.5%	0.8%
Grade 11	43.8%	32.3%	13.9%	8.4%	1.6%
Grade 12	36.1%	35.7%	16.8%	10.7%	0.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	72.8%	9.7%	9.4%	1.3%	0.6%	6.1%
Grade 7	84.6%	2.3%	3.0%	0.7%	1.1%	8.3%
Grade 8	82.6%	6.9%	3.7%	0.5%	0.6%	5.7%
Grade 9	76.9%	8.7%	5.8%	2.6%	0.0%	6.0%
Grade 10	65.1%	16.3%	10.9%	1.6%	1.2%	4.9%
Grade 11	60.9%	16.4%	15.9%	0.6%	0.0%	6.2%
Grade 12	57.6%	11.3%	23.2%	2.5%	0.3%	5.1%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	59.9%	25.7%	8.2%	2.0%	4.3%
	Grade 7	78.5%	12.8%	4.2%	0.6%	3.9%
	Grade 8	69.5%	22.4%	4.2%	0.9%	3.0%
	Grade 9	62.1%	25.4%	4.8%	1.2%	6.4%
	Grade 10	46.7%	31.8%	11.1%	3.7%	6.6%
	Grade 11	46.1%	32.9%	13.9%	2.9%	4.1%
	Grade 12	45.1%	35.2%	14.6%	3.3%	1.8%
Electronic Vapor Products?						
	All	53.1%	14.2%	16.6%	9.8%	6.2%
	Grade 7	75.0%	9.1%	6.4%	3.0%	6.5%
	Grade 8	59.1%	15.6%	9.8%	9.7%	5.7%
	Grade 9	53.7%	12.9%	15.1%	11.3%	7.0%
	Grade 10	43.7%	14.2%	23.0%	11.8%	7.3%
	Grade 11	37.8%	15.8%	24.9%	15.8%	5.7%
	Grade 12	38.7%	19.3%	27.7%	9.3%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	30.7%	35.0%	57.2%	42.8%
Grade 7	13.8%	16.2%	34.0%	66.0%
Grade 8	18.9%	20.7%	43.7%	56.3%
Grade 9	33.8%	39.0%	60.0%	40.0%
Grade 10	40.2%	47.8%	72.3%	27.7%
Grade 11	43.3%	47.8%	72.9%	27.1%
Grade 12	44.2%	49.6%	73.2%	26.8%
Beer?				
All	12.0%	20.3%	47.1%	52.9%
Grade 7	3.2%	5.3%	25.3%	74.7%
Grade 8	8.0%	13.2%	35.0%	65.0%
Grade 9	12.8%	22.1%	47.9%	52.1%
Grade 10	14.9%	24.5%	60.4%	39.6%
Grade 11	15.2%	30.4%	63.0%	37.0%
Grade 12	23.5%	35.3%	63.0%	37.0%
Wine Coolers?				
All	10.3%	17.4%	37.9%	62.1%
Grade 7	2.8%	3.6%	11.9%	88.1%
Grade 8	7.0%	9.6%	23.7%	76.3%
Grade 9	11.8%	20.1%	43.3%	56.7%
Grade 10	14.7%	23.6%	50.8%	49.2%
Grade 11	9.8%	23.7%	55.8%	44.2%
Grade 12	19.5%	32.4%	55.7%	44.3%
Wine?				
All	6.8%	12.3%	37.0%	63.0%
Grade 7	2.5%	3.8%	18.1%	81.9%
Grade 8	3.6%	5.3%	25.4%	74.6%
Grade 9	9.4%	14.8%	37.5%	62.5%
Grade 10	5.2%	15.9%	52.1%	47.9%
Grade 11	7.9%	17.3%	46.8%	53.2%
Grade 12	15.3%	22.7%	52.6%	47.4%
Liquor?				
All	11.3%	19.9%	38.1%	61.9%
Grade 7	3.3%	4.6%	13.2%	86.8%
Grade 8	6.7%	8.5%	23.7%	76.3%
Grade 9	12.4%	20.2%	39.8%	60.2%
Grade 10	16.0%	29.6%	51.2%	48.8%
Grade 11	14.5%	32.6%	54.8%	45.2%
Grade 12	20.0%	34.0%	60.5%	39.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 119

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.9%	0.5%	1.1%	6.5%	12.2%	11.5%	9.3%
Grade 7	83.4%	0.2%	0.4%	1.6%	2.2%	6.0%	6.2%
Grade 8	75.7%	0.8%	0.6%	2.2%	6.4%	7.1%	7.1%
Grade 9	55.4%	0.3%	2.0%	6.1%	17.1%	8.4%	10.6%
Grade 10	42.4%	1.0%	1.1%	9.4%	16.5%	16.6%	13.1%
Grade 11	43.9%	0.3%	0.4%	12.2%	13.8%	19.5%	9.8%
Grade 12	38.1%	0.3%	2.5%	11.3%	22.3%	15.5%	10.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	58.2%	41.8%	11.0%	17.7%	13.1%
	Grade 7	78.2%	21.8%	3.1%	9.1%	9.6%
	Grade 8	70.7%	29.3%	4.5%	12.2%	12.6%
	Grade 9	54.8%	45.2%	8.8%	23.2%	13.2%
	Grade 10	46.1%	53.9%	17.4%	20.3%	16.3%
	Grade 11	44.0%	56.0%	18.3%	21.5%	16.1%
	Grade 12	44.4%	55.6%	19.7%	24.0%	12.0%
Wine Coolers						
	All	65.9%	34.1%	6.6%	21.1%	6.4%
	Grade 7	89.7%	10.3%	1.8%	5.0%	3.5%
	Grade 8	79.6%	20.4%	4.4%	10.3%	5.8%
	Grade 9	59.6%	40.4%	6.1%	24.8%	9.5%
	Grade 10	55.6%	44.4%	7.8%	30.7%	5.9%
	Grade 11	50.1%	49.9%	10.6%	30.2%	9.1%
	Grade 12	47.8%	52.2%	11.8%	35.0%	5.4%
Wine						
	All	67.8%	32.2%	3.3%	16.9%	12.0%
	Grade 7	85.2%	14.8%	2.0%	6.2%	6.6%
	Grade 8	79.4%	20.6%	3.7%	8.9%	8.0%
	Grade 9	66.9%	33.1%	2.7%	18.4%	12.0%
	Grade 10	53.8%	46.2%	5.4%	22.9%	17.9%
	Grade 11	58.6%	41.4%	3.9%	23.0%	14.5%
	Grade 12	52.6%	47.4%	2.3%	29.0%	16.1%
Liquor						
	All	64.4%	35.6%	9.4%	17.3%	8.8%
	Grade 7	88.1%	11.9%	2.8%	5.0%	4.1%
	Grade 8	80.7%	19.3%	6.1%	6.6%	6.6%
	Grade 9	60.9%	39.1%	10.1%	19.6%	9.4%
	Grade 10	52.1%	47.9%	15.6%	23.1%	9.1%
	Grade 11	47.3%	52.7%	13.4%	28.2%	11.0%
	Grade 12	42.8%	57.2%	11.4%	29.8%	16.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.8%	4.0%	3.0%	1.9%	0.9%	2.5%
Grade 7	96.9%	1.0%	0.4%	0.5%	0.6%	0.5%
Grade 8	92.9%	2.3%	1.0%	0.7%	0.8%	2.4%
Grade 9	86.7%	6.1%	2.5%	1.7%	0.6%	2.4%
Grade 10	84.7%	5.0%	3.2%	2.0%	1.0%	4.1%
Grade 11	83.1%	4.4%	4.4%	5.3%	0.9%	1.9%
Grade 12	76.9%	6.8%	8.6%	1.8%	1.9%	4.0%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	15.5%	17.8%	8.2%	12.1%	18.3%	28.1%
Grade 7	25.2%	31.1%	11.4%	10.2%	10.7%	11.4%
Grade 8	19.4%	25.0%	10.3%	13.3%	15.9%	16.1%
Grade 9	16.9%	17.6%	8.7%	11.4%	16.5%	28.8%
Grade 10	10.0%	13.2%	7.4%	12.5%	20.6%	36.4%
Grade 11	10.0%	5.7%	2.1%	15.1%	22.8%	44.3%
Grade 12	6.1%	6.8%	7.4%	10.6%	27.9%	41.2%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.2%	2.2%	0.5%	0.2%
Grade 7	98.6%	1.4%	0.0%	0.0%
Grade 8	97.7%	1.6%	0.4%	0.3%
Grade 9	96.3%	2.6%	1.0%	0.0%
Grade 10	95.4%	3.6%	1.0%	0.0%
Grade 11	96.3%	2.7%	0.0%	1.0%
Grade 12	98.5%	1.1%	0.3%	0.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	3.9
Alcohol Non-Users	3.1
Average Days Conduct Problems Reported	
Alcohol Users	2.1
Alcohol Non-Users	0.5

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.6%	4.3%	0.5%	0.6%
Grade 9	96.9%	3.1%	0.0%	0.0%
Grade 10	98.8%	0.9%	0.3%	0.0%
Grade 11	92.8%	6.0%	0.9%	0.3%
Grade 12	88.4%	8.3%	0.9%	2.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.4%	3.3%	0.3%	0.0%
Grade 7	98.7%	1.2%	0.2%	0.0%
Grade 8	97.2%	2.5%	0.2%	0.1%
Grade 9	95.9%	3.8%	0.3%	0.0%
Grade 10	97.0%	2.7%	0.3%	0.0%
Grade 11	92.9%	6.2%	0.9%	0.0%
Grade 12	95.4%	4.6%	0.0%	0.0%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	45.5%	25.6%	13.5%	12.0%	3.3%
Grade 7	79.2%	14.4%	4.2%	1.4%	0.8%
Grade 8	65.4%	19.6%	9.5%	4.4%	1.1%
Grade 9	38.4%	30.5%	15.9%	11.8%	3.4%
Grade 10	24.7%	35.4%	13.2%	22.1%	4.6%
Grade 11	26.4%	28.8%	22.5%	19.9%	2.4%
Grade 12	19.9%	30.1%	21.5%	18.4%	10.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.3%	6.3%	4.2%	7.4%	11.0%	1.5%	21.4%
Grade 7	73.6%	3.5%	0.9%	3.0%	1.4%	2.4%	15.2%
Grade 8	62.6%	7.4%	3.4%	2.7%	3.4%	2.3%	18.1%
Grade 9	43.7%	7.2%	6.1%	5.5%	11.4%	2.7%	23.3%
Grade 10	40.3%	6.9%	5.3%	10.2%	13.7%	0.3%	23.4%
Grade 11	30.1%	6.6%	4.0%	13.7%	20.2%	0.5%	24.9%
Grade 12	24.4%	6.4%	6.5%	12.8%	23.0%	0.0%	26.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	56.2%	20.4%	17.3%	3.2%	2.9%
	Grade 7	71.9%	16.5%	7.7%	3.4%	0.6%
	Grade 8	66.2%	16.4%	13.5%	2.3%	1.7%
	Grade 9	58.6%	19.2%	15.8%	2.5%	4.0%
	Grade 10	41.0%	23.4%	26.6%	4.1%	4.9%
	Grade 11	45.3%	26.2%	22.7%	3.1%	2.6%
	Grade 12	45.1%	23.7%	22.3%	4.2%	4.7%
Friends?						
	All	54.6%	18.2%	14.1%	9.4%	3.7%
	Grade 7	76.4%	16.1%	5.0%	2.4%	0.2%
	Grade 8	68.1%	18.2%	6.2%	5.8%	1.7%
	Grade 9	55.5%	19.4%	13.0%	6.9%	5.2%
	Grade 10	40.4%	22.4%	19.6%	12.2%	5.5%
	Grade 11	38.1%	15.4%	28.8%	13.1%	4.6%
	Grade 12	35.9%	17.6%	18.9%	21.1%	6.6%
A Store?						
	All	58.1%	35.8%	3.2%	2.2%	0.7%
	Grade 7	75.7%	23.1%	0.9%	0.3%	0.1%
	Grade 8	69.5%	26.6%	2.8%	1.0%	0.1%
	Grade 9	63.7%	31.8%	3.6%	0.8%	0.0%
	Grade 10	41.7%	50.0%	3.4%	4.0%	0.9%
	Grade 11	44.3%	43.5%	6.8%	2.8%	2.6%
	Grade 12	42.7%	47.8%	2.9%	5.5%	1.1%
Parties?						
	All	53.7%	18.5%	9.9%	10.6%	7.3%
	Grade 7	75.0%	18.3%	2.7%	3.6%	0.5%
	Grade 8	67.5%	19.9%	3.7%	4.4%	4.5%
	Grade 9	54.0%	17.6%	10.7%	10.6%	7.1%
	Grade 10	39.8%	20.6%	13.5%	15.6%	10.5%
	Grade 11	38.5%	16.0%	18.3%	17.7%	9.5%
	Grade 12	33.9%	17.9%	15.3%	17.0%	15.9%
Other Sources?						
	All	57.9%	24.5%	10.0%	4.1%	3.4%
	Grade 7	75.3%	18.0%	4.0%	1.3%	1.4%
	Grade 8	68.2%	20.1%	6.7%	2.8%	2.3%
	Grade 9	60.9%	21.8%	8.6%	5.1%	3.5%
	Grade 10	44.1%	33.2%	14.2%	6.0%	2.4%
	Grade 11	46.3%	27.0%	17.4%	4.6%	4.7%
	Grade 12	42.0%	31.1%	13.0%	5.9%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.3%	14.8%	12.1%	3.9%	0.9%	6.1%
Grade 7	77.9%	5.6%	5.3%	2.9%	0.8%	7.4%
Grade 8	74.3%	11.7%	6.8%	1.1%	0.7%	5.3%
Grade 9	63.5%	14.4%	7.7%	7.8%	0.0%	6.7%
Grade 10	51.4%	23.2%	13.0%	5.2%	2.6%	4.6%
Grade 11	51.0%	18.5%	19.8%	3.1%	0.4%	7.2%
Grade 12	44.9%	20.1%	25.5%	3.8%	0.7%	5.1%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.7%	30.5%	10.4%	2.3%	4.0%
Grade 7	70.6%	18.8%	6.3%	1.4%	2.9%
Grade 8	57.9%	28.2%	8.4%	3.0%	2.5%
Grade 9	50.3%	28.6%	12.1%	2.6%	6.4%
Grade 10	41.1%	39.0%	11.1%	2.4%	6.4%
Grade 11	42.5%	39.3%	12.4%	1.6%	4.2%
Grade 12	46.4%	34.4%	14.6%	3.2%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.2%	15.5%	20.9%	79.1%
Grade 7	4.3%	5.3%	5.5%	94.5%
Grade 8	8.0%	9.7%	13.6%	86.4%
Grade 9	12.2%	17.3%	20.4%	79.6%
Grade 10	18.1%	22.3%	29.8%	70.2%
Grade 11	15.3%	21.6%	30.3%	69.7%
Grade 12	19.4%	22.1%	34.8%	65.2%
Marijuana?				
All	11.9%	14.1%	19.3%	80.7%
Grade 7	4.3%	4.3%	4.6%	95.4%
Grade 8	7.9%	8.3%	11.1%	88.9%
Grade 9	12.2%	16.6%	19.4%	80.6%
Grade 10	17.7%	21.7%	28.3%	71.7%
Grade 11	15.3%	18.3%	27.8%	72.2%
Grade 12	18.1%	20.6%	33.4%	66.6%
Cocaine?				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.8%	2.0%	98.0%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.1%	1.4%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	3.8%	3.8%	4.7%	95.3%
Crack?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens?				
All	0.6%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.5%	2.0%	98.0%
Grade 9	0.9%	1.2%	2.3%	97.7%
Grade 10	0.9%	2.2%	4.1%	95.9%
Grade 11	1.3%	1.3%	2.2%	97.8%
Grade 12	0.0%	2.5%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids?				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	1.6%	2.0%	3.0%	97.0%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	1.0%	1.0%	5.1%	94.9%
Grade 11	1.5%	2.4%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy?				
All	0.3%	0.7%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.6%	1.6%	3.3%	96.7%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.9%	2.6%	4.6%	95.4%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Methamphetamine?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	1.2%	2.5%	97.5%
Grade 9	0.0%	0.1%	1.4%	98.6%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	2.0%	4.3%	95.7%
Grade 7	1.4%	1.4%	1.6%	98.4%
Grade 8	1.7%	2.4%	4.3%	95.7%
Grade 9	0.5%	0.9%	2.8%	97.2%
Grade 10	1.7%	2.9%	4.5%	95.5%
Grade 11	1.1%	3.1%	6.8%	93.2%
Grade 12	0.0%	1.3%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	83.7%	2.4%	0.9%	2.2%	4.0%	3.3%	3.6%
Grade 7	97.0%	0.0%	0.3%	0.1%	1.1%	0.6%	0.8%
Grade 8	91.3%	1.7%	0.7%	2.1%	1.5%	0.9%	1.7%
Grade 9	82.1%	2.9%	1.5%	1.9%	7.6%	2.3%	1.7%
Grade 10	76.6%	1.8%	1.0%	3.8%	6.7%	4.5%	5.7%
Grade 11	77.9%	1.9%	1.4%	3.8%	3.6%	4.3%	7.1%
Grade 12	69.2%	8.0%	0.4%	2.0%	4.3%	9.4%	6.7%
Cocaine?							
All	98.7%	0.0%	0.0%	0.0%	0.3%	0.2%	0.7%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	98.0%	0.0%	0.1%	0.0%	0.4%	0.3%	1.1%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	98.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	95.3%	0.0%	0.0%	0.0%	1.7%	1.0%	2.0%
Crack?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	98.7%	0.0%	0.0%	0.2%	0.1%	0.1%	0.9%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Steroids?							
All	99.2%	0.0%	0.0%	0.0%	0.2%	0.2%	0.4%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	98.9%	0.0%	0.0%	0.0%	0.8%	0.2%	0.1%
Grade 9	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	97.3%	0.0%	0.0%	0.0%	0.0%	1.0%	1.7%
Grade 11	99.1%	0.0%	0.3%	0.0%	0.0%	0.0%	0.6%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Ecstasy?							
All	98.6%	0.0%	0.0%	0.1%	0.1%	0.7%	0.5%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 8	99.6%	0.0%	0.0%	0.0%	0.3%	0.0%	0.1%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Grade 10	97.1%	0.2%	0.0%	0.4%	0.0%	1.0%	1.4%
Grade 11	99.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.3%
Grade 12	95.3%	0.0%	0.0%	0.0%	0.4%	3.4%	0.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.4%	0.2%	0.0%	0.0%	0.1%	0.3%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Methamphetamine?								
	All	99.1%	0.0%	0.1%	0.0%	0.2%	0.3%	0.3%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	97.6%	0.0%	0.0%	0.0%	0.8%	0.4%	1.1%
	Grade 9	99.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
	Grade 10	99.3%	0.0%	0.4%	0.0%	0.0%	0.3%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
Synthetic Marijuana?								
	All	97.3%	0.0%	0.2%	0.4%	0.3%	0.6%	1.2%
	Grade 7	99.0%	0.0%	0.0%	0.2%	0.1%	0.6%	0.1%
	Grade 8	96.6%	0.1%	1.0%	0.3%	0.7%	0.3%	1.1%
	Grade 9	97.9%	0.0%	0.0%	0.0%	0.3%	0.9%	0.9%
	Grade 10	97.7%	0.0%	0.0%	1.5%	0.0%	0.3%	0.5%
	Grade 11	95.8%	0.0%	0.0%	0.4%	0.4%	1.5%	1.9%
	Grade 12	96.2%	0.0%	0.0%	0.0%	0.0%	0.0%	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	20.8%	32.1%	8.8%	10.0%	11.7%	16.7%
	Grade 7	32.3%	49.4%	6.4%	4.5%	4.2%	3.1%
	Grade 8	22.6%	44.6%	7.2%	7.9%	7.8%	10.0%
	Grade 9	25.5%	32.9%	9.1%	9.6%	8.8%	14.1%
	Grade 10	14.4%	24.9%	9.3%	13.2%	14.1%	24.1%
	Grade 11	14.7%	14.7%	11.4%	13.3%	18.7%	27.2%
	Grade 12	9.3%	15.0%	10.7%	14.2%	21.7%	29.2%
Cocaine?							
	All	29.3%	44.4%	12.8%	8.0%	2.4%	3.0%
	Grade 7	36.2%	52.4%	7.9%	2.1%	1.0%	0.4%
	Grade 8	27.8%	54.3%	8.5%	4.2%	1.7%	3.5%
	Grade 9	36.3%	41.4%	11.0%	6.3%	0.5%	4.6%
	Grade 10	24.0%	44.7%	15.1%	9.7%	3.8%	2.6%
	Grade 11	26.8%	32.6%	15.9%	14.6%	6.5%	3.7%
	Grade 12	21.7%	34.0%	22.9%	15.4%	2.0%	4.0%
Crack?							
	All	30.3%	45.1%	13.4%	6.6%	2.2%	2.4%
	Grade 7	37.5%	52.1%	6.8%	1.9%	1.2%	0.5%
	Grade 8	28.6%	54.0%	8.0%	4.8%	1.5%	3.1%
	Grade 9	36.6%	41.4%	11.6%	6.3%	1.2%	3.0%
	Grade 10	24.6%	43.9%	18.5%	8.7%	2.9%	1.5%
	Grade 11	27.3%	34.9%	16.4%	12.6%	6.0%	2.9%
	Grade 12	24.4%	39.1%	23.8%	7.8%	0.8%	4.1%
Steroids?							
	All	31.5%	40.5%	13.8%	7.4%	3.6%	3.2%
	Grade 7	39.9%	47.7%	8.4%	1.9%	1.7%	0.3%
	Grade 8	31.2%	52.6%	8.9%	4.4%	1.5%	1.5%
	Grade 9	36.0%	35.6%	13.0%	5.6%	5.3%	4.3%
	Grade 10	23.9%	38.5%	16.8%	9.5%	6.4%	4.9%
	Grade 11	29.4%	31.2%	17.6%	14.9%	3.0%	4.0%
	Grade 12	25.3%	31.5%	21.9%	11.3%	4.7%	5.3%
Ecstasy?							
	All	43.6%	35.1%	11.5%	4.7%	2.6%	2.5%
	Grade 7	56.0%	35.9%	5.4%	1.2%	1.3%	0.3%
	Grade 8	48.4%	40.8%	5.6%	2.2%	1.0%	1.9%
	Grade 9	48.2%	38.1%	6.7%	2.3%	1.7%	3.0%
	Grade 10	33.7%	32.1%	20.0%	6.6%	4.7%	2.8%
	Grade 11	34.5%	31.1%	16.9%	8.7%	5.4%	3.4%
	Grade 12	34.2%	29.2%	18.9%	9.9%	2.8%	5.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	38.8%	42.5%	11.9%	3.2%	1.7%	1.8%
Grade 7	49.0%	42.6%	6.0%	1.0%	0.9%	0.4%
Grade 8	39.2%	49.3%	7.2%	2.0%	0.9%	1.4%
Grade 9	41.8%	40.7%	9.8%	3.7%	0.7%	3.3%
Grade 10	31.6%	43.0%	16.0%	5.1%	2.4%	1.9%
Grade 11	36.6%	34.7%	17.7%	4.8%	4.9%	1.2%
Grade 12	30.5%	42.7%	19.1%	3.6%	1.2%	2.9%
Methamphetamine?						
All	39.0%	41.2%	9.8%	4.6%	2.2%	3.1%
Grade 7	50.2%	41.9%	4.9%	1.7%	1.1%	0.3%
Grade 8	39.8%	47.6%	6.6%	2.2%	1.8%	1.9%
Grade 9	43.2%	40.0%	8.8%	2.8%	2.0%	3.3%
Grade 10	30.9%	41.4%	14.3%	6.1%	2.9%	4.3%
Grade 11	35.9%	32.4%	14.1%	7.4%	4.9%	5.4%
Grade 12	29.6%	41.9%	12.5%	9.7%	1.2%	5.1%
Synthetic Marijuana?						
All	38.9%	34.5%	9.7%	5.9%	4.8%	6.2%
Grade 7	51.6%	39.4%	4.4%	1.7%	1.7%	1.2%
Grade 8	42.5%	42.7%	6.1%	2.9%	2.3%	3.5%
Grade 9	43.2%	34.7%	9.7%	3.1%	1.4%	7.8%
Grade 10	28.2%	34.6%	10.6%	8.5%	10.7%	7.4%
Grade 11	34.1%	22.7%	13.4%	9.1%	9.4%	11.3%
Grade 12	27.7%	27.8%	17.8%	13.3%	5.0%	8.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.8%	2.8%	0.9%	1.4%
Grade 7	98.4%	0.7%	0.1%	0.8%
Grade 8	96.0%	2.5%	0.5%	1.0%
Grade 9	92.1%	5.6%	1.3%	1.0%
Grade 10	94.2%	3.8%	0.7%	1.3%
Grade 11	95.0%	3.2%	1.2%	0.6%
Grade 12	91.7%	1.3%	2.4%	4.6%
Attended Class While High from Use of Some Other Drug?				
All	98.6%	0.8%	0.3%	0.3%
Grade 7	99.6%	0.4%	0.0%	0.0%
Grade 8	97.7%	1.1%	0.3%	1.0%
Grade 9	99.5%	0.0%	0.0%	0.5%
Grade 10	98.6%	1.4%	0.0%	0.0%
Grade 11	98.4%	0.4%	0.9%	0.3%
Grade 12	97.5%	1.9%	0.5%	0.0%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	3.7
Marijuana Non-Users	3.3
Average Days Conduct Problems Reported	
Marijuana Users	3.6
Marijuana Non-Users	0.8

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	2.6%	0.1%	2.0%
Grade 9	98.3%	0.7%	0.0%	1.0%
Grade 10	97.5%	1.9%	0.0%	0.6%
Grade 11	92.0%	6.3%	0.0%	1.7%
Grade 12	92.3%	2.0%	0.3%	5.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.4%	2.3%	0.3%	0.0%
Grade 7	98.5%	1.4%	0.0%	0.0%
Grade 8	97.4%	2.5%	0.0%	0.1%
Grade 9	97.7%	2.0%	0.3%	0.0%
Grade 10	97.5%	1.7%	0.8%	0.0%
Grade 11	96.7%	2.6%	0.7%	0.0%
Grade 12	96.1%	3.9%	0.0%	0.0%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	61.6%	19.1%	10.2%	6.8%	2.4%
Grade 7	88.4%	7.8%	3.0%	0.4%	0.5%
Grade 8	73.9%	15.3%	5.2%	4.3%	1.2%
Grade 9	62.0%	17.6%	11.6%	6.8%	1.9%
Grade 10	47.6%	23.9%	16.8%	8.8%	2.9%
Grade 11	43.7%	27.2%	15.1%	11.6%	2.4%
Grade 12	38.7%	28.9%	12.9%	12.4%	7.1%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.5%	4.5%	4.8%	4.1%	4.2%	2.6%	21.3%
Grade 7	80.6%	0.5%	0.6%	0.2%	0.7%	2.1%	15.3%
Grade 8	69.6%	2.5%	2.3%	1.9%	3.5%	2.1%	18.1%
Grade 9	57.4%	3.9%	3.4%	3.4%	4.2%	3.6%	24.2%
Grade 10	52.8%	5.1%	7.7%	6.2%	2.7%	3.0%	22.5%
Grade 11	42.2%	10.1%	8.9%	5.6%	5.2%	3.1%	24.9%
Grade 12	35.7%	7.1%	8.3%	9.9%	11.2%	1.9%	25.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.3%	5.8%	5.2%	1.6%	1.1%	6.0%
Grade 7	85.4%	2.6%	1.8%	0.6%	1.1%	8.5%
Grade 8	85.3%	3.2%	4.1%	1.0%	1.0%	5.3%
Grade 9	80.2%	7.7%	2.9%	2.8%	0.0%	6.5%
Grade 10	77.5%	7.6%	6.7%	1.9%	2.2%	4.2%
Grade 11	75.8%	7.4%	9.4%	0.9%	0.6%	5.9%
Grade 12	73.4%	8.3%	8.3%	3.1%	1.9%	5.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.5%	14.4%	8.8%	10.5%	4.8%
	Grade 7	84.1%	5.1%	3.5%	2.4%	4.9%
	Grade 8	69.8%	12.3%	6.7%	6.6%	4.5%
	Grade 9	62.1%	14.9%	8.3%	9.2%	5.5%
	Grade 10	48.2%	17.7%	10.7%	17.9%	5.5%
	Grade 11	51.2%	17.8%	13.9%	12.2%	4.9%
	Grade 12	41.5%	23.0%	12.8%	19.2%	3.5%
Cocaine?						
	All	89.0%	4.7%	0.8%	0.4%	5.1%
	Grade 7	91.0%	3.3%	0.8%	0.2%	4.6%
	Grade 8	90.6%	4.9%	0.4%	0.7%	3.4%
	Grade 9	88.3%	5.0%	1.0%	0.3%	5.4%
	Grade 10	85.9%	5.7%	0.9%	0.4%	7.1%
	Grade 11	87.7%	4.2%	0.6%	0.0%	7.5%
	Grade 12	89.6%	5.4%	1.3%	0.9%	2.8%
Crack?						
	All	90.7%	3.6%	0.4%	0.3%	4.9%
	Grade 7	92.5%	2.7%	0.7%	0.2%	3.9%
	Grade 8	91.2%	4.1%	0.6%	0.5%	3.6%
	Grade 9	89.4%	4.8%	0.0%	0.4%	5.4%
	Grade 10	86.3%	5.5%	0.4%	0.4%	7.3%
	Grade 11	90.8%	1.4%	0.9%	0.0%	6.9%
	Grade 12	94.2%	2.5%	0.0%	0.3%	3.0%
Ecstasy?						
	All	83.4%	6.1%	1.3%	0.8%	8.5%
	Grade 7	86.7%	2.4%	0.4%	0.2%	10.3%
	Grade 8	86.5%	2.3%	0.6%	0.5%	10.0%
	Grade 9	85.5%	5.6%	1.3%	0.4%	7.3%
	Grade 10	76.7%	11.8%	0.0%	2.2%	9.3%
	Grade 11	80.8%	5.2%	3.9%	0.6%	9.6%
	Grade 12	81.9%	12.1%	2.1%	0.9%	3.0%
Steroids?						
	All	76.4%	12.0%	3.8%	0.7%	7.1%
	Grade 7	82.0%	8.4%	2.7%	0.6%	6.3%
	Grade 8	78.1%	10.7%	3.1%	0.7%	7.4%
	Grade 9	78.5%	12.0%	1.6%	1.1%	6.8%
	Grade 10	72.4%	16.4%	3.2%	0.4%	7.5%
	Grade 11	74.3%	12.2%	4.9%	0.0%	8.6%
	Grade 12	69.9%	13.9%	8.7%	1.7%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.5%	2.8%	0.6%	0.4%	6.8%
	Grade 7	88.5%	2.0%	0.5%	0.4%	8.4%
	Grade 8	90.4%	1.8%	0.6%	0.6%	6.5%
	Grade 9	89.1%	2.2%	1.7%	0.3%	6.6%
	Grade 10	86.1%	6.2%	0.2%	0.4%	7.1%
	Grade 11	90.5%	1.5%	0.0%	0.0%	8.0%
	Grade 12	93.4%	3.3%	0.0%	0.3%	3.0%
Methamphetamine?						
	All	89.9%	2.8%	0.6%	0.3%	6.4%
	Grade 7	89.6%	2.0%	0.5%	0.2%	7.7%
	Grade 8	90.0%	3.2%	0.8%	0.5%	5.5%
	Grade 9	89.6%	3.5%	0.4%	0.3%	6.2%
	Grade 10	86.5%	4.6%	0.3%	0.4%	8.1%
	Grade 11	90.8%	1.9%	0.0%	0.0%	7.3%
	Grade 12	93.8%	1.3%	1.6%	0.3%	3.0%
Synthetic Marijuana?						
	All	82.6%	7.0%	1.7%	1.5%	7.2%
	Grade 7	86.9%	3.3%	1.5%	0.4%	7.8%
	Grade 8	84.6%	4.4%	0.7%	2.5%	7.8%
	Grade 9	80.9%	9.6%	1.0%	2.2%	6.4%
	Grade 10	77.6%	10.0%	0.8%	2.6%	8.9%
	Grade 11	78.0%	7.4%	5.7%	0.4%	8.6%
	Grade 12	86.8%	8.8%	1.0%	0.3%	3.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.9%	14.8%	18.9%	81.1%
Grade 7	7.2%	9.7%	12.7%	87.3%
Grade 8	10.5%	15.3%	18.2%	81.8%
Grade 9	9.5%	15.6%	21.4%	78.6%
Grade 10	15.5%	18.1%	24.5%	75.5%
Grade 11	14.5%	16.9%	19.2%	80.8%
Grade 12	9.0%	14.2%	18.7%	81.3%
Codeine Cough Syrup?				
All	6.3%	9.0%	12.5%	87.5%
Grade 7	4.1%	6.2%	9.1%	90.9%
Grade 8	7.0%	10.0%	12.9%	87.1%
Grade 9	6.4%	10.5%	16.0%	84.0%
Grade 10	6.7%	8.2%	12.1%	87.9%
Grade 11	8.0%	9.3%	13.3%	86.7%
Grade 12	5.8%	10.3%	12.5%	87.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	3.6%	5.1%	94.9%
Grade 7	0.7%	1.0%	1.5%	98.5%
Grade 8	1.5%	2.3%	4.2%	95.8%
Grade 9	1.9%	3.2%	4.9%	95.1%
Grade 10	4.3%	4.8%	7.5%	92.5%
Grade 11	4.7%	5.4%	7.3%	92.7%
Grade 12	4.1%	6.6%	7.0%	93.0%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.5%	2.5%	4.0%	96.0%
Grade 7	0.9%	1.7%	2.0%	98.0%
Grade 8	1.2%	1.8%	2.2%	97.8%
Grade 9	0.8%	2.0%	3.9%	96.1%
Grade 10	1.3%	2.1%	5.4%	94.6%
Grade 11	2.0%	2.3%	3.6%	96.4%
Grade 12	3.4%	5.8%	8.7%	91.3%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.3%	2.8%	3.4%	96.6%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.4%	1.7%	1.9%	98.1%
Grade 9	1.8%	2.4%	2.4%	97.6%
Grade 10	3.4%	3.8%	5.0%	95.0%
Grade 11	2.8%	3.4%	5.6%	94.4%
Grade 12	4.7%	5.6%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.9%	6.4%	9.1%	90.9%
Grade 7	4.2%	5.4%	7.3%	92.7%
Grade 8	4.6%	7.4%	10.3%	89.7%
Grade 9	3.6%	5.3%	9.1%	90.9%
Grade 10	9.7%	10.9%	14.2%	85.8%
Grade 11	5.1%	6.2%	8.3%	91.7%
Grade 12	2.0%	2.5%	4.1%	95.9%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	2.2%	2.8%	3.3%	96.7%
Grade 7	1.7%	2.0%	2.4%	97.6%
Grade 8	2.7%	3.2%	4.6%	95.4%
Grade 9	3.1%	4.1%	4.7%	95.3%
Grade 10	1.8%	1.8%	2.2%	97.8%
Grade 11	2.7%	3.6%	3.6%	96.4%
Grade 12	1.1%	2.1%	2.1%	97.9%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.0%	12.0%	4.0%	0.7%	7.3%
Grade 7	82.3%	7.3%	2.3%	0.7%	7.5%
Grade 8	75.7%	10.8%	5.5%	0.6%	7.3%
Grade 9	73.8%	12.7%	5.0%	0.3%	8.2%
Grade 10	72.5%	15.7%	3.3%	1.7%	6.9%
Grade 11	73.3%	13.2%	5.3%	0.6%	7.6%
Grade 12	76.9%	14.2%	2.1%	0.6%	6.2%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.6%	6.4%	14.5%	85.5%
Grade 7	5.2%	6.4%	11.6%	88.4%
Grade 8	7.4%	8.1%	15.7%	84.3%
Grade 9	5.9%	6.2%	14.3%	85.7%
Grade 10	4.4%	8.5%	18.8%	81.2%
Grade 11	1.5%	3.9%	14.7%	85.3%
Grade 12	1.6%	4.0%	11.6%	88.4%
Spray Paint?				
All	0.3%	0.8%	3.6%	96.4%
Grade 7	1.1%	1.1%	3.5%	96.5%
Grade 8	0.3%	0.5%	3.3%	96.7%
Grade 9	0.0%	0.3%	3.6%	96.4%
Grade 10	0.4%	1.6%	4.0%	96.0%
Grade 11	0.0%	1.1%	5.0%	95.0%
Grade 12	0.0%	0.0%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	2.0%	5.1%	94.9%
Grade 7	1.3%	1.7%	3.6%	96.4%
Grade 8	2.2%	4.6%	8.3%	91.7%
Grade 9	1.6%	1.9%	4.3%	95.7%
Grade 10	0.4%	1.9%	5.2%	94.8%
Grade 11	0.0%	1.1%	4.8%	95.2%
Grade 12	0.0%	0.0%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.4%	0.9%	1.8%	98.2%
Grade 7	0.6%	1.3%	2.0%	98.0%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.4%	0.4%	2.4%	97.6%
Grade 11	0.0%	1.5%	1.9%	98.1%
Grade 12	0.0%	1.2%	2.0%	98.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.7%	2.6%	6.3%	93.7%
Grade 7	0.7%	1.3%	3.7%	96.3%
Grade 8	3.6%	4.3%	8.1%	91.9%
Grade 9	2.9%	3.7%	8.4%	91.6%
Grade 10	1.3%	2.1%	9.2%	90.8%
Grade 11	0.4%	1.3%	3.4%	96.6%
Grade 12	0.9%	2.1%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 119

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.8%	2.6%	97.4%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.6%	1.5%	98.5%
Grade 8	0.5%	1.4%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	1.1%	98.9%
Grade 11	0.0%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.9%	0.9%	3.0%	97.0%
Grade 8	1.0%	1.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Other Aerosols/Sprays?				
All	0.9%	1.6%	3.4%	96.6%
Grade 7	1.3%	1.6%	3.6%	96.4%
Grade 8	2.8%	2.8%	5.1%	94.9%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.0%	2.7%	4.9%	95.1%
Grade 11	0.0%	1.1%	4.9%	95.1%
Grade 12	0.4%	0.4%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.8%	0.2%	0.1%	0.3%	0.4%	0.5%	2.7%
Grade 7	95.6%	0.0%	0.2%	0.0%	0.6%	0.3%	3.4%
Grade 8	96.8%	0.0%	0.3%	0.0%	1.6%	0.6%	0.7%
Grade 9	95.9%	0.0%	0.0%	0.6%	0.0%	0.6%	2.8%
Grade 10	91.5%	1.1%	0.0%	0.4%	0.0%	1.0%	6.0%
Grade 11	97.5%	0.0%	0.0%	1.2%	0.0%	0.3%	1.0%
Grade 12	97.9%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	86.9%	7.6%	4.1%	1.3%
Grade 7	90.0%	5.2%	3.2%	1.7%
Grade 8	85.2%	7.1%	4.6%	3.2%
Grade 9	87.0%	7.4%	5.2%	0.4%
Grade 10	83.2%	9.1%	6.9%	0.8%
Grade 11	87.3%	8.0%	3.6%	1.1%
Grade 12	89.0%	10.3%	0.8%	0.0%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.3%	0.5%	0.1%	0.1%
Grade 7	99.5%	0.5%	0.0%	0.0%
Grade 8	98.8%	0.6%	0.3%	0.3%
Grade 9	99.8%	0.0%	0.1%	0.0%
Grade 10	99.6%	0.4%	0.0%	0.0%
Grade 11	98.0%	1.6%	0.5%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.9
Inhalant Non-Users	3.4
Average Days Conduct Problems Reported	
Inhalant Users	3.3
Inhalant Non-Users	1.1

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	91.1%	7.1%	1.1%	0.6%	0.1%
Grade 7	94.4%	5.2%	0.5%	0.0%	0.0%
Grade 8	91.7%	4.4%	1.7%	2.1%	0.2%
Grade 9	92.8%	6.8%	0.0%	0.4%	0.0%
Grade 10	87.0%	10.1%	3.0%	0.0%	0.0%
Grade 11	86.1%	12.0%	0.6%	0.6%	0.6%
Grade 12	93.7%	5.5%	0.8%	0.0%	0.0%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.2%	11.4%	1.8%	0.9%	6.6%
Grade 7	82.7%	10.4%	1.2%	0.8%	4.9%
Grade 8	82.2%	9.1%	2.3%	1.4%	5.0%
Grade 9	74.3%	13.6%	2.5%	0.5%	9.0%
Grade 10	78.7%	11.6%	1.9%	0.4%	7.4%
Grade 11	75.4%	12.7%	2.0%	1.2%	8.6%
Grade 12	80.9%	12.0%	0.8%	0.8%	5.5%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.2%	20.6%	4.8%	7.5%	10.0%	23.9%
Grade 7	40.0%	28.4%	6.9%	6.4%	6.7%	11.6%
Grade 8	31.7%	27.9%	6.5%	8.6%	8.7%	16.6%
Grade 9	37.8%	24.2%	2.8%	5.9%	5.6%	23.7%
Grade 10	27.1%	18.5%	5.1%	10.4%	9.3%	29.5%
Grade 11	32.8%	9.0%	3.4%	8.3%	14.5%	31.9%
Grade 12	27.3%	8.9%	2.9%	5.1%	18.8%	37.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	29.6%
	Grade 7	43.5%
	Grade 8	34.7%
	Grade 9	27.9%
	Grade 10	23.5%
	Grade 11	20.2%
	Grade 12	20.0%
An Assembly Program		
	All	56.1%
	Grade 7	49.2%
	Grade 8	54.5%
	Grade 9	57.3%
	Grade 10	65.7%
	Grade 11	59.3%
	Grade 12	53.2%
Guidance Counselor		
	All	21.9%
	Grade 7	24.7%
	Grade 8	22.7%
	Grade 9	22.6%
	Grade 10	21.9%
	Grade 11	21.7%
	Grade 12	16.0%
School Nurse		
	All	12.8%
	Grade 7	11.5%
	Grade 8	9.1%
	Grade 9	20.3%
	Grade 10	15.8%
	Grade 11	13.2%
	Grade 12	7.3%
Science or Social Studies Class		
	All	19.1%
	Grade 7	21.6%
	Grade 8	18.5%
	Grade 9	22.0%
	Grade 10	18.2%
	Grade 11	14.3%
	Grade 12	19.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 119

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	8.1%
	Grade 7	8.9%
	Grade 8	8.3%
	Grade 9	5.3%
	Grade 10	12.5%
	Grade 11	8.7%
	Grade 12	4.3%
An Invited School Guest		
	All	37.0%
	Grade 7	32.9%
	Grade 8	34.9%
	Grade 9	37.8%
	Grade 10	45.0%
	Grade 11	36.0%
	Grade 12	38.0%
Another Source at School		
	All	22.8%
	Grade 7	26.9%
	Grade 8	24.3%
	Grade 9	21.0%
	Grade 10	24.3%
	Grade 11	19.7%
	Grade 12	18.7%
Any School Source		
	All	69.7%
	Grade 7	71.6%
	Grade 8	65.6%
	Grade 9	68.1%
	Grade 10	74.7%
	Grade 11	68.4%
	Grade 12	71.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	41.3%
	Grade 7	51.6%
	Grade 8	52.1%
	Grade 9	43.7%
	Grade 10	34.8%
	Grade 11	34.3%
	Grade 12	21.9%
School Nurse		
	All	23.9%
	Grade 7	31.4%
	Grade 8	27.2%
	Grade 9	24.7%
	Grade 10	20.9%
	Grade 11	21.3%
	Grade 12	13.0%
Another Adult In School		
	All	43.6%
	Grade 7	53.9%
	Grade 8	50.8%
	Grade 9	43.0%
	Grade 10	34.9%
	Grade 11	43.3%
	Grade 12	28.2%
Counselor/Program Outside-School		
	All	43.4%
	Grade 7	51.4%
	Grade 8	51.2%
	Grade 9	41.4%
	Grade 10	40.7%
	Grade 11	36.4%
	Grade 12	33.7%
Your Parents		
	All	71.2%
	Grade 7	78.3%
	Grade 8	77.0%
	Grade 9	64.6%
	Grade 10	67.8%
	Grade 11	66.3%
	Grade 12	69.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

(Continued)

		Yes
A Medical Doctor		
	All	55.0%
	Grade 7	66.6%
	Grade 8	62.0%
	Grade 9	49.4%
	Grade 10	49.0%
	Grade 11	49.9%
	Grade 12	46.5%
Your Friends		
	All	64.8%
	Grade 7	52.5%
	Grade 8	57.5%
	Grade 9	66.0%
	Grade 10	70.4%
	Grade 11	72.2%
	Grade 12	78.0%
Another Adult		
	All	64.6%
	Grade 7	68.4%
	Grade 8	66.0%
	Grade 9	56.5%
	Grade 10	59.8%
	Grade 11	70.6%
	Grade 12	65.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	4.9%
	Grade 7	2.4%
	Grade 8	7.1%
	Grade 9	6.1%
	Grade 10	6.7%
	Grade 11	3.4%
	Grade 12	3.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	3.6%	20.3%	22.8%	40.1%	13.1%
Grade 7	4.4%	15.5%	19.9%	39.9%	20.3%
Grade 8	3.1%	20.7%	19.6%	42.0%	14.6%
Grade 9	2.3%	22.1%	23.6%	42.6%	9.5%
Grade 10	5.7%	22.7%	24.5%	36.2%	11.0%
Grade 11	4.1%	19.7%	27.4%	37.0%	11.8%
Grade 12	2.0%	22.3%	23.9%	42.8%	9.1%
Sometimes Carry Weapons?					
All	62.7%	20.9%	9.7%	4.4%	2.3%
Grade 7	84.0%	12.2%	3.0%	0.4%	0.4%
Grade 8	75.5%	14.2%	5.3%	2.9%	2.1%
Grade 9	61.5%	21.4%	10.3%	5.9%	1.0%
Grade 10	43.9%	28.6%	17.5%	5.7%	4.2%
Grade 11	45.4%	27.8%	16.0%	6.4%	4.4%
Grade 12	54.9%	26.5%	9.4%	6.8%	2.4%
Care About Making Good Grades?					
All	1.8%	13.5%	23.7%	43.8%	17.1%
Grade 7	2.1%	9.0%	16.8%	46.0%	26.1%
Grade 8	0.9%	13.8%	21.7%	42.0%	21.6%
Grade 9	1.7%	14.3%	29.3%	41.5%	13.2%
Grade 10	2.5%	17.8%	26.5%	40.5%	12.7%
Grade 11	2.6%	16.5%	23.6%	44.1%	13.1%
Grade 12	1.3%	10.3%	26.7%	49.9%	11.8%
Belong/Want to Belong to a Gang?					
All	89.8%	6.0%	1.9%	1.2%	1.1%
Grade 7	89.1%	7.4%	1.7%	0.8%	1.0%
Grade 8	85.5%	9.4%	2.6%	1.7%	0.8%
Grade 9	89.0%	7.2%	1.7%	2.1%	0.0%
Grade 10	90.7%	5.3%	2.0%	0.9%	1.0%
Grade 11	91.0%	3.8%	2.4%	1.2%	1.5%
Grade 12	96.0%	0.4%	1.1%	0.0%	2.5%
Wish They Could Drop Out of School?					
All	51.9%	30.2%	12.0%	3.8%	2.2%
Grade 7	69.7%	21.0%	5.4%	1.6%	2.3%
Grade 8	59.5%	25.5%	10.2%	3.5%	1.3%
Grade 9	42.0%	38.9%	12.9%	4.2%	2.0%
Grade 10	46.1%	35.0%	13.0%	3.3%	2.5%
Grade 11	40.1%	30.6%	22.0%	5.2%	2.1%
Grade 12	46.9%	33.2%	10.9%	5.7%	3.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.0%	11.4%	0.9%	0.3%	1.5%
Grade 7	88.0%	10.4%	0.6%	0.0%	1.0%
Grade 8	85.3%	12.2%	0.5%	0.1%	1.8%
Grade 9	85.5%	11.6%	0.3%	0.0%	2.7%
Grade 10	84.3%	12.0%	1.9%	1.5%	0.3%
Grade 11	85.5%	11.1%	0.9%	0.0%	2.4%
Grade 12	87.0%	11.0%	1.3%	0.0%	0.7%
Out In Your Neighborhood?					
All	47.1%	43.7%	4.8%	1.2%	3.1%
Grade 7	36.2%	47.5%	9.4%	3.3%	3.6%
Grade 8	39.1%	51.6%	4.9%	0.4%	4.1%
Grade 9	51.0%	41.2%	2.5%	0.0%	5.3%
Grade 10	52.1%	40.6%	4.3%	1.1%	1.9%
Grade 11	47.0%	46.3%	3.7%	1.9%	1.2%
Grade 12	64.8%	30.4%	2.4%	0.4%	1.9%
At School?					
All	53.1%	36.7%	5.4%	2.1%	2.8%
Grade 7	53.7%	36.6%	6.1%	2.1%	1.5%
Grade 8	51.2%	38.7%	5.1%	1.6%	3.5%
Grade 9	50.6%	39.4%	3.0%	3.0%	4.1%
Grade 10	50.0%	37.0%	7.9%	4.0%	1.1%
Grade 11	52.6%	38.6%	4.0%	0.3%	4.5%
Grade 12	62.7%	27.8%	5.9%	1.6%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	20.1%	33.7%	66.3%
Grade 7	6.5%	7.7%	12.9%	87.1%
Grade 8	9.7%	11.6%	20.2%	79.8%
Grade 9	14.2%	17.6%	35.0%	65.0%
Grade 10	22.3%	30.9%	49.2%	50.8%
Grade 11	22.3%	30.1%	42.9%	57.1%
Grade 12	23.3%	30.8%	54.4%	45.6%
Any Alcohol Product				
All	30.7%	35.0%	57.2%	42.8%
Grade 7	13.8%	16.2%	34.0%	66.0%
Grade 8	18.9%	20.7%	43.7%	56.3%
Grade 9	33.8%	39.0%	60.0%	40.0%
Grade 10	40.2%	47.8%	72.3%	27.7%
Grade 11	43.3%	47.8%	72.9%	27.1%
Grade 12	44.2%	49.6%	73.2%	26.8%
Any Illicit Drug				
All	12.2%	15.5%	20.9%	79.1%
Grade 7	4.3%	5.3%	5.5%	94.5%
Grade 8	8.0%	9.7%	13.6%	86.4%
Grade 9	12.2%	17.3%	20.4%	79.6%
Grade 10	18.1%	22.3%	29.8%	70.2%
Grade 11	15.3%	21.6%	30.3%	69.7%
Grade 12	19.4%	22.1%	34.8%	65.2%
Any Prescription Drug				
All	10.9%	14.8%	18.9%	81.1%
Grade 7	7.2%	9.7%	12.7%	87.3%
Grade 8	10.5%	15.3%	18.2%	81.8%
Grade 9	9.5%	15.6%	21.4%	78.6%
Grade 10	15.5%	18.1%	24.5%	75.5%
Grade 11	14.5%	16.9%	19.2%	80.8%
Grade 12	9.0%	14.2%	18.7%	81.3%
Any Inhalant				
All	4.6%	6.4%	14.5%	85.5%
Grade 7	5.2%	6.4%	11.6%	88.4%
Grade 8	7.4%	8.1%	15.7%	84.3%
Grade 9	5.9%	6.2%	14.3%	85.7%
Grade 10	4.4%	8.5%	18.8%	81.2%
Grade 11	1.5%	3.9%	14.7%	85.3%
Grade 12	1.6%	4.0%	11.6%	88.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.0%	12.6%	24.7%	75.3%
Grade 7	1.7%	3.2%	9.1%	90.9%
Grade 8	4.1%	7.1%	15.2%	84.8%
Grade 9	8.7%	12.0%	26.0%	74.0%
Grade 10	6.7%	17.6%	35.8%	64.2%
Grade 11	9.3%	22.4%	34.4%	65.6%
Grade 12	15.2%	18.6%	36.6%	63.4%
Marijuana				
All	11.9%	14.1%	19.3%	80.7%
Grade 7	4.3%	4.3%	4.6%	95.4%
Grade 8	7.9%	8.3%	11.1%	88.9%
Grade 9	12.2%	16.6%	19.4%	80.6%
Grade 10	17.7%	21.7%	28.3%	71.7%
Grade 11	15.3%	18.3%	27.8%	72.2%
Grade 12	18.1%	20.6%	33.4%	66.6%
Marijuana Only				
All	7.0%	8.8%	13.6%	86.4%
Grade 7	2.5%	2.6%	2.8%	97.2%
Grade 8	3.1%	3.5%	5.3%	94.7%
Grade 9	9.5%	13.0%	15.5%	84.5%
Grade 10	10.9%	14.8%	21.4%	78.6%
Grade 11	8.7%	11.2%	20.6%	79.4%
Grade 12	9.5%	10.8%	22.9%	77.1%
Cocaine or Crack				
All	0.8%	0.9%	1.9%	98.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.6%	0.9%	2.1%	97.9%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.1%	1.4%	2.1%	97.9%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	3.8%	3.8%	4.7%	95.3%
Cocaine				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.8%	2.0%	98.0%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.1%	1.4%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	3.8%	3.8%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens				
All	0.6%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.5%	2.0%	98.0%
Grade 9	0.9%	1.2%	2.3%	97.7%
Grade 10	0.9%	2.2%	4.1%	95.9%
Grade 11	1.3%	1.3%	2.2%	97.8%
Grade 12	0.0%	2.5%	5.2%	94.8%
Synthetic Cathinones				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	1.6%	2.0%	3.0%	97.0%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	1.0%	1.0%	5.1%	94.9%
Grade 11	1.5%	2.4%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.7%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.6%	1.6%	3.3%	96.7%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.9%	2.6%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.1%	2.0%	4.3%	95.7%
Grade 7	1.4%	1.4%	1.6%	98.4%
Grade 8	1.7%	2.4%	4.3%	95.7%
Grade 9	0.5%	0.9%	2.8%	97.2%
Grade 10	1.7%	2.9%	4.5%	95.5%
Grade 11	1.1%	3.1%	6.8%	93.2%
Grade 12	0.0%	1.3%	7.7%	92.3%
Methamphetamine				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	1.2%	2.5%	97.5%
Grade 9	0.0%	0.1%	1.4%	98.6%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.0%	24.3%	36.5%	63.5%
Grade 7	10.5%	10.7%	14.6%	85.4%
Grade 8	11.4%	14.1%	23.0%	77.0%
Grade 9	11.7%	15.4%	34.6%	65.4%
Grade 10	30.8%	36.4%	49.5%	50.5%
Grade 11	26.8%	35.8%	45.8%	54.2%
Grade 12	37.3%	44.1%	64.8%	35.2%
Any Alcohol Product				
All	32.9%	36.9%	57.6%	42.4%
Grade 7	15.6%	18.8%	39.8%	60.2%
Grade 8	19.0%	20.5%	43.8%	56.2%
Grade 9	32.7%	38.2%	60.0%	40.0%
Grade 10	44.6%	49.5%	65.8%	34.2%
Grade 11	45.6%	50.0%	72.8%	27.2%
Grade 12	50.2%	55.2%	73.0%	27.0%
Any Illicit Drug				
All	12.7%	15.7%	21.1%	78.9%
Grade 7	6.3%	7.6%	7.7%	92.3%
Grade 8	9.0%	9.7%	14.5%	85.5%
Grade 9	6.3%	11.4%	14.3%	85.7%
Grade 10	18.1%	22.3%	27.0%	73.0%
Grade 11	16.4%	22.4%	31.6%	68.4%
Grade 12	25.8%	26.8%	41.3%	58.7%
Any Prescription Drug				
All	11.5%	14.8%	18.4%	81.6%
Grade 7	7.5%	10.7%	13.7%	86.3%
Grade 8	10.6%	15.7%	20.2%	79.8%
Grade 9	12.1%	16.2%	19.3%	80.7%
Grade 10	14.0%	14.0%	17.0%	83.0%
Grade 11	12.6%	14.9%	18.3%	81.7%
Grade 12	13.1%	18.7%	23.6%	76.4%
Any Inhalant				
All	3.6%	5.4%	12.9%	87.1%
Grade 7	6.3%	7.4%	10.9%	89.1%
Grade 8	8.3%	8.9%	17.3%	82.7%
Grade 9	0.9%	1.5%	9.7%	90.3%
Grade 10	3.1%	6.9%	16.1%	83.9%
Grade 11	0.0%	2.8%	12.2%	87.8%
Grade 12	1.5%	3.8%	11.1%	88.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	15.0%	26.1%	73.9%
Grade 7	1.6%	4.3%	10.5%	89.5%
Grade 8	4.4%	9.3%	17.3%	82.7%
Grade 9	7.7%	10.5%	26.0%	74.0%
Grade 10	10.0%	19.5%	33.9%	66.1%
Grade 11	11.7%	24.0%	31.7%	68.3%
Grade 12	26.1%	29.8%	46.6%	53.4%
Marijuana				
All	12.2%	14.2%	19.8%	80.2%
Grade 7	6.1%	6.1%	6.1%	93.9%
Grade 8	8.8%	9.0%	13.9%	86.1%
Grade 9	6.4%	11.5%	13.7%	86.3%
Grade 10	17.4%	21.0%	25.0%	75.0%
Grade 11	16.4%	19.0%	30.9%	69.1%
Grade 12	23.2%	23.9%	38.4%	61.6%
Marijuana Only				
All	6.7%	8.5%	13.4%	86.6%
Grade 7	3.5%	3.5%	3.5%	96.5%
Grade 8	2.6%	2.9%	5.6%	94.4%
Grade 9	4.1%	7.6%	9.2%	90.8%
Grade 10	9.9%	13.5%	17.5%	82.5%
Grade 11	11.9%	14.5%	26.5%	73.5%
Grade 12	11.4%	12.1%	25.7%	74.3%
Cocaine or Crack				
All	1.2%	1.5%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.2%	1.8%	2.4%	97.6%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	7.8%	7.8%	9.5%	90.5%
Cocaine				
All	1.2%	1.4%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.2%	1.8%	2.4%	97.6%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	7.8%	7.8%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	0.4%	1.3%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.1%	3.5%	96.5%
Grade 9	0.5%	0.5%	2.3%	97.7%
Grade 10	0.0%	2.4%	3.2%	96.8%
Grade 11	1.3%	1.3%	2.5%	97.5%
Grade 12	0.0%	3.2%	8.0%	92.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%
Steroids				
All	1.1%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	3.4%	3.4%	4.0%	96.0%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	3.2%	96.8%
Grade 11	3.0%	3.7%	5.3%	94.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.4%	1.2%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.4%	2.3%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.8%	5.4%	8.6%	91.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.6%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	1.7%	2.4%	5.2%	94.8%
Grade 7	2.3%	2.5%	2.5%	97.5%
Grade 8	3.1%	3.4%	5.2%	94.8%
Grade 9	1.0%	1.0%	3.3%	96.7%
Grade 10	2.2%	4.6%	6.4%	93.6%
Grade 11	1.3%	2.5%	4.4%	95.6%
Grade 12	0.0%	0.0%	11.1%	88.9%
Methamphetamine				
All	0.2%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	2.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.6%	15.7%	30.8%	69.2%
Grade 7	1.9%	4.3%	10.8%	89.2%
Grade 8	8.3%	9.5%	17.8%	82.2%
Grade 9	17.3%	20.4%	35.4%	64.6%
Grade 10	13.2%	24.9%	48.9%	51.1%
Grade 11	17.0%	24.0%	40.6%	59.4%
Grade 12	10.1%	17.7%	44.2%	55.8%
Any Alcohol Product				
All	28.3%	33.0%	57.0%	43.0%
Grade 7	11.7%	13.5%	28.7%	71.3%
Grade 8	18.6%	20.7%	43.3%	56.7%
Grade 9	35.0%	39.9%	60.0%	40.0%
Grade 10	35.5%	46.0%	79.5%	20.5%
Grade 11	41.4%	46.3%	73.9%	26.1%
Grade 12	38.1%	43.9%	73.2%	26.8%
Any Illicit Drug				
All	11.6%	14.9%	20.5%	79.5%
Grade 7	1.9%	2.4%	2.7%	97.3%
Grade 8	7.1%	9.8%	13.0%	87.0%
Grade 9	19.3%	24.3%	27.9%	72.1%
Grade 10	18.0%	22.4%	32.7%	67.3%
Grade 11	14.8%	19.1%	27.6%	72.4%
Grade 12	13.3%	16.9%	28.2%	71.8%
Any Prescription Drug				
All	10.4%	14.9%	19.7%	80.3%
Grade 7	7.1%	9.0%	12.0%	88.0%
Grade 8	10.4%	15.0%	16.5%	83.5%
Grade 9	6.1%	14.6%	23.9%	76.1%
Grade 10	17.1%	22.5%	32.5%	67.5%
Grade 11	17.4%	19.9%	21.2%	78.8%
Grade 12	5.2%	10.0%	14.2%	85.8%
Any Inhalant				
All	5.6%	7.3%	16.1%	83.9%
Grade 7	3.4%	4.7%	11.8%	88.2%
Grade 8	6.6%	7.4%	14.4%	85.6%
Grade 9	12.0%	12.0%	19.9%	80.1%
Grade 10	5.8%	10.2%	21.7%	78.3%
Grade 11	3.3%	5.4%	18.3%	81.7%
Grade 12	1.7%	4.1%	12.2%	87.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.5%	9.8%	23.1%	76.9%
Grade 7	1.0%	1.5%	7.1%	92.9%
Grade 8	3.8%	5.2%	13.4%	86.6%
Grade 9	9.9%	13.9%	25.8%	74.2%
Grade 10	3.1%	15.6%	37.7%	62.3%
Grade 11	5.5%	20.0%	37.4%	62.6%
Grade 12	5.2%	7.8%	27.0%	73.0%
Marijuana				
All	11.6%	14.0%	18.9%	81.1%
Grade 7	1.9%	2.0%	2.5%	97.5%
Grade 8	7.1%	7.6%	8.7%	91.3%
Grade 9	19.3%	22.8%	26.5%	73.5%
Grade 10	18.0%	22.4%	31.9%	68.1%
Grade 11	14.8%	18.5%	25.6%	74.4%
Grade 12	13.3%	16.9%	28.2%	71.8%
Marijuana Only				
All	7.2%	9.0%	13.9%	86.1%
Grade 7	0.9%	1.1%	1.4%	98.6%
Grade 8	3.6%	4.0%	5.1%	94.9%
Grade 9	16.1%	19.6%	23.2%	76.8%
Grade 10	11.9%	16.3%	25.8%	74.2%
Grade 11	5.5%	8.0%	15.1%	84.9%
Grade 12	7.9%	8.9%	19.9%	80.1%
Cocaine or Crack				
All	0.4%	0.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.3%	2.3%	3.1%	96.9%
Grade 11	0.0%	0.0%	4.2%	95.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.3%	2.3%	3.1%	96.9%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	2.9%	97.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	1.1%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	1.4%	2.1%	2.1%	97.9%
Grade 10	2.0%	2.0%	5.1%	94.9%
Grade 11	1.3%	1.3%	2.1%	97.9%
Grade 12	0.0%	1.7%	2.6%	97.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.7%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.7%	2.0%	98.0%
Grade 9	0.3%	0.3%	2.0%	98.0%
Grade 10	2.1%	2.1%	7.0%	93.0%
Grade 11	0.0%	1.2%	2.5%	97.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.2%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	3.6%	96.4%
Grade 11	0.0%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	1.6%	3.5%	96.5%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.5%	1.6%	3.5%	96.5%
Grade 9	0.0%	0.7%	1.9%	98.1%
Grade 10	1.1%	1.1%	2.4%	97.6%
Grade 11	0.8%	4.0%	9.7%	90.3%
Grade 12	0.0%	2.5%	4.5%	95.5%
Methamphetamine				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.8%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.0%	21.4%	34.5%	65.5%
Grade 7	5.9%	6.6%	11.8%	88.2%
Grade 8	9.8%	11.2%	18.6%	81.4%
Grade 9	17.8%	22.3%	35.5%	64.5%
Grade 10	22.4%	32.5%	52.3%	47.7%
Grade 11	21.0%	30.8%	41.6%	58.4%
Grade 12	22.5%	30.3%	56.1%	43.9%
Any Alcohol Product				
All	31.1%	36.5%	59.1%	40.9%
Grade 7	11.2%	13.7%	34.0%	66.0%
Grade 8	18.1%	20.4%	46.8%	53.2%
Grade 9	34.7%	40.7%	58.5%	41.5%
Grade 10	39.6%	50.4%	73.0%	27.0%
Grade 11	44.9%	50.8%	74.2%	25.8%
Grade 12	45.1%	51.4%	76.7%	23.3%
Any Illicit Drug				
All	10.2%	13.1%	17.9%	82.1%
Grade 7	4.0%	4.9%	4.9%	95.1%
Grade 8	4.3%	5.5%	9.6%	90.4%
Grade 9	11.8%	16.2%	18.2%	81.8%
Grade 10	14.3%	19.2%	26.5%	73.5%
Grade 11	14.0%	17.4%	23.9%	76.1%
Grade 12	15.4%	18.4%	29.4%	70.6%
Any Prescription Drug				
All	9.6%	13.9%	18.3%	81.7%
Grade 7	8.2%	11.0%	13.2%	86.8%
Grade 8	6.4%	12.8%	16.3%	83.7%
Grade 9	6.9%	14.0%	21.6%	78.4%
Grade 10	13.6%	16.1%	24.5%	75.5%
Grade 11	14.7%	15.8%	17.6%	82.4%
Grade 12	8.5%	14.3%	16.7%	83.3%
Any Inhalant				
All	4.4%	5.5%	14.3%	85.7%
Grade 7	4.0%	4.8%	10.9%	89.1%
Grade 8	7.5%	7.5%	15.7%	84.3%
Grade 9	8.5%	8.5%	19.3%	80.7%
Grade 10	4.5%	6.7%	18.1%	81.9%
Grade 11	0.6%	2.8%	13.4%	86.6%
Grade 12	0.0%	2.0%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	13.5%	24.3%	75.7%
Grade 7	1.1%	2.8%	8.4%	91.6%
Grade 8	4.2%	7.2%	14.2%	85.8%
Grade 9	10.4%	15.3%	24.7%	75.3%
Grade 10	7.6%	19.0%	36.3%	63.7%
Grade 11	10.2%	21.6%	32.3%	67.7%
Grade 12	13.7%	18.5%	35.8%	64.2%
Marijuana				
All	10.1%	12.2%	16.8%	83.2%
Grade 7	4.0%	4.2%	4.4%	95.6%
Grade 8	4.3%	4.5%	7.2%	92.8%
Grade 9	11.7%	15.2%	17.1%	82.9%
Grade 10	13.7%	18.5%	25.2%	74.8%
Grade 11	14.0%	15.1%	22.8%	77.2%
Grade 12	15.4%	18.4%	29.4%	70.6%
Marijuana Only				
All	6.1%	7.6%	11.8%	88.2%
Grade 7	2.5%	2.6%	2.6%	97.4%
Grade 8	1.4%	1.6%	2.5%	97.5%
Grade 9	9.3%	11.3%	13.3%	86.7%
Grade 10	8.0%	12.8%	19.5%	80.5%
Grade 11	9.0%	10.2%	17.8%	82.2%
Grade 12	7.9%	8.9%	19.0%	81.0%
Cocaine or Crack				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.8%	2.7%	97.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.8%	1.8%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	1.4%	1.4%	2.7%	97.3%
Cocaine				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.8%	2.7%	97.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	1.8%	1.8%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.4%	1.4%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	0.7%	1.0%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.5%	2.4%	97.6%
Grade 9	1.1%	1.1%	2.3%	97.7%
Grade 10	1.5%	1.5%	4.6%	95.4%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	0.0%	2.1%	5.5%	94.5%
Synthetic Cathinones				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids				
All	0.9%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.9%	2.9%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	3.9%	96.1%
Grade 11	2.1%	2.7%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.4%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	3.2%	96.8%
Grade 11	0.0%	0.6%	1.7%	98.3%
Grade 12	1.4%	3.3%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
Synthetic Marijuana				
All	1.1%	1.5%	3.1%	96.9%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	1.9%	1.9%	3.1%	96.9%
Grade 9	0.4%	0.4%	1.9%	98.1%
Grade 10	0.8%	0.8%	2.4%	97.6%
Grade 11	1.7%	2.3%	4.4%	95.6%
Grade 12	0.0%	2.0%	6.1%	93.9%
Methamphetamine				
All	0.1%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	1.7%	3.2%	96.8%
Grade 9	0.0%	0.2%	1.2%	98.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.5%	22.2%	40.6%	59.4%
Grade 7	2.1%	10.9%	13.0%	87.0%
Grade 8	12.6%	15.2%	34.9%	65.1%
Grades 9-10	10.2%	20.4%	44.9%	55.1%
Grades 11-12	45.4%	45.4%	72.6%	27.4%
Any Alcohol Product				
All	32.1%	33.8%	51.4%	48.6%
Grade 7	16.7%	18.7%	18.7%	81.3%
Grade 8	30.8%	30.8%	42.5%	57.5%
Grades 9-10	40.8%	44.9%	59.2%	40.8%
Grades 11-12	39.6%	39.6%	88.1%	11.9%
Any Illicit Drug				
All	20.9%	28.2%	33.5%	66.5%
Grade 7	9.3%	13.4%	13.4%	86.6%
Grade 8	18.3%	18.3%	20.8%	79.2%
Grades 9-10	30.6%	40.8%	40.8%	59.2%
Grades 11-12	24.1%	39.6%	60.8%	39.2%
Any Prescription Drug				
All	14.3%	17.0%	18.3%	81.7%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	27.7%	27.7%	30.8%	69.2%
Grades 9-10	20.4%	20.4%	20.4%	79.6%
Grades 11-12	6.5%	19.5%	19.5%	80.5%
Any Inhalant				
All	6.1%	12.0%	22.4%	77.6%
Grade 7	12.8%	23.4%	23.4%	76.6%
Grade 8	11.9%	14.5%	26.1%	73.9%
Grades 9-10	0.0%	0.0%	10.2%	89.8%
Grades 11-12	0.0%	12.1%	33.3%	66.7%
Electronic Vapor Products				
All	3.3%	5.0%	28.8%	71.2%
Grade 7	0.0%	0.0%	8.8%	91.2%
Grade 8	2.5%	2.5%	18.3%	81.7%
Grades 9-10	0.0%	0.0%	34.7%	65.3%
Grades 11-12	13.1%	21.5%	57.6%	42.4%
Marijuana				
All	20.9%	23.9%	30.8%	69.2%
Grade 7	9.3%	9.3%	9.3%	90.7%
Grade 8	18.3%	18.3%	20.8%	79.2%
Grades 9-10	30.6%	40.8%	40.8%	59.2%
Grades 11-12	24.1%	24.1%	53.1%	46.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	15.2%	18.2%	25.1%	74.9%
Grade 7	7.4%	7.4%	7.4%	92.6%
Grade 8	7.8%	7.8%	10.3%	89.7%
Grades 9-10	30.6%	40.8%	40.8%	59.2%
Grades 11-12	12.1%	12.1%	41.0%	59.0%
Cocaine or Crack				
All	2.6%	2.6%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	12.1%	12.1%	12.1%	87.9%
Cocaine				
All	2.6%	2.6%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	12.1%	12.1%	12.1%	87.9%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	2.7%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	12.1%	12.1%	87.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	2.9%	2.9%	3.4%	96.6%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	10.2%	10.2%	10.2%	89.8%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 56 of 119

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.0%	0.0%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	13.1%	86.9%
Heroin				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	1.3%	5.2%	94.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	5.1%	10.5%	89.5%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	12.1%	87.9%
Methamphetamine				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	2.5%	97.5%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.1%	16.3%	30.1%	69.9%
Grade 7	8.5%	9.1%	13.8%	86.2%
Grade 8	7.9%	10.5%	18.7%	81.3%
Grade 9	7.8%	10.0%	33.6%	66.4%
Grade 10	21.0%	25.5%	44.2%	55.8%
Grade 11	23.2%	27.3%	39.0%	61.0%
Grade 12	16.4%	24.1%	44.7%	55.3%
Any Alcohol Product				
All	29.3%	31.7%	54.8%	45.2%
Grade 7	18.0%	20.2%	37.8%	62.2%
Grade 8	16.9%	18.2%	37.8%	62.2%
Grade 9	31.5%	35.7%	65.6%	34.4%
Grade 10	40.0%	42.1%	72.2%	27.8%
Grade 11	43.7%	43.7%	67.2%	32.8%
Grade 12	37.8%	42.7%	61.5%	38.5%
Any Illicit Drug				
All	13.4%	17.2%	23.6%	76.4%
Grade 7	4.2%	4.5%	4.8%	95.2%
Grade 8	11.5%	14.5%	18.4%	81.6%
Grade 9	8.3%	15.4%	19.7%	80.3%
Grade 10	27.2%	28.2%	36.1%	63.9%
Grade 11	18.0%	28.3%	36.3%	63.7%
Grade 12	17.4%	19.9%	39.9%	60.1%
Any Prescription Drug				
All	12.6%	15.5%	19.1%	80.9%
Grade 7	6.6%	9.1%	14.0%	86.0%
Grade 8	14.5%	17.4%	19.7%	80.3%
Grade 9	16.0%	20.3%	22.7%	77.3%
Grade 10	14.5%	17.9%	22.1%	77.9%
Grade 11	14.3%	18.4%	20.6%	79.4%
Grade 12	10.3%	10.3%	16.1%	83.9%
Any Inhalant				
All	4.7%	6.6%	12.5%	87.5%
Grade 7	5.9%	5.9%	10.8%	89.2%
Grade 8	6.2%	7.4%	12.5%	87.5%
Grade 9	2.3%	2.3%	3.4%	96.6%
Grade 10	5.5%	15.0%	23.7%	76.3%
Grade 11	4.1%	5.7%	12.0%	88.0%
Grade 12	3.0%	3.0%	14.4%	85.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.1%	11.9%	24.1%	75.9%
Grade 7	3.3%	5.2%	10.6%	89.4%
Grade 8	3.8%	7.7%	15.3%	84.7%
Grade 9	5.6%	6.7%	25.8%	74.2%
Grade 10	6.3%	19.2%	36.5%	63.5%
Grade 11	8.6%	25.1%	34.7%	65.3%
Grade 12	12.6%	14.0%	32.0%	68.0%
Marijuana				
All	12.9%	15.6%	21.6%	78.4%
Grade 7	4.2%	4.2%	4.5%	95.5%
Grade 8	11.2%	12.0%	15.0%	85.0%
Grade 9	8.4%	15.6%	18.9%	81.1%
Grade 10	27.2%	27.2%	35.1%	64.9%
Grade 11	18.0%	26.2%	34.2%	65.8%
Grade 12	13.1%	15.0%	35.0%	65.0%
Marijuana Only				
All	7.0%	9.5%	15.3%	84.7%
Grade 7	2.0%	2.0%	2.3%	97.7%
Grade 8	5.1%	5.9%	8.9%	91.1%
Grade 9	6.1%	13.4%	15.6%	84.4%
Grade 10	16.6%	16.6%	24.5%	75.5%
Grade 11	5.8%	11.9%	19.9%	80.1%
Grade 12	9.3%	11.2%	31.2%	68.8%
Cocaine or Crack				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	1.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	4.2%	95.8%
Grade 12	6.2%	6.2%	6.2%	93.8%
Cocaine				
All	0.9%	1.1%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	1.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	4.2%	95.8%
Grade 12	6.2%	6.2%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	1.8%	98.2%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	4.3%	4.3%	95.7%
Grade 11	2.1%	2.1%	4.2%	95.8%
Grade 12	0.0%	0.0%	1.9%	98.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.9%	98.1%
Steroids				
All	0.0%	0.5%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	1.2%	1.7%	98.3%
Grade 9	0.0%	0.0%	2.5%	97.5%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	0.0%	1.9%	3.5%	96.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.1%	0.9%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.4%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.3%	3.1%	5.8%	94.2%
Grade 7	1.6%	1.9%	2.2%	97.8%
Grade 8	1.6%	2.6%	4.5%	95.5%
Grade 9	0.0%	0.0%	3.3%	96.7%
Grade 10	4.2%	8.5%	9.5%	90.5%
Grade 11	0.0%	6.1%	14.3%	85.7%
Grade 12	0.0%	0.0%	3.8%	96.2%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	17.6%	29.7%	70.3%
Grade 7	1.5%	3.3%	8.6%	91.4%
Grade 8	6.4%	7.9%	13.6%	86.4%
Grade 9	12.7%	16.2%	21.5%	78.5%
Grade 10	18.7%	31.8%	49.2%	50.8%
Grade 11	15.5%	24.0%	36.5%	63.5%
Grade 12	21.1%	26.8%	54.3%	45.7%
Any Alcohol Product				
All	26.6%	32.0%	54.2%	45.8%
Grade 7	4.9%	7.6%	24.2%	75.8%
Grade 8	13.3%	15.8%	38.2%	61.8%
Grade 9	20.8%	26.0%	39.7%	60.3%
Grade 10	39.8%	51.3%	81.6%	18.4%
Grade 11	43.5%	49.0%	66.7%	33.3%
Grade 12	43.1%	48.8%	80.8%	19.2%
Any Illicit Drug				
All	8.9%	11.0%	16.5%	83.5%
Grade 7	0.6%	0.9%	0.9%	99.1%
Grade 8	2.2%	2.6%	4.4%	95.6%
Grade 9	11.2%	12.9%	14.9%	85.1%
Grade 10	18.7%	22.2%	33.4%	66.6%
Grade 11	9.7%	16.0%	21.2%	78.8%
Grade 12	13.8%	15.0%	29.0%	71.0%
Any Prescription Drug				
All	10.1%	14.7%	18.3%	81.7%
Grade 7	5.6%	7.4%	8.9%	91.1%
Grade 8	8.4%	11.6%	14.0%	86.0%
Grade 9	6.2%	15.2%	20.9%	79.1%
Grade 10	20.9%	27.3%	36.7%	63.3%
Grade 11	13.0%	13.9%	16.3%	83.7%
Grade 12	6.6%	14.2%	15.1%	84.9%
Any Inhalant				
All	3.6%	5.5%	12.1%	87.9%
Grade 7	3.2%	3.7%	6.9%	93.1%
Grade 8	2.6%	2.8%	9.9%	90.1%
Grade 9	4.9%	4.9%	11.0%	89.0%
Grade 10	8.7%	13.5%	24.0%	76.0%
Grade 11	0.9%	1.7%	8.5%	91.5%
Grade 12	1.8%	6.7%	13.3%	86.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.2%	12.0%	22.4%	77.6%
Grade 7	0.0%	0.8%	5.8%	94.2%
Grade 8	2.6%	5.5%	10.6%	89.4%
Grade 9	8.8%	12.4%	19.6%	80.4%
Grade 10	3.7%	21.3%	34.6%	65.4%
Grade 11	8.6%	22.6%	32.7%	67.3%
Grade 12	10.2%	13.0%	36.4%	63.6%
Marijuana				
All	8.7%	10.3%	15.7%	84.3%
Grade 7	0.6%	0.9%	0.9%	99.1%
Grade 8	2.2%	2.4%	4.2%	95.8%
Grade 9	11.2%	12.1%	14.1%	85.9%
Grade 10	17.8%	21.3%	31.4%	68.6%
Grade 11	9.7%	13.7%	18.9%	81.1%
Grade 12	13.8%	15.0%	29.0%	71.0%
Marijuana Only				
All	5.6%	7.0%	12.2%	87.8%
Grade 7	0.6%	0.9%	0.9%	99.1%
Grade 8	1.2%	1.5%	3.2%	96.8%
Grade 9	9.1%	10.0%	12.0%	88.0%
Grade 10	12.9%	16.4%	26.6%	73.4%
Grade 11	4.1%	6.7%	11.9%	88.1%
Grade 12	7.9%	9.1%	22.1%	77.9%
Cocaine or Crack				
All	0.9%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.8%	2.8%	3.7%	96.3%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	2.3%	2.3%	3.2%	96.8%
Cocaine				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.8%	2.8%	3.7%	96.3%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	2.3%	2.3%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	0.5%	1.3%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	0.0%	0.0%	3.7%	96.3%
Grade 11	1.4%	1.4%	2.2%	97.8%
Grade 12	0.0%	5.1%	6.0%	94.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Steroids				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.1%	3.1%	96.9%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.0%	0.0%	6.0%	94.0%
Grade 11	2.3%	4.4%	4.4%	95.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	4.3%	95.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.9%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	0.0%	0.1%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.8%	6.1%	93.9%
Grade 12	0.0%	0.0%	4.1%	95.9%
Methamphetamine				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	21.9%	37.3%	62.7%
Grade 7	10.1%	11.3%	16.5%	83.5%
Grade 8	11.4%	13.7%	25.6%	74.4%
Grade 9	14.0%	17.4%	42.7%	57.3%
Grade 10	27.3%	33.6%	54.0%	46.0%
Grade 11	29.6%	34.5%	50.6%	49.4%
Grade 12	27.0%	37.2%	55.8%	44.2%
Any Alcohol Product				
All	33.4%	36.3%	58.1%	41.9%
Grade 7	19.2%	21.6%	40.9%	59.1%
Grade 8	22.5%	23.9%	44.8%	55.2%
Grade 9	36.3%	39.5%	69.1%	30.9%
Grade 10	44.6%	49.5%	68.3%	31.7%
Grade 11	45.6%	48.7%	75.1%	24.9%
Grade 12	49.3%	53.1%	67.5%	32.5%
Any Illicit Drug				
All	14.0%	18.7%	23.9%	76.1%
Grade 7	7.4%	8.7%	9.0%	91.0%
Grade 8	10.8%	13.5%	18.2%	81.8%
Grade 9	11.5%	19.3%	22.4%	77.6%
Grade 10	19.3%	25.3%	29.7%	70.3%
Grade 11	18.3%	25.6%	38.5%	61.5%
Grade 12	26.0%	31.4%	43.8%	56.2%
Any Prescription Drug				
All	12.5%	16.0%	20.8%	79.2%
Grade 7	7.6%	10.7%	14.8%	85.2%
Grade 8	13.0%	19.3%	21.6%	78.4%
Grade 9	13.3%	16.8%	23.7%	76.3%
Grade 10	12.6%	12.6%	16.9%	83.1%
Grade 11	17.5%	22.3%	25.6%	74.4%
Grade 12	14.3%	17.2%	27.7%	72.3%
Any Inhalant				
All	5.7%	7.3%	16.2%	83.8%
Grade 7	7.1%	9.0%	15.0%	85.0%
Grade 8	8.7%	9.6%	18.2%	81.8%
Grade 9	8.4%	8.5%	15.3%	84.7%
Grade 10	1.3%	5.9%	16.4%	83.6%
Grade 11	2.8%	5.1%	18.6%	81.4%
Grade 12	1.9%	1.9%	13.4%	86.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	12.2%	26.1%	73.9%
Grade 7	2.9%	5.2%	12.5%	87.5%
Grade 8	4.0%	7.2%	18.1%	81.9%
Grade 9	9.4%	12.0%	28.9%	71.1%
Grade 10	7.9%	15.7%	38.6%	61.4%
Grade 11	9.0%	20.9%	37.5%	62.5%
Grade 12	19.4%	22.5%	34.7%	65.3%
Marijuana				
All	13.6%	16.6%	21.3%	78.7%
Grade 7	7.2%	7.2%	7.5%	92.5%
Grade 8	10.6%	10.8%	13.5%	86.5%
Grade 9	11.3%	18.8%	21.2%	78.8%
Grade 10	19.3%	24.7%	28.2%	71.8%
Grade 11	18.3%	20.7%	35.5%	64.5%
Grade 12	22.8%	27.8%	40.2%	59.8%
Marijuana Only				
All	7.7%	10.1%	14.7%	85.3%
Grade 7	4.2%	4.2%	4.3%	95.7%
Grade 8	4.5%	4.7%	7.0%	93.0%
Grade 9	10.8%	16.4%	18.8%	81.2%
Grade 10	11.3%	16.7%	20.2%	79.8%
Grade 11	9.0%	11.4%	26.2%	73.8%
Grade 12	10.0%	11.7%	23.6%	76.4%
Cocaine or Crack				
All	1.0%	1.0%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.8%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.0%	97.0%
Grade 12	6.9%	6.9%	8.0%	92.0%
Cocaine				
All	0.9%	0.9%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.8%	0.8%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	6.9%	6.9%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.0%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.5%	0.7%	2.1%	97.9%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	2.0%	4.0%	4.8%	95.2%
Grade 11	1.7%	1.7%	3.2%	96.8%
Grade 12	0.0%	0.0%	4.9%	95.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.4%	98.6%
Steroids				
All	0.5%	0.7%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.7%	1.8%	98.2%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	2.1%	2.1%	5.6%	94.4%
Grade 11	1.3%	1.3%	4.9%	95.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	1.0%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	2.0%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	2.2%	4.8%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.8%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	3.1%	5.9%	94.1%
Grade 7	2.5%	2.7%	3.0%	97.0%
Grade 8	1.2%	2.6%	6.1%	93.9%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	3.1%	5.7%	6.5%	93.5%
Grade 11	1.7%	6.0%	9.3%	90.7%
Grade 12	0.0%	3.3%	14.7%	85.3%
Methamphetamine				
All	0.2%	0.3%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	2.9%	97.1%
Grade 9	0.0%	0.2%	1.4%	98.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	15.1%	25.2%	74.8%
Grade 7	3.8%	4.4%	6.3%	93.7%
Grade 8	6.8%	7.8%	14.2%	85.8%
Grade 9	10.3%	11.6%	22.5%	77.5%
Grade 10	19.6%	30.2%	44.2%	55.8%
Grade 11	16.6%	23.1%	31.0%	69.0%
Grade 12	14.9%	18.9%	44.9%	55.1%
Any Alcohol Product				
All	24.1%	28.4%	52.2%	47.8%
Grade 7	9.0%	10.5%	29.1%	70.9%
Grade 8	14.9%	16.1%	40.4%	59.6%
Grade 9	26.2%	30.3%	55.1%	44.9%
Grade 10	37.9%	45.3%	62.6%	37.4%
Grade 11	32.8%	38.5%	70.5%	29.5%
Grade 12	32.2%	40.3%	72.1%	27.9%
Any Illicit Drug				
All	7.3%	9.2%	12.1%	87.9%
Grade 7	2.4%	3.5%	3.7%	96.3%
Grade 8	5.2%	5.9%	6.2%	93.8%
Grade 9	7.7%	8.9%	10.0%	90.0%
Grade 10	12.9%	17.3%	20.3%	79.7%
Grade 11	5.3%	9.3%	15.1%	84.9%
Grade 12	12.3%	12.3%	23.4%	76.6%
Any Prescription Drug				
All	7.6%	10.7%	15.1%	84.9%
Grade 7	7.1%	8.4%	11.9%	88.1%
Grade 8	8.1%	12.1%	16.7%	83.3%
Grade 9	3.2%	10.9%	18.0%	82.0%
Grade 10	12.9%	15.9%	22.0%	78.0%
Grade 11	6.3%	7.1%	9.9%	90.1%
Grade 12	6.9%	7.6%	8.3%	91.7%
Any Inhalant				
All	4.4%	5.8%	10.9%	89.1%
Grade 7	3.6%	4.4%	7.8%	92.2%
Grade 8	5.5%	5.8%	12.3%	87.7%
Grade 9	7.4%	7.4%	12.8%	87.2%
Grade 10	5.5%	8.6%	17.2%	82.8%
Grade 11	0.0%	2.3%	3.7%	96.3%
Grade 12	2.5%	5.0%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.7%	10.5%	19.0%	81.0%
Grade 7	1.1%	2.6%	4.8%	95.2%
Grade 8	3.6%	6.0%	10.5%	89.5%
Grade 9	7.0%	8.7%	17.0%	83.0%
Grade 10	5.0%	17.5%	33.7%	66.3%
Grade 11	9.7%	18.8%	25.0%	75.0%
Grade 12	11.6%	14.3%	30.8%	69.2%
Marijuana				
All	6.9%	7.9%	10.8%	89.2%
Grade 7	2.4%	2.4%	2.5%	97.5%
Grade 8	5.0%	5.0%	5.3%	94.7%
Grade 9	7.7%	8.4%	9.6%	90.4%
Grade 10	12.3%	16.6%	19.0%	81.0%
Grade 11	5.3%	6.1%	13.1%	86.9%
Grade 12	9.8%	9.8%	20.9%	79.1%
Marijuana Only				
All	4.3%	5.3%	8.2%	91.8%
Grade 7	1.6%	1.6%	1.7%	98.3%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	6.6%	7.2%	8.4%	91.6%
Grade 10	6.7%	11.1%	13.5%	86.5%
Grade 11	4.6%	5.3%	12.4%	87.6%
Grade 12	8.0%	8.0%	19.0%	81.0%
Cocaine or Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	1.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	3.4%	3.4%	3.4%	96.6%
Cocaine				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	1.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	3.4%	3.4%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.5%	99.5%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.0%	2.1%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.7%	98.3%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.9%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.0%	3.0%	3.9%	96.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.6%	1.6%	6.2%	93.8%
Grade 11	0.0%	0.8%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.7%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	1.9%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	1.7%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.5%	1.7%	98.3%
Grade 7	0.6%	0.8%	0.8%	99.2%
Grade 8	2.2%	2.8%	3.7%	96.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	4.0%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Methamphetamine				
All	0.2%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.8%	26.8%	44.5%	55.5%
Grade 7	10.2%	12.4%	22.2%	77.8%
Grade 8	13.5%	16.6%	28.2%	71.8%
Grade 9	18.7%	24.8%	50.3%	49.7%
Grade 10	26.9%	32.4%	57.8%	42.2%
Grade 11	28.4%	37.8%	54.6%	45.4%
Grade 12	32.8%	44.2%	65.0%	35.0%
Any Alcohol Product				
All	38.7%	43.0%	63.4%	36.6%
Grade 7	20.2%	24.0%	40.5%	59.5%
Grade 8	24.2%	26.8%	48.6%	51.4%
Grade 9	43.2%	50.0%	67.0%	33.0%
Grade 10	43.7%	51.8%	87.5%	12.5%
Grade 11	53.8%	56.0%	74.8%	25.2%
Grade 12	56.1%	58.8%	73.4%	26.6%
Any Illicit Drug				
All	18.3%	23.5%	32.1%	67.9%
Grade 7	7.0%	7.8%	8.0%	92.0%
Grade 8	11.7%	14.7%	23.2%	76.8%
Grade 9	18.0%	27.9%	33.7%	66.3%
Grade 10	25.9%	30.1%	43.8%	56.2%
Grade 11	25.4%	34.1%	45.9%	54.1%
Grade 12	27.3%	32.8%	46.9%	53.1%
Any Prescription Drug				
All	15.1%	20.0%	24.0%	76.0%
Grade 7	7.6%	11.6%	14.1%	85.9%
Grade 8	13.3%	19.2%	20.0%	80.0%
Grade 9	17.0%	21.4%	25.9%	74.1%
Grade 10	20.0%	21.8%	28.8%	71.2%
Grade 11	23.3%	27.2%	29.1%	70.9%
Grade 12	11.1%	21.1%	29.7%	70.3%
Any Inhalant				
All	5.1%	7.3%	19.1%	80.9%
Grade 7	7.5%	9.2%	16.6%	83.4%
Grade 8	9.9%	11.0%	20.3%	79.7%
Grade 9	4.3%	5.0%	16.5%	83.5%
Grade 10	2.6%	8.4%	20.7%	79.3%
Grade 11	3.0%	5.6%	26.1%	73.9%
Grade 12	0.7%	3.0%	14.3%	85.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.8%	15.5%	32.1%	67.9%
Grade 7	2.6%	4.2%	15.0%	85.0%
Grade 8	4.7%	8.7%	21.5%	78.5%
Grade 9	11.0%	16.4%	36.6%	63.4%
Grade 10	9.4%	18.0%	39.6%	60.4%
Grade 11	9.1%	26.4%	44.4%	55.6%
Grade 12	19.5%	24.0%	43.0%	57.0%
Marijuana				
All	18.3%	22.1%	30.0%	70.0%
Grade 7	6.8%	7.0%	7.4%	92.6%
Grade 8	11.7%	12.5%	18.6%	81.4%
Grade 9	18.0%	27.1%	32.1%	67.9%
Grade 10	25.9%	29.3%	42.0%	58.0%
Grade 11	25.4%	30.7%	42.8%	57.2%
Grade 12	27.3%	32.5%	46.6%	53.4%
Marijuana Only				
All	10.3%	13.2%	20.3%	79.7%
Grade 7	3.8%	4.0%	4.3%	95.7%
Grade 8	6.3%	7.2%	11.0%	89.0%
Grade 9	13.3%	20.5%	24.6%	75.4%
Grade 10	16.9%	20.3%	33.0%	67.0%
Grade 11	13.0%	17.1%	29.2%	70.8%
Grade 12	11.4%	13.9%	26.8%	73.2%
Cocaine or Crack				
All	1.1%	1.2%	3.0%	97.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.8%	3.2%	96.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	2.9%	2.9%	3.7%	96.3%
Grade 11	0.0%	0.0%	4.3%	95.7%
Grade 12	4.3%	4.3%	6.1%	93.9%
Cocaine				
All	1.1%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.6%	3.1%	96.9%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	2.9%	2.9%	3.7%	96.3%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	4.3%	4.3%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.8%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	1.0%	1.8%	4.3%	95.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	4.0%	96.0%
Grade 9	0.6%	1.4%	3.6%	96.4%
Grade 10	2.5%	2.5%	6.3%	93.7%
Grade 11	2.6%	2.6%	4.5%	95.5%
Grade 12	0.0%	5.1%	9.0%	91.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.1%	97.9%
Steroids				
All	0.5%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.9%	1.8%	98.2%
Grade 9	0.3%	0.3%	2.3%	97.7%
Grade 10	0.0%	0.0%	3.4%	96.6%
Grade 11	3.1%	4.2%	6.1%	93.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.0%	1.0%	3.5%	96.5%
Grade 11	0.0%	0.7%	2.1%	97.9%
Grade 12	0.9%	3.6%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	1.4%	2.7%	7.6%	92.4%
Grade 7	2.4%	2.4%	2.8%	97.2%
Grade 8	1.2%	2.0%	5.2%	94.8%
Grade 9	1.2%	1.9%	6.0%	94.0%
Grade 10	1.2%	1.2%	5.2%	94.8%
Grade 11	2.1%	6.3%	13.6%	86.4%
Grade 12	0.0%	2.6%	15.0%	85.0%
Methamphetamine				
All	0.1%	0.3%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.6%	3.5%	96.5%
Grade 9	0.0%	0.0%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.7%	1.9%	98.1%
Grade 12	0.0%	0.0%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	18.2%	32.1%	67.9%
Grade 7	5.0%	6.1%	10.4%	89.6%
Grade 8	9.8%	11.5%	18.8%	81.2%
Grade 9	10.8%	14.4%	34.3%	65.7%
Grade 10	19.7%	25.2%	45.7%	54.3%
Grade 11	21.9%	30.5%	42.8%	57.2%
Grade 12	20.9%	29.5%	55.2%	44.8%
Any Alcohol Product				
All	27.2%	31.3%	54.6%	45.4%
Grade 7	11.5%	13.8%	32.1%	67.9%
Grade 8	16.8%	18.3%	40.4%	59.6%
Grade 9	27.5%	32.7%	55.4%	44.6%
Grade 10	33.4%	40.6%	69.2%	30.8%
Grade 11	41.2%	45.2%	70.8%	29.2%
Grade 12	43.9%	49.2%	74.7%	25.3%
Any Illicit Drug				
All	9.5%	12.7%	17.8%	82.2%
Grade 7	3.6%	4.2%	4.5%	95.5%
Grade 8	6.6%	8.1%	10.5%	89.5%
Grade 9	6.5%	11.6%	13.8%	86.2%
Grade 10	13.0%	17.7%	24.4%	75.6%
Grade 11	14.5%	20.6%	29.3%	70.7%
Grade 12	16.6%	19.3%	33.4%	66.6%
Any Prescription Drug				
All	10.3%	13.5%	17.3%	82.7%
Grade 7	6.1%	7.9%	11.0%	89.0%
Grade 8	9.7%	13.3%	16.2%	83.8%
Grade 9	9.9%	16.0%	21.3%	78.7%
Grade 10	14.5%	14.8%	21.9%	78.1%
Grade 11	14.0%	16.7%	18.3%	81.7%
Grade 12	8.9%	14.4%	17.6%	82.4%
Any Inhalant				
All	3.0%	4.2%	12.4%	87.6%
Grade 7	3.9%	4.7%	10.4%	89.6%
Grade 8	4.7%	5.4%	13.1%	86.9%
Grade 9	3.1%	3.1%	10.4%	89.6%
Grade 10	2.9%	4.4%	15.8%	84.2%
Grade 11	1.7%	3.2%	14.9%	85.1%
Grade 12	0.9%	3.6%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.8%	11.0%	23.5%	76.5%
Grade 7	1.3%	2.0%	6.7%	93.3%
Grade 8	3.7%	6.4%	14.2%	85.8%
Grade 9	5.7%	9.7%	24.8%	75.2%
Grade 10	7.8%	15.8%	36.0%	64.0%
Grade 11	6.9%	21.4%	34.3%	65.7%
Grade 12	12.5%	15.9%	35.2%	64.8%
Marijuana				
All	9.2%	11.5%	16.5%	83.5%
Grade 7	3.5%	3.5%	3.7%	96.3%
Grade 8	6.4%	6.9%	8.8%	91.2%
Grade 9	6.4%	10.9%	13.1%	86.9%
Grade 10	13.0%	17.3%	23.0%	77.0%
Grade 11	14.5%	18.0%	27.5%	72.5%
Grade 12	15.2%	17.7%	31.8%	68.2%
Marijuana Only				
All	5.6%	7.6%	12.4%	87.6%
Grade 7	1.9%	1.9%	2.0%	98.0%
Grade 8	3.0%	3.4%	5.3%	94.7%
Grade 9	4.5%	9.0%	10.8%	89.2%
Grade 10	8.8%	13.1%	18.8%	81.2%
Grade 11	8.4%	11.2%	20.8%	79.2%
Grade 12	9.4%	10.4%	24.0%	76.0%
Cocaine or Crack				
All	0.8%	0.8%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.7%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	4.3%	4.3%	4.8%	95.2%
Cocaine				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	4.3%	4.3%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.8%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.9%	1.3%	1.9%	98.1%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	0.0%	1.3%	3.9%	96.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.8%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.9%	2.0%	2.8%	97.2%
Grade 9	0.1%	0.1%	1.3%	98.7%
Grade 10	1.3%	1.3%	6.3%	93.7%
Grade 11	1.4%	2.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	1.0%	3.0%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 80 of 119

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.7%	3.7%	96.3%
Grade 7	1.3%	1.4%	1.6%	98.4%
Grade 8	1.9%	2.4%	3.6%	96.4%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	1.6%	2.0%	3.3%	96.7%
Grade 11	0.4%	2.1%	6.3%	93.7%
Grade 12	0.0%	1.4%	6.9%	93.1%
Methamphetamine				
All	0.1%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	1.4%	1.6%	98.4%
Grade 9	0.0%	0.1%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.2%	31.0%	42.4%	57.6%
Grade 7	12.2%	15.9%	28.6%	71.4%
Grade 8	11.9%	16.4%	23.9%	76.1%
Grade 9	32.0%	32.0%	45.6%	54.4%
Grade 10	26.1%	45.3%	53.0%	47.0%
Grade 11	32.3%	36.4%	56.5%	43.5%
Grade 12	45.4%	45.4%	54.4%	45.6%
Any Alcohol Product				
All	47.4%	53.1%	70.0%	30.0%
Grade 7	23.4%	28.0%	47.7%	52.3%
Grade 8	26.3%	27.0%	56.8%	43.2%
Grade 9	60.5%	67.1%	81.2%	18.8%
Grade 10	61.1%	71.5%	81.9%	18.1%
Grade 11	63.2%	69.9%	86.8%	13.2%
Grade 12	53.5%	58.0%	67.2%	32.8%
Any Illicit Drug				
All	28.3%	30.6%	37.3%	62.7%
Grade 7	8.3%	11.7%	11.7%	88.3%
Grade 8	21.8%	25.7%	36.9%	63.1%
Grade 9	43.2%	46.0%	50.4%	49.6%
Grade 10	23.6%	23.6%	40.2%	59.8%
Grade 11	29.7%	33.2%	33.2%	66.8%
Grade 12	50.0%	50.0%	54.4%	45.6%
Any Prescription Drug				
All	13.3%	19.9%	26.3%	73.7%
Grade 7	11.5%	20.3%	23.0%	77.0%
Grade 8	13.3%	22.3%	26.2%	73.8%
Grade 9	5.2%	7.6%	10.4%	89.6%
Grade 10	16.5%	28.0%	35.3%	64.7%
Grade 11	26.2%	26.2%	36.4%	63.6%
Grade 12	12.6%	17.1%	34.7%	65.3%
Any Inhalant				
All	11.4%	16.7%	25.0%	75.0%
Grade 7	13.9%	18.1%	22.5%	77.5%
Grade 8	18.5%	19.2%	26.3%	73.7%
Grade 9	11.7%	13.9%	29.0%	71.0%
Grade 10	15.4%	27.4%	29.1%	70.9%
Grade 11	0.0%	12.8%	19.5%	80.5%
Grade 12	0.0%	0.0%	17.6%	82.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.7%	23.9%	34.3%	65.7%
Grade 7	1.7%	6.7%	23.1%	76.9%
Grade 8	9.0%	16.8%	22.8%	77.2%
Grade 9	21.4%	23.3%	39.0%	61.0%
Grade 10	5.1%	27.2%	34.3%	65.7%
Grade 11	32.3%	36.4%	40.6%	59.4%
Grade 12	40.9%	45.4%	54.4%	45.6%
Marijuana				
All	27.7%	28.3%	35.4%	64.6%
Grade 7	7.9%	8.8%	9.7%	90.3%
Grade 8	21.8%	21.8%	34.6%	65.4%
Grade 9	43.2%	45.3%	49.6%	50.4%
Grade 10	20.8%	20.8%	37.5%	62.5%
Grade 11	29.7%	29.7%	29.7%	70.3%
Grade 12	50.0%	50.0%	54.4%	45.6%
Marijuana Only				
All	13.2%	13.4%	18.9%	81.1%
Grade 7	4.7%	5.6%	6.5%	93.5%
Grade 8	5.9%	5.9%	8.6%	91.4%
Grade 9	34.9%	35.2%	39.6%	60.4%
Grade 10	1.6%	1.6%	18.3%	81.7%
Grade 11	15.3%	15.3%	15.3%	84.7%
Grade 12	15.3%	15.3%	19.7%	80.3%
Cocaine or Crack				
All	0.8%	1.1%	4.4%	95.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.5%	3.2%	6.8%	93.2%
Grade 9	0.0%	0.0%	1.9%	98.1%
Grade 10	2.8%	2.8%	7.7%	92.3%
Grade 11	0.0%	0.0%	6.7%	93.3%
Grade 12	0.0%	0.0%	4.5%	95.5%
Cocaine				
All	0.8%	1.1%	4.4%	95.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.5%	3.2%	6.8%	93.2%
Grade 9	0.0%	0.0%	1.9%	98.1%
Grade 10	2.8%	2.8%	7.7%	92.3%
Grade 11	0.0%	0.0%	6.7%	93.3%
Grade 12	0.0%	0.0%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.5%	1.5%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.8%	2.8%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.5%	95.5%
Hallucinogens				
All	1.2%	4.5%	10.0%	90.0%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	0.0%	0.0%	15.5%	84.5%
Grade 9	1.9%	4.3%	4.3%	95.7%
Grade 10	1.6%	8.4%	13.9%	86.1%
Grade 11	3.5%	3.5%	10.2%	89.8%
Grade 12	0.0%	13.5%	18.1%	81.9%
Synthetic Cathinones				
All	0.0%	0.1%	1.6%	98.4%
Grade 7	0.0%	0.0%	2.4%	97.6%
Grade 8	0.0%	0.7%	4.1%	95.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.5%	95.5%
Steroids				
All	0.4%	1.4%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	2.8%	5.9%	94.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.5%	7.7%	7.7%	92.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	2.4%	5.9%	94.1%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	0.0%	0.0%	2.6%	97.4%
Grade 9	0.0%	0.0%	1.9%	98.1%
Grade 10	2.8%	9.5%	13.9%	86.1%
Grade 11	0.0%	4.2%	7.7%	92.3%
Grade 12	0.0%	0.0%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.5%	2.8%	3.7%	96.3%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	2.8%	2.8%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.5%	95.5%
Synthetic Marijuana				
All	2.6%	5.6%	11.1%	88.9%
Grade 7	2.3%	2.3%	2.3%	97.7%
Grade 8	1.3%	3.5%	12.6%	87.4%
Grade 9	1.9%	4.1%	10.1%	89.9%
Grade 10	3.3%	10.0%	13.7%	86.3%
Grade 11	7.7%	14.4%	14.4%	85.6%
Grade 12	0.0%	0.0%	17.6%	82.4%
Methamphetamine				
All	0.6%	0.6%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.8%	97.2%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	2.8%	2.8%	2.8%	97.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	20,662	51.1%
Female	19,802	48.9%
Frequency Missing	330	

Hispanic or Latino

Q5a	Frequency	Percent
No	27,028	68.5%
Yes	12,412	31.5%
Frequency Missing	1,354	

Grade

Q2	Frequency	Percent
Grade 7	8,025	19.7%
Grade 8	8,064	19.8%
Grade 9	6,942	17.1%
Grade 10	6,582	16.2%
Grade 11	5,832	14.3%
Grade 12	5,216	12.8%
Frequency Missing	133	

Ethnicity

Q5b	Frequency	Percent
American Indian	521	1.4%
Asian American	169	0.4%
African American	2,406	6.3%
Pacific Islander	15	0.0%
White	26,224	69.2%
Other	4,251	11.2%
More Than One Race	4,308	11.4%
Frequency Missing	2,902	

Live with Both Parents

Q3	Frequency	Percent
No	18,086	44.9%
Yes	22,238	55.1%
Frequency Missing	471	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	108	0.3%
Mostly D's	563	1.6%
Mostly C's	3,478	9.8%
Mostly B's	15,604	43.9%
Mostly A's	15,813	44.5%
Frequency Missing	5,228	

Age

Q4	Frequency	Percent
11 Or Younger	34	0.1%
12	3,541	8.7%
13	7,510	18.5%
14	7,589	18.7%
15	6,597	16.3%
16	6,736	16.6%
17	5,588	13.8%
18	2,804	6.9%
19 Or Older	192	0.5%
Frequency Missing	204	

Do You Have a Job

Q7	Frequency	Percent
No	28,820	80.2%
Yes	7,105	19.8%
Frequency Missing	4,869	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	12,211	34.4%
Yes	13,295	37.5%
Don't Know	9,973	28.1%
Frequency Missing	5,316	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	25,934	84.6%
Yes	4,729	15.4%
Frequency Missing	10,132	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	10,402	30.0%
Yes	24,293	70.0%
Frequency Missing	6,100	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	19,726	62.2%
Yes	11,977	37.8%
Frequency Missing	9,091	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	20,711	65.5%
Yes	10,893	34.5%
Frequency Missing	9,191	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	22,735	74.3%
Yes	7,873	25.7%
Frequency Missing	10,187	

Participate in School Choir

Q9c	Frequency	Percent
No	28,102	93.5%
Yes	1,943	6.5%
Frequency Missing	10,749	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	20,641	65.3%
Yes	10,982	34.7%
Frequency Missing	9,171	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	27,249	89.6%
Yes	3,178	10.4%
Frequency Missing	10,367	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	23,747	77.8%
Yes	6,772	22.2%
Frequency Missing	10,276	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	34,798	86.0%
Somewhat Safe	4,615	11.4%
Not Very Safe	352	0.9%
Not Safe At All	115	0.3%
Don't Know	604	1.5%
Frequency Missing	311	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	2,163	5.6%
Some High School	3,896	10.1%
Finished High School	7,613	19.7%
Some College	5,833	15.1%
Finished College	10,572	27.3%
Post-Secondary	4,073	10.5%
Don't Know Or N/A	4,529	11.7%
Frequency Missing	2,116	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	18,989	47.1%
Somewhat Safe	17,625	43.7%
Not Very Safe	1,923	4.8%
Not Safe At All	498	1.2%
Don't Know	1,267	3.1%
Frequency Missing	492	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	19,865	53.5%
Yes	17,271	46.5%
Frequency Missing	3,658	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	21,463	53.1%
Somewhat Safe	14,839	36.7%
Not Very Safe	2,167	5.4%
Not Safe At All	865	2.1%
Don't Know	1,115	2.8%
Frequency Missing	345	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	1,464	3.6%
A Few	8,169	20.3%
Some	9,170	22.8%
Most	16,153	40.1%
All	5,286	13.1%
Frequency Missing	551	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	2,338	6.0%
Some High School	3,920	10.1%
Finished High School	10,835	27.9%
Some College	5,122	13.2%
Finished College	7,123	18.3%
Post-Secondary	2,947	7.6%
Don't Know Or N/A	6,531	16.8%
Frequency Missing	1,978	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	733	1.8%
A Few	5,447	13.5%
Some	9,555	23.7%
Most	17,647	43.8%
All	6,905	17.1%
Frequency Missing	508	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	20,669	51.9%
A Few	12,008	30.2%
Some	4,772	12.0%
Most	1,494	3.8%
All	876	2.2%
Frequency Missing	976	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	38,128	94.9%
In Your Lifetime	1,210	3.0%
Since School Began	404	1.0%
In The Past Month	413	1.0%
Frequency Missing	639	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	25,106	62.7%
A Few	8,351	20.9%
Some	3,894	9.7%
Most	1,757	4.4%
All	915	2.3%
Frequency Missing	771	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	39,085	98.2%
In Your Lifetime	327	0.8%
Since School Began	215	0.5%
In The Past Month	157	0.4%
Frequency Missing	1,011	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	36,146	89.8%
A Few	2,415	6.0%
Some	781	1.9%
Most	472	1.2%
All	423	1.1%
Frequency Missing	557	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	37,685	93.7%
In Your Lifetime	1,489	3.7%
Since School Began	335	0.8%
In The Past Month	696	1.7%
Frequency Missing	589	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	38,886	96.4%
In Your Lifetime	1,130	2.8%
Since School Began	177	0.4%
In The Past Month	141	0.3%
Frequency Missing	461	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	39,450	98.8%
In Your Lifetime	356	0.9%
Since School Began	48	0.1%
In The Past Month	57	0.1%
Frequency Missing	884	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	39,548	98.9%
In Your Lifetime	182	0.5%
Since School Began	157	0.4%
In The Past Month	86	0.2%
Frequency Missing	822	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	35,440	89.6%
In Your Lifetime	2,123	5.4%
Since School Began	874	2.2%
In The Past Month	1,139	2.9%
Frequency Missing	1,219	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	39,187	98.2%
In Your Lifetime	462	1.2%
Since School Began	123	0.3%
In The Past Month	144	0.4%
Frequency Missing	878	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	22,738	57.6%
In Your Lifetime	8,508	21.6%
Since School Began	3,356	8.5%
In The Past Month	4,868	12.3%
Frequency Missing	1,324	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	26,680	67.0%
In Your Lifetime	6,115	15.4%
Since School Began	2,893	7.3%
In The Past Month	4,139	10.4%
Frequency Missing	967	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	38,862	96.6%
In Your Lifetime	715	1.8%
Since School Began	292	0.7%
In The Past Month	347	0.9%
Frequency Missing	580	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	26,652	67.8%
In Your Lifetime	7,700	19.6%
Since School Began	2,234	5.7%
In The Past Month	2,732	6.9%
Frequency Missing	1,475	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	31,597	79.2%
In Your Lifetime	4,639	11.6%
Since School Began	1,224	3.1%
In The Past Month	2,459	6.2%
Frequency Missing	875	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	26,271	65.9%
In Your Lifetime	5,552	13.9%
Since School Began	3,470	8.7%
In The Past Month	4,581	11.5%
Frequency Missing	921	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	39,434	98.3%
In Your Lifetime	424	1.1%
Since School Began	117	0.3%
In The Past Month	133	0.3%
Frequency Missing	685	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	38,201	95.6%
In Your Lifetime	1,426	3.6%
Since School Began	137	0.3%
In The Past Month	187	0.5%
Frequency Missing	842	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	39,898	99.6%
In Your Lifetime	132	0.3%
Since School Began	10	0.0%
In The Past Month	33	0.1%
Frequency Missing	721	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	30,134	75.3%
In Your Lifetime	4,844	12.1%
Since School Began	2,238	5.6%
In The Past Month	2,791	7.0%
Frequency Missing	788	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	39,140	97.5%
In Your Lifetime	534	1.3%
Since School Began	241	0.6%
In The Past Month	228	0.6%
Frequency Missing	650	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	32,694	81.4%
In Your Lifetime	3,242	8.1%
Since School Began	1,763	4.4%
In The Past Month	2,452	6.1%
Frequency Missing	644	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	40,016	99.6%
In Your Lifetime	167	0.4%
Since School Began	5	0.0%
In The Past Month	0	0.0%
Frequency Missing	606	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	39,211	97.7%
In Your Lifetime	537	1.3%
Since School Began	84	0.2%
In The Past Month	287	0.7%
Frequency Missing	676	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	38,501	95.9%
In Your Lifetime	937	2.3%
Since School Began	334	0.8%
In The Past Month	387	1.0%
Frequency Missing	635	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	39,375	98.6%
In Your Lifetime	273	0.7%
Since School Began	185	0.5%
In The Past Month	89	0.2%
Frequency Missing	872	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	34,925	87.5%
In Your Lifetime	1,419	3.6%
Since School Began	1,088	2.7%
In The Past Month	2,501	6.3%
Frequency Missing	861	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	40,037	99.6%
In Your Lifetime	95	0.2%
Since School Began	30	0.1%
In The Past Month	39	0.1%
Frequency Missing	593	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	37,783	94.9%
In Your Lifetime	605	1.5%
Since School Began	368	0.9%
In The Past Month	1,068	2.7%
Frequency Missing	970	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	39,880	99.3%
In Your Lifetime	182	0.5%
Since School Began	49	0.1%
In The Past Month	65	0.2%
Frequency Missing	619	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	38,226	96.0%
In Your Lifetime	621	1.6%
Since School Began	383	1.0%
In The Past Month	600	1.5%
Frequency Missing	964	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	38,249	96.6%
In Your Lifetime	261	0.7%
Since School Began	174	0.4%
In The Past Month	927	2.3%
Frequency Missing	1,184	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	29,463	74.0%
1-2 Times	6,719	16.9%
3-10 Times	2,652	6.7%
11+ Times	1,004	2.5%
Frequency Missing	956	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	36,088	90.9%
In Your Lifetime	1,043	2.6%
Since School Began	606	1.5%
In The Past Month	1,948	4.9%
Frequency Missing	1,109	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	39,214	98.2%
1-2 Times	558	1.4%
3-10 Times	118	0.3%
11+ Times	47	0.1%
Frequency Missing	857	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	38,527	96.7%
In Your Lifetime	208	0.5%
Since School Began	238	0.6%
In The Past Month	883	2.2%
Frequency Missing	938	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	35,420	88.7%
1-2 Times	2,271	5.7%
3-10 Times	726	1.8%
11+ Times	1,503	3.8%
Frequency Missing	874	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	35,469	88.9%
1-2 Times	1,976	4.9%
3-10 Times	1,062	2.7%
11+ Times	1,411	3.5%
Frequency Missing	876	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	39,711	99.2%
1-2 Times	268	0.7%
3-10 Times	40	0.1%
11+ Times	17	0.0%
Frequency Missing	758	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	39,889	100.0%
1-2 Times	16	0.0%
3-10 Times	0	0.0%
11+ Times	0	0.0%
Frequency Missing	889	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	24,509	61.6%
A Few	7,593	19.1%
Some	4,047	10.2%
Most	2,700	6.8%
All	961	2.4%
Frequency Missing	984	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	23,766	59.8%
A Few	9,621	24.2%
Some	3,837	9.7%
Most	2,300	5.8%
All	216	0.5%
Frequency Missing	1,054	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	7,469	18.9%
Impossible	9,801	24.7%
Very Difficult	2,792	7.0%
Somewhat Diff	3,632	9.2%
Somewhat Easy	6,154	15.5%
Very Easy	9,764	24.6%
Frequency Missing	1,182	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	18,035	45.5%
A Few	10,173	25.6%
Some	5,374	13.5%
Most	4,754	12.0%
All	1,328	3.3%
Frequency Missing	1,129	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	6,099	15.5%
Impossible	7,027	17.8%
Very Difficult	3,231	8.2%
Somewhat Diff	4,786	12.1%
Somewhat Easy	7,225	18.3%
Very Easy	11,063	28.1%
Frequency Missing	1,363	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	36,205	91.1%
A Few	2,826	7.1%
Some	440	1.1%
Most	224	0.6%
All	47	0.1%
Frequency Missing	1,053	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	13,091	33.2%
Impossible	8,125	20.6%
Very Difficult	1,897	4.8%
Somewhat Diff	2,957	7.5%
Somewhat Easy	3,964	10.0%
Very Easy	9,412	23.9%
Frequency Missing	1,348	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	8,200	20.8%
Impossible	12,673	32.1%
Very Difficult	3,463	8.8%
Somewhat Diff	3,953	10.0%
Somewhat Easy	4,617	11.7%
Very Easy	6,594	16.7%
Frequency Missing	1,296	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	17,108	43.6%
Impossible	13,761	35.1%
Very Difficult	4,511	11.5%
Somewhat Diff	1,844	4.7%
Somewhat Easy	1,039	2.6%
Very Easy	996	2.5%
Frequency Missing	1,535	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	11,607	29.3%
Impossible	17,559	44.4%
Very Difficult	5,083	12.8%
Somewhat Diff	3,176	8.0%
Somewhat Easy	962	2.4%
Very Easy	1,201	3.0%
Frequency Missing	1,206	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	15,377	38.8%
Impossible	16,859	42.5%
Very Difficult	4,737	11.9%
Somewhat Diff	1,277	3.2%
Somewhat Easy	689	1.7%
Very Easy	708	1.8%
Frequency Missing	1,148	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	11,951	30.3%
Impossible	17,791	45.1%
Very Difficult	5,278	13.4%
Somewhat Diff	2,621	6.6%
Somewhat Easy	852	2.2%
Very Easy	955	2.4%
Frequency Missing	1,347	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	15,503	39.0%
Impossible	16,362	41.2%
Very Difficult	3,885	9.8%
Somewhat Diff	1,821	4.6%
Somewhat Easy	891	2.2%
Very Easy	1,242	3.1%
Frequency Missing	1,089	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	12,344	31.5%
Impossible	15,898	40.5%
Very Difficult	5,401	13.8%
Somewhat Diff	2,892	7.4%
Somewhat Easy	1,425	3.6%
Very Easy	1,248	3.2%
Frequency Missing	1,587	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	15,428	38.9%
Impossible	13,702	34.5%
Very Difficult	3,848	9.7%
Somewhat Diff	2,320	5.9%
Somewhat Easy	1,909	4.8%
Very Easy	2,452	6.2%
Frequency Missing	1,135	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	1,101	2.8%
Several Times/Wk	771	1.9%
Several Times/Mo	675	1.7%
About Once/Month	935	2.4%
About Once/Year	1,419	3.6%
Less than Once/Year	2,256	5.7%
Never Used	32,519	82.0%
Frequency Missing	1,118	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	970	2.4%
Several Times/Wk	350	0.9%
Several Times/Mo	863	2.2%
About Once/Month	1,583	4.0%
About Once/Year	1,294	3.3%
Less than Once/Year	1,424	3.6%
Never Used	33,207	83.7%
Frequency Missing	1,104	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	204	0.5%
Several Times/Wk	439	1.1%
Several Times/Mo	2,581	6.5%
About Once/Month	4,812	12.2%
About Once/Year	4,554	11.5%
Less than Once/Year	3,669	9.3%
Never Used	23,333	58.9%
Frequency Missing	1,201	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	10	0.0%
Several Times/Mo	0	0.0%
About Once/Month	121	0.3%
About Once/Year	76	0.2%
Less than Once/Year	294	0.7%
Never Used	39,242	98.7%
Frequency Missing	1,051	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	71	0.2%
Several Times/Wk	42	0.1%
Several Times/Mo	135	0.3%
About Once/Month	168	0.4%
About Once/Year	196	0.5%
Less than Once/Year	1,064	2.7%
Never Used	38,121	95.8%
Frequency Missing	998	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	12	0.0%
About Once/Month	9	0.0%
About Once/Year	10	0.0%
Less than Once/Year	93	0.2%
Never Used	39,424	99.7%
Frequency Missing	1,246	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	8	0.0%
Several Times/Wk	18	0.0%
Several Times/Mo	0	0.0%
About Once/Month	66	0.2%
About Once/Year	78	0.2%
Less than Once/Year	165	0.4%
Never Used	39,202	99.2%
Frequency Missing	1,257	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	25	0.1%
Several Times/Mo	0	0.0%
About Once/Month	66	0.2%
About Once/Year	121	0.3%
Less than Once/Year	127	0.3%
Never Used	39,365	99.1%
Frequency Missing	1,090	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	15	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	25	0.1%
About Once/Month	43	0.1%
About Once/Year	275	0.7%
Less than Once/Year	181	0.5%
Never Used	38,986	98.6%
Frequency Missing	1,267	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	10	0.0%
Several Times/Wk	75	0.2%
Several Times/Mo	157	0.4%
About Once/Month	100	0.3%
About Once/Year	233	0.6%
Less than Once/Year	489	1.2%
Never Used	38,553	97.3%
Frequency Missing	1,177	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	12	0.0%
Several Times/Wk	25	0.1%
Several Times/Mo	11	0.0%
About Once/Month	10	0.0%
About Once/Year	22	0.1%
Less than Once/Year	23	0.1%
Never Used	39,538	99.7%
Frequency Missing	1,153	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	22,873	58.2%
12+ Drinks	1,618	4.1%
9-11 Drinks	817	2.1%
5-8 Drinks	1,902	4.8%
3-4 Drinks	2,347	6.0%
2 Drinks	1,871	4.8%
1 Drink	2,734	7.0%
Less than 1 Drink	5,168	13.1%
Frequency Missing	1,464	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	26,184	65.9%
12+ Drinks	914	2.3%
9-11 Drinks	457	1.1%
5-8 Drinks	1,239	3.1%
3-4 Drinks	3,232	8.1%
2 Drinks	2,445	6.2%
1 Drink	2,713	6.8%
Less than 1 Drink	2,543	6.4%
Frequency Missing	1,068	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	21,669	55.9%
0 Days	12,368	31.9%
1 Day	1,563	4.0%
2 Days	1,152	3.0%
3 To 5 Days	720	1.9%
6 To 9 Days	359	0.9%
10 Or More Days	951	2.5%
Frequency Missing	2,013	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	26,586	67.8%
12+ Drinks	545	1.4%
9-11 Drinks	211	0.5%
5-8 Drinks	555	1.4%
3-4 Drinks	1,038	2.6%
2 Drinks	1,864	4.8%
1 Drink	3,722	9.5%
Less than 1 Drink	4,713	12.0%
Frequency Missing	1,561	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	22,104	56.2%
Never	7,999	20.4%
Seldom	6,804	17.3%
Most Of The Time	1,252	3.2%
Always	1,146	2.9%
Frequency Missing	1,488	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	25,567	64.4%
12+ Drinks	1,250	3.1%
9-11 Drinks	827	2.1%
5-8 Drinks	1,662	4.2%
3-4 Drinks	2,462	6.2%
2 Drinks	1,914	4.8%
1 Drink	2,494	6.3%
Less than 1 Drink	3,511	8.8%
Frequency Missing	1,107	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	21,488	54.6%
Never	7,167	18.2%
Seldom	5,564	14.1%
Most Of The Time	3,685	9.4%
Always	1,436	3.7%
Frequency Missing	1,454	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	22,765	58.1%
Never	14,019	35.8%
Seldom	1,267	3.2%
Most Of The Time	849	2.2%
Always	275	0.7%
Frequency Missing	1,620	

Percentages and frequencies have been weighted to reflect proportions within the population.

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	21,125	53.7%
Never	7,279	18.5%
Seldom	3,893	9.9%
Most Of The Time	4,191	10.6%
Always	2,885	7.3%
Frequency Missing	1,421	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	31,104	79.2%
Somewhat	4,481	11.4%
Not Very	717	1.8%
Not At All	337	0.9%
Don't Know	2,610	6.6%
Frequency Missing	1,546	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	22,682	57.9%
Never	9,600	24.5%
Seldom	3,927	10.0%
Most Of The Time	1,601	4.1%
Always	1,332	3.4%
Frequency Missing	1,653	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	24,180	61.5%
Somewhat	5,651	14.4%
Not Very	3,465	8.8%
Not At All	4,114	10.5%
Don't Know	1,902	4.8%
Frequency Missing	1,482	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	23,739	59.9%
Somewhat	10,194	25.7%
Not Very	3,237	8.2%
Not At All	774	2.0%
Don't Know	1,716	4.3%
Frequency Missing	1,135	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	35,057	89.0%
Somewhat	1,857	4.7%
Not Very	313	0.8%
Not At All	157	0.4%
Don't Know	2,005	5.1%
Frequency Missing	1,406	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	20,790	52.7%
Somewhat	12,040	30.5%
Not Very	4,114	10.4%
Not At All	921	2.3%
Don't Know	1,557	4.0%
Frequency Missing	1,372	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	35,770	90.7%
Somewhat	1,414	3.6%
Not Very	176	0.4%
Not At All	125	0.3%
Don't Know	1,951	4.9%
Frequency Missing	1,358	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	32,823	83.4%
Somewhat	2,405	6.1%
Not Very	497	1.3%
Not At All	298	0.8%
Don't Know	3,351	8.5%
Frequency Missing	1,419	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	32,400	82.6%
Somewhat	2,729	7.0%
Not Very	665	1.7%
Not At All	578	1.5%
Don't Know	2,830	7.2%
Frequency Missing	1,592	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	30,050	76.4%
Somewhat	4,722	12.0%
Not Very	1,481	3.8%
Not At All	292	0.7%
Don't Know	2,782	7.1%
Frequency Missing	1,467	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	29,827	76.0%
Somewhat	4,724	12.0%
Not Very	1,552	4.0%
Not At All	293	0.7%
Don't Know	2,871	7.3%
Frequency Missing	1,527	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	35,317	89.5%
Somewhat	1,096	2.8%
Not Very	225	0.6%
Not At All	146	0.4%
Don't Know	2,664	6.8%
Frequency Missing	1,346	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	20,983	53.1%
Somewhat	5,592	14.2%
Not Very	6,565	16.6%
Not At All	3,877	9.8%
Don't Know	2,465	6.2%
Frequency Missing	1,313	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	35,452	89.9%
Somewhat	1,102	2.8%
Not Very	233	0.6%
Not At All	117	0.3%
Don't Know	2,529	6.4%
Frequency Missing	1,361	

Days Skipped Since September

Q27a	Frequency	Percent
None	32,507	82.6%
1-3 Days	5,232	13.3%
4-9 Days	1,305	3.3%
10+ Days	313	0.8%
Frequency Missing	1,437	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	14,582	37.1%
1-3 Days	19,848	50.5%
4-9 Days	3,780	9.6%
10+ Days	1,088	2.8%
Frequency Missing	1,496	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	37,700	96.4%
1-3 Times	1,291	3.3%
4-9 Times	116	0.3%
10+ Times	9	0.0%
Frequency Missing	1,679	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	17,371	44.7%
1-3 Days	18,118	46.6%
4-9 Days	2,551	6.6%
10+ Days	847	2.2%
Frequency Missing	1,907	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	37,623	96.2%
1-3 Times	1,197	3.1%
4-9 Times	125	0.3%
10+ Times	155	0.4%
Frequency Missing	1,694	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	34,973	89.4%
1-3 Days	3,196	8.2%
4-9 Days	569	1.5%
10+ Days	399	1.0%
Frequency Missing	1,657	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	38,112	97.4%
1-3 Times	892	2.3%
4-9 Times	104	0.3%
10+ Times	9	0.0%
Frequency Missing	1,678	

Someone Called Home Since September

Q27e	Frequency	Percent
None	37,082	94.7%
1-3 Days	1,542	3.9%
4-9 Days	319	0.8%
10+ Days	212	0.5%
Frequency Missing	1,640	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	37,702	96.6%
1-3 Times	781	2.0%
4-9 Times	28	0.1%
10+ Times	507	1.3%
Frequency Missing	1,777	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	37,873	97.2%
1-3 Days	841	2.2%
4-9 Days	178	0.5%
10+ Days	76	0.2%
Frequency Missing	1,827	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	18,716	48.3%
Seldom	2,433	6.3%
Half The Time	1,621	4.2%
Most Of The Time	2,851	7.4%
Always	4,280	11.0%
Don't Know	584	1.5%
Didn't Attend	8,298	21.4%
Frequency Missing	2,012	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	36,823	94.8%
1-3 Days	1,090	2.8%
4-9 Days	369	0.9%
10+ Days	559	1.4%
Frequency Missing	1,954	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	22,659	58.5%
Seldom	1,729	4.5%
Half The Time	1,841	4.8%
Most Of The Time	1,587	4.1%
Always	1,635	4.2%
Don't Know	1,008	2.6%
Didn't Attend	8,241	21.3%
Frequency Missing	2,094	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	38,430	99.3%
1-3 Days	206	0.5%
4-9 Days	56	0.1%
10+ Days	20	0.1%
Frequency Missing	2,081	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	33,578	95.1%
Yes	1,748	4.9%
Frequency Missing	5,468	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	38,217	98.6%
1-3 Days	316	0.8%
4-9 Days	102	0.3%
10+ Days	122	0.3%
Frequency Missing	2,037	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	22,151	58.7%
Yes	15,595	41.3%
Frequency Missing	3,048	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	28,485	76.1%
Yes	8,929	23.9%
Frequency Missing	3,380	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	13,361	35.4%
Yes	24,330	64.6%
Frequency Missing	3,103	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	21,193	56.4%
Yes	16,357	43.6%
Frequency Missing	3,245	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	21,303	56.6%
Yes	16,366	43.4%
Frequency Missing	3,125	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	10,954	28.8%
Yes	27,017	71.2%
Frequency Missing	2,823	

Would Not Seek Help

Q32i	Frequency	Percent
No	31,250	85.4%
Yes	5,351	14.6%
Frequency Missing	4,193	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	16,912	45.0%
Yes	20,633	55.0%
Frequency Missing	3,249	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	25,652	70.4%
Yes	10,767	29.6%
Frequency Missing	4,376	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	13,176	35.2%
Yes	24,297	64.8%
Frequency Missing	3,321	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	15,993	43.9%
Yes	20,414	56.1%
Frequency Missing	4,387	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	28,253	78.1%
Yes	7,904	21.9%
Frequency Missing	4,637	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	27,908	77.2%
Yes	8,256	22.8%
Frequency Missing	4,630	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	31,359	87.2%
Yes	4,583	12.8%
Frequency Missing	4,852	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	28,346	72.8%
Mild Disapprove	3,796	9.7%
Neither	3,680	9.4%
Mildly Approve	520	1.3%
Strongly Approve	218	0.6%
Don't Know	2,394	6.1%
Frequency Missing	1,841	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	29,147	80.9%
Yes	6,883	19.1%
Frequency Missing	4,764	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	24,268	62.3%
Mild Disapprove	5,782	14.8%
Neither	4,696	12.1%
Mildly Approve	1,504	3.9%
Strongly Approve	338	0.9%
Don't Know	2,378	6.1%
Frequency Missing	1,828	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	33,071	91.9%
Yes	2,896	8.1%
Frequency Missing	4,827	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	31,269	80.3%
Mild Disapprove	2,262	5.8%
Neither	2,018	5.2%
Mildly Approve	633	1.6%
Strongly Approve	431	1.1%
Don't Know	2,342	6.0%
Frequency Missing	1,838	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	22,750	63.0%
Yes	13,381	37.0%
Frequency Missing	4,663	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
<p>Tobacco Use in Past Month (Q19a : tobac_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>How Often Normally Use Tobacco (Q22a : tobac_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

