
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 3 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 3. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.2%	17.3%	27.9%	72.1%
Grade 7	3.7%	4.7%	9.4%	90.6%
Grade 8	5.5%	7.7%	16.5%	83.5%
Grade 9	12.4%	16.1%	28.2%	71.8%
Grade 10	14.3%	19.1%	31.2%	68.8%
Grade 11	20.3%	28.1%	41.5%	58.5%
Grade 12	25.2%	31.0%	43.9%	56.1%
Cigarettes?				
All	4.1%	6.4%	13.6%	86.4%
Grade 7	0.8%	1.0%	3.4%	96.6%
Grade 8	1.3%	2.1%	7.9%	92.1%
Grade 9	2.6%	4.9%	11.2%	88.8%
Grade 10	4.3%	6.3%	14.2%	85.8%
Grade 11	6.6%	10.9%	21.7%	78.3%
Grade 12	10.0%	14.7%	25.7%	74.3%
Smokeless Tobacco?				
All	2.3%	3.5%	6.5%	93.5%
Grade 7	0.3%	0.6%	1.7%	98.3%
Grade 8	0.7%	1.7%	3.5%	96.5%
Grade 9	2.2%	3.1%	5.6%	94.4%
Grade 10	2.4%	3.3%	6.1%	93.9%
Grade 11	3.1%	5.5%	10.1%	89.9%
Grade 12	5.5%	7.9%	13.3%	86.7%
Electronic Vapor Products?				
All	9.6%	14.3%	24.4%	75.6%
Grade 7	2.9%	4.0%	8.1%	91.9%
Grade 8	3.4%	5.8%	14.0%	86.0%
Grade 9	9.6%	13.8%	25.3%	74.7%
Grade 10	11.0%	16.0%	27.5%	72.5%
Grade 11	15.3%	24.2%	37.5%	62.5%
Grade 12	17.1%	24.2%	36.6%	63.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.1%	1.1%	0.9%	1.5%	2.2%	2.3%	3.8%
Grade 7	98.0%	0.1%	0.2%	0.3%	0.3%	0.4%	0.6%
Grade 8	93.6%	0.3%	0.3%	0.2%	1.0%	1.4%	3.2%
Grade 9	90.1%	0.7%	0.7%	1.4%	1.8%	1.9%	3.4%
Grade 10	88.2%	1.0%	0.7%	1.5%	2.9%	2.0%	3.8%
Grade 11	81.6%	1.6%	1.3%	2.8%	3.1%	3.7%	5.9%
Grade 12	75.0%	3.6%	2.5%	3.0%	4.8%	4.8%	6.3%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.6%	23.0%	8.2%	10.6%	15.3%	21.4%
Grade 7	30.2%	42.3%	8.4%	8.0%	5.9%	5.1%
Grade 8	24.1%	33.5%	11.5%	9.6%	12.0%	9.3%
Grade 9	22.0%	21.7%	8.9%	12.7%	18.4%	16.4%
Grade 10	19.5%	16.6%	8.3%	14.2%	19.5%	22.0%
Grade 11	17.8%	13.1%	7.3%	10.9%	20.2%	30.7%
Grade 12	14.8%	8.5%	4.2%	7.6%	15.6%	49.2%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	71.9%	17.4%	7.1%	2.9%	0.6%
Grade 7	91.4%	6.3%	1.7%	0.5%	0.1%
Grade 8	83.6%	13.0%	1.9%	1.1%	0.4%
Grade 9	72.8%	17.3%	7.7%	2.1%	0.2%
Grade 10	68.6%	19.6%	8.3%	2.7%	0.7%
Grade 11	59.4%	23.9%	10.7%	4.8%	1.2%
Grade 12	52.4%	26.0%	13.4%	6.8%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.4%	7.1%	5.3%	0.8%	0.7%	4.7%
Grade 7	89.8%	2.9%	1.5%	0.4%	0.7%	4.8%
Grade 8	86.9%	3.8%	2.8%	0.7%	0.8%	5.0%
Grade 9	82.3%	7.0%	4.3%	0.7%	0.6%	5.1%
Grade 10	83.4%	6.3%	4.6%	0.5%	0.4%	4.8%
Grade 11	75.6%	10.4%	7.8%	1.0%	0.9%	4.3%
Grade 12	68.8%	13.1%	11.5%	1.4%	1.1%	4.1%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	63.4%	23.1%	7.8%	1.7%	4.0%
	Grade 7	80.3%	13.3%	2.9%	0.4%	3.1%
	Grade 8	71.2%	18.0%	5.1%	1.2%	4.5%
	Grade 9	59.8%	27.0%	8.1%	1.0%	4.1%
	Grade 10	60.1%	25.7%	8.4%	2.0%	3.8%
	Grade 11	54.9%	27.3%	11.0%	2.6%	4.3%
	Grade 12	52.6%	28.3%	11.9%	3.0%	4.1%
Electronic Vapor Products?						
	All	48.4%	14.0%	16.6%	15.6%	5.4%
	Grade 7	70.2%	13.6%	6.8%	5.0%	4.3%
	Grade 8	57.8%	15.1%	12.1%	9.3%	5.6%
	Grade 9	43.7%	14.4%	18.6%	17.7%	5.5%
	Grade 10	43.9%	12.8%	19.3%	18.8%	5.2%
	Grade 11	35.6%	14.6%	21.1%	23.0%	5.7%
	Grade 12	37.4%	13.2%	22.4%	20.9%	6.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	25.5%	31.2%	49.5%	50.5%
Grade 7	9.7%	11.4%	28.6%	71.4%
Grade 8	16.2%	19.3%	36.1%	63.9%
Grade 9	23.9%	29.8%	50.8%	49.2%
Grade 10	28.3%	34.4%	55.7%	44.3%
Grade 11	34.5%	43.6%	61.6%	38.4%
Grade 12	43.9%	52.4%	67.5%	32.5%
Beer?				
All	10.1%	16.2%	36.3%	63.7%
Grade 7	2.6%	3.6%	17.8%	82.2%
Grade 8	4.0%	7.2%	25.3%	74.7%
Grade 9	8.3%	14.5%	36.5%	63.5%
Grade 10	10.9%	18.4%	41.7%	58.3%
Grade 11	15.0%	24.0%	46.2%	53.8%
Grade 12	22.3%	32.6%	53.8%	46.2%
Wine Coolers?				
All	8.9%	14.7%	31.1%	68.9%
Grade 7	2.4%	3.6%	12.5%	87.5%
Grade 8	3.5%	5.9%	18.5%	81.5%
Grade 9	7.3%	13.9%	31.5%	68.5%
Grade 10	9.8%	16.6%	35.9%	64.1%
Grade 11	13.3%	22.1%	42.7%	57.3%
Grade 12	19.3%	28.7%	49.0%	51.0%
Wine?				
All	7.5%	13.1%	34.3%	65.7%
Grade 7	2.4%	3.8%	18.4%	81.6%
Grade 8	3.9%	6.5%	25.0%	75.0%
Grade 9	6.5%	12.1%	34.0%	66.0%
Grade 10	8.5%	14.7%	37.3%	62.7%
Grade 11	11.1%	19.2%	44.2%	55.8%
Grade 12	13.9%	24.4%	49.9%	50.1%
Liquor?				
All	11.1%	17.9%	34.4%	65.6%
Grade 7	2.1%	3.2%	11.5%	88.5%
Grade 8	4.7%	6.9%	19.7%	80.3%
Grade 9	8.5%	15.2%	32.5%	67.5%
Grade 10	12.8%	20.6%	40.3%	59.7%
Grade 11	17.7%	28.5%	49.3%	50.7%
Grade 12	23.5%	36.4%	57.5%	42.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	64.4%	0.3%	1.2%	6.0%	10.0%	10.2%	7.9%
Grade 7	88.3%	0.0%	0.4%	1.0%	1.6%	3.3%	5.3%
Grade 8	78.8%	0.1%	0.6%	2.2%	4.6%	7.1%	6.6%
Grade 9	64.7%	0.3%	0.9%	4.7%	10.3%	9.9%	9.2%
Grade 10	58.0%	0.6%	1.0%	6.0%	12.0%	12.9%	9.6%
Grade 11	50.2%	0.3%	1.8%	10.7%	13.7%	14.6%	8.6%
Grade 12	42.0%	0.5%	2.9%	12.7%	19.4%	14.5%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	67.8%	32.2%	5.2%	15.3%	11.7%
	Grade 7	86.3%	13.7%	0.7%	4.5%	8.4%
	Grade 8	77.9%	22.1%	1.5%	9.0%	11.6%
	Grade 9	67.7%	32.3%	3.6%	14.8%	13.9%
	Grade 10	62.9%	37.1%	5.5%	17.6%	14.0%
	Grade 11	58.2%	41.8%	8.8%	22.6%	10.4%
	Grade 12	50.9%	49.1%	12.7%	24.9%	11.5%
Wine Coolers						
	All	72.0%	28.0%	4.1%	15.9%	7.9%
	Grade 7	90.1%	9.9%	1.1%	3.1%	5.7%
	Grade 8	83.8%	16.2%	1.3%	7.9%	7.0%
	Grade 9	71.9%	28.1%	2.7%	16.1%	9.3%
	Grade 10	67.7%	32.3%	3.6%	18.4%	10.2%
	Grade 11	61.2%	38.8%	7.1%	23.8%	8.0%
	Grade 12	54.3%	45.7%	9.9%	28.6%	7.1%
Wine						
	All	70.5%	29.5%	2.0%	13.5%	14.1%
	Grade 7	85.2%	14.8%	0.7%	3.9%	10.1%
	Grade 8	78.5%	21.5%	0.7%	7.4%	13.4%
	Grade 9	70.4%	29.6%	1.7%	13.3%	14.7%
	Grade 10	67.8%	32.2%	1.8%	13.6%	16.9%
	Grade 11	62.3%	37.7%	3.0%	21.0%	13.7%
	Grade 12	56.3%	43.7%	4.3%	23.7%	15.7%
Liquor						
	All	68.2%	31.8%	7.0%	16.1%	8.6%
	Grade 7	90.6%	9.4%	0.8%	3.3%	5.3%
	Grade 8	82.5%	17.5%	1.7%	8.1%	7.7%
	Grade 9	69.8%	30.2%	5.4%	14.9%	9.8%
	Grade 10	63.0%	37.0%	7.6%	18.2%	11.1%
	Grade 11	54.4%	45.6%	11.0%	25.2%	9.4%
	Grade 12	45.1%	54.9%	17.1%	29.2%	8.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.6%	3.4%	2.3%	1.9%	0.8%	1.1%
Grade 7	97.8%	1.1%	0.5%	0.3%	0.1%	0.3%
Grade 8	96.7%	1.1%	0.8%	0.8%	0.3%	0.3%
Grade 9	92.3%	2.6%	1.6%	1.7%	0.6%	1.2%
Grade 10	90.2%	4.0%	2.5%	1.6%	0.8%	1.0%
Grade 11	85.7%	5.1%	3.2%	3.2%	0.9%	2.0%
Grade 12	79.2%	6.9%	5.7%	4.2%	2.3%	1.8%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.5%	14.8%	6.0%	11.3%	19.9%	30.6%
Grade 7	27.1%	30.5%	8.7%	10.4%	10.7%	12.6%
Grade 8	21.3%	21.1%	8.4%	12.0%	15.7%	21.5%
Grade 9	16.5%	13.2%	5.7%	11.3%	21.2%	32.0%
Grade 10	14.7%	9.5%	4.5%	10.6%	23.1%	37.5%
Grade 11	13.7%	7.5%	5.1%	10.2%	23.8%	39.7%
Grade 12	11.0%	5.6%	3.0%	13.2%	25.5%	41.7%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.6%	2.6%	0.5%	0.4%
Grade 7	98.0%	1.7%	0.2%	0.1%
Grade 8	97.9%	1.6%	0.2%	0.3%
Grade 9	96.5%	2.6%	0.4%	0.5%
Grade 10	96.4%	2.8%	0.6%	0.2%
Grade 11	95.7%	2.9%	0.8%	0.7%
Grade 12	94.7%	4.0%	0.6%	0.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.9
Alcohol Non-Users	3.8
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	0.9

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.4%	2.8%	0.4%	0.4%
Grade 9	98.8%	0.9%	0.0%	0.4%
Grade 10	97.7%	1.9%	0.3%	0.2%
Grade 11	95.9%	3.2%	0.5%	0.4%
Grade 12	92.5%	5.9%	1.0%	0.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.8%	2.7%	0.3%	0.2%
Grade 7	98.4%	1.3%	0.1%	0.2%
Grade 8	98.3%	1.4%	0.3%	0.0%
Grade 9	97.2%	2.4%	0.3%	0.1%
Grade 10	95.9%	3.2%	0.4%	0.5%
Grade 11	95.7%	3.7%	0.2%	0.3%
Grade 12	95.0%	4.0%	0.5%	0.5%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.0%	22.7%	13.6%	9.4%	2.4%
Grade 7	85.7%	10.5%	2.7%	1.0%	0.1%
Grade 8	71.7%	18.1%	7.0%	2.8%	0.4%
Grade 9	49.5%	27.3%	14.6%	7.8%	0.8%
Grade 10	42.7%	26.1%	17.1%	11.2%	2.8%
Grade 11	31.6%	27.6%	20.2%	16.0%	4.5%
Grade 12	26.0%	27.2%	21.2%	19.3%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.9%	6.9%	4.9%	8.1%	10.0%	1.5%	15.7%
Grade 7	77.2%	4.9%	1.8%	2.1%	1.7%	1.6%	10.6%
Grade 8	70.5%	6.8%	4.1%	4.1%	2.9%	1.8%	10.0%
Grade 9	51.4%	9.8%	5.6%	7.7%	6.7%	1.6%	17.2%
Grade 10	44.9%	7.7%	6.8%	10.8%	10.0%	1.3%	18.6%
Grade 11	38.5%	5.6%	6.5%	11.1%	16.9%	1.6%	19.8%
Grade 12	31.5%	6.0%	5.0%	13.6%	24.5%	1.1%	18.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	61.0%	17.0%	14.8%	4.6%	2.5%
	Grade 7	75.1%	16.7%	5.9%	1.7%	0.7%
	Grade 8	70.2%	15.7%	9.2%	3.2%	1.7%
	Grade 9	63.0%	14.6%	15.8%	4.3%	2.2%
	Grade 10	57.2%	16.5%	17.8%	5.9%	2.7%
	Grade 11	52.2%	19.2%	20.4%	5.1%	3.2%
	Grade 12	45.6%	20.4%	20.9%	8.0%	5.1%
Friends?						
	All	60.8%	16.6%	11.3%	8.4%	2.9%
	Grade 7	78.1%	18.0%	2.3%	1.2%	0.4%
	Grade 8	72.9%	17.1%	6.4%	2.8%	0.8%
	Grade 9	63.6%	16.1%	11.0%	7.2%	2.1%
	Grade 10	55.4%	17.2%	14.5%	9.8%	3.1%
	Grade 11	49.4%	16.4%	15.5%	13.9%	4.8%
	Grade 12	41.8%	14.8%	19.2%	17.3%	7.0%
A Store?						
	All	63.1%	29.8%	3.5%	2.4%	1.2%
	Grade 7	77.2%	21.0%	1.2%	0.7%	0.0%
	Grade 8	73.6%	24.4%	0.9%	0.7%	0.3%
	Grade 9	65.9%	28.5%	3.1%	1.9%	0.6%
	Grade 10	58.8%	33.5%	4.2%	2.4%	1.1%
	Grade 11	54.1%	35.3%	5.5%	3.3%	1.8%
	Grade 12	46.2%	37.9%	6.5%	5.6%	3.8%
Parties?						
	All	59.6%	15.7%	9.0%	8.9%	6.8%
	Grade 7	76.2%	17.2%	3.5%	2.2%	1.0%
	Grade 8	71.1%	16.0%	6.2%	4.8%	1.9%
	Grade 9	61.6%	14.1%	9.6%	8.3%	6.4%
	Grade 10	54.6%	16.2%	10.6%	10.9%	7.7%
	Grade 11	49.2%	16.1%	11.0%	13.5%	10.2%
	Grade 12	42.1%	14.4%	14.0%	14.9%	14.7%
Other Sources?						
	All	64.1%	22.3%	7.3%	3.7%	2.6%
	Grade 7	77.6%	18.5%	2.4%	1.0%	0.5%
	Grade 8	74.0%	18.3%	4.5%	1.7%	1.5%
	Grade 9	66.5%	19.9%	7.0%	3.5%	3.1%
	Grade 10	59.1%	24.7%	8.5%	4.6%	3.0%
	Grade 11	55.4%	25.4%	10.5%	5.4%	3.3%
	Grade 12	48.8%	28.4%	11.9%	6.5%	4.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	67.3%	14.4%	10.4%	2.6%	0.9%	4.5%
Grade 7	84.1%	5.4%	3.9%	1.1%	0.7%	4.9%
Grade 8	76.7%	11.0%	5.3%	1.0%	0.8%	5.2%
Grade 9	67.3%	15.1%	9.8%	2.1%	0.7%	4.9%
Grade 10	64.3%	16.2%	11.4%	2.9%	0.9%	4.3%
Grade 11	58.4%	18.2%	15.0%	3.5%	1.2%	3.8%
Grade 12	50.5%	21.3%	18.1%	5.1%	1.2%	3.8%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.4%	30.7%	12.1%	1.9%	2.9%
Grade 7	67.7%	21.2%	7.2%	1.0%	2.8%
Grade 8	57.4%	26.9%	10.3%	2.0%	3.5%
Grade 9	49.4%	31.5%	14.3%	1.8%	3.0%
Grade 10	50.2%	32.5%	11.8%	2.7%	2.8%
Grade 11	45.2%	36.2%	13.3%	2.1%	3.1%
Grade 12	42.9%	37.3%	15.9%	1.6%	2.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.6%	17.9%	22.8%	77.2%
Grade 7	3.3%	4.6%	5.7%	94.3%
Grade 8	5.2%	7.1%	9.2%	90.8%
Grade 9	11.5%	15.5%	20.2%	79.8%
Grade 10	15.5%	21.0%	26.8%	73.2%
Grade 11	21.9%	28.8%	36.1%	63.9%
Grade 12	26.8%	33.5%	42.7%	57.3%
Marijuana?				
All	13.1%	16.3%	21.5%	78.5%
Grade 7	2.7%	3.3%	4.1%	95.9%
Grade 8	4.6%	5.7%	7.8%	92.2%
Grade 9	11.0%	13.3%	18.5%	81.5%
Grade 10	15.2%	19.8%	25.8%	74.2%
Grade 11	21.5%	27.2%	35.2%	64.8%
Grade 12	26.1%	31.6%	41.7%	58.3%
Cocaine?				
All	0.9%	1.1%	2.2%	97.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.5%	98.5%
Grade 10	1.2%	1.5%	2.5%	97.5%
Grade 11	1.1%	1.5%	3.4%	96.6%
Grade 12	1.9%	2.5%	4.4%	95.6%
Crack?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.9%	99.1%
Hallucinogens?				
All	1.1%	1.9%	3.6%	96.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.7%	1.3%	2.6%	97.4%
Grade 10	1.0%	1.7%	3.0%	97.0%
Grade 11	1.6%	3.2%	6.1%	93.9%
Grade 12	2.9%	5.1%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids?				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy?				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.8%	2.1%	97.9%
Grade 10	0.8%	1.3%	2.3%	97.7%
Grade 11	0.6%	1.2%	2.9%	97.1%
Grade 12	1.4%	2.7%	5.1%	94.9%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.5%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.8%	99.2%
Methamphetamine?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.8%	1.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.2%	3.5%	96.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.6%	0.9%	2.3%	97.7%
Grade 9	1.0%	1.4%	3.2%	96.8%
Grade 10	1.2%	1.8%	3.9%	96.1%
Grade 11	0.7%	1.3%	4.4%	95.6%
Grade 12	1.0%	1.5%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.0%	1.8%	2.0%	3.7%	3.6%	3.9%	3.9%
	Grade 7	96.4%	0.2%	0.4%	0.5%	0.8%	0.8%	0.9%
	Grade 8	93.5%	0.3%	0.6%	1.1%	1.3%	1.7%	1.5%
	Grade 9	83.7%	1.3%	1.6%	3.4%	2.8%	3.2%	4.0%
	Grade 10	77.9%	2.4%	1.9%	4.2%	4.5%	4.2%	4.9%
	Grade 11	68.6%	2.4%	3.1%	6.9%	6.7%	6.6%	5.7%
	Grade 12	62.6%	5.1%	5.2%	6.8%	6.1%	7.4%	6.9%
Cocaine?								
	All	98.7%	0.0%	0.0%	0.1%	0.3%	0.3%	0.7%
	Grade 7	99.5%	0.0%	0.0%	0.2%	0.0%	0.0%	0.3%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.1%	0.3%	0.3%
	Grade 10	98.6%	0.0%	0.0%	0.0%	0.3%	0.2%	0.9%
	Grade 11	97.9%	0.0%	0.0%	0.0%	0.4%	0.5%	1.3%
	Grade 12	96.8%	0.1%	0.1%	0.2%	0.9%	0.9%	1.0%
Crack?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 8	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 12	99.4%	0.1%	0.1%	0.0%	0.1%	0.0%	0.4%
Steroids?								
	All	99.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.4%
	Grade 7	98.8%	0.2%	0.0%	0.1%	0.1%	0.3%	0.6%
	Grade 8	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.5%
	Grade 9	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 10	99.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.7%
	Grade 11	99.1%	0.0%	0.1%	0.1%	0.0%	0.2%	0.5%
	Grade 12	99.5%	0.1%	0.0%	0.0%	0.1%	0.0%	0.3%
Ecstasy?								
	All	98.2%	0.0%	0.0%	0.1%	0.3%	0.6%	0.7%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 9	98.5%	0.0%	0.0%	0.1%	0.2%	0.5%	0.6%
	Grade 10	98.2%	0.0%	0.0%	0.2%	0.4%	0.5%	0.7%
	Grade 11	97.5%	0.0%	0.0%	0.1%	0.2%	1.1%	1.3%
	Grade 12	95.6%	0.0%	0.2%	0.1%	1.0%	1.8%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.2%	0.2%	0.1%
	Grade 11	99.5%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 12	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
Methamphetamine?								
	All	99.4%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.5%	0.2%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 10	99.1%	0.0%	0.1%	0.1%	0.1%	0.1%	0.4%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 12	99.0%	0.0%	0.1%	0.0%	0.1%	0.3%	0.5%
Synthetic Marijuana?								
	All	97.6%	0.1%	0.1%	0.2%	0.3%	0.6%	1.2%
	Grade 7	99.1%	0.1%	0.0%	0.1%	0.2%	0.0%	0.5%
	Grade 8	98.5%	0.1%	0.2%	0.1%	0.3%	0.5%	0.4%
	Grade 9	97.7%	0.1%	0.1%	0.1%	0.5%	0.5%	1.0%
	Grade 10	97.3%	0.1%	0.0%	0.3%	0.3%	0.7%	1.2%
	Grade 11	97.0%	0.0%	0.1%	0.1%	0.2%	0.7%	1.9%
	Grade 12	96.1%	0.1%	0.0%	0.2%	0.2%	1.0%	2.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	20.0%	24.6%	7.6%	9.7%	13.9%	24.3%
	Grade 7	31.5%	47.2%	8.5%	5.1%	4.0%	3.7%
	Grade 8	24.7%	38.2%	10.5%	8.0%	9.0%	9.7%
	Grade 9	18.8%	22.5%	8.2%	12.5%	14.8%	23.1%
	Grade 10	16.8%	16.5%	6.7%	11.2%	17.5%	31.2%
	Grade 11	14.7%	12.0%	6.0%	10.8%	17.8%	38.8%
	Grade 12	12.4%	8.6%	5.3%	10.4%	21.1%	42.3%
Cocaine?							
	All	28.2%	37.6%	15.2%	10.1%	4.7%	4.2%
	Grade 7	34.3%	50.1%	9.1%	4.1%	0.9%	1.5%
	Grade 8	28.3%	49.1%	12.5%	5.9%	2.4%	1.9%
	Grade 9	26.9%	38.3%	16.3%	9.8%	5.5%	3.2%
	Grade 10	27.7%	31.6%	16.6%	13.1%	6.0%	5.0%
	Grade 11	26.6%	30.3%	18.1%	13.4%	6.4%	5.3%
	Grade 12	25.1%	24.2%	19.0%	15.4%	7.1%	9.1%
Crack?							
	All	29.9%	38.8%	15.7%	8.8%	3.5%	3.3%
	Grade 7	36.7%	48.1%	9.0%	3.8%	1.1%	1.3%
	Grade 8	30.0%	48.9%	12.1%	5.1%	1.8%	2.2%
	Grade 9	28.1%	39.5%	16.0%	9.4%	3.9%	3.0%
	Grade 10	28.8%	33.7%	17.5%	11.0%	5.2%	3.9%
	Grade 11	28.6%	32.6%	19.1%	12.1%	4.3%	3.4%
	Grade 12	27.2%	28.2%	21.2%	12.2%	5.1%	6.1%
Steroids?							
	All	31.1%	36.9%	14.9%	9.1%	4.2%	3.8%
	Grade 7	37.3%	45.4%	8.7%	4.7%	2.0%	1.9%
	Grade 8	32.3%	44.7%	11.7%	6.1%	2.7%	2.5%
	Grade 9	29.1%	38.3%	15.3%	9.0%	4.7%	3.6%
	Grade 10	29.7%	32.7%	16.0%	12.2%	5.4%	4.0%
	Grade 11	29.5%	30.6%	18.8%	10.6%	5.4%	5.1%
	Grade 12	28.5%	28.5%	19.3%	12.6%	5.1%	6.0%
Ecstasy?							
	All	40.0%	30.8%	12.4%	8.0%	4.8%	3.9%
	Grade 7	57.1%	32.8%	6.7%	2.0%	0.6%	0.7%
	Grade 8	48.0%	37.2%	7.9%	3.8%	1.5%	1.5%
	Grade 9	38.5%	32.2%	12.9%	8.0%	4.7%	3.7%
	Grade 10	35.1%	29.6%	14.9%	10.3%	5.5%	4.6%
	Grade 11	31.9%	27.4%	16.1%	11.4%	7.6%	5.7%
	Grade 12	27.5%	24.8%	16.6%	13.5%	9.6%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	35.4%	40.4%	13.6%	5.7%	2.4%	2.5%
	Grade 7	45.4%	42.6%	6.9%	3.0%	1.1%	1.1%
	Grade 8	38.2%	45.9%	9.5%	3.4%	1.3%	1.7%
	Grade 9	33.6%	42.2%	13.6%	5.7%	2.4%	2.4%
	Grade 10	31.9%	38.8%	15.7%	7.1%	3.2%	3.3%
	Grade 11	32.6%	37.4%	17.2%	7.1%	3.1%	2.6%
	Grade 12	30.2%	34.4%	19.3%	8.2%	3.8%	4.2%
Methamphetamine?							
	All	37.5%	38.7%	13.0%	5.4%	2.6%	2.9%
	Grade 7	49.1%	39.8%	6.6%	2.3%	1.0%	1.2%
	Grade 8	41.1%	43.0%	9.6%	2.8%	1.9%	1.6%
	Grade 9	34.9%	41.4%	13.0%	5.5%	2.7%	2.6%
	Grade 10	34.5%	37.4%	13.7%	6.8%	3.7%	3.9%
	Grade 11	33.6%	35.9%	17.3%	7.2%	2.5%	3.5%
	Grade 12	31.2%	33.5%	18.6%	8.1%	4.0%	4.8%
Synthetic Marijuana?							
	All	38.9%	30.0%	10.6%	7.9%	6.0%	6.6%
	Grade 7	51.6%	36.2%	6.9%	2.4%	1.2%	1.8%
	Grade 8	44.0%	37.0%	8.8%	3.7%	3.2%	3.2%
	Grade 9	36.2%	30.0%	11.0%	8.6%	7.2%	7.1%
	Grade 10	34.9%	27.2%	11.1%	9.8%	7.6%	9.3%
	Grade 11	34.1%	25.1%	13.6%	11.0%	8.3%	7.9%
	Grade 12	31.5%	23.4%	12.6%	12.4%	9.1%	11.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.4%	4.0%	1.5%	2.1%
Grade 7	98.4%	1.1%	0.4%	0.2%
Grade 8	96.7%	2.0%	0.4%	0.9%
Grade 9	93.3%	4.1%	1.0%	1.6%
Grade 10	92.0%	3.7%	2.5%	1.9%
Grade 11	88.3%	5.8%	2.4%	3.5%
Grade 12	84.6%	7.7%	2.5%	5.1%
Attended Class While High from Use of Some Other Drug?				
All	96.5%	2.1%	0.7%	0.7%
Grade 7	98.3%	1.2%	0.2%	0.2%
Grade 8	98.6%	0.9%	0.1%	0.4%
Grade 9	96.5%	2.3%	0.7%	0.5%
Grade 10	96.1%	2.2%	1.0%	0.6%
Grade 11	94.6%	3.2%	0.9%	1.3%
Grade 12	94.8%	2.8%	1.4%	1.0%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.4
Marijuana Non-Users	4.0
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.8%	3.9%	1.0%	2.3%
Grade 9	98.0%	1.4%	0.2%	0.4%
Grade 10	95.5%	3.1%	0.4%	1.0%
Grade 11	90.5%	5.4%	1.4%	2.7%
Grade 12	85.8%	6.2%	2.4%	5.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.8%	2.6%	0.4%	0.3%
Grade 7	98.8%	0.9%	0.2%	0.1%
Grade 8	98.2%	1.4%	0.2%	0.1%
Grade 9	96.2%	3.0%	0.5%	0.3%
Grade 10	96.7%	2.4%	0.5%	0.4%
Grade 11	95.8%	3.5%	0.4%	0.2%
Grade 12	94.8%	4.2%	0.6%	0.4%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	56.4%	18.2%	11.9%	10.1%	3.4%
Grade 7	87.3%	8.0%	3.1%	1.2%	0.4%
Grade 8	75.6%	13.7%	6.3%	3.6%	0.9%
Grade 9	54.5%	21.7%	12.8%	8.5%	2.5%
Grade 10	47.3%	21.6%	14.3%	13.4%	3.5%
Grade 11	36.4%	21.6%	18.2%	17.6%	6.2%
Grade 12	33.1%	23.0%	17.6%	18.2%	8.1%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.0%	5.5%	4.0%	6.0%	7.1%	1.6%	15.8%
Grade 7	83.8%	2.2%	0.8%	0.5%	1.0%	1.1%	10.5%
Grade 8	79.1%	3.7%	1.6%	2.7%	1.3%	1.8%	9.8%
Grade 9	61.0%	6.3%	3.8%	5.0%	4.7%	1.8%	17.4%
Grade 10	52.7%	6.9%	5.3%	8.1%	6.8%	1.5%	18.7%
Grade 11	42.3%	6.5%	6.1%	10.0%	13.3%	1.7%	20.1%
Grade 12	37.5%	7.3%	6.9%	10.8%	17.1%	1.7%	18.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.9%	7.0%	6.6%	1.6%	1.4%	4.6%
Grade 7	89.8%	2.3%	1.5%	0.7%	0.8%	4.8%
Grade 8	85.9%	3.7%	3.6%	0.7%	1.1%	5.0%
Grade 9	79.8%	6.5%	6.0%	1.5%	1.2%	5.1%
Grade 10	76.4%	8.6%	7.4%	1.9%	1.3%	4.4%
Grade 11	72.1%	9.5%	10.1%	2.0%	2.5%	3.8%
Grade 12	67.7%	11.8%	11.6%	3.0%	1.8%	4.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	54.4%	14.0%	13.6%	14.4%	3.6%
	Grade 7	83.2%	7.1%	3.7%	2.8%	3.1%
	Grade 8	69.4%	12.3%	7.7%	5.9%	4.8%
	Grade 9	51.8%	16.4%	15.1%	12.6%	4.1%
	Grade 10	46.9%	16.2%	16.8%	17.3%	2.8%
	Grade 11	37.6%	17.2%	17.7%	24.2%	3.4%
	Grade 12	33.7%	15.4%	21.8%	26.1%	3.1%
Cocaine?						
	All	88.4%	6.1%	1.0%	0.3%	4.1%
	Grade 7	91.5%	3.7%	1.0%	0.2%	3.7%
	Grade 8	87.6%	6.2%	1.3%	0.1%	4.8%
	Grade 9	86.8%	7.3%	0.9%	0.3%	4.7%
	Grade 10	88.4%	6.3%	1.1%	0.5%	3.7%
	Grade 11	88.0%	6.5%	0.9%	0.4%	4.3%
	Grade 12	88.4%	6.6%	1.0%	0.4%	3.6%
Crack?						
	All	89.9%	4.7%	0.7%	0.3%	4.4%
	Grade 7	91.2%	3.5%	0.9%	0.2%	4.2%
	Grade 8	87.8%	5.8%	1.2%	0.2%	5.1%
	Grade 9	88.4%	6.0%	0.4%	0.2%	5.1%
	Grade 10	89.8%	4.9%	0.5%	0.6%	4.2%
	Grade 11	90.3%	4.5%	0.6%	0.3%	4.4%
	Grade 12	92.7%	3.2%	0.3%	0.3%	3.5%
Ecstasy?						
	All	81.9%	7.9%	2.2%	0.6%	7.5%
	Grade 7	85.7%	3.6%	1.0%	0.2%	9.5%
	Grade 8	82.5%	5.5%	1.7%	0.3%	10.0%
	Grade 9	80.2%	9.1%	2.0%	0.6%	8.2%
	Grade 10	82.5%	8.5%	2.4%	0.6%	6.0%
	Grade 11	80.4%	10.2%	2.7%	0.7%	6.1%
	Grade 12	80.0%	10.7%	3.6%	1.0%	4.7%
Steroids?						
	All	74.8%	13.8%	4.5%	1.0%	5.9%
	Grade 7	80.5%	9.2%	3.5%	0.7%	6.1%
	Grade 8	75.5%	12.8%	4.1%	1.1%	6.6%
	Grade 9	72.4%	16.0%	4.2%	0.9%	6.5%
	Grade 10	74.4%	14.1%	4.5%	1.7%	5.3%
	Grade 11	73.2%	15.6%	5.2%	0.8%	5.3%
	Grade 12	73.0%	15.4%	5.5%	0.9%	5.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	90.2%	3.7%	0.5%	0.4%	5.1%
	Grade 7	89.1%	3.2%	1.0%	0.4%	6.4%
	Grade 8	86.9%	4.8%	1.0%	0.3%	6.9%
	Grade 9	89.3%	4.5%	0.3%	0.3%	5.5%
	Grade 10	91.3%	3.6%	0.5%	0.6%	4.0%
	Grade 11	91.6%	3.5%	0.3%	0.5%	4.1%
	Grade 12	93.7%	2.2%	0.1%	0.3%	3.6%
Methamphetamine?						
	All	90.1%	3.4%	0.6%	0.3%	5.5%
	Grade 7	88.7%	3.3%	0.7%	0.3%	7.0%
	Grade 8	87.0%	4.5%	0.9%	0.3%	7.2%
	Grade 9	89.4%	4.2%	0.5%	0.2%	5.7%
	Grade 10	91.1%	3.4%	0.5%	0.6%	4.3%
	Grade 11	91.8%	2.6%	0.5%	0.3%	4.8%
	Grade 12	93.4%	2.3%	0.4%	0.2%	3.7%
Synthetic Marijuana?						
	All	80.3%	8.4%	2.8%	1.1%	7.4%
	Grade 7	86.9%	4.2%	1.2%	0.4%	7.3%
	Grade 8	81.3%	6.5%	2.3%	1.2%	8.7%
	Grade 9	76.7%	11.0%	3.4%	1.2%	7.7%
	Grade 10	78.9%	9.5%	3.5%	1.7%	6.4%
	Grade 11	78.3%	9.8%	3.4%	1.2%	7.3%
	Grade 12	80.1%	9.2%	3.1%	1.1%	6.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.0%	14.1%	18.9%	81.1%
Grade 7	5.9%	9.0%	12.8%	87.2%
Grade 8	7.4%	9.6%	13.3%	86.7%
Grade 9	9.6%	14.0%	18.9%	81.1%
Grade 10	9.9%	13.9%	19.3%	80.7%
Grade 11	13.0%	18.6%	23.6%	76.4%
Grade 12	15.3%	20.9%	26.9%	73.1%
Codeine Cough Syrup?				
All	5.3%	8.3%	12.6%	87.4%
Grade 7	3.6%	6.4%	9.5%	90.5%
Grade 8	4.7%	6.5%	9.8%	90.2%
Grade 9	5.3%	9.1%	13.3%	86.7%
Grade 10	5.5%	8.1%	13.1%	86.9%
Grade 11	6.2%	10.1%	14.9%	85.1%
Grade 12	6.6%	9.7%	15.3%	84.7%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.6%	4.2%	5.9%	94.1%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	1.7%	3.4%	4.8%	95.2%
Grade 10	2.6%	4.0%	5.7%	94.3%
Grade 11	4.1%	6.6%	9.6%	90.4%
Grade 12	6.4%	10.0%	13.6%	86.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.1%	3.5%	5.1%	94.9%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	1.3%	1.6%	1.8%	98.2%
Grade 9	1.3%	3.0%	4.5%	95.5%
Grade 10	2.6%	4.2%	5.8%	94.2%
Grade 11	3.6%	5.7%	8.7%	91.3%
Grade 12	4.2%	6.9%	9.4%	90.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.1%	3.2%	5.0%	95.0%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	1.0%	1.4%	1.9%	98.1%
Grade 9	1.3%	2.2%	3.7%	96.3%
Grade 10	2.0%	3.3%	5.2%	94.8%
Grade 11	3.8%	5.4%	8.3%	91.7%
Grade 12	4.8%	7.2%	11.3%	88.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.7%	5.3%	8.3%	91.7%
Grade 7	3.7%	5.2%	8.0%	92.0%
Grade 8	3.2%	4.7%	7.5%	92.5%
Grade 9	4.0%	5.5%	8.7%	91.3%
Grade 10	3.0%	4.4%	7.5%	92.5%
Grade 11	3.7%	5.5%	8.2%	91.8%
Grade 12	4.6%	6.5%	9.8%	90.2%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.1%	3.5%	96.5%
Grade 7	1.3%	1.9%	3.1%	96.9%
Grade 8	1.4%	1.8%	3.6%	96.4%
Grade 9	1.2%	1.6%	3.3%	96.7%
Grade 10	1.6%	2.2%	3.8%	96.2%
Grade 11	1.7%	2.4%	3.4%	96.6%
Grade 12	2.5%	3.2%	3.9%	96.1%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.6%	16.4%	4.1%	1.0%	5.9%
Grade 7	80.6%	10.6%	2.7%	0.7%	5.5%
Grade 8	74.6%	14.1%	3.3%	1.4%	6.6%
Grade 9	70.4%	17.5%	5.0%	0.8%	6.3%
Grade 10	71.1%	18.0%	4.6%	1.3%	5.0%
Grade 11	68.0%	19.6%	5.2%	1.0%	6.3%
Grade 12	70.5%	19.0%	3.8%	0.9%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.6%	4.9%	9.5%	90.5%
Grade 7	5.0%	6.4%	10.5%	89.5%
Grade 8	4.7%	6.6%	11.9%	88.1%
Grade 9	3.5%	4.3%	9.6%	90.4%
Grade 10	2.9%	4.0%	8.9%	91.1%
Grade 11	2.8%	4.3%	8.1%	91.9%
Grade 12	2.6%	3.7%	7.7%	92.3%
Spray Paint?				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.4%	0.5%	1.6%	98.4%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	0.3%	0.4%	1.8%	98.2%
Grade 10	0.1%	0.1%	1.4%	98.6%
Grade 11	0.2%	0.3%	1.5%	98.5%
Grade 12	0.1%	0.3%	1.3%	98.7%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.1%	3.7%	96.3%
Grade 7	1.3%	1.8%	4.8%	95.2%
Grade 8	1.0%	1.5%	6.1%	93.9%
Grade 9	0.6%	0.8%	3.6%	96.4%
Grade 10	0.2%	0.6%	2.9%	97.1%
Grade 11	0.5%	1.0%	3.0%	97.0%
Grade 12	0.3%	0.5%	1.8%	98.2%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.4%	1.1%	98.9%
Grade 11	0.3%	0.6%	1.1%	98.9%
Grade 12	0.1%	0.3%	0.7%	99.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	1.9%	4.7%	95.3%
Grade 7	1.6%	2.3%	5.0%	95.0%
Grade 8	1.2%	2.5%	4.9%	95.1%
Grade 9	1.3%	2.1%	5.5%	94.5%
Grade 10	1.0%	1.7%	4.5%	95.5%
Grade 11	0.8%	1.5%	4.4%	95.6%
Grade 12	0.8%	1.5%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.4%	99.6%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.4%	99.6%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	0.4%	0.5%	1.6%	98.4%
Grade 8	0.4%	0.5%	1.8%	98.2%
Grade 9	0.3%	0.3%	1.3%	98.7%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.3%	0.4%	0.9%	99.1%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.7%	0.9%	1.5%	98.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.7%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.2%	0.2%	0.4%	0.5%	1.3%
Grade 7	96.3%	0.1%	0.4%	0.1%	0.8%	0.9%	1.4%
Grade 8	96.4%	0.4%	0.3%	0.4%	0.5%	0.5%	1.6%
Grade 9	97.6%	0.1%	0.0%	0.2%	0.3%	0.5%	1.3%
Grade 10	97.7%	0.2%	0.0%	0.3%	0.2%	0.3%	1.4%
Grade 11	97.8%	0.1%	0.1%	0.0%	0.3%	0.4%	1.3%
Grade 12	98.4%	0.0%	0.1%	0.2%	0.1%	0.3%	0.8%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	5.1%	2.4%	0.8%
Grade 7	90.7%	5.6%	2.7%	1.0%
Grade 8	89.5%	6.1%	3.4%	1.0%
Grade 9	91.1%	5.6%	2.7%	0.5%
Grade 10	92.2%	5.2%	1.9%	0.7%
Grade 11	93.2%	3.6%	2.3%	0.9%
Grade 12	93.9%	4.1%	1.5%	0.5%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.4%	0.4%	0.1%	0.1%
Grade 7	98.8%	0.9%	0.1%	0.1%
Grade 8	99.2%	0.5%	0.1%	0.2%
Grade 9	99.5%	0.3%	0.1%	0.1%
Grade 10	99.6%	0.2%	0.1%	0.1%
Grade 11	99.5%	0.3%	0.0%	0.2%
Grade 12	99.6%	0.3%	0.1%	0.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	4.1
Average Days Conduct Problems Reported	
Inhalant Users	3.3
Inhalant Non-Users	1.4

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.5%	4.0%	1.0%	0.4%	0.2%
Grade 7	94.4%	4.3%	0.9%	0.3%	0.1%
Grade 8	93.3%	5.2%	1.0%	0.4%	0.1%
Grade 9	94.1%	4.2%	1.2%	0.3%	0.2%
Grade 10	94.4%	3.6%	1.1%	0.6%	0.3%
Grade 11	95.0%	3.6%	0.9%	0.4%	0.1%
Grade 12	95.9%	2.9%	0.6%	0.4%	0.2%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.8%	14.1%	4.4%	0.9%	6.8%
Grade 7	77.1%	11.4%	5.4%	0.9%	5.2%
Grade 8	70.5%	16.4%	4.8%	1.0%	7.2%
Grade 9	72.2%	14.7%	5.2%	0.8%	7.2%
Grade 10	73.2%	15.3%	3.9%	1.6%	5.9%
Grade 11	75.1%	12.9%	3.6%	0.8%	7.5%
Grade 12	74.9%	13.9%	2.9%	0.4%	7.9%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.6%	16.8%	5.1%	6.5%	11.0%	29.0%
Grade 7	37.3%	27.2%	5.6%	5.6%	7.4%	16.8%
Grade 8	30.6%	21.5%	4.7%	6.4%	11.3%	25.5%
Grade 9	30.7%	15.9%	5.8%	8.1%	11.9%	27.7%
Grade 10	31.6%	13.0%	5.9%	7.0%	11.2%	31.3%
Grade 11	29.9%	12.8%	4.9%	5.8%	12.7%	34.0%
Grade 12	29.1%	9.3%	3.8%	5.5%	11.9%	40.5%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	41.0%
	Grade 7	43.6%
	Grade 8	42.3%
	Grade 9	40.4%
	Grade 10	41.7%
	Grade 11	39.5%
	Grade 12	38.5%
An Assembly Program		
	All	50.2%
	Grade 7	59.5%
	Grade 8	58.4%
	Grade 9	46.8%
	Grade 10	49.3%
	Grade 11	44.6%
	Grade 12	42.1%
Guidance Counselor		
	All	28.9%
	Grade 7	44.7%
	Grade 8	40.2%
	Grade 9	24.9%
	Grade 10	24.1%
	Grade 11	19.4%
	Grade 12	19.8%
School Nurse		
	All	16.5%
	Grade 7	27.6%
	Grade 8	25.1%
	Grade 9	12.6%
	Grade 10	13.0%
	Grade 11	10.3%
	Grade 12	10.4%
Science or Social Studies Class		
	All	29.0%
	Grade 7	31.8%
	Grade 8	27.0%
	Grade 9	28.8%
	Grade 10	29.2%
	Grade 11	26.6%
	Grade 12	30.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.6%
	Grade 7	13.1%
	Grade 8	11.3%
	Grade 9	12.2%
	Grade 10	14.0%
	Grade 11	12.5%
	Grade 12	12.7%
An Invited School Guest		
	All	34.4%
	Grade 7	41.5%
	Grade 8	38.7%
	Grade 9	33.9%
	Grade 10	34.0%
	Grade 11	30.0%
	Grade 12	27.8%
Another Source at School		
	All	30.3%
	Grade 7	31.1%
	Grade 8	29.7%
	Grade 9	31.6%
	Grade 10	29.3%
	Grade 11	30.6%
	Grade 12	29.6%
Any School Source		
	All	71.5%
	Grade 7	78.0%
	Grade 8	76.2%
	Grade 9	70.3%
	Grade 10	69.8%
	Grade 11	67.6%
	Grade 12	67.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	38.4%
	Grade 7	56.7%
	Grade 8	42.1%
	Grade 9	36.8%
	Grade 10	33.7%
	Grade 11	30.7%
	Grade 12	28.9%
School Nurse		
	All	22.0%
	Grade 7	36.9%
	Grade 8	27.2%
	Grade 9	19.3%
	Grade 10	18.8%
	Grade 11	15.4%
	Grade 12	13.7%
Another Adult In School		
	All	42.6%
	Grade 7	52.8%
	Grade 8	43.9%
	Grade 9	42.4%
	Grade 10	38.4%
	Grade 11	37.8%
	Grade 12	39.6%
Counselor/Program Outside-School		
	All	39.0%
	Grade 7	48.3%
	Grade 8	37.8%
	Grade 9	39.1%
	Grade 10	37.5%
	Grade 11	34.3%
	Grade 12	36.4%
Your Parents		
	All	71.0%
	Grade 7	80.8%
	Grade 8	73.4%
	Grade 9	72.1%
	Grade 10	67.7%
	Grade 11	66.4%
	Grade 12	64.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	57.1%
	Grade 7	71.2%
	Grade 8	61.0%
	Grade 9	54.7%
	Grade 10	51.8%
	Grade 11	51.0%
	Grade 12	52.2%
Your Friends		
	All	67.3%
	Grade 7	54.5%
	Grade 8	62.9%
	Grade 9	70.0%
	Grade 10	69.3%
	Grade 11	72.5%
	Grade 12	75.1%
Another Adult		
	All	61.5%
	Grade 7	65.2%
	Grade 8	60.5%
	Grade 9	65.0%
	Grade 10	59.3%
	Grade 11	59.0%
	Grade 12	59.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.1%
	Grade 7	4.1%
	Grade 8	5.1%
	Grade 9	5.2%
	Grade 10	5.6%
	Grade 11	4.7%
	Grade 12	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	3.4%	18.0%	22.6%	42.4%	13.7%
Grade 7	3.8%	14.6%	17.0%	41.7%	23.0%
Grade 8	3.6%	15.6%	20.5%	43.9%	16.4%
Grade 9	3.2%	19.0%	24.2%	42.2%	11.4%
Grade 10	3.7%	18.4%	24.3%	42.5%	11.1%
Grade 11	3.0%	19.9%	24.3%	42.3%	10.5%
Grade 12	3.1%	20.7%	25.8%	41.5%	8.9%
Sometimes Carry Weapons?					
All	77.7%	14.6%	4.8%	1.9%	1.0%
Grade 7	88.6%	9.0%	1.5%	0.7%	0.2%
Grade 8	81.2%	14.0%	3.8%	0.8%	0.3%
Grade 9	77.4%	14.9%	5.4%	1.7%	0.7%
Grade 10	76.4%	14.9%	5.2%	2.1%	1.5%
Grade 11	72.1%	17.7%	6.2%	2.8%	1.2%
Grade 12	68.8%	18.0%	7.6%	3.4%	2.2%
Care About Making Good Grades?					
All	1.5%	8.4%	22.1%	47.7%	20.2%
Grade 7	1.3%	8.5%	19.2%	44.2%	26.7%
Grade 8	2.2%	9.0%	22.7%	46.0%	20.1%
Grade 9	1.3%	9.0%	23.2%	48.1%	18.4%
Grade 10	1.6%	7.8%	22.8%	47.7%	20.2%
Grade 11	1.1%	7.9%	23.2%	48.9%	18.9%
Grade 12	1.3%	8.4%	21.5%	52.3%	16.5%
Belong/Want to Belong to a Gang?					
All	85.6%	9.3%	3.0%	1.1%	0.9%
Grade 7	89.2%	7.9%	1.7%	0.8%	0.3%
Grade 8	83.5%	11.5%	3.4%	1.1%	0.5%
Grade 9	83.7%	10.7%	3.3%	1.3%	1.0%
Grade 10	83.5%	10.4%	3.2%	1.5%	1.4%
Grade 11	86.4%	8.0%	3.7%	1.1%	0.9%
Grade 12	87.5%	7.0%	3.0%	1.1%	1.4%
Wish They Could Drop Out of School?					
All	58.9%	25.7%	9.8%	3.5%	2.0%
Grade 7	68.5%	21.3%	6.6%	2.4%	1.2%
Grade 8	62.2%	24.4%	9.0%	3.1%	1.3%
Grade 9	56.5%	27.9%	10.2%	3.5%	1.9%
Grade 10	54.5%	27.3%	11.4%	4.4%	2.4%
Grade 11	54.0%	27.6%	12.0%	3.8%	2.5%
Grade 12	57.4%	25.8%	9.6%	4.0%	3.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.9%	10.6%	0.7%	0.2%	0.6%
Grade 7	87.1%	11.5%	0.7%	0.3%	0.4%
Grade 8	86.0%	12.7%	0.7%	0.1%	0.5%
Grade 9	88.3%	10.2%	0.8%	0.1%	0.7%
Grade 10	87.4%	10.6%	0.8%	0.4%	0.9%
Grade 11	89.8%	8.7%	0.8%	0.3%	0.4%
Grade 12	88.9%	9.8%	0.7%	0.1%	0.5%
Out In Your Neighborhood?					
All	51.2%	42.1%	4.3%	0.8%	1.6%
Grade 7	42.9%	48.6%	5.6%	0.8%	2.1%
Grade 8	46.7%	45.8%	4.7%	0.7%	2.1%
Grade 9	49.3%	44.6%	4.4%	0.5%	1.3%
Grade 10	52.6%	40.5%	3.9%	1.1%	1.9%
Grade 11	57.9%	37.3%	3.3%	0.7%	0.9%
Grade 12	59.9%	34.6%	3.6%	0.8%	1.0%
At School?					
All	42.6%	44.7%	7.6%	2.7%	2.4%
Grade 7	47.8%	41.8%	6.5%	2.3%	1.5%
Grade 8	43.6%	43.1%	8.5%	2.8%	2.0%
Grade 9	37.0%	48.5%	8.0%	3.2%	3.3%
Grade 10	38.0%	47.7%	8.1%	3.5%	2.7%
Grade 11	43.7%	44.5%	7.6%	2.1%	2.1%
Grade 12	46.4%	41.7%	6.9%	2.5%	2.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.2%	17.3%	27.9%	72.1%
Grade 7	3.7%	4.7%	9.4%	90.6%
Grade 8	5.5%	7.7%	16.5%	83.5%
Grade 9	12.4%	16.1%	28.2%	71.8%
Grade 10	14.3%	19.1%	31.2%	68.8%
Grade 11	20.3%	28.1%	41.5%	58.5%
Grade 12	25.2%	31.0%	43.9%	56.1%
Any Alcohol Product				
All	25.5%	31.2%	49.5%	50.5%
Grade 7	9.7%	11.4%	28.6%	71.4%
Grade 8	16.2%	19.3%	36.1%	63.9%
Grade 9	23.9%	29.8%	50.8%	49.2%
Grade 10	28.3%	34.4%	55.7%	44.3%
Grade 11	34.5%	43.6%	61.6%	38.4%
Grade 12	43.9%	52.4%	67.5%	32.5%
Any Illicit Drug				
All	13.6%	17.9%	22.8%	77.2%
Grade 7	3.3%	4.6%	5.7%	94.3%
Grade 8	5.2%	7.1%	9.2%	90.8%
Grade 9	11.5%	15.5%	20.2%	79.8%
Grade 10	15.5%	21.0%	26.8%	73.2%
Grade 11	21.9%	28.8%	36.1%	63.9%
Grade 12	26.8%	33.5%	42.7%	57.3%
Any Prescription Drug				
All	10.0%	14.1%	18.9%	81.1%
Grade 7	5.9%	9.0%	12.8%	87.2%
Grade 8	7.4%	9.6%	13.3%	86.7%
Grade 9	9.6%	14.0%	18.9%	81.1%
Grade 10	9.9%	13.9%	19.3%	80.7%
Grade 11	13.0%	18.6%	23.6%	76.4%
Grade 12	15.3%	20.9%	26.9%	73.1%
Any Inhalant				
All	3.6%	4.9%	9.5%	90.5%
Grade 7	5.0%	6.4%	10.5%	89.5%
Grade 8	4.7%	6.6%	11.9%	88.1%
Grade 9	3.5%	4.3%	9.6%	90.4%
Grade 10	2.9%	4.0%	8.9%	91.1%
Grade 11	2.8%	4.3%	8.1%	91.9%
Grade 12	2.6%	3.7%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.6%	14.3%	24.4%	75.6%
Grade 7	2.9%	4.0%	8.1%	91.9%
Grade 8	3.4%	5.8%	14.0%	86.0%
Grade 9	9.6%	13.8%	25.3%	74.7%
Grade 10	11.0%	16.0%	27.5%	72.5%
Grade 11	15.3%	24.2%	37.5%	62.5%
Grade 12	17.1%	24.2%	36.6%	63.4%
Marijuana				
All	13.1%	16.3%	21.5%	78.5%
Grade 7	2.7%	3.3%	4.1%	95.9%
Grade 8	4.6%	5.7%	7.8%	92.2%
Grade 9	11.0%	13.3%	18.5%	81.5%
Grade 10	15.2%	19.8%	25.8%	74.2%
Grade 11	21.5%	27.2%	35.2%	64.8%
Grade 12	26.1%	31.6%	41.7%	58.3%
Marijuana Only				
All	8.0%	10.3%	14.7%	85.3%
Grade 7	1.4%	1.8%	2.4%	97.6%
Grade 8	2.4%	3.1%	4.7%	95.3%
Grade 9	7.0%	8.4%	12.7%	87.3%
Grade 10	10.0%	13.8%	18.9%	81.1%
Grade 11	13.7%	18.0%	24.9%	75.1%
Grade 12	14.8%	18.9%	27.5%	72.5%
Cocaine or Crack				
All	0.9%	1.2%	2.3%	97.7%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.6%	98.4%
Grade 10	1.2%	1.6%	2.6%	97.4%
Grade 11	1.1%	1.6%	3.5%	96.5%
Grade 12	2.0%	2.6%	4.5%	95.5%
Cocaine				
All	0.9%	1.1%	2.2%	97.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.5%	98.5%
Grade 10	1.2%	1.5%	2.5%	97.5%
Grade 11	1.1%	1.5%	3.4%	96.6%
Grade 12	1.9%	2.5%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.9%	99.1%
Hallucinogens				
All	1.1%	1.9%	3.6%	96.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.7%	1.3%	2.6%	97.4%
Grade 10	1.0%	1.7%	3.0%	97.0%
Grade 11	1.6%	3.2%	6.1%	93.9%
Grade 12	2.9%	5.1%	8.8%	91.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.8%	2.1%	97.9%
Grade 10	0.8%	1.3%	2.3%	97.7%
Grade 11	0.6%	1.2%	2.9%	97.1%
Grade 12	1.4%	2.7%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.5%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.8%	99.2%
Synthetic Marijuana				
All	0.8%	1.2%	3.5%	96.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.6%	0.9%	2.3%	97.7%
Grade 9	1.0%	1.4%	3.2%	96.8%
Grade 10	1.2%	1.8%	3.9%	96.1%
Grade 11	0.7%	1.3%	4.4%	95.6%
Grade 12	1.0%	1.5%	6.4%	93.6%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.8%	1.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.3%	19.5%	29.9%	70.1%
Grade 7	4.5%	5.8%	10.9%	89.1%
Grade 8	5.7%	8.7%	16.7%	83.3%
Grade 9	14.4%	18.1%	30.3%	69.7%
Grade 10	16.1%	21.0%	33.0%	67.0%
Grade 11	22.1%	29.4%	42.0%	58.0%
Grade 12	31.4%	36.4%	49.2%	50.8%
Any Alcohol Product				
All	25.0%	29.9%	47.9%	52.1%
Grade 7	10.3%	11.5%	30.1%	69.9%
Grade 8	16.2%	18.5%	34.6%	65.4%
Grade 9	23.5%	28.3%	47.6%	52.4%
Grade 10	26.2%	32.1%	53.0%	47.0%
Grade 11	33.1%	40.5%	57.4%	42.6%
Grade 12	44.0%	52.2%	67.9%	32.1%
Any Illicit Drug				
All	14.0%	18.6%	23.7%	76.3%
Grade 7	3.5%	4.7%	5.5%	94.5%
Grade 8	5.5%	7.4%	9.1%	90.9%
Grade 9	9.9%	14.8%	19.9%	80.1%
Grade 10	16.3%	21.7%	27.7%	72.3%
Grade 11	21.9%	28.9%	36.2%	63.8%
Grade 12	29.8%	37.5%	47.5%	52.5%
Any Prescription Drug				
All	10.6%	14.8%	20.0%	80.0%
Grade 7	5.5%	8.7%	13.0%	87.0%
Grade 8	7.5%	9.5%	13.4%	86.6%
Grade 9	10.9%	15.3%	20.3%	79.7%
Grade 10	9.9%	13.5%	19.9%	80.1%
Grade 11	13.5%	19.1%	23.9%	76.1%
Grade 12	17.4%	23.9%	31.0%	69.0%
Any Inhalant				
All	3.0%	4.1%	8.8%	91.2%
Grade 7	3.8%	5.1%	9.3%	90.7%
Grade 8	3.4%	4.9%	10.7%	89.3%
Grade 9	2.6%	3.3%	8.7%	91.3%
Grade 10	2.7%	3.4%	8.5%	91.5%
Grade 11	2.5%	3.8%	7.3%	92.7%
Grade 12	2.7%	4.2%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	16.0%	25.9%	74.1%
Grade 7	3.4%	4.8%	9.4%	90.6%
Grade 8	3.4%	6.7%	13.9%	86.1%
Grade 9	11.3%	15.3%	26.9%	73.1%
Grade 10	12.8%	18.1%	30.0%	70.0%
Grade 11	16.6%	25.2%	37.5%	62.5%
Grade 12	21.1%	27.4%	39.8%	60.2%
Marijuana				
All	13.4%	16.8%	22.2%	77.8%
Grade 7	2.9%	3.7%	4.4%	95.6%
Grade 8	4.6%	5.7%	7.4%	92.6%
Grade 9	9.3%	11.7%	17.5%	82.5%
Grade 10	16.1%	20.3%	26.5%	73.5%
Grade 11	21.3%	27.0%	35.2%	64.8%
Grade 12	29.1%	35.3%	46.1%	53.9%
Marijuana Only				
All	8.1%	10.4%	14.9%	85.1%
Grade 7	1.4%	2.0%	2.6%	97.4%
Grade 8	2.6%	3.3%	4.1%	95.9%
Grade 9	5.9%	7.2%	11.8%	88.2%
Grade 10	10.9%	14.4%	19.6%	80.4%
Grade 11	13.3%	17.6%	24.6%	75.4%
Grade 12	15.6%	19.6%	29.0%	71.0%
Cocaine or Crack				
All	1.2%	1.5%	2.7%	97.3%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	0.5%	0.7%	1.7%	98.3%
Grade 10	1.6%	1.7%	2.9%	97.1%
Grade 11	1.2%	1.8%	3.7%	96.3%
Grade 12	2.6%	3.6%	6.3%	93.7%
Cocaine				
All	1.1%	1.4%	2.6%	97.4%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.5%	0.6%	1.7%	98.3%
Grade 10	1.5%	1.7%	2.8%	97.2%
Grade 11	1.2%	1.8%	3.6%	96.4%
Grade 12	2.4%	3.4%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.2%	98.8%
Hallucinogens				
All	1.2%	2.1%	4.0%	96.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.7%	1.3%	3.0%	97.0%
Grade 10	1.0%	1.5%	3.3%	96.7%
Grade 11	1.5%	3.1%	5.9%	94.1%
Grade 12	3.9%	6.7%	11.3%	88.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.7%	0.8%	1.5%	98.5%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	1.0%	1.2%	1.7%	98.3%
Ecstasy				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.8%	1.8%	98.2%
Grade 10	0.7%	1.2%	2.1%	97.9%
Grade 11	0.8%	0.9%	2.8%	97.2%
Grade 12	1.7%	3.4%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.5%	0.7%	99.3%
Grade 10	0.2%	0.6%	1.2%	98.8%
Grade 11	0.6%	0.9%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
Synthetic Marijuana				
All	0.8%	1.2%	3.5%	96.5%
Grade 7	0.0%	0.2%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.5%	97.5%
Grade 9	0.8%	1.2%	2.5%	97.5%
Grade 10	1.7%	1.9%	3.8%	96.2%
Grade 11	0.6%	1.0%	4.3%	95.7%
Grade 12	1.2%	1.9%	7.7%	92.3%
Methamphetamine				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.2%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.3%	0.9%	99.1%
Grade 12	0.9%	1.2%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	15.1%	25.8%	74.2%
Grade 7	2.8%	3.5%	7.9%	92.1%
Grade 8	5.4%	6.9%	16.1%	83.9%
Grade 9	10.4%	14.2%	26.3%	73.7%
Grade 10	12.8%	17.4%	29.3%	70.7%
Grade 11	17.9%	25.8%	40.3%	59.7%
Grade 12	19.0%	25.5%	38.6%	61.4%
Any Alcohol Product				
All	26.0%	32.4%	51.0%	49.0%
Grade 7	9.0%	11.4%	27.0%	73.0%
Grade 8	16.4%	20.1%	37.7%	62.3%
Grade 9	24.4%	31.5%	54.0%	46.0%
Grade 10	30.4%	36.6%	58.1%	41.9%
Grade 11	35.8%	46.5%	65.9%	34.1%
Grade 12	44.2%	52.9%	67.4%	32.6%
Any Illicit Drug				
All	13.1%	17.1%	21.9%	78.1%
Grade 7	2.9%	4.4%	5.7%	94.3%
Grade 8	5.0%	6.9%	9.4%	90.6%
Grade 9	13.0%	16.1%	20.6%	79.4%
Grade 10	14.9%	20.3%	25.9%	74.1%
Grade 11	21.8%	28.5%	35.8%	64.2%
Grade 12	23.8%	29.5%	38.0%	62.0%
Any Prescription Drug				
All	9.4%	13.4%	17.8%	82.2%
Grade 7	6.3%	9.3%	12.6%	87.4%
Grade 8	7.2%	9.7%	13.0%	87.0%
Grade 9	8.3%	12.6%	17.7%	82.3%
Grade 10	10.0%	14.5%	19.0%	81.0%
Grade 11	12.3%	17.8%	23.1%	76.9%
Grade 12	13.1%	17.8%	22.9%	77.1%
Any Inhalant				
All	4.2%	5.7%	10.1%	89.9%
Grade 7	6.0%	7.6%	11.5%	88.5%
Grade 8	6.0%	8.2%	13.3%	86.7%
Grade 9	4.3%	5.4%	10.6%	89.4%
Grade 10	3.1%	4.6%	9.3%	90.7%
Grade 11	3.0%	4.7%	8.4%	91.6%
Grade 12	2.4%	3.3%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	12.6%	22.7%	77.3%
Grade 7	2.4%	3.0%	6.7%	93.3%
Grade 8	3.4%	5.0%	13.9%	86.1%
Grade 9	8.0%	12.3%	23.8%	76.2%
Grade 10	9.3%	14.1%	24.9%	75.1%
Grade 11	13.4%	22.5%	36.7%	63.3%
Grade 12	13.2%	21.0%	33.4%	66.6%
Marijuana				
All	12.8%	15.8%	20.8%	79.2%
Grade 7	2.4%	2.7%	3.6%	96.4%
Grade 8	4.6%	5.8%	8.3%	91.7%
Grade 9	12.8%	14.8%	19.6%	80.4%
Grade 10	14.6%	19.3%	25.1%	74.9%
Grade 11	21.6%	27.3%	34.9%	65.1%
Grade 12	23.2%	27.9%	37.4%	62.6%
Marijuana Only				
All	7.9%	10.3%	14.5%	85.5%
Grade 7	1.2%	1.5%	2.1%	97.9%
Grade 8	2.2%	3.0%	5.2%	94.8%
Grade 9	8.1%	9.5%	13.6%	86.4%
Grade 10	9.4%	13.2%	18.2%	81.8%
Grade 11	14.1%	18.4%	25.1%	74.9%
Grade 12	14.0%	18.2%	26.0%	74.0%
Cocaine or Crack				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	0.9%	1.4%	2.3%	97.7%
Grade 11	0.7%	1.1%	3.1%	96.9%
Grade 12	1.3%	1.7%	2.8%	97.2%
Cocaine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	1.2%	98.8%
Grade 10	0.9%	1.4%	2.3%	97.7%
Grade 11	0.7%	1.1%	3.1%	96.9%
Grade 12	1.3%	1.7%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	0.9%	1.7%	3.1%	96.9%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.6%	1.2%	2.1%	97.9%
Grade 10	1.0%	1.8%	2.8%	97.2%
Grade 11	1.7%	3.3%	6.3%	93.7%
Grade 12	1.8%	3.5%	6.3%	93.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.6%	0.8%	2.0%	98.0%
Grade 8	0.5%	0.9%	2.2%	97.8%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.2%	1.0%	99.0%
Grade 11	0.1%	0.3%	1.4%	98.6%
Grade 12	0.1%	0.3%	0.8%	99.2%
Ecstasy				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.8%	2.4%	97.6%
Grade 10	0.9%	1.4%	2.5%	97.5%
Grade 11	0.3%	1.3%	2.9%	97.1%
Grade 12	1.0%	1.9%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.7%	99.3%
Synthetic Marijuana				
All	0.8%	1.2%	3.5%	96.5%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.7%	2.2%	97.8%
Grade 9	1.2%	1.7%	4.0%	96.0%
Grade 10	0.7%	1.7%	4.1%	95.9%
Grade 11	0.9%	1.6%	4.5%	95.5%
Grade 12	0.7%	1.0%	5.2%	94.8%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.3%	98.7%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.7%	0.8%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.7%	18.9%	27.1%	72.9%
Grade 7	2.2%	2.7%	6.3%	93.7%
Grade 8	3.8%	5.5%	12.2%	87.8%
Grade 9	14.2%	18.5%	27.8%	72.2%
Grade 10	14.9%	20.0%	28.9%	71.1%
Grade 11	24.7%	31.9%	42.6%	57.4%
Grade 12	29.7%	35.6%	46.2%	53.8%
Any Alcohol Product				
All	24.6%	30.6%	48.6%	51.4%
Grade 7	5.8%	7.7%	24.1%	75.9%
Grade 8	13.0%	16.3%	34.2%	65.8%
Grade 9	21.9%	27.2%	48.9%	51.1%
Grade 10	25.0%	32.3%	52.8%	47.2%
Grade 11	37.9%	46.7%	64.1%	35.9%
Grade 12	45.6%	55.2%	68.6%	31.4%
Any Illicit Drug				
All	11.0%	15.4%	19.7%	80.3%
Grade 7	1.3%	2.3%	2.7%	97.3%
Grade 8	3.5%	4.9%	7.0%	93.0%
Grade 9	9.3%	12.9%	16.8%	83.2%
Grade 10	10.7%	16.4%	21.9%	78.1%
Grade 11	20.1%	27.5%	33.7%	66.3%
Grade 12	21.9%	29.7%	37.7%	62.3%
Any Prescription Drug				
All	9.5%	14.0%	17.9%	82.1%
Grade 7	6.7%	10.4%	14.6%	85.4%
Grade 8	6.9%	10.1%	13.3%	86.7%
Grade 9	8.6%	12.6%	16.8%	83.2%
Grade 10	9.4%	15.5%	18.9%	81.1%
Grade 11	12.3%	16.9%	20.4%	79.6%
Grade 12	13.4%	18.7%	23.7%	76.3%
Any Inhalant				
All	2.8%	4.2%	8.8%	91.2%
Grade 7	2.6%	4.1%	8.7%	91.3%
Grade 8	4.5%	6.3%	11.7%	88.3%
Grade 9	2.5%	4.2%	8.4%	91.6%
Grade 10	1.8%	3.2%	8.6%	91.4%
Grade 11	2.6%	3.8%	7.8%	92.2%
Grade 12	2.6%	3.7%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.7%	23.8%	76.2%
Grade 7	1.7%	2.2%	4.9%	95.1%
Grade 8	2.2%	3.9%	9.6%	90.4%
Grade 9	10.3%	15.7%	25.2%	74.8%
Grade 10	12.2%	18.0%	26.3%	73.7%
Grade 11	19.3%	27.8%	39.1%	60.9%
Grade 12	20.2%	27.3%	38.6%	61.4%
Marijuana				
All	10.4%	13.6%	18.3%	81.7%
Grade 7	0.7%	1.3%	1.5%	98.5%
Grade 8	2.6%	3.2%	5.3%	94.7%
Grade 9	9.1%	11.3%	15.2%	84.8%
Grade 10	10.4%	14.8%	20.6%	79.4%
Grade 11	19.5%	25.4%	32.6%	67.4%
Grade 12	21.3%	26.9%	36.2%	63.8%
Marijuana Only				
All	5.9%	8.3%	12.3%	87.7%
Grade 7	0.3%	0.9%	1.1%	98.9%
Grade 8	1.1%	1.8%	3.3%	96.7%
Grade 9	5.7%	7.3%	10.9%	89.1%
Grade 10	6.3%	9.9%	15.2%	84.8%
Grade 11	11.2%	15.1%	21.0%	79.0%
Grade 12	11.0%	15.4%	23.1%	76.9%
Cocaine or Crack				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.8%	0.9%	1.5%	98.5%
Grade 11	1.0%	1.3%	3.2%	96.8%
Grade 12	1.8%	2.3%	3.3%	96.7%
Cocaine				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.8%	0.9%	1.5%	98.5%
Grade 11	0.9%	1.3%	3.2%	96.8%
Grade 12	1.7%	2.3%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.3%	99.7%
Hallucinogens				
All	1.2%	2.3%	4.0%	96.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.8%	1.2%	98.8%
Grade 9	0.7%	1.2%	2.6%	97.4%
Grade 10	1.3%	1.9%	3.4%	96.6%
Grade 11	2.3%	4.4%	8.0%	92.0%
Grade 12	2.5%	5.6%	8.9%	91.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.6%	1.5%	98.5%
Grade 8	0.7%	1.1%	2.2%	97.8%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.8%	2.0%	98.0%
Grade 12	0.5%	0.6%	1.4%	98.6%
Ecstasy				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.6%	1.2%	2.3%	97.7%
Grade 11	0.5%	1.4%	3.6%	96.4%
Grade 12	1.1%	2.7%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	0.6%	0.9%	2.8%	97.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.8%	1.1%	2.5%	97.5%
Grade 10	0.6%	1.3%	2.8%	97.2%
Grade 11	0.5%	1.4%	4.6%	95.4%
Grade 12	0.9%	1.1%	5.4%	94.6%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.7%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.1%	12.1%	24.2%	75.8%
Grade 7	5.2%	6.4%	10.3%	89.7%
Grade 8	3.4%	4.1%	12.5%	87.5%
Grade 9	9.1%	12.0%	24.2%	75.8%
Grade 10	9.8%	11.8%	28.3%	71.7%
Grade 11	12.3%	19.7%	36.3%	63.7%
Grade 12	15.4%	18.7%	33.9%	66.1%
Any Alcohol Product				
All	23.3%	28.8%	47.5%	52.5%
Grade 7	11.7%	14.8%	26.3%	73.7%
Grade 8	9.6%	12.5%	30.9%	69.1%
Grade 9	25.8%	31.8%	50.7%	49.3%
Grade 10	26.0%	29.6%	54.6%	45.4%
Grade 11	27.1%	37.5%	58.3%	41.7%
Grade 12	40.3%	47.5%	64.5%	35.5%
Any Illicit Drug				
All	16.3%	20.7%	26.6%	73.4%
Grade 7	5.5%	7.1%	8.2%	91.8%
Grade 8	3.9%	5.6%	6.9%	93.1%
Grade 9	15.9%	20.1%	26.5%	73.5%
Grade 10	19.4%	25.0%	32.1%	67.9%
Grade 11	21.0%	28.3%	36.9%	63.1%
Grade 12	33.9%	39.8%	51.0%	49.0%
Any Prescription Drug				
All	10.3%	14.8%	22.6%	77.4%
Grade 7	3.4%	7.2%	11.0%	89.0%
Grade 8	5.8%	6.5%	10.9%	89.1%
Grade 9	11.5%	17.9%	26.3%	73.7%
Grade 10	11.9%	14.2%	23.7%	76.3%
Grade 11	15.8%	22.1%	28.5%	71.5%
Grade 12	13.2%	20.2%	35.3%	64.7%
Any Inhalant				
All	3.9%	4.9%	8.1%	91.9%
Grade 7	6.4%	8.2%	9.5%	90.5%
Grade 8	2.2%	3.6%	8.0%	92.0%
Grade 9	3.4%	3.8%	8.6%	91.4%
Grade 10	5.5%	6.2%	8.5%	91.5%
Grade 11	4.3%	5.6%	8.5%	91.5%
Grade 12	1.7%	2.3%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.0%	9.2%	20.7%	79.3%
Grade 7	3.0%	4.2%	8.8%	91.2%
Grade 8	2.0%	2.3%	11.2%	88.8%
Grade 9	6.6%	10.3%	20.3%	79.7%
Grade 10	7.4%	9.3%	22.7%	77.3%
Grade 11	9.1%	17.0%	32.4%	67.6%
Grade 12	8.1%	11.9%	28.7%	71.3%
Marijuana				
All	16.1%	19.2%	25.5%	74.5%
Grade 7	4.7%	5.8%	6.9%	93.1%
Grade 8	4.0%	4.7%	6.0%	94.0%
Grade 9	15.0%	16.2%	23.8%	76.2%
Grade 10	19.5%	23.9%	31.1%	68.9%
Grade 11	21.2%	27.7%	36.9%	63.1%
Grade 12	34.3%	38.7%	50.2%	49.8%
Marijuana Only				
All	13.2%	15.7%	21.3%	78.7%
Grade 7	3.1%	3.9%	4.9%	95.1%
Grade 8	2.5%	3.2%	4.6%	95.4%
Grade 9	11.5%	12.1%	16.9%	83.1%
Grade 10	17.8%	22.3%	28.7%	71.3%
Grade 11	18.2%	23.0%	32.0%	68.0%
Grade 12	27.5%	31.9%	43.2%	56.8%
Cocaine or Crack				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.3%	0.9%	2.4%	97.6%
Grade 12	1.2%	1.2%	1.2%	98.8%
Cocaine				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.3%	1.0%	2.4%	97.6%
Grade 12	1.3%	1.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.7%	0.7%	0.7%	99.3%
Hallucinogens				
All	0.7%	0.7%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	1.1%	1.1%	2.4%	97.6%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.8%	1.1%	1.7%	98.3%
Grade 12	0.9%	0.9%	4.1%	95.9%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	1.9%	98.1%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.6%	0.6%	1.8%	98.2%
Grade 12	0.9%	1.4%	1.4%	98.6%
Ecstasy				
All	0.7%	1.1%	1.7%	98.3%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.7%	3.4%	96.6%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	2.2%	3.2%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.8%	99.2%
Synthetic Marijuana				
All	0.5%	0.7%	2.2%	97.8%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	1.3%	1.3%	4.2%	95.8%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.3%	0.6%	2.4%	97.6%
Grade 12	0.3%	0.8%	3.6%	96.4%
Methamphetamine				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.9%	1.1%	98.9%
Grade 12	1.4%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.4%	18.3%	30.9%	69.1%
Grade 7	5.0%	6.6%	12.6%	87.4%
Grade 8	8.0%	11.0%	22.5%	77.5%
Grade 9	11.7%	14.9%	31.1%	68.9%
Grade 10	14.8%	20.3%	33.3%	66.7%
Grade 11	19.3%	29.3%	44.1%	55.9%
Grade 12	25.5%	32.7%	47.7%	52.3%
Any Alcohol Product				
All	28.6%	33.7%	52.4%	47.6%
Grade 7	12.8%	13.9%	34.4%	65.6%
Grade 8	23.2%	26.1%	41.9%	58.1%
Grade 9	26.2%	32.4%	53.5%	46.5%
Grade 10	32.4%	37.9%	58.4%	41.6%
Grade 11	35.5%	44.3%	61.9%	38.1%
Grade 12	46.9%	54.3%	70.3%	29.7%
Any Illicit Drug				
All	15.5%	19.8%	25.2%	74.8%
Grade 7	4.5%	6.1%	7.8%	92.2%
Grade 8	7.7%	10.3%	12.6%	87.4%
Grade 9	12.0%	16.4%	21.5%	78.5%
Grade 10	18.0%	23.3%	29.4%	70.6%
Grade 11	24.9%	31.3%	39.6%	60.4%
Grade 12	31.0%	37.4%	47.6%	52.4%
Any Prescription Drug				
All	10.3%	13.8%	18.1%	81.9%
Grade 7	5.6%	7.8%	10.5%	89.5%
Grade 8	8.3%	10.3%	14.0%	86.0%
Grade 9	9.9%	12.9%	17.4%	82.6%
Grade 10	8.9%	11.8%	17.5%	82.5%
Grade 11	12.9%	19.0%	24.5%	75.5%
Grade 12	18.1%	23.9%	27.8%	72.2%
Any Inhalant				
All	4.2%	5.5%	10.7%	89.3%
Grade 7	6.3%	7.5%	12.1%	87.9%
Grade 8	5.8%	8.0%	14.0%	86.0%
Grade 9	4.4%	4.7%	11.5%	88.5%
Grade 10	3.3%	4.1%	9.1%	90.9%
Grade 11	2.3%	4.4%	8.2%	91.8%
Grade 12	2.5%	4.0%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	15.4%	27.0%	73.0%
Grade 7	4.4%	6.1%	11.4%	88.6%
Grade 8	5.1%	8.8%	19.5%	80.5%
Grade 9	9.8%	12.9%	28.0%	72.0%
Grade 10	10.9%	16.5%	29.3%	70.7%
Grade 11	13.9%	25.2%	39.3%	60.7%
Grade 12	18.4%	27.2%	39.2%	60.8%
Marijuana				
All	14.9%	18.3%	23.9%	76.1%
Grade 7	4.2%	4.5%	5.8%	94.2%
Grade 8	6.9%	8.7%	11.2%	88.8%
Grade 9	11.5%	14.2%	19.8%	80.2%
Grade 10	17.8%	22.6%	28.8%	71.2%
Grade 11	24.5%	29.7%	38.7%	61.3%
Grade 12	29.8%	36.3%	46.9%	53.1%
Marijuana Only				
All	8.2%	10.5%	15.0%	85.0%
Grade 7	1.8%	2.0%	2.9%	97.1%
Grade 8	3.4%	4.2%	5.9%	94.1%
Grade 9	6.6%	7.9%	12.6%	87.4%
Grade 10	10.1%	13.9%	19.0%	81.0%
Grade 11	14.8%	19.3%	27.1%	72.9%
Grade 12	14.9%	19.0%	27.5%	72.5%
Cocaine or Crack				
All	1.1%	1.6%	3.4%	96.6%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	1.0%	1.2%	2.0%	98.0%
Grade 9	0.5%	0.6%	2.2%	97.8%
Grade 10	1.7%	2.5%	4.4%	95.6%
Grade 11	1.0%	1.7%	4.2%	95.8%
Grade 12	2.3%	3.6%	7.6%	92.4%
Cocaine				
All	1.0%	1.5%	3.3%	96.7%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.8%	1.0%	2.0%	98.0%
Grade 9	0.2%	0.3%	1.9%	98.1%
Grade 10	1.7%	2.5%	4.4%	95.6%
Grade 11	1.0%	1.7%	4.0%	96.0%
Grade 12	2.1%	3.4%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.2%	0.2%	1.5%	98.5%
Hallucinogens				
All	1.2%	2.1%	4.1%	95.9%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.6%	0.8%	2.2%	97.8%
Grade 9	0.4%	1.4%	2.5%	97.5%
Grade 10	0.9%	1.6%	3.2%	96.8%
Grade 11	1.4%	3.2%	6.3%	93.7%
Grade 12	4.3%	6.6%	11.7%	88.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.4%	99.6%
Steroids				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.8%	1.0%	2.4%	97.6%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.2%	0.6%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.5%	0.5%	0.8%	99.2%
Ecstasy				
All	0.6%	1.1%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.2%	0.8%	2.4%	97.6%
Grade 10	1.0%	1.6%	2.8%	97.2%
Grade 11	0.7%	1.1%	2.9%	97.1%
Grade 12	1.5%	2.7%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.7%	0.8%	99.2%
Grade 10	0.5%	1.3%	1.8%	98.2%
Grade 11	0.3%	0.5%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.4%	98.6%
Synthetic Marijuana				
All	1.1%	1.7%	4.7%	95.3%
Grade 7	0.4%	0.7%	2.0%	98.0%
Grade 8	0.9%	1.5%	3.6%	96.4%
Grade 9	1.0%	1.8%	3.8%	96.2%
Grade 10	1.8%	2.7%	6.1%	93.9%
Grade 11	1.1%	1.6%	5.3%	94.7%
Grade 12	1.4%	2.4%	8.8%	91.2%
Methamphetamine				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	1.3%	98.7%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.9%	1.3%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.7%	11.2%	18.6%	81.4%
Grade 7	1.0%	1.2%	3.4%	96.6%
Grade 8	2.0%	2.9%	8.0%	92.0%
Grade 9	7.2%	9.7%	16.2%	83.8%
Grade 10	8.8%	12.6%	21.1%	78.9%
Grade 11	11.5%	20.2%	32.7%	67.3%
Grade 12	19.3%	25.3%	37.0%	63.0%
Any Alcohol Product				
All	19.4%	24.6%	43.1%	56.9%
Grade 7	3.8%	4.9%	20.1%	79.9%
Grade 8	10.9%	12.5%	28.3%	71.7%
Grade 9	16.5%	21.6%	43.4%	56.6%
Grade 10	21.0%	28.0%	50.4%	49.6%
Grade 11	29.3%	38.9%	59.2%	40.8%
Grade 12	41.5%	50.5%	66.3%	33.7%
Any Illicit Drug				
All	7.9%	11.0%	14.7%	85.3%
Grade 7	1.2%	2.1%	2.4%	97.6%
Grade 8	1.5%	2.3%	4.2%	95.8%
Grade 9	4.5%	7.6%	10.8%	89.2%
Grade 10	8.2%	11.5%	15.5%	84.5%
Grade 11	14.6%	20.9%	27.4%	72.6%
Grade 12	20.7%	26.4%	34.3%	65.7%
Any Prescription Drug				
All	7.7%	11.2%	14.2%	85.8%
Grade 7	5.3%	10.1%	13.7%	86.3%
Grade 8	6.7%	8.4%	10.7%	89.3%
Grade 9	6.1%	9.5%	11.9%	88.1%
Grade 10	6.5%	8.7%	12.3%	87.7%
Grade 11	9.7%	14.5%	17.1%	82.9%
Grade 12	13.0%	17.1%	20.8%	79.2%
Any Inhalant				
All	2.2%	3.2%	6.5%	93.5%
Grade 7	2.6%	3.7%	7.0%	93.0%
Grade 8	3.3%	5.1%	9.1%	90.9%
Grade 9	1.9%	2.3%	5.6%	94.4%
Grade 10	1.9%	3.0%	6.7%	93.3%
Grade 11	1.2%	1.9%	4.6%	95.4%
Grade 12	2.3%	3.2%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.4%	9.3%	16.1%	83.9%
Grade 7	0.4%	0.6%	2.0%	98.0%
Grade 8	1.0%	2.6%	7.1%	92.9%
Grade 9	5.9%	8.8%	14.3%	85.7%
Grade 10	7.0%	11.5%	18.9%	81.1%
Grade 11	8.4%	17.3%	30.2%	69.8%
Grade 12	11.7%	18.4%	29.4%	70.6%
Marijuana				
All	7.3%	9.6%	13.5%	86.5%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.3%	1.4%	3.3%	96.7%
Grade 9	4.2%	5.9%	9.2%	90.8%
Grade 10	8.1%	11.1%	15.0%	85.0%
Grade 11	14.2%	19.3%	26.2%	73.8%
Grade 12	19.2%	24.0%	32.6%	67.4%
Marijuana Only				
All	4.7%	6.5%	9.8%	90.2%
Grade 7	0.5%	0.6%	0.6%	99.4%
Grade 8	0.6%	0.7%	2.1%	97.9%
Grade 9	2.7%	4.3%	6.8%	93.2%
Grade 10	5.7%	7.9%	11.5%	88.5%
Grade 11	9.6%	13.3%	19.6%	80.4%
Grade 12	11.6%	15.3%	22.5%	77.5%
Cocaine or Crack				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	1.1%	1.4%	1.6%	98.4%
Grade 11	0.4%	0.8%	2.6%	97.4%
Grade 12	0.9%	1.3%	2.6%	97.4%
Cocaine				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	1.1%	1.4%	1.6%	98.4%
Grade 11	0.4%	0.8%	2.4%	97.6%
Grade 12	0.6%	1.0%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.4%	0.4%	0.7%	99.3%
Hallucinogens				
All	0.6%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.4%	1.0%	1.8%	98.2%
Grade 11	0.9%	2.3%	4.3%	95.7%
Grade 12	2.3%	3.5%	5.9%	94.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.2%	1.0%	99.0%
Grade 8	0.1%	0.6%	1.7%	98.3%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.2%	98.8%
Ecstasy				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.5%	1.2%	1.8%	98.2%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.1%	0.3%	1.2%	98.8%
Grade 12	0.7%	1.4%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.7%	1.0%	1.0%	99.0%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.8%	99.2%
Synthetic Marijuana				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.3%	0.6%	0.7%	99.3%
Grade 10	1.0%	1.4%	2.3%	97.7%
Grade 11	0.3%	0.9%	2.5%	97.5%
Grade 12	0.3%	1.0%	4.8%	95.2%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.5%	0.5%	99.5%
Grade 11	0.1%	0.3%	0.3%	99.7%
Grade 12	0.5%	0.5%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.3%	20.9%	33.1%	66.9%
Grade 7	5.3%	6.8%	13.3%	86.7%
Grade 8	7.5%	10.1%	21.2%	78.8%
Grade 9	14.4%	18.4%	33.2%	66.8%
Grade 10	16.9%	22.1%	35.3%	64.7%
Grade 11	25.3%	33.2%	46.7%	53.3%
Grade 12	29.4%	35.4%	49.4%	50.6%
Any Alcohol Product				
All	28.9%	34.5%	52.9%	47.1%
Grade 7	13.8%	15.9%	34.7%	65.3%
Grade 8	18.3%	22.2%	39.8%	60.2%
Grade 9	27.4%	33.4%	53.9%	46.1%
Grade 10	32.0%	37.2%	57.9%	42.1%
Grade 11	36.9%	46.0%	63.1%	36.9%
Grade 12	45.9%	52.9%	68.2%	31.8%
Any Illicit Drug				
All	17.0%	21.7%	27.2%	72.8%
Grade 7	4.8%	6.6%	8.2%	91.8%
Grade 8	6.7%	8.9%	10.9%	89.1%
Grade 9	14.7%	18.8%	24.2%	75.8%
Grade 10	18.7%	25.2%	32.3%	67.7%
Grade 11	27.2%	33.8%	41.0%	59.0%
Grade 12	30.9%	37.8%	47.5%	52.5%
Any Prescription Drug				
All	11.4%	16.0%	21.8%	78.2%
Grade 7	6.9%	9.2%	13.0%	87.0%
Grade 8	7.2%	10.0%	14.9%	85.1%
Grade 9	12.0%	16.2%	22.0%	78.0%
Grade 10	11.0%	15.9%	22.1%	77.9%
Grade 11	14.9%	21.4%	27.9%	72.1%
Grade 12	16.7%	23.4%	31.1%	68.9%
Any Inhalant				
All	4.4%	5.9%	11.1%	88.9%
Grade 7	7.0%	8.7%	13.3%	86.7%
Grade 8	5.6%	7.4%	13.2%	86.8%
Grade 9	4.2%	5.0%	11.2%	88.8%
Grade 10	3.1%	4.1%	9.0%	91.0%
Grade 11	3.7%	5.9%	10.6%	89.4%
Grade 12	3.0%	4.3%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.0%	17.2%	29.1%	70.9%
Grade 7	4.4%	6.1%	12.1%	87.9%
Grade 8	4.4%	7.4%	17.8%	82.2%
Grade 9	11.1%	15.5%	29.7%	70.3%
Grade 10	12.8%	18.1%	31.0%	69.0%
Grade 11	19.3%	28.8%	42.1%	57.9%
Grade 12	20.7%	28.2%	41.8%	58.2%
Marijuana				
All	16.6%	20.1%	26.0%	74.0%
Grade 7	4.2%	5.0%	6.1%	93.9%
Grade 8	6.1%	7.5%	9.6%	90.4%
Grade 9	14.1%	16.3%	22.5%	77.5%
Grade 10	18.4%	23.9%	31.4%	68.6%
Grade 11	26.9%	32.2%	40.6%	59.4%
Grade 12	30.6%	36.2%	46.8%	53.2%
Marijuana Only				
All	9.9%	12.4%	17.4%	82.6%
Grade 7	1.9%	2.3%	3.2%	96.8%
Grade 8	2.8%	3.8%	5.3%	94.7%
Grade 9	9.2%	10.2%	15.3%	84.7%
Grade 10	11.7%	16.3%	22.7%	77.3%
Grade 11	17.4%	21.4%	28.3%	71.7%
Grade 12	16.9%	20.8%	29.9%	70.1%
Cocaine or Crack				
All	1.2%	1.5%	2.9%	97.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.1%	1.1%	1.8%	98.2%
Grade 9	0.5%	0.5%	1.9%	98.1%
Grade 10	1.2%	1.7%	3.2%	96.8%
Grade 11	1.6%	2.1%	4.1%	95.9%
Grade 12	2.6%	3.5%	5.7%	94.3%
Cocaine				
All	1.2%	1.5%	2.8%	97.2%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	1.2%	1.7%	3.1%	96.9%
Grade 11	1.5%	2.1%	4.0%	96.0%
Grade 12	2.6%	3.5%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.4%	0.4%	1.1%	98.9%
Hallucinogens				
All	1.2%	2.3%	4.3%	95.7%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.5%	1.3%	3.2%	96.8%
Grade 10	1.3%	2.0%	3.5%	96.5%
Grade 11	1.7%	3.1%	6.3%	93.7%
Grade 12	3.1%	6.2%	10.9%	89.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.8%	2.2%	97.8%
Grade 8	0.3%	0.5%	1.8%	98.2%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.4%	0.6%	1.6%	98.4%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.7%	0.8%	1.1%	98.9%
Ecstasy				
All	0.7%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.3%	2.1%	97.9%
Grade 10	1.0%	1.9%	3.0%	97.0%
Grade 11	0.9%	1.4%	3.4%	96.6%
Grade 12	1.5%	3.4%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.5%	1.1%	98.9%
Grade 11	0.5%	0.8%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.8%	99.2%
Synthetic Marijuana				
All	1.0%	1.5%	4.5%	95.5%
Grade 7	0.7%	0.7%	1.9%	98.1%
Grade 8	0.5%	1.2%	2.8%	97.2%
Grade 9	1.3%	1.9%	4.5%	95.5%
Grade 10	1.3%	2.0%	5.0%	95.0%
Grade 11	1.1%	1.8%	5.3%	94.7%
Grade 12	1.1%	1.5%	7.4%	92.6%
Methamphetamine				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.3%	1.4%	98.6%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	1.0%	1.4%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.8%	14.6%	23.4%	76.6%
Grade 7	2.8%	3.5%	6.7%	93.3%
Grade 8	4.5%	6.1%	13.2%	86.8%
Grade 9	9.5%	12.5%	22.3%	77.7%
Grade 10	12.5%	17.4%	27.8%	72.2%
Grade 11	18.1%	25.5%	37.3%	62.7%
Grade 12	21.4%	27.9%	39.9%	60.1%
Any Alcohol Product				
All	22.8%	28.2%	44.9%	55.1%
Grade 7	8.1%	9.6%	24.2%	75.8%
Grade 8	14.7%	17.4%	32.1%	67.9%
Grade 9	20.6%	26.4%	46.4%	53.6%
Grade 10	27.0%	32.6%	52.3%	47.7%
Grade 11	31.8%	41.5%	58.3%	41.7%
Grade 12	41.1%	49.5%	63.8%	36.2%
Any Illicit Drug				
All	9.8%	13.6%	17.6%	82.4%
Grade 7	1.7%	2.6%	3.7%	96.3%
Grade 8	3.3%	5.0%	6.8%	93.2%
Grade 9	7.4%	10.6%	13.9%	86.1%
Grade 10	11.9%	17.4%	22.1%	77.9%
Grade 11	17.6%	23.8%	29.9%	70.1%
Grade 12	21.0%	27.0%	35.6%	64.4%
Any Prescription Drug				
All	8.4%	11.9%	15.6%	84.4%
Grade 7	5.4%	8.5%	11.2%	88.8%
Grade 8	6.1%	8.2%	11.2%	88.8%
Grade 9	7.7%	11.3%	15.2%	84.8%
Grade 10	7.9%	11.2%	15.7%	84.3%
Grade 11	11.8%	16.3%	20.8%	79.2%
Grade 12	12.8%	17.5%	22.2%	77.8%
Any Inhalant				
All	3.1%	4.2%	8.5%	91.5%
Grade 7	3.8%	5.2%	8.9%	91.1%
Grade 8	4.1%	5.5%	10.4%	89.6%
Grade 9	2.8%	3.6%	7.9%	92.1%
Grade 10	2.6%	3.5%	8.4%	91.6%
Grade 11	2.2%	3.7%	7.3%	92.7%
Grade 12	2.8%	3.6%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	12.2%	20.7%	79.3%
Grade 7	2.5%	3.1%	5.9%	94.1%
Grade 8	2.6%	4.4%	11.4%	88.6%
Grade 9	7.6%	11.0%	20.5%	79.5%
Grade 10	9.5%	14.5%	25.2%	74.8%
Grade 11	13.6%	21.9%	33.0%	67.0%
Grade 12	14.8%	22.5%	33.9%	66.1%
Marijuana				
All	9.4%	12.1%	16.3%	83.7%
Grade 7	1.3%	1.7%	2.2%	97.8%
Grade 8	3.0%	4.0%	5.7%	94.3%
Grade 9	7.1%	8.6%	12.4%	87.6%
Grade 10	11.6%	16.2%	21.0%	79.0%
Grade 11	17.2%	22.0%	28.9%	71.1%
Grade 12	20.2%	25.0%	34.4%	65.6%
Marijuana Only				
All	5.5%	7.6%	11.1%	88.9%
Grade 7	0.7%	0.9%	1.4%	98.6%
Grade 8	1.5%	2.1%	3.2%	96.8%
Grade 9	4.8%	5.8%	8.8%	91.2%
Grade 10	7.3%	11.3%	15.5%	84.5%
Grade 11	9.7%	13.4%	19.3%	80.7%
Grade 12	11.5%	15.1%	23.1%	76.9%
Cocaine or Crack				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	1.1%	1.4%	2.1%	97.9%
Grade 11	0.9%	1.2%	2.7%	97.3%
Grade 12	1.4%	1.9%	3.1%	96.9%
Cocaine				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.8%	99.2%
Grade 10	1.0%	1.3%	2.0%	98.0%
Grade 11	0.9%	1.2%	2.5%	97.5%
Grade 12	1.3%	1.8%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.5%	99.5%
Hallucinogens				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.7%	1.5%	98.5%
Grade 10	0.8%	1.3%	2.3%	97.7%
Grade 11	1.9%	3.4%	5.6%	94.4%
Grade 12	2.5%	3.8%	7.0%	93.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.2%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.2%	0.3%	0.9%	99.1%
Ecstasy				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.2%	0.4%	1.2%	98.8%
Grade 10	0.9%	1.5%	2.0%	98.0%
Grade 11	0.8%	1.4%	3.0%	97.0%
Grade 12	1.3%	2.2%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	0.3%	0.8%	1.1%	98.9%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.5%	1.5%	98.5%
Grade 9	0.4%	0.9%	1.6%	98.4%
Grade 10	1.0%	1.5%	2.9%	97.1%
Grade 11	0.7%	1.5%	4.6%	95.4%
Grade 12	0.9%	1.4%	5.1%	94.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.8%	1.2%	98.8%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.4%	0.6%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.6%	22.3%	36.3%	63.7%
Grade 7	5.7%	7.4%	15.8%	84.2%
Grade 8	7.6%	10.5%	23.0%	77.0%
Grade 9	17.8%	22.6%	38.9%	61.1%
Grade 10	17.8%	22.4%	37.5%	62.5%
Grade 11	23.8%	32.4%	48.3%	51.7%
Grade 12	31.1%	35.8%	50.2%	49.8%
Any Alcohol Product				
All	30.6%	36.8%	58.3%	41.7%
Grade 7	13.4%	15.6%	39.1%	60.9%
Grade 8	19.2%	23.1%	44.6%	55.4%
Grade 9	30.1%	36.5%	59.2%	40.8%
Grade 10	31.1%	38.2%	62.3%	37.7%
Grade 11	38.7%	46.8%	67.3%	32.7%
Grade 12	48.8%	57.4%	73.9%	26.1%
Any Illicit Drug				
All	20.6%	25.9%	32.5%	67.5%
Grade 7	7.2%	9.6%	10.2%	89.8%
Grade 8	9.0%	11.2%	14.1%	85.9%
Grade 9	18.7%	24.0%	31.3%	68.7%
Grade 10	21.8%	27.4%	35.4%	64.6%
Grade 11	29.0%	36.9%	46.5%	53.5%
Grade 12	36.2%	44.1%	54.1%	45.9%
Any Prescription Drug				
All	13.2%	18.4%	25.0%	75.0%
Grade 7	7.3%	10.5%	16.3%	83.7%
Grade 8	10.0%	12.5%	17.8%	82.2%
Grade 9	13.0%	18.8%	25.8%	74.2%
Grade 10	13.5%	18.6%	25.8%	74.2%
Grade 11	15.1%	22.4%	28.2%	71.8%
Grade 12	19.4%	26.4%	34.6%	65.4%
Any Inhalant				
All	4.5%	6.0%	11.4%	88.6%
Grade 7	7.7%	8.9%	14.2%	85.8%
Grade 8	5.9%	8.6%	15.1%	84.9%
Grade 9	4.5%	5.5%	12.5%	87.5%
Grade 10	3.3%	4.6%	9.6%	90.4%
Grade 11	3.5%	5.2%	9.4%	90.6%
Grade 12	2.4%	4.1%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.7%	18.2%	31.3%	68.7%
Grade 7	3.8%	5.9%	13.1%	86.9%
Grade 8	5.0%	8.6%	19.5%	80.5%
Grade 9	13.4%	18.9%	34.1%	65.9%
Grade 10	13.7%	18.7%	31.9%	68.1%
Grade 11	18.1%	28.0%	44.8%	55.2%
Grade 12	20.8%	26.9%	40.7%	59.3%
Marijuana				
All	20.0%	24.1%	31.1%	68.9%
Grade 7	6.2%	7.2%	8.1%	91.9%
Grade 8	7.9%	9.2%	12.0%	88.0%
Grade 9	18.3%	21.6%	29.6%	70.4%
Grade 10	21.6%	26.1%	34.5%	65.5%
Grade 11	28.5%	35.8%	45.6%	54.4%
Grade 12	35.5%	42.2%	53.4%	46.6%
Marijuana Only				
All	12.6%	15.6%	21.6%	78.4%
Grade 7	3.1%	4.0%	4.4%	95.6%
Grade 8	4.3%	5.2%	7.8%	92.2%
Grade 9	10.9%	13.2%	19.8%	80.2%
Grade 10	15.1%	18.5%	25.5%	74.5%
Grade 11	20.1%	25.3%	34.1%	65.9%
Grade 12	20.2%	25.4%	34.7%	65.3%
Cocaine or Crack				
All	1.3%	1.8%	3.4%	96.6%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.9%	1.1%	1.4%	98.6%
Grade 9	1.0%	1.2%	2.5%	97.5%
Grade 10	1.4%	2.0%	3.6%	96.4%
Grade 11	1.3%	2.1%	4.7%	95.3%
Grade 12	2.7%	3.7%	6.8%	93.2%
Cocaine				
All	1.3%	1.7%	3.3%	96.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.1%	2.5%	97.5%
Grade 10	1.4%	2.0%	3.5%	96.5%
Grade 11	1.2%	2.0%	4.7%	95.3%
Grade 12	2.7%	3.6%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.5%	0.5%	1.5%	98.5%
Hallucinogens				
All	1.4%	2.6%	5.1%	94.9%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	1.0%	1.2%	2.3%	97.7%
Grade 9	1.3%	2.1%	4.4%	95.6%
Grade 10	1.3%	2.2%	4.2%	95.8%
Grade 11	1.3%	3.0%	7.2%	92.8%
Grade 12	3.1%	6.8%	11.4%	88.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	1.1%	1.2%	2.5%	97.5%
Grade 8	0.8%	0.8%	2.0%	98.0%
Grade 9	0.4%	0.8%	1.3%	98.7%
Grade 10	0.2%	0.5%	2.1%	97.9%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	1.0%	1.3%	1.8%	98.2%
Ecstasy				
All	0.7%	1.3%	3.0%	97.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.7%	1.5%	3.5%	96.5%
Grade 10	0.5%	1.0%	2.7%	97.3%
Grade 11	0.4%	0.8%	2.8%	97.2%
Grade 12	1.5%	3.4%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.6%	98.4%
Synthetic Marijuana				
All	1.2%	1.7%	5.2%	94.8%
Grade 7	0.5%	0.8%	2.5%	97.5%
Grade 8	1.3%	1.7%	4.0%	96.0%
Grade 9	2.0%	2.3%	6.1%	93.9%
Grade 10	1.4%	2.3%	5.4%	94.6%
Grade 11	0.7%	1.1%	4.1%	95.9%
Grade 12	1.2%	1.5%	8.6%	91.4%
Methamphetamine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.3%	0.6%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.1%	0.3%	1.1%	98.9%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	1.5%	1.7%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.0%	16.0%	26.3%	73.7%
Grade 7	3.2%	4.1%	8.4%	91.6%
Grade 8	4.5%	6.5%	14.4%	85.6%
Grade 9	11.6%	15.0%	26.5%	73.5%
Grade 10	12.7%	17.6%	29.5%	70.5%
Grade 11	18.2%	25.2%	39.2%	60.8%
Grade 12	24.6%	30.6%	43.6%	56.4%
Any Alcohol Product				
All	23.9%	29.5%	48.2%	51.8%
Grade 7	8.4%	9.9%	26.5%	73.5%
Grade 8	13.2%	16.3%	33.8%	66.2%
Grade 9	22.3%	28.5%	50.6%	49.4%
Grade 10	26.1%	32.5%	54.2%	45.8%
Grade 11	33.7%	42.7%	61.3%	38.7%
Grade 12	43.6%	51.7%	67.3%	32.7%
Any Illicit Drug				
All	11.9%	15.9%	20.7%	79.3%
Grade 7	2.5%	3.7%	4.6%	95.4%
Grade 8	4.0%	5.7%	7.1%	92.9%
Grade 9	9.5%	13.2%	18.1%	81.9%
Grade 10	12.8%	18.0%	24.0%	76.0%
Grade 11	19.9%	26.2%	33.6%	66.4%
Grade 12	25.5%	32.3%	41.5%	58.5%
Any Prescription Drug				
All	9.5%	13.4%	17.7%	82.3%
Grade 7	6.0%	9.0%	12.7%	87.3%
Grade 8	6.6%	8.8%	11.9%	88.1%
Grade 9	9.2%	13.1%	18.0%	82.0%
Grade 10	9.2%	13.1%	17.8%	82.2%
Grade 11	12.6%	17.7%	21.9%	78.1%
Grade 12	14.5%	20.3%	25.2%	74.8%
Any Inhalant				
All	3.2%	4.4%	9.0%	91.0%
Grade 7	4.2%	5.7%	10.0%	90.0%
Grade 8	4.4%	6.0%	11.2%	88.8%
Grade 9	3.0%	3.7%	9.0%	91.0%
Grade 10	2.5%	3.3%	8.1%	91.9%
Grade 11	2.3%	3.7%	7.3%	92.7%
Grade 12	2.5%	3.6%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	13.3%	23.0%	77.0%
Grade 7	2.5%	3.5%	7.3%	92.7%
Grade 8	2.8%	5.1%	12.6%	87.4%
Grade 9	8.7%	12.6%	23.7%	76.3%
Grade 10	9.6%	14.7%	25.8%	74.2%
Grade 11	14.2%	22.2%	35.6%	64.4%
Grade 12	17.1%	24.3%	36.5%	63.5%
Marijuana				
All	11.5%	14.4%	19.5%	80.5%
Grade 7	2.0%	2.5%	3.1%	96.9%
Grade 8	3.6%	4.4%	5.9%	94.1%
Grade 9	9.2%	11.4%	16.7%	83.3%
Grade 10	12.7%	16.9%	23.2%	76.8%
Grade 11	19.6%	24.6%	32.4%	67.6%
Grade 12	24.7%	30.4%	40.4%	59.6%
Marijuana Only				
All	7.2%	9.5%	13.8%	86.2%
Grade 7	1.0%	1.3%	1.7%	98.3%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	6.3%	7.8%	12.3%	87.7%
Grade 10	8.4%	12.0%	17.5%	82.5%
Grade 11	13.1%	17.1%	24.0%	76.0%
Grade 12	13.9%	18.2%	26.9%	73.1%
Cocaine or Crack				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.4%	1.2%	98.8%
Grade 10	0.6%	1.0%	1.9%	98.1%
Grade 11	0.8%	1.0%	2.6%	97.4%
Grade 12	1.9%	2.5%	4.3%	95.7%
Cocaine				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.6%	1.0%	1.8%	98.2%
Grade 11	0.8%	1.0%	2.5%	97.5%
Grade 12	1.8%	2.4%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.7%	3.2%	96.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.8%	1.8%	98.2%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	1.4%	2.9%	5.3%	94.7%
Grade 12	3.0%	4.9%	8.7%	91.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.3%	0.6%	1.5%	98.5%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.6%	1.2%	98.8%
Ecstasy				
All	0.5%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.8%	1.8%	98.2%
Grade 10	0.4%	0.9%	2.0%	98.0%
Grade 11	0.6%	1.1%	2.6%	97.4%
Grade 12	1.2%	2.7%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	0.6%	0.9%	2.9%	97.1%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.5%	1.8%	98.2%
Grade 9	0.6%	1.0%	2.2%	97.8%
Grade 10	0.7%	1.2%	3.2%	96.8%
Grade 11	0.6%	1.2%	3.6%	96.4%
Grade 12	0.8%	1.4%	6.3%	93.7%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.6%	0.9%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.4%	26.7%	40.0%	60.0%
Grade 7	10.0%	11.6%	19.1%	80.9%
Grade 8	12.2%	15.1%	29.0%	71.0%
Grade 9	19.0%	22.7%	41.2%	58.8%
Grade 10	22.9%	27.5%	41.5%	58.5%
Grade 11	30.0%	40.7%	53.2%	46.8%
Grade 12	29.7%	36.5%	47.7%	52.3%
Any Alcohol Product				
All	36.8%	43.3%	60.0%	40.0%
Grade 7	21.6%	24.9%	45.3%	54.7%
Grade 8	33.3%	36.4%	51.1%	48.9%
Grade 9	35.8%	40.2%	57.9%	42.1%
Grade 10	38.3%	44.1%	65.2%	34.8%
Grade 11	37.7%	48.2%	63.4%	36.6%
Grade 12	49.9%	60.7%	71.5%	28.5%
Any Illicit Drug				
All	24.3%	31.2%	36.1%	63.9%
Grade 7	7.0%	11.4%	12.9%	87.1%
Grade 8	13.2%	16.4%	20.6%	79.4%
Grade 9	24.6%	32.0%	35.5%	64.5%
Grade 10	28.9%	37.5%	41.7%	58.3%
Grade 11	30.8%	39.8%	45.9%	54.1%
Grade 12	34.6%	42.3%	50.9%	49.1%
Any Prescription Drug				
All	12.9%	19.1%	26.7%	73.3%
Grade 7	6.7%	12.4%	17.0%	83.0%
Grade 8	11.7%	14.4%	20.5%	79.5%
Grade 9	12.9%	21.4%	26.7%	73.3%
Grade 10	11.5%	17.9%	26.3%	73.7%
Grade 11	13.1%	20.8%	30.0%	70.0%
Grade 12	19.9%	25.4%	36.6%	63.4%
Any Inhalant				
All	6.4%	8.5%	12.7%	87.3%
Grade 7	13.0%	13.7%	17.0%	83.0%
Grade 8	8.6%	11.0%	14.4%	85.6%
Grade 9	7.2%	9.2%	14.6%	85.4%
Grade 10	5.1%	7.8%	12.9%	87.1%
Grade 11	4.8%	7.2%	11.7%	88.3%
Grade 12	1.6%	3.6%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.2%	21.0%	34.2%	65.8%
Grade 7	7.6%	9.1%	15.0%	85.0%
Grade 8	7.2%	10.8%	22.3%	77.7%
Grade 9	16.4%	20.2%	36.4%	63.6%
Grade 10	18.3%	23.3%	37.2%	62.8%
Grade 11	21.3%	32.7%	47.8%	52.2%
Grade 12	17.0%	24.7%	38.4%	61.6%
Marijuana				
All	23.5%	28.5%	34.1%	65.9%
Grade 7	7.0%	8.6%	10.2%	89.8%
Grade 8	11.2%	14.4%	18.7%	81.3%
Grade 9	23.4%	26.5%	31.1%	68.9%
Grade 10	28.3%	35.0%	39.6%	60.4%
Grade 11	30.4%	38.4%	46.0%	54.0%
Grade 12	34.2%	39.8%	49.8%	50.2%
Marijuana Only				
All	13.4%	16.6%	21.3%	78.7%
Grade 7	2.7%	4.3%	5.9%	94.1%
Grade 8	6.2%	7.1%	10.4%	89.6%
Grade 9	12.4%	13.5%	17.4%	82.6%
Grade 10	18.9%	23.8%	27.5%	72.5%
Grade 11	15.8%	21.2%	27.6%	72.4%
Grade 12	20.0%	24.5%	33.0%	67.0%
Cocaine or Crack				
All	2.6%	3.2%	5.3%	94.7%
Grade 7	0.9%	1.4%	2.1%	97.9%
Grade 8	3.1%	3.1%	5.3%	94.7%
Grade 9	2.0%	2.0%	3.4%	96.6%
Grade 10	3.7%	3.9%	5.8%	94.2%
Grade 11	2.7%	4.4%	7.9%	92.1%
Grade 12	2.7%	3.8%	6.1%	93.9%
Cocaine				
All	2.2%	2.8%	5.0%	95.0%
Grade 7	0.9%	1.2%	1.8%	98.2%
Grade 8	1.8%	1.8%	4.7%	95.3%
Grade 9	1.6%	1.6%	3.0%	97.0%
Grade 10	3.5%	3.8%	5.6%	94.4%
Grade 11	2.6%	4.3%	7.8%	92.2%
Grade 12	2.5%	3.6%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	1.3%	2.1%	2.5%	97.5%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.2%	0.2%	1.5%	98.5%
Grade 12	1.0%	1.0%	1.9%	98.1%
Hallucinogens				
All	1.7%	3.7%	6.6%	93.4%
Grade 7	0.3%	0.8%	1.5%	98.5%
Grade 8	0.3%	1.0%	2.7%	97.3%
Grade 9	1.4%	4.5%	7.8%	92.2%
Grade 10	1.7%	3.0%	5.3%	94.7%
Grade 11	3.2%	4.9%	10.0%	90.0%
Grade 12	2.6%	6.9%	11.0%	89.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.1%	1.2%	2.4%	97.6%
Grade 7	0.2%	0.2%	1.9%	98.1%
Grade 8	0.8%	0.8%	3.6%	96.4%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	2.3%	3.0%	4.6%	95.4%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	1.6%	1.6%	1.6%	98.4%
Ecstasy				
All	1.3%	1.8%	3.8%	96.2%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.2%	2.0%	4.0%	96.0%
Grade 9	0.8%	1.2%	4.2%	95.8%
Grade 10	2.3%	2.9%	3.7%	96.3%
Grade 11	1.0%	1.0%	4.0%	96.0%
Grade 12	1.5%	2.4%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	1.0%	1.4%	98.6%
Grade 10	0.5%	0.5%	2.1%	97.9%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.8%	0.8%	1.7%	98.3%
Synthetic Marijuana				
All	2.3%	3.3%	7.1%	92.9%
Grade 7	1.2%	1.2%	2.1%	97.9%
Grade 8	2.0%	3.5%	4.9%	95.1%
Grade 9	3.2%	4.4%	9.4%	90.6%
Grade 10	3.8%	5.4%	8.1%	91.9%
Grade 11	1.7%	2.3%	8.8%	91.2%
Grade 12	1.3%	1.7%	7.4%	92.6%
Methamphetamine				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.2%	1.2%	2.0%	98.0%
Grade 9	0.2%	0.2%	3.0%	97.0%
Grade 10	0.4%	1.0%	2.4%	97.6%
Grade 11	0.7%	1.1%	1.5%	98.5%
Grade 12	1.7%	1.7%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	293,648	50.2%
Female	291,604	49.8%
Frequency Missing	3,916	

Hispanic or Latino

Q5a	Frequency	Percent
No	353,088	61.2%
Yes	223,481	38.8%
Frequency Missing	12,599	

Grade

Q2	Frequency	Percent
Grade 7	99,895	17.1%
Grade 8	99,165	16.9%
Grade 9	107,545	18.4%
Grade 10	98,788	16.9%
Grade 11	94,636	16.2%
Grade 12	85,150	14.6%
Frequency Missing	3,990	

Ethnicity

Q5b	Frequency	Percent
American Indian	7,765	1.5%
Asian American	20,172	3.9%
African American	92,325	17.7%
Pacific Islander	2,416	0.5%
White	254,890	48.8%
Other	73,223	14.0%
More Than One Race	71,710	13.7%
Frequency Missing	66,668	

Live with Both Parents

Q3	Frequency	Percent
No	206,359	35.5%
Yes	375,623	64.5%
Frequency Missing	7,186	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,405	0.3%
Mostly D's	3,727	0.8%
Mostly C's	53,278	11.0%
Mostly B's	233,925	48.4%
Mostly A's	191,058	39.5%
Frequency Missing	105,774	

Age

Q4	Frequency	Percent
11 Or Younger	1,321	0.2%
12	39,212	6.7%
13	92,801	15.8%
14	92,704	15.8%
15	107,509	18.3%
16	98,785	16.8%
17	93,694	16.0%
18	56,065	9.6%
19 Or Older	4,169	0.7%
Frequency Missing	2,909	

Do You Have a Job

Q7	Frequency	Percent
No	368,068	75.7%
Yes	118,204	24.3%
Frequency Missing	102,896	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	217,425	45.0%
Yes	163,314	33.8%
Don't Know	102,504	21.2%
Frequency Missing	105,925	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	392,749	93.7%
Yes	26,455	6.3%
Frequency Missing	169,965	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	221,994	48.2%
Yes	238,635	51.8%
Frequency Missing	128,539	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	333,673	78.3%
Yes	92,302	21.7%
Frequency Missing	163,194	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	354,833	83.0%
Yes	72,628	17.0%
Frequency Missing	161,707	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	299,529	70.1%
Yes	127,637	29.9%
Frequency Missing	162,002	

Participate in School Choir

Q9c	Frequency	Percent
No	369,116	87.5%
Yes	52,579	12.5%
Frequency Missing	167,473	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	276,446	63.3%
Yes	160,436	36.7%
Frequency Missing	152,287	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	388,442	92.2%
Yes	32,905	7.8%
Frequency Missing	167,821	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	319,354	74.5%
Yes	109,177	25.5%
Frequency Missing	160,637	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	514,614	87.9%
Somewhat Safe	62,246	10.6%
Not Very Safe	4,301	0.7%
Not Safe At All	1,291	0.2%
Don't Know	3,273	0.6%
Frequency Missing	3,444	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	34,805	6.2%
Some High School	45,281	8.1%
Finished High School	90,834	16.3%
Some College	91,114	16.4%
Finished College	153,701	27.6%
Post-Secondary	90,540	16.3%
Don't Know Or N/A	50,624	9.1%
Frequency Missing	32,270	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	298,974	51.2%
Somewhat Safe	245,943	42.1%
Not Very Safe	25,009	4.3%
Not Safe At All	4,427	0.8%
Don't Know	9,157	1.6%
Frequency Missing	5,658	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	331,411	66.3%
Yes	168,271	33.7%
Frequency Missing	89,486	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	248,477	42.6%
Somewhat Safe	260,404	44.7%
Not Very Safe	44,444	7.6%
Not Safe At All	16,029	2.7%
Don't Know	13,836	2.4%
Frequency Missing	5,978	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	19,764	3.4%
A Few	103,778	18.0%
Some	130,551	22.6%
Most	244,917	42.4%
All	78,941	13.7%
Frequency Missing	11,217	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	35,006	6.3%
Some High School	50,132	9.0%
Finished High School	103,646	18.6%
Some College	74,814	13.4%
Finished College	131,756	23.7%
Post-Secondary	89,644	16.1%
Don't Know Or N/A	71,511	12.8%
Frequency Missing	32,659	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	8,478	1.5%
A Few	48,826	8.4%
Some	127,960	22.1%
Most	276,030	47.7%
All	117,022	20.2%
Frequency Missing	10,853	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	335,235	58.9%
A Few	146,411	25.7%
Some	55,729	9.8%
Most	20,080	3.5%
All	11,454	2.0%
Frequency Missing	20,260	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	558,985	96.3%
In Your Lifetime	15,601	2.7%
Since School Began	2,344	0.4%
In The Past Month	3,820	0.7%
Frequency Missing	8,418	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	446,723	77.7%
A Few	84,095	14.6%
Some	27,845	4.8%
Most	10,779	1.9%
All	5,604	1.0%
Frequency Missing	14,123	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	571,571	99.2%
In Your Lifetime	2,715	0.5%
Since School Began	789	0.1%
In The Past Month	1,264	0.2%
Frequency Missing	12,828	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	494,641	85.6%
A Few	53,911	9.3%
Some	17,512	3.0%
Most	6,627	1.1%
All	5,202	0.9%
Frequency Missing	11,274	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	552,840	95.3%
In Your Lifetime	16,188	2.8%
Since School Began	4,692	0.8%
In The Past Month	6,588	1.1%
Frequency Missing	8,860	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	571,889	98.4%
In Your Lifetime	7,051	1.2%
Since School Began	778	0.1%
In The Past Month	1,590	0.3%
Frequency Missing	7,861	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	573,292	99.2%
In Your Lifetime	2,975	0.5%
Since School Began	517	0.1%
In The Past Month	1,245	0.2%
Frequency Missing	11,139	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	575,274	99.4%
In Your Lifetime	1,390	0.2%
Since School Began	584	0.1%
In The Past Month	1,329	0.2%
Frequency Missing	10,592	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	537,308	93.5%
In Your Lifetime	17,013	3.0%
Since School Began	7,200	1.3%
In The Past Month	13,148	2.3%
Frequency Missing	14,499	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	570,300	98.7%
In Your Lifetime	4,950	0.9%
Since School Began	557	0.1%
In The Past Month	2,041	0.4%
Frequency Missing	11,320	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	383,752	67.6%
In Your Lifetime	89,436	15.7%
Since School Began	35,438	6.2%
In The Past Month	59,235	10.4%
Frequency Missing	21,307	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	421,963	73.5%
In Your Lifetime	66,729	11.6%
Since School Began	33,534	5.8%
In The Past Month	52,167	9.1%
Frequency Missing	14,775	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	572,440	98.9%
In Your Lifetime	3,084	0.5%
Since School Began	742	0.1%
In The Past Month	2,471	0.4%
Frequency Missing	10,432	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	397,840	70.3%
In Your Lifetime	92,118	16.3%
Since School Began	32,381	5.7%
In The Past Month	43,802	7.7%
Frequency Missing	23,028	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	499,774	86.4%
In Your Lifetime	41,894	7.2%
Since School Began	13,465	2.3%
In The Past Month	23,493	4.1%
Frequency Missing	10,542	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	397,492	69.2%
In Your Lifetime	72,266	12.6%
Since School Began	39,350	6.9%
In The Past Month	64,926	11.3%
Frequency Missing	15,134	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	567,667	98.1%
In Your Lifetime	6,726	1.2%
Since School Began	1,827	0.3%
In The Past Month	2,286	0.4%
Frequency Missing	10,663	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	560,425	97.0%
In Your Lifetime	11,436	2.0%
Since School Began	2,707	0.5%
In The Past Month	3,462	0.6%
Frequency Missing	11,138	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	575,013	99.7%
In Your Lifetime	1,364	0.2%
Since School Began	232	0.0%
In The Past Month	358	0.1%
Frequency Missing	12,202	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	437,218	75.6%
In Your Lifetime	58,312	10.1%
Since School Began	27,090	4.7%
In The Past Month	55,699	9.6%
Frequency Missing	10,851	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	556,908	96.4%
In Your Lifetime	9,567	1.7%
Since School Began	4,841	0.8%
In The Past Month	6,219	1.1%
Frequency Missing	11,634	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	458,736	79.3%
In Your Lifetime	44,188	7.6%
Since School Began	24,241	4.2%
In The Past Month	51,163	8.8%
Frequency Missing	10,839	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	576,551	99.7%
In Your Lifetime	926	0.2%
Since School Began	166	0.0%
In The Past Month	414	0.1%
Frequency Missing	11,111	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	571,576	98.9%
In Your Lifetime	3,760	0.7%
Since School Began	1,013	0.2%
In The Past Month	1,793	0.3%
Frequency Missing	11,026	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	559,526	96.9%
In Your Lifetime	12,263	2.1%
Since School Began	2,316	0.4%
In The Past Month	3,553	0.6%
Frequency Missing	11,511	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	564,897	98.1%
In Your Lifetime	5,556	1.0%
Since School Began	2,137	0.4%
In The Past Month	3,124	0.5%
Frequency Missing	13,455	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	501,914	87.4%
In Your Lifetime	24,566	4.3%
Since School Began	17,237	3.0%
In The Past Month	30,291	5.3%
Frequency Missing	15,160	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	575,081	99.5%
In Your Lifetime	1,544	0.3%
Since School Began	378	0.1%
In The Past Month	936	0.2%
Frequency Missing	11,230	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	540,004	94.1%
In Your Lifetime	9,666	1.7%
Since School Began	8,992	1.6%
In The Past Month	15,130	2.6%
Frequency Missing	15,377	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	573,130	99.2%
In Your Lifetime	2,688	0.5%
Since School Began	726	0.1%
In The Past Month	1,474	0.3%
Frequency Missing	11,151	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	543,952	94.9%
In Your Lifetime	8,729	1.5%
Since School Began	7,920	1.4%
In The Past Month	12,316	2.1%
Frequency Missing	16,251	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	544,302	95.0%
In Your Lifetime	10,342	1.8%
Since School Began	6,474	1.1%
In The Past Month	11,977	2.1%
Frequency Missing	16,074	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	445,112	78.1%
1-2 Times	79,264	13.9%
3-10 Times	35,144	6.2%
11+ Times	10,422	1.8%
Frequency Missing	19,226	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	523,857	91.7%
In Your Lifetime	17,126	3.0%
Since School Began	9,061	1.6%
In The Past Month	20,988	3.7%
Frequency Missing	18,136	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	565,428	98.7%
1-2 Times	5,174	0.9%
3-10 Times	1,477	0.3%
11+ Times	725	0.1%
Frequency Missing	16,365	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	552,791	96.5%
In Your Lifetime	7,852	1.4%
Since School Began	3,158	0.6%
In The Past Month	9,137	1.6%
Frequency Missing	16,230	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	501,059	87.5%
1-2 Times	32,682	5.7%
3-10 Times	17,738	3.1%
11+ Times	21,356	3.7%
Frequency Missing	16,333	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	532,600	93.0%
1-2 Times	19,785	3.5%
3-10 Times	9,530	1.7%
11+ Times	11,037	1.9%
Frequency Missing	16,216	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	569,972	99.3%
1-2 Times	3,152	0.5%
3-10 Times	589	0.1%
11+ Times	490	0.1%
Frequency Missing	14,966	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	571,434	99.8%
1-2 Times	769	0.1%
3-10 Times	87	0.0%
11+ Times	346	0.1%
Frequency Missing	16,533	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	321,146	56.4%
A Few	103,443	18.2%
Some	67,484	11.9%
Most	57,721	10.1%
All	19,561	3.4%
Frequency Missing	19,813	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	410,538	71.9%
A Few	99,546	17.4%
Some	40,709	7.1%
Most	16,435	2.9%
All	3,647	0.6%
Frequency Missing	18,293	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	120,852	21.6%
Impossible	128,588	23.0%
Very Difficult	45,815	8.2%
Somewhat Diff	59,259	10.6%
Somewhat Easy	85,388	15.3%
Very Easy	119,814	21.4%
Frequency Missing	29,452	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	296,209	52.0%
A Few	129,486	22.7%
Some	77,413	13.6%
Most	53,606	9.4%
All	13,434	2.4%
Frequency Missing	19,020	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	97,910	17.5%
Impossible	82,824	14.8%
Very Difficult	33,347	6.0%
Somewhat Diff	62,884	11.3%
Somewhat Easy	111,144	19.9%
Very Easy	170,821	30.6%
Frequency Missing	30,239	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	537,265	94.5%
A Few	22,594	4.0%
Some	5,480	1.0%
Most	2,219	0.4%
All	964	0.2%
Frequency Missing	20,647	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	175,615	31.6%
Impossible	93,237	16.8%
Very Difficult	28,614	5.1%
Somewhat Diff	35,855	6.5%
Somewhat Easy	61,334	11.0%
Very Easy	161,176	29.0%
Frequency Missing	33,337	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	111,394	20.0%
Impossible	136,717	24.6%
Very Difficult	42,406	7.6%
Somewhat Diff	53,901	9.7%
Somewhat Easy	77,215	13.9%
Very Easy	135,235	24.3%
Frequency Missing	32,301	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	221,563	40.0%
Impossible	170,848	30.8%
Very Difficult	68,804	12.4%
Somewhat Diff	44,533	8.0%
Somewhat Easy	26,621	4.8%
Very Easy	21,811	3.9%
Frequency Missing	34,988	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	157,072	28.2%
Impossible	209,340	37.6%
Very Difficult	84,438	15.2%
Somewhat Diff	56,341	10.1%
Somewhat Easy	26,000	4.7%
Very Easy	23,358	4.2%
Frequency Missing	32,618	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	197,541	35.4%
Impossible	225,163	40.4%
Very Difficult	75,701	13.6%
Somewhat Diff	31,709	5.7%
Somewhat Easy	13,575	2.4%
Very Easy	13,945	2.5%
Frequency Missing	31,534	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	166,667	29.9%
Impossible	215,776	38.8%
Very Difficult	87,324	15.7%
Somewhat Diff	49,152	8.8%
Somewhat Easy	19,646	3.5%
Very Easy	18,168	3.3%
Frequency Missing	32,435	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	209,355	37.5%
Impossible	215,840	38.7%
Very Difficult	72,422	13.0%
Somewhat Diff	30,009	5.4%
Somewhat Easy	14,386	2.6%
Very Easy	16,044	2.9%
Frequency Missing	31,111	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	172,712	31.1%
Impossible	205,061	36.9%
Very Difficult	82,551	14.9%
Somewhat Diff	50,446	9.1%
Somewhat Easy	23,212	4.2%
Very Easy	21,007	3.8%
Frequency Missing	34,178	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	217,241	38.9%
Impossible	167,659	30.0%
Very Difficult	59,221	10.6%
Somewhat Diff	43,923	7.9%
Somewhat Easy	33,708	6.0%
Very Easy	36,947	6.6%
Frequency Missing	30,469	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	6,478	1.1%
Several Times/Wk	5,154	0.9%
Several Times/Mo	8,408	1.5%
About Once/Month	12,697	2.2%
About Once/Year	13,024	2.3%
Less than Once/Year	21,474	3.8%
Never Used	500,085	88.1%
Frequency Missing	21,847	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	10,424	1.8%
Several Times/Wk	11,483	2.0%
Several Times/Mo	20,965	3.7%
About Once/Month	20,456	3.6%
About Once/Year	21,897	3.9%
Less than Once/Year	22,110	3.9%
Never Used	458,836	81.0%
Frequency Missing	22,996	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	1,665	0.3%
Several Times/Wk	6,850	1.2%
Several Times/Mo	33,868	6.0%
About Once/Month	56,501	10.0%
About Once/Year	57,753	10.2%
Less than Once/Year	44,282	7.9%
Never Used	362,683	64.4%
Frequency Missing	25,567	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	73	0.0%
Several Times/Wk	88	0.0%
Several Times/Mo	380	0.1%
About Once/Month	1,598	0.3%
About Once/Year	1,829	0.3%
Less than Once/Year	3,692	0.7%
Never Used	559,960	98.7%
Frequency Missing	21,547	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	804	0.1%
Several Times/Wk	957	0.2%
Several Times/Mo	1,194	0.2%
About Once/Month	2,058	0.4%
About Once/Year	2,752	0.5%
Less than Once/Year	7,309	1.3%
Never Used	551,760	97.3%
Frequency Missing	22,334	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	127	0.0%
Several Times/Wk	151	0.0%
Several Times/Mo	159	0.0%
About Once/Month	64	0.0%
About Once/Year	313	0.1%
Less than Once/Year	895	0.2%
Never Used	566,018	99.7%
Frequency Missing	21,442	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	502	0.1%
Several Times/Wk	296	0.1%
Several Times/Mo	231	0.0%
About Once/Month	348	0.1%
About Once/Year	693	0.1%
Less than Once/Year	2,460	0.4%
Never Used	562,665	99.2%
Frequency Missing	21,974	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	322	0.1%
Several Times/Wk	334	0.1%
Several Times/Mo	243	0.0%
About Once/Month	312	0.1%
About Once/Year	661	0.1%
Less than Once/Year	1,616	0.3%
Never Used	562,689	99.4%
Frequency Missing	22,991	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	19	0.0%
Several Times/Wk	154	0.0%
Several Times/Mo	439	0.1%
About Once/Month	1,922	0.3%
About Once/Year	3,613	0.6%
Less than Once/Year	3,753	0.7%
Never Used	555,285	98.2%
Frequency Missing	23,982	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	409	0.1%
Several Times/Wk	547	0.1%
Several Times/Mo	940	0.2%
About Once/Month	1,589	0.3%
About Once/Year	3,128	0.6%
Less than Once/Year	6,727	1.2%
Never Used	551,968	97.6%
Frequency Missing	23,861	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	197	0.0%
Several Times/Wk	117	0.0%
Several Times/Mo	207	0.0%
About Once/Month	403	0.1%
About Once/Year	348	0.1%
Less than Once/Year	899	0.2%
Never Used	564,454	99.6%
Frequency Missing	22,543	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	379,835	67.8%
12+ Drinks	7,653	1.4%
9-11 Drinks	6,575	1.2%
5-8 Drinks	15,126	2.7%
3-4 Drinks	24,525	4.4%
2 Drinks	25,244	4.5%
1 Drink	36,009	6.4%
Less than 1 Drink	65,437	11.7%
Frequency Missing	28,764	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	405,383	72.0%
12+ Drinks	5,361	1.0%
9-11 Drinks	5,432	1.0%
5-8 Drinks	12,480	2.2%
3-4 Drinks	26,281	4.7%
2 Drinks	28,419	5.0%
1 Drink	35,095	6.2%
Less than 1 Drink	44,618	7.9%
Frequency Missing	26,098	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	352,043	63.6%
0 Days	149,473	27.0%
1 Day	18,630	3.4%
2 Days	12,687	2.3%
3 To 5 Days	10,495	1.9%
6 To 9 Days	4,380	0.8%
10 Or More Days	5,961	1.1%
Frequency Missing	35,500	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	393,233	70.5%
12+ Drinks	2,781	0.5%
9-11 Drinks	2,466	0.4%
5-8 Drinks	5,661	1.0%
3-4 Drinks	13,227	2.4%
2 Drinks	19,604	3.5%
1 Drink	42,623	7.6%
Less than 1 Drink	78,453	14.1%
Frequency Missing	31,120	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	343,271	61.0%
Never	95,971	17.0%
Seldom	83,511	14.8%
Most Of The Time	25,928	4.6%
Always	14,202	2.5%
Frequency Missing	26,285	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	383,582	68.2%
12+ Drinks	9,815	1.7%
9-11 Drinks	9,359	1.7%
5-8 Drinks	20,200	3.6%
3-4 Drinks	30,291	5.4%
2 Drinks	27,853	5.0%
1 Drink	32,624	5.8%
Less than 1 Drink	48,637	8.6%
Frequency Missing	26,808	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	341,534	60.8%
Never	93,503	16.6%
Seldom	63,299	11.3%
Most Of The Time	47,428	8.4%
Always	16,360	2.9%
Frequency Missing	27,044	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	354,287	63.1%
Never	167,481	29.8%
Seldom	19,553	3.5%
Most Of The Time	13,214	2.4%
Always	6,746	1.2%
Frequency Missing	27,887	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	335,021	59.6%
Never	87,984	15.7%
Seldom	50,751	9.0%
Most Of The Time	50,101	8.9%
Always	38,056	6.8%
Frequency Missing	27,256	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	416,497	73.8%
Somewhat	79,701	14.1%
Not Very	24,623	4.4%
Not At All	5,249	0.9%
Don't Know	38,386	6.8%
Frequency Missing	24,713	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	357,214	64.1%
Never	124,375	22.3%
Seldom	40,908	7.3%
Most Of The Time	20,578	3.7%
Always	14,558	2.6%
Frequency Missing	31,535	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	307,772	54.4%
Somewhat	79,449	14.0%
Not Very	76,783	13.6%
Not At All	81,511	14.4%
Don't Know	20,143	3.6%
Frequency Missing	23,510	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	358,964	63.4%
Somewhat	130,964	23.1%
Not Very	44,043	7.8%
Not At All	9,441	1.7%
Don't Know	22,469	4.0%
Frequency Missing	23,288	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	499,854	88.4%
Somewhat	34,560	6.1%
Not Very	5,688	1.0%
Not At All	1,754	0.3%
Don't Know	23,445	4.1%
Frequency Missing	23,868	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	295,883	52.4%
Somewhat	173,557	30.7%
Not Very	68,187	12.1%
Not At All	10,620	1.9%
Don't Know	16,572	2.9%
Frequency Missing	24,350	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	508,547	89.9%
Somewhat	26,563	4.7%
Not Very	3,698	0.7%
Not At All	1,548	0.3%
Don't Know	25,060	4.4%
Frequency Missing	23,752	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	462,951	81.9%
Somewhat	44,425	7.9%
Not Very	12,313	2.2%
Not At All	3,120	0.6%
Don't Know	42,320	7.5%
Frequency Missing	24,040	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	452,204	80.3%
Somewhat	47,069	8.4%
Not Very	15,874	2.8%
Not At All	6,458	1.1%
Don't Know	41,405	7.4%
Frequency Missing	26,158	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	422,030	74.8%
Somewhat	77,893	13.8%
Not Very	25,151	4.5%
Not At All	5,676	1.0%
Don't Know	33,086	5.9%
Frequency Missing	25,333	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	410,246	72.6%
Somewhat	92,585	16.4%
Not Very	23,150	4.1%
Not At All	5,728	1.0%
Don't Know	33,440	5.9%
Frequency Missing	24,020	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	510,283	90.2%
Somewhat	20,968	3.7%
Not Very	3,108	0.5%
Not At All	2,235	0.4%
Don't Know	29,041	5.1%
Frequency Missing	23,533	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	273,899	48.4%
Somewhat	78,997	14.0%
Not Very	93,648	16.6%
Not At All	88,322	15.6%
Don't Know	30,459	5.4%
Frequency Missing	23,844	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	510,350	90.1%
Somewhat	19,462	3.4%
Not Very	3,344	0.6%
Not At All	1,738	0.3%
Don't Know	31,264	5.5%
Frequency Missing	23,010	

Days Skipped Since September

Q27a	Frequency	Percent
None	434,711	77.4%
1-3 Days	89,915	16.0%
4-9 Days	24,044	4.3%
10+ Days	13,177	2.3%
Frequency Missing	27,321	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	163,876	29.2%
1-3 Days	285,233	50.9%
4-9 Days	90,124	16.1%
10+ Days	21,157	3.8%
Frequency Missing	28,778	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	540,658	96.8%
1-3 Times	14,804	2.7%
4-9 Times	1,631	0.3%
10+ Times	1,372	0.2%
Frequency Missing	30,703	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	208,866	37.8%
1-3 Days	276,341	50.0%
4-9 Days	49,872	9.0%
10+ Days	18,117	3.3%
Frequency Missing	35,973	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	542,363	97.3%
1-3 Times	11,790	2.1%
4-9 Times	1,588	0.3%
10+ Times	1,549	0.3%
Frequency Missing	31,878	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	495,526	88.2%
1-3 Days	52,315	9.3%
4-9 Days	7,358	1.3%
10+ Days	6,340	1.1%
Frequency Missing	27,630	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	539,178	96.8%
1-3 Times	14,227	2.6%
4-9 Times	2,224	0.4%
10+ Times	1,425	0.3%
Frequency Missing	32,113	

Someone Called Home Since September

Q27e	Frequency	Percent
None	510,746	91.3%
1-3 Days	38,764	6.9%
4-9 Days	5,089	0.9%
10+ Days	4,834	0.9%
Frequency Missing	29,735	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	528,412	95.0%
1-3 Times	15,064	2.7%
4-9 Times	4,022	0.7%
10+ Times	8,609	1.5%
Frequency Missing	33,062	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	538,139	96.6%
1-3 Days	14,358	2.6%
4-9 Days	2,545	0.5%
10+ Days	2,229	0.4%
Frequency Missing	31,897	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	293,999	52.9%
Seldom	38,181	6.9%
Half The Time	27,504	4.9%
Most Of The Time	44,964	8.1%
Always	55,818	10.0%
Don't Know	8,292	1.5%
Didn't Attend	87,264	15.7%
Frequency Missing	33,146	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	513,674	92.4%
1-3 Days	22,116	4.0%
4-9 Days	8,328	1.5%
10+ Days	11,650	2.1%
Frequency Missing	33,400	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	332,958	60.0%
Seldom	30,352	5.5%
Half The Time	22,271	4.0%
Most Of The Time	33,490	6.0%
Always	39,336	7.1%
Don't Know	8,889	1.6%
Didn't Attend	87,744	15.8%
Frequency Missing	34,127	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	551,739	99.4%
1-3 Days	2,398	0.4%
4-9 Days	436	0.1%
10+ Days	713	0.1%
Frequency Missing	33,882	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	463,545	94.9%
Yes	24,734	5.1%
Frequency Missing	100,889	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	536,210	96.5%
1-3 Days	11,579	2.1%
4-9 Days	3,934	0.7%
10+ Days	3,661	0.7%
Frequency Missing	33,784	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	335,283	61.6%
Yes	208,686	38.4%
Frequency Missing	45,199	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	421,001	78.0%
Yes	119,020	22.0%
Frequency Missing	49,147	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	208,948	38.5%
Yes	333,939	61.5%
Frequency Missing	46,281	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	310,761	57.4%
Yes	230,243	42.6%
Frequency Missing	48,164	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	330,290	61.0%
Yes	210,903	39.0%
Frequency Missing	47,975	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	158,131	29.0%
Yes	387,201	71.0%
Frequency Missing	43,837	

Would Not Seek Help

Q32i	Frequency	Percent
No	448,668	84.6%
Yes	81,687	15.4%
Frequency Missing	58,813	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	232,002	42.9%
Yes	308,470	57.1%
Frequency Missing	48,697	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	305,840	59.0%
Yes	212,732	41.0%
Frequency Missing	70,596	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	177,085	32.7%
Yes	363,756	67.3%
Frequency Missing	48,327	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	257,835	49.8%
Yes	259,501	50.2%
Frequency Missing	71,832	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	365,354	71.1%
Yes	148,201	28.9%
Frequency Missing	75,613	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	356,536	69.7%
Yes	155,262	30.3%
Frequency Missing	77,370	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	428,491	83.5%
Yes	84,547	16.5%
Frequency Missing	76,129	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	449,874	81.4%
Mild Disapprove	39,290	7.1%
Neither	29,127	5.3%
Mildly Approve	4,203	0.8%
Strongly Approve	4,051	0.7%
Don't Know	25,845	4.7%
Frequency Missing	36,778	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	362,600	71.0%
Yes	147,922	29.0%
Frequency Missing	78,646	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	371,188	67.3%
Mild Disapprove	79,334	14.4%
Neither	57,323	10.4%
Mildly Approve	14,084	2.6%
Strongly Approve	5,060	0.9%
Don't Know	24,927	4.5%
Frequency Missing	37,252	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	448,064	87.4%
Yes	64,832	12.6%
Frequency Missing	76,272	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	435,003	78.9%
Mild Disapprove	38,421	7.0%
Neither	36,181	6.6%
Mildly Approve	8,801	1.6%
Strongly Approve	7,905	1.4%
Don't Know	25,178	4.6%
Frequency Missing	37,680	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	337,275	65.6%
Yes	176,652	34.4%
Frequency Missing	75,241	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

