

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**HHSC REGION 4 AND 5 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4 and 5. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	17.5%	21.8%	34.9%	65.1%
Grade 7	7.2%	8.6%	15.4%	84.6%
Grade 8	10.5%	13.1%	26.2%	73.8%
Grade 9	15.1%	19.1%	31.5%	68.5%
Grade 10	19.5%	24.4%	42.1%	57.9%
Grade 11	25.5%	31.9%	47.1%	52.9%
Grade 12	31.0%	37.7%	51.9%	48.1%
<b>Cigarettes?</b>				
All	7.8%	11.1%	22.5%	77.5%
Grade 7	1.6%	2.5%	8.2%	91.8%
Grade 8	3.8%	5.8%	14.8%	85.2%
Grade 9	4.3%	8.0%	18.5%	81.5%
Grade 10	9.0%	11.7%	25.9%	74.1%
Grade 11	13.0%	17.2%	32.0%	68.0%
Grade 12	17.8%	24.8%	40.0%	60.0%
<b>Smokeless Tobacco?</b>				
All	4.7%	6.5%	12.2%	87.8%
Grade 7	0.9%	1.6%	5.2%	94.8%
Grade 8	1.6%	3.3%	6.3%	93.7%
Grade 9	4.7%	7.0%	11.0%	89.0%
Grade 10	6.5%	8.0%	15.6%	84.4%
Grade 11	8.3%	10.5%	19.7%	80.3%
Grade 12	7.2%	9.9%	17.6%	82.4%
<b>Electronic Vapor Products?</b>				
All	8.5%	13.1%	25.7%	74.3%
Grade 7	2.3%	4.1%	9.0%	91.0%
Grade 8	4.4%	7.4%	18.7%	81.3%
Grade 9	7.3%	11.6%	24.4%	75.6%
Grade 10	8.8%	13.9%	29.5%	70.5%
Grade 11	14.8%	21.1%	37.7%	62.3%
Grade 12	15.5%	23.4%	38.7%	61.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	79.8%	3.4%	2.1%	2.5%	3.1%	3.1%	6.0%
Grade 7	93.6%	0.7%	0.6%	0.7%	0.9%	1.6%	1.9%
Grade 8	87.8%	1.1%	0.8%	1.8%	1.2%	2.6%	4.7%
Grade 9	82.5%	1.4%	1.4%	2.0%	3.8%	2.7%	6.1%
Grade 10	76.1%	3.9%	2.3%	2.7%	3.7%	4.8%	6.5%
Grade 11	70.5%	7.3%	2.7%	3.1%	4.0%	4.3%	8.0%
Grade 12	64.0%	7.1%	5.7%	5.4%	5.3%	2.7%	9.7%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.2%	21.3%	5.5%	9.1%	14.6%	26.2%
Grade 7	35.0%	37.5%	7.1%	7.0%	7.1%	6.5%
Grade 8	26.5%	30.2%	7.3%	10.2%	11.5%	14.2%
Grade 9	22.4%	22.1%	5.5%	11.0%	18.8%	20.1%
Grade 10	20.6%	14.8%	7.1%	11.3%	17.3%	28.9%
Grade 11	17.0%	12.0%	3.8%	9.9%	20.3%	37.1%
Grade 12	16.0%	7.5%	1.6%	4.1%	12.9%	57.9%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	59.0%	22.0%	10.4%	7.2%	1.4%
Grade 7	84.8%	9.8%	4.2%	1.1%	0.1%
Grade 8	70.3%	21.8%	5.6%	1.8%	0.5%
Grade 9	59.4%	22.9%	10.3%	6.2%	1.2%
Grade 10	50.1%	24.0%	14.2%	9.7%	2.0%
Grade 11	44.0%	27.3%	15.7%	10.7%	2.3%
Grade 12	40.5%	27.7%	13.4%	15.7%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	71.0%	10.1%	8.4%	2.0%	0.9%	7.6%
Grade 7	81.3%	4.2%	2.7%	0.4%	0.2%	11.1%
Grade 8	79.6%	6.7%	4.4%	1.1%	0.9%	7.3%
Grade 9	76.4%	9.4%	6.5%	1.2%	0.2%	6.3%
Grade 10	68.3%	10.6%	9.8%	3.4%	1.4%	6.5%
Grade 11	61.5%	13.3%	12.6%	3.4%	1.0%	8.3%
Grade 12	54.8%	18.0%	16.2%	2.8%	2.2%	6.0%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	58.4%	24.7%	10.4%	2.4%	4.1%
	Grade 7	76.8%	13.5%	4.2%	0.6%	4.8%
	Grade 8	67.3%	20.1%	7.6%	2.1%	2.8%
	Grade 9	57.3%	26.5%	10.2%	1.7%	4.3%
	Grade 10	52.5%	27.2%	13.0%	2.8%	4.4%
	Grade 11	48.7%	30.8%	12.4%	3.2%	5.0%
	Grade 12	44.0%	31.7%	16.5%	4.3%	3.4%
Electronic Vapor Products?						
	All	55.2%	13.2%	14.5%	10.5%	6.5%
	Grade 7	74.2%	11.6%	6.5%	2.3%	5.4%
	Grade 8	65.5%	12.5%	9.3%	6.9%	5.8%
	Grade 9	51.1%	14.6%	16.9%	10.2%	7.2%
	Grade 10	45.8%	15.5%	18.7%	12.9%	7.1%
	Grade 11	47.2%	12.1%	16.9%	17.5%	6.3%
	Grade 12	44.6%	12.8%	19.9%	15.2%	7.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	32.3%	38.2%	58.0%	42.0%
Grade 7	14.8%	17.2%	34.8%	65.2%
Grade 8	24.4%	28.5%	50.8%	49.2%
Grade 9	31.2%	36.6%	57.5%	42.5%
Grade 10	36.0%	43.8%	64.0%	36.0%
Grade 11	40.6%	49.7%	69.6%	30.4%
Grade 12	51.3%	58.8%	76.0%	24.0%
Beer?				
All	13.3%	19.8%	43.7%	56.3%
Grade 7	3.5%	5.0%	23.1%	76.9%
Grade 8	6.5%	11.2%	35.9%	64.1%
Grade 9	12.2%	18.3%	44.4%	55.6%
Grade 10	15.3%	21.9%	48.2%	51.8%
Grade 11	20.3%	28.7%	53.6%	46.4%
Grade 12	25.2%	37.9%	61.2%	38.8%
Wine Coolers?				
All	12.8%	20.2%	41.9%	58.1%
Grade 7	4.4%	6.2%	19.4%	80.6%
Grade 8	6.9%	11.5%	33.5%	66.5%
Grade 9	10.1%	17.4%	38.1%	61.9%
Grade 10	16.0%	25.5%	48.2%	51.8%
Grade 11	18.2%	28.0%	54.5%	45.5%
Grade 12	24.5%	37.0%	63.4%	36.6%
Wine?				
All	8.9%	14.1%	36.9%	63.1%
Grade 7	3.1%	5.5%	20.3%	79.7%
Grade 8	5.9%	9.7%	32.0%	68.0%
Grade 9	6.8%	12.0%	34.3%	65.7%
Grade 10	11.8%	16.7%	41.8%	58.2%
Grade 11	12.7%	20.5%	45.8%	54.2%
Grade 12	14.8%	22.7%	51.0%	49.0%
Liquor?				
All	13.8%	20.8%	41.4%	58.6%
Grade 7	3.1%	4.9%	15.3%	84.7%
Grade 8	6.8%	10.7%	31.6%	68.4%
Grade 9	10.6%	18.0%	40.0%	60.0%
Grade 10	17.1%	26.6%	48.2%	51.8%
Grade 11	20.9%	28.9%	54.7%	45.3%
Grade 12	27.7%	40.2%	64.3%	35.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	57.3%	0.6%	2.3%	7.6%	12.1%	10.3%	9.8%
Grade 7	82.7%	0.2%	0.8%	1.5%	2.7%	5.5%	6.7%
Grade 8	67.7%	0.5%	0.7%	4.2%	5.9%	8.3%	12.7%
Grade 9	58.2%	0.5%	2.2%	6.8%	13.2%	9.6%	9.4%
Grade 10	50.2%	0.4%	2.4%	10.0%	12.5%	15.0%	9.5%
Grade 11	44.3%	1.2%	2.6%	11.6%	17.6%	11.8%	10.9%
Grade 12	35.0%	0.5%	6.0%	13.1%	23.5%	12.1%	9.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	61.5%	38.5%	9.2%	17.8%	11.5%
	Grade 7	80.1%	19.9%	2.0%	7.9%	9.9%
	Grade 8	68.9%	31.1%	4.5%	12.7%	13.9%
	Grade 9	60.5%	39.5%	7.1%	18.8%	13.7%
	Grade 10	57.9%	42.1%	11.7%	18.1%	12.3%
	Grade 11	52.6%	47.4%	14.8%	21.7%	11.0%
	Grade 12	45.1%	54.9%	17.4%	30.3%	7.3%
<b>Wine Coolers</b>						
	All	62.5%	37.5%	9.2%	20.4%	7.9%
	Grade 7	83.5%	16.5%	2.9%	7.0%	6.6%
	Grade 8	70.8%	29.2%	4.2%	14.6%	10.3%
	Grade 9	66.0%	34.0%	6.9%	18.9%	8.2%
	Grade 10	57.0%	43.0%	11.2%	23.8%	8.0%
	Grade 11	50.9%	49.1%	13.4%	27.9%	7.8%
	Grade 12	40.9%	59.1%	19.2%	33.5%	6.3%
<b>Wine</b>						
	All	67.8%	32.2%	3.0%	15.6%	13.6%
	Grade 7	81.5%	18.5%	1.4%	6.2%	10.9%
	Grade 8	71.7%	28.3%	1.5%	12.3%	14.5%
	Grade 9	69.3%	30.7%	3.0%	14.0%	13.7%
	Grade 10	64.4%	35.6%	3.5%	17.2%	14.9%
	Grade 11	60.8%	39.2%	4.6%	20.1%	14.6%
	Grade 12	55.6%	44.4%	4.5%	26.7%	13.2%
<b>Liquor</b>						
	All	62.5%	37.5%	10.0%	18.4%	9.2%
	Grade 7	87.0%	13.0%	2.4%	5.4%	5.2%
	Grade 8	72.8%	27.2%	4.5%	11.6%	11.2%
	Grade 9	63.1%	36.9%	9.0%	18.7%	9.2%
	Grade 10	55.8%	44.2%	13.6%	21.0%	9.6%
	Grade 11	50.4%	49.6%	14.3%	25.8%	9.5%
	Grade 12	40.0%	60.0%	18.6%	30.7%	10.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.1%	4.4%	3.1%	3.1%	1.1%	2.3%
Grade 7	95.8%	1.6%	0.9%	0.7%	0.3%	0.7%
Grade 8	92.3%	2.5%	2.3%	1.4%	0.5%	1.0%
Grade 9	86.5%	4.6%	2.9%	2.4%	0.4%	3.2%
Grade 10	85.2%	4.3%	3.5%	4.2%	0.5%	2.2%
Grade 11	81.4%	5.1%	4.1%	4.2%	2.6%	2.7%
Grade 12	72.0%	9.4%	5.1%	6.2%	2.5%	4.8%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.3%	15.7%	6.2%	11.1%	18.3%	29.4%
Grade 7	32.9%	29.8%	10.6%	8.2%	9.8%	8.8%
Grade 8	22.2%	21.2%	8.0%	14.7%	14.0%	19.9%
Grade 9	17.4%	17.5%	5.5%	11.1%	20.9%	27.5%
Grade 10	16.5%	8.6%	5.2%	12.4%	22.2%	35.0%
Grade 11	13.0%	8.3%	4.3%	11.2%	20.8%	42.4%
Grade 12	12.3%	5.9%	2.8%	8.7%	22.6%	47.7%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.4%	3.2%	0.6%	0.9%
Grade 7	97.9%	2.0%	0.0%	0.1%
Grade 8	96.8%	2.1%	0.4%	0.8%
Grade 9	95.0%	3.4%	0.6%	1.0%
Grade 10	94.8%	3.6%	0.8%	0.8%
Grade 11	94.4%	4.0%	0.4%	1.2%
Grade 12	92.9%	4.1%	1.6%	1.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.7
Alcohol Non-Users	3.3
Average Days Conduct Problems Reported	
Alcohol Users	2.8
Alcohol Non-Users	0.9

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	93.4%	5.0%	0.9%	0.8%
Grade 9	97.4%	2.1%	0.4%	0.2%
Grade 10	95.8%	3.6%	0.1%	0.6%
Grade 11	92.3%	5.8%	1.0%	0.9%
Grade 12	86.3%	9.7%	2.4%	1.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.5%	3.6%	0.4%	0.4%
Grade 7	98.2%	1.6%	0.0%	0.2%
Grade 8	96.6%	2.6%	0.6%	0.1%
Grade 9	96.0%	3.1%	0.5%	0.4%
Grade 10	94.7%	5.0%	0.1%	0.3%
Grade 11	94.9%	4.0%	0.1%	1.0%
Grade 12	91.9%	6.1%	1.4%	0.6%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	43.7%	25.8%	13.9%	12.8%	3.8%
Grade 7	75.4%	15.2%	5.7%	3.1%	0.6%
Grade 8	58.9%	25.1%	9.8%	4.9%	1.3%
Grade 9	40.1%	29.6%	16.6%	11.4%	2.4%
Grade 10	30.0%	29.9%	18.1%	18.6%	3.3%
Grade 11	27.8%	28.7%	18.1%	19.2%	6.1%
Grade 12	25.0%	26.2%	15.8%	22.1%	10.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.1%	7.0%	4.4%	7.7%	12.7%	1.2%	18.9%
Grade 7	72.7%	4.7%	2.6%	2.9%	2.0%	1.7%	13.5%
Grade 8	64.9%	8.9%	3.2%	6.7%	2.7%	1.5%	12.1%
Grade 9	45.9%	9.1%	5.8%	7.2%	8.4%	1.1%	22.5%
Grade 10	37.8%	7.8%	5.3%	10.2%	16.6%	1.7%	20.7%
Grade 11	33.7%	5.5%	4.7%	10.4%	20.7%	0.8%	24.2%
Grade 12	28.9%	5.1%	5.0%	9.6%	29.9%	0.4%	21.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	55.2%	19.5%	17.4%	5.0%	2.8%
	Grade 7	69.2%	18.9%	9.0%	1.9%	1.1%
	Grade 8	60.0%	17.8%	17.2%	3.9%	1.2%
	Grade 9	55.6%	18.2%	16.9%	5.3%	4.0%
	Grade 10	51.3%	21.5%	17.3%	6.2%	3.8%
	Grade 11	48.2%	21.7%	20.4%	6.1%	3.5%
	Grade 12	44.0%	19.5%	25.8%	7.2%	3.5%
<b>Friends?</b>						
	All	53.7%	19.5%	12.7%	10.2%	3.9%
	Grade 7	74.2%	19.6%	3.8%	1.9%	0.5%
	Grade 8	62.8%	22.5%	9.7%	3.4%	1.7%
	Grade 9	55.6%	19.7%	12.2%	9.4%	3.0%
	Grade 10	46.2%	20.6%	16.3%	13.5%	3.5%
	Grade 11	42.9%	18.3%	16.9%	15.5%	6.5%
	Grade 12	35.9%	15.1%	19.0%	20.0%	9.9%
<b>A Store?</b>						
	All	56.3%	35.3%	4.0%	2.7%	1.7%
	Grade 7	74.8%	23.8%	0.7%	0.6%	0.1%
	Grade 8	64.6%	32.1%	1.6%	0.9%	0.9%
	Grade 9	57.5%	37.0%	2.9%	1.3%	1.3%
	Grade 10	50.7%	38.2%	5.8%	3.7%	1.6%
	Grade 11	46.2%	43.0%	5.4%	2.9%	2.4%
	Grade 12	39.6%	39.3%	8.5%	8.2%	4.5%
<b>Parties?</b>						
	All	52.5%	18.0%	10.7%	9.4%	9.4%
	Grade 7	70.7%	19.1%	5.8%	2.8%	1.6%
	Grade 8	63.1%	20.3%	8.2%	5.2%	3.2%
	Grade 9	53.7%	18.8%	12.4%	7.9%	7.2%
	Grade 10	47.0%	17.5%	11.6%	12.8%	11.1%
	Grade 11	41.7%	18.1%	10.4%	13.3%	16.5%
	Grade 12	34.0%	12.8%	16.9%	16.1%	20.1%
<b>Other Sources?</b>						
	All	57.4%	24.3%	8.7%	5.2%	4.4%
	Grade 7	74.2%	19.8%	2.6%	2.7%	0.6%
	Grade 8	64.2%	22.3%	7.8%	3.2%	2.5%
	Grade 9	59.1%	23.9%	9.5%	4.8%	2.7%
	Grade 10	52.1%	27.9%	10.2%	5.6%	4.1%
	Grade 11	47.3%	28.1%	9.2%	7.9%	7.5%
	Grade 12	43.0%	24.7%	14.3%	7.5%	10.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.9%	14.5%	12.0%	4.2%	1.0%	7.4%
Grade 7	74.9%	8.7%	4.0%	1.0%	0.2%	11.1%
Grade 8	68.6%	11.6%	8.6%	3.1%	0.9%	7.3%
Grade 9	61.7%	14.9%	12.2%	4.2%	0.5%	6.5%
Grade 10	56.5%	16.1%	14.4%	5.8%	1.2%	6.0%
Grade 11	54.2%	16.6%	15.2%	4.9%	1.1%	8.0%
Grade 12	46.0%	20.7%	19.3%	7.0%	2.2%	4.9%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.2%	29.1%	11.8%	2.6%	3.3%
Grade 7	70.0%	18.6%	6.4%	1.2%	3.8%
Grade 8	56.4%	28.5%	9.5%	3.1%	2.5%
Grade 9	48.9%	32.5%	13.4%	2.2%	3.1%
Grade 10	48.3%	29.2%	16.2%	2.5%	3.8%
Grade 11	49.5%	30.6%	13.2%	3.0%	3.7%
Grade 12	44.0%	36.4%	12.3%	4.2%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	13.0%	17.1%	23.5%	76.5%
Grade 7	3.9%	5.1%	6.7%	93.3%
Grade 8	7.2%	9.7%	13.0%	87.0%
Grade 9	10.5%	15.7%	21.5%	78.5%
Grade 10	15.2%	19.8%	27.0%	73.0%
Grade 11	19.6%	25.6%	36.4%	63.6%
Grade 12	24.7%	30.1%	41.0%	59.0%
<b>Marijuana?</b>				
All	12.7%	15.4%	21.8%	78.2%
Grade 7	3.8%	4.1%	5.2%	94.8%
Grade 8	6.7%	8.1%	10.9%	89.1%
Grade 9	10.0%	13.6%	19.9%	80.1%
Grade 10	15.0%	17.4%	24.4%	75.6%
Grade 11	19.4%	24.3%	35.4%	64.6%
Grade 12	24.1%	28.2%	40.2%	59.8%
<b>Cocaine?</b>				
All	1.6%	1.8%	3.0%	97.0%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.1%	1.3%	98.7%
Grade 9	1.2%	1.6%	2.9%	97.1%
Grade 10	0.9%	1.0%	1.9%	98.1%
Grade 11	2.7%	3.0%	5.0%	95.0%
Grade 12	4.0%	4.6%	6.4%	93.6%
<b>Crack?</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.7%	0.8%	1.7%	98.3%
Grade 12	0.6%	0.8%	1.2%	98.8%
<b>Hallucinogens?</b>				
All	0.6%	1.0%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	1.3%	2.0%	5.2%	94.8%
Grade 12	0.6%	2.0%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.4%	99.6%
Steroids?				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.2%	0.6%	2.4%	97.6%
Grade 9	0.9%	1.1%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.8%	98.2%
Ecstasy?				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	1.5%	2.1%	5.4%	94.6%
Grade 12	1.6%	2.3%	4.6%	95.4%
Heroin?				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.4%	1.5%	98.5%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.1%	0.2%	0.4%	99.6%
Methamphetamine?				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.1%	0.3%	0.9%	99.1%
Grade 11	0.7%	1.1%	3.7%	96.3%
Grade 12	1.2%	1.4%	2.8%	97.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.8%	5.1%	94.9%
Grade 7	0.1%	0.2%	1.3%	98.7%
Grade 8	1.0%	1.5%	3.0%	97.0%
Grade 9	0.8%	2.2%	4.4%	95.6%
Grade 10	1.3%	1.8%	6.9%	93.1%
Grade 11	2.3%	3.2%	7.8%	92.2%
Grade 12	1.3%	2.4%	8.4%	91.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.9%	1.7%	1.8%	2.8%	3.7%	3.6%	4.5%
	Grade 7	96.5%	0.1%	0.5%	0.4%	1.1%	0.6%	0.7%
	Grade 8	90.5%	0.5%	0.5%	1.6%	2.1%	2.2%	2.6%
	Grade 9	84.3%	1.0%	0.8%	2.8%	3.4%	2.5%	5.2%
	Grade 10	78.9%	1.9%	2.8%	3.6%	4.3%	3.4%	5.0%
	Grade 11	70.9%	3.6%	2.5%	4.5%	5.4%	6.9%	6.1%
	Grade 12	65.9%	3.3%	4.1%	4.1%	6.7%	7.5%	8.5%
Cocaine?								
	All	98.0%	0.1%	0.1%	0.3%	0.3%	0.4%	0.8%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.4%
	Grade 8	99.1%	0.2%	0.1%	0.1%	0.0%	0.1%	0.5%
	Grade 9	98.8%	0.1%	0.1%	0.0%	0.1%	0.5%	0.4%
	Grade 10	99.3%	0.0%	0.1%	0.2%	0.2%	0.1%	0.2%
	Grade 11	96.3%	0.1%	0.0%	0.9%	0.1%	0.7%	1.9%
	Grade 12	94.2%	0.3%	0.5%	0.9%	1.4%	1.2%	1.6%
Crack?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 9	99.6%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 11	98.7%	0.1%	0.0%	0.2%	0.1%	0.1%	0.8%
	Grade 12	99.0%	0.0%	0.0%	0.1%	0.1%	0.4%	0.3%
Steroids?								
	All	99.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.3%
	Grade 7	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 8	99.1%	0.1%	0.0%	0.1%	0.0%	0.3%	0.5%
	Grade 9	99.1%	0.0%	0.1%	0.4%	0.0%	0.4%	0.0%
	Grade 10	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 12	98.8%	0.2%	0.0%	0.0%	0.0%	0.4%	0.6%
Ecstasy?								
	All	98.3%	0.0%	0.1%	0.1%	0.4%	0.4%	0.8%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.4%
	Grade 9	99.1%	0.0%	0.1%	0.1%	0.1%	0.4%	0.3%
	Grade 10	98.8%	0.0%	0.0%	0.1%	0.2%	0.2%	0.7%
	Grade 11	95.9%	0.0%	0.1%	0.2%	1.0%	0.8%	2.1%
	Grade 12	96.1%	0.0%	0.2%	0.2%	1.3%	0.8%	1.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 17 of 120

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 9	98.8%	0.0%	0.1%	0.0%	0.0%	0.0%	1.1%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	98.8%	0.1%	0.0%	0.0%	0.0%	0.1%	1.0%
	Grade 12	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Methamphetamine?								
	All	98.9%	0.1%	0.0%	0.0%	0.1%	0.2%	0.6%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
	Grade 8	99.2%	0.1%	0.1%	0.1%	0.0%	0.1%	0.3%
	Grade 9	99.2%	0.1%	0.1%	0.0%	0.1%	0.3%	0.1%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.1%	0.0%	0.4%
	Grade 11	97.9%	0.0%	0.0%	0.1%	0.1%	0.1%	1.8%
	Grade 12	97.9%	0.1%	0.0%	0.1%	0.3%	0.6%	1.0%
Synthetic Marijuana?								
	All	96.6%	0.0%	0.2%	0.3%	0.4%	0.6%	1.9%
	Grade 7	99.1%	0.0%	0.1%	0.0%	0.0%	0.2%	0.5%
	Grade 8	97.8%	0.0%	0.0%	0.6%	0.3%	0.4%	0.9%
	Grade 9	96.9%	0.1%	0.1%	0.1%	0.6%	0.3%	1.8%
	Grade 10	96.0%	0.0%	0.1%	0.4%	0.3%	0.7%	2.5%
	Grade 11	94.7%	0.1%	0.4%	0.6%	0.6%	0.9%	2.7%
	Grade 12	94.7%	0.1%	0.3%	0.2%	0.4%	1.2%	3.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	24.4%	26.8%	7.7%	9.9%	11.4%	19.8%
	Grade 7	38.8%	43.5%	6.4%	4.0%	3.8%	3.6%
	Grade 8	30.1%	38.7%	9.1%	6.9%	4.7%	10.5%
	Grade 9	22.2%	28.0%	10.0%	11.8%	13.1%	14.9%
	Grade 10	19.9%	19.1%	7.8%	11.5%	15.0%	26.7%
	Grade 11	17.5%	15.4%	7.2%	12.5%	15.4%	32.0%
	Grade 12	15.6%	11.5%	5.0%	13.7%	18.4%	35.8%
<b>Cocaine?</b>							
	All	34.1%	37.6%	11.3%	7.3%	4.6%	5.2%
	Grade 7	41.2%	47.6%	6.5%	2.5%	1.4%	0.8%
	Grade 8	37.8%	45.4%	8.4%	3.9%	1.8%	2.8%
	Grade 9	32.9%	40.2%	12.9%	7.1%	3.8%	3.1%
	Grade 10	32.7%	32.4%	14.0%	8.6%	6.4%	5.9%
	Grade 11	31.6%	29.8%	11.2%	11.6%	6.8%	8.9%
	Grade 12	27.1%	27.0%	15.2%	11.0%	8.4%	11.2%
<b>Crack?</b>							
	All	35.6%	38.8%	11.6%	6.9%	3.1%	4.1%
	Grade 7	42.1%	46.9%	6.4%	2.6%	1.2%	0.8%
	Grade 8	38.3%	45.2%	8.2%	3.8%	1.5%	3.0%
	Grade 9	33.4%	41.8%	12.0%	7.6%	2.3%	2.9%
	Grade 10	34.3%	34.0%	13.0%	9.5%	4.1%	5.0%
	Grade 11	34.2%	32.4%	13.7%	8.7%	4.6%	6.5%
	Grade 12	30.0%	30.2%	17.6%	9.9%	5.4%	6.8%
<b>Steroids?</b>							
	All	37.5%	35.6%	11.2%	7.7%	3.7%	4.2%
	Grade 7	44.6%	43.3%	6.4%	3.5%	1.2%	1.1%
	Grade 8	37.7%	44.4%	9.2%	4.0%	1.6%	3.1%
	Grade 9	36.2%	35.9%	13.6%	8.2%	2.3%	3.8%
	Grade 10	37.5%	32.0%	12.2%	7.6%	5.6%	5.0%
	Grade 11	36.2%	28.9%	13.3%	9.4%	5.8%	6.4%
	Grade 12	32.0%	26.8%	13.1%	15.1%	6.4%	6.6%
<b>Ecstasy?</b>							
	All	46.6%	30.4%	9.3%	5.7%	3.5%	4.4%
	Grade 7	59.8%	32.8%	3.6%	2.8%	0.5%	0.7%
	Grade 8	51.3%	36.7%	6.1%	1.7%	1.6%	2.6%
	Grade 9	47.9%	31.0%	10.6%	5.9%	1.2%	3.3%
	Grade 10	42.2%	29.3%	10.7%	7.5%	4.9%	5.5%
	Grade 11	40.9%	25.5%	11.6%	8.5%	6.3%	7.1%
	Grade 12	34.6%	25.6%	14.4%	8.8%	8.1%	8.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 120

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	42.9%	37.0%	10.8%	4.4%	2.0%	3.1%
	Grade 7	53.0%	39.1%	4.6%	2.3%	0.2%	0.8%
	Grade 8	45.2%	41.3%	6.4%	3.3%	1.6%	2.1%
	Grade 9	41.5%	39.4%	11.3%	3.9%	1.1%	2.8%
	Grade 10	39.9%	36.2%	12.5%	4.8%	2.7%	3.8%
	Grade 11	40.8%	32.7%	13.1%	5.4%	3.3%	4.7%
	Grade 12	35.3%	31.6%	18.2%	7.1%	3.3%	4.6%
<b>Methamphetamine?</b>							
	All	43.5%	34.8%	10.4%	4.8%	2.7%	3.8%
	Grade 7	52.3%	38.3%	5.7%	2.0%	0.9%	0.8%
	Grade 8	48.2%	37.2%	6.8%	3.3%	2.0%	2.4%
	Grade 9	42.5%	38.0%	10.4%	4.5%	1.3%	3.3%
	Grade 10	40.2%	33.1%	12.2%	5.7%	4.4%	4.4%
	Grade 11	40.1%	30.4%	12.0%	6.9%	4.6%	6.1%
	Grade 12	35.7%	30.1%	16.6%	7.3%	3.9%	6.5%
<b>Synthetic Marijuana?</b>							
	All	40.6%	30.0%	8.0%	6.9%	6.1%	8.3%
	Grade 7	53.4%	36.5%	3.1%	3.1%	1.7%	2.2%
	Grade 8	45.6%	36.5%	6.3%	3.8%	2.8%	5.1%
	Grade 9	41.1%	31.6%	9.8%	6.5%	4.9%	6.0%
	Grade 10	36.6%	26.2%	9.6%	7.9%	9.2%	10.4%
	Grade 11	34.9%	24.9%	9.2%	9.3%	9.0%	12.7%
	Grade 12	29.2%	22.3%	10.6%	12.3%	10.5%	15.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	93.0%	4.1%	1.0%	1.9%
Grade 7	98.2%	1.8%	0.0%	0.0%
Grade 8	96.1%	2.2%	0.6%	1.1%
Grade 9	93.7%	4.1%	0.9%	1.4%
Grade 10	92.4%	4.2%	1.2%	2.2%
Grade 11	87.4%	7.3%	1.9%	3.4%
Grade 12	88.9%	6.0%	1.5%	3.6%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.7%	1.7%	0.7%	0.8%
Grade 7	98.6%	1.4%	0.0%	0.0%
Grade 8	97.7%	0.9%	0.9%	0.4%
Grade 9	96.5%	1.6%	0.8%	1.1%
Grade 10	97.5%	1.6%	0.1%	0.7%
Grade 11	95.1%	2.4%	1.3%	1.3%
Grade 12	94.1%	3.0%	1.2%	1.7%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.5
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	4.9
Marijuana Non-Users	1.3

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.8%	4.2%	1.2%	1.8%
Grade 9	97.8%	1.8%	0.1%	0.3%
Grade 10	94.7%	3.9%	0.4%	1.0%
Grade 11	90.6%	4.8%	2.0%	2.6%
Grade 12	86.4%	7.3%	2.4%	3.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.3%	3.0%	0.4%	0.3%
Grade 7	98.4%	1.3%	0.0%	0.2%
Grade 8	97.4%	2.2%	0.4%	0.1%
Grade 9	96.2%	3.2%	0.3%	0.3%
Grade 10	96.3%	3.0%	0.6%	0.1%
Grade 11	95.2%	3.6%	0.6%	0.6%
Grade 12	93.8%	5.1%	0.6%	0.4%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	59.8%	19.6%	9.4%	8.4%	2.7%
Grade 7	88.6%	8.2%	1.9%	0.8%	0.4%
Grade 8	76.0%	14.3%	5.6%	3.7%	0.5%
Grade 9	57.2%	23.6%	10.8%	6.2%	2.3%
Grade 10	49.0%	23.4%	11.7%	12.9%	3.1%
Grade 11	43.2%	23.4%	14.1%	13.9%	5.5%
Grade 12	39.5%	26.3%	13.6%	15.2%	5.4%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.9%	6.2%	4.2%	5.1%	6.1%	1.7%	18.8%
Grade 7	81.2%	2.2%	1.2%	0.5%	0.6%	1.2%	13.1%
Grade 8	77.9%	3.6%	1.9%	1.3%	1.4%	2.2%	11.7%
Grade 9	55.4%	8.1%	4.7%	4.2%	3.2%	1.7%	22.8%
Grade 10	49.1%	9.1%	4.6%	7.0%	7.4%	2.2%	20.7%
Grade 11	42.0%	5.5%	6.4%	8.7%	11.5%	1.8%	24.0%
Grade 12	36.2%	9.1%	7.4%	10.3%	14.8%	0.9%	21.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.8%	5.7%	5.6%	1.1%	1.4%	7.3%
Grade 7	83.5%	3.3%	1.7%	0.4%	0.4%	10.7%
Grade 8	83.4%	3.9%	3.3%	0.7%	1.1%	7.7%
Grade 9	80.8%	6.9%	4.1%	1.0%	1.0%	6.2%
Grade 10	77.8%	5.2%	7.9%	1.2%	2.3%	5.6%
Grade 11	73.2%	8.4%	7.7%	1.3%	1.3%	8.1%
Grade 12	72.6%	7.1%	10.1%	2.6%	2.7%	5.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.7%	13.3%	10.4%	10.7%	3.9%
	Grade 7	82.8%	8.6%	3.7%	1.8%	3.2%
	Grade 8	76.1%	8.8%	6.5%	4.6%	4.0%
	Grade 9	61.5%	15.4%	11.5%	7.8%	3.8%
	Grade 10	54.2%	16.1%	13.9%	12.5%	3.3%
	Grade 11	47.3%	16.3%	13.5%	18.4%	4.5%
	Grade 12	42.6%	15.5%	14.7%	22.2%	5.0%
Cocaine?						
	All	89.1%	5.2%	0.8%	0.4%	4.5%
	Grade 7	92.1%	3.2%	0.9%	0.3%	3.4%
	Grade 8	90.1%	4.6%	0.6%	0.2%	4.5%
	Grade 9	90.2%	4.8%	0.5%	0.1%	4.4%
	Grade 10	87.7%	6.7%	0.2%	0.4%	5.0%
	Grade 11	86.7%	6.4%	0.8%	0.7%	5.4%
	Grade 12	87.3%	5.4%	1.7%	0.9%	4.7%
Crack?						
	All	90.2%	4.3%	0.5%	0.4%	4.5%
	Grade 7	92.0%	3.4%	0.8%	0.3%	3.6%
	Grade 8	89.9%	5.1%	0.9%	0.2%	3.9%
	Grade 9	91.3%	4.2%	0.2%	0.1%	4.2%
	Grade 10	89.0%	5.3%	0.2%	0.5%	5.0%
	Grade 11	89.1%	4.1%	0.5%	0.7%	5.7%
	Grade 12	89.9%	3.7%	0.6%	0.7%	5.0%
Ecstasy?						
	All	84.4%	5.9%	1.7%	0.5%	7.6%
	Grade 7	88.2%	3.1%	0.7%	0.3%	7.8%
	Grade 8	87.1%	4.4%	0.9%	0.0%	7.5%
	Grade 9	84.8%	5.3%	1.5%	0.1%	8.3%
	Grade 10	82.2%	7.5%	1.7%	0.4%	8.3%
	Grade 11	83.0%	6.9%	2.1%	1.3%	6.7%
	Grade 12	79.9%	8.6%	3.9%	0.7%	6.7%
Steroids?						
	All	78.4%	11.0%	3.5%	0.7%	6.4%
	Grade 7	83.6%	7.6%	2.1%	0.3%	6.4%
	Grade 8	80.6%	10.2%	2.8%	0.5%	5.9%
	Grade 9	77.7%	12.0%	4.1%	0.6%	5.6%
	Grade 10	76.1%	13.2%	3.3%	0.6%	7.0%
	Grade 11	76.5%	11.1%	4.5%	1.0%	6.8%
	Grade 12	74.9%	12.2%	4.7%	1.1%	7.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	90.2%	3.0%	0.4%	0.4%	6.0%
	Grade 7	89.7%	2.8%	0.6%	0.4%	6.5%
	Grade 8	89.9%	3.3%	0.5%	0.3%	5.9%
	Grade 9	91.1%	3.2%	0.2%	0.1%	5.4%
	Grade 10	89.6%	3.7%	0.1%	0.5%	6.2%
	Grade 11	89.8%	2.8%	0.4%	0.6%	6.5%
	Grade 12	91.3%	1.8%	0.6%	0.7%	5.5%
<b>Methamphetamine?</b>						
	All	90.6%	2.7%	0.5%	0.4%	5.9%
	Grade 7	91.1%	1.9%	0.3%	0.4%	6.3%
	Grade 8	90.2%	2.9%	0.8%	0.2%	5.9%
	Grade 9	91.3%	2.7%	0.4%	0.2%	5.4%
	Grade 10	89.3%	3.4%	0.5%	0.3%	6.4%
	Grade 11	90.3%	3.1%	0.4%	0.6%	5.6%
	Grade 12	91.1%	2.0%	0.6%	0.6%	5.8%
<b>Synthetic Marijuana?</b>						
	All	86.1%	5.5%	1.8%	0.5%	6.1%
	Grade 7	89.2%	3.0%	0.6%	0.3%	6.8%
	Grade 8	86.5%	5.0%	2.2%	0.4%	5.9%
	Grade 9	84.1%	7.4%	1.9%	0.5%	6.1%
	Grade 10	84.0%	6.7%	2.3%	0.8%	6.2%
	Grade 11	86.8%	5.7%	1.7%	0.4%	5.4%
	Grade 12	85.8%	5.2%	2.1%	1.0%	5.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	12.3%	15.6%	20.4%	79.6%
Grade 7	8.6%	10.8%	14.4%	85.6%
Grade 8	10.5%	13.0%	17.8%	82.2%
Grade 9	10.3%	13.3%	17.8%	82.2%
Grade 10	13.7%	17.1%	20.9%	79.1%
Grade 11	15.7%	20.1%	27.0%	73.0%
Grade 12	16.4%	21.0%	26.8%	73.2%
<b>Codeine Cough Syrup?</b>				
All	8.0%	11.0%	15.5%	84.5%
Grade 7	5.6%	7.6%	10.2%	89.8%
Grade 8	7.2%	9.4%	13.9%	86.1%
Grade 9	6.5%	9.1%	13.4%	86.6%
Grade 10	9.3%	12.8%	16.1%	83.9%
Grade 11	9.5%	13.4%	19.1%	80.9%
Grade 12	10.4%	14.9%	21.6%	78.4%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	3.2%	4.5%	6.0%	94.0%
Grade 7	0.8%	1.0%	1.2%	98.8%
Grade 8	1.3%	2.1%	2.5%	97.5%
Grade 9	2.7%	3.6%	5.2%	94.8%
Grade 10	3.3%	4.7%	6.1%	93.9%
Grade 11	5.8%	8.7%	12.2%	87.8%
Grade 12	5.7%	8.2%	10.0%	90.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.9%	2.8%	4.1%	95.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.0%	1.4%	1.9%	98.1%
Grade 9	1.4%	1.8%	3.1%	96.9%
Grade 10	2.5%	3.1%	5.0%	95.0%
Grade 11	3.1%	5.3%	8.6%	91.4%
Grade 12	3.0%	5.4%	6.5%	93.5%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	2.3%	2.9%	4.4%	95.6%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	1.5%	1.7%	2.5%	97.5%
Grade 9	1.8%	2.0%	3.0%	97.0%
Grade 10	2.6%	3.2%	4.4%	95.6%
Grade 11	3.5%	5.5%	9.4%	90.6%
Grade 12	4.2%	5.5%	7.0%	93.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.5%	5.7%	8.7%	91.3%
Grade 7	3.4%	4.4%	6.6%	93.4%
Grade 8	4.7%	5.5%	8.5%	91.5%
Grade 9	4.7%	6.4%	9.2%	90.8%
Grade 10	4.4%	5.8%	8.9%	91.1%
Grade 11	5.3%	6.8%	11.0%	89.0%
Grade 12	4.3%	5.5%	7.9%	92.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	2.4%	3.1%	4.4%	95.6%
Grade 7	1.1%	1.4%	1.9%	98.1%
Grade 8	2.3%	2.6%	3.9%	96.1%
Grade 9	2.6%	3.5%	4.9%	95.1%
Grade 10	2.3%	2.7%	4.1%	95.9%
Grade 11	2.8%	3.5%	5.3%	94.7%
Grade 12	3.7%	5.1%	7.1%	92.9%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.4%	11.3%	3.8%	1.1%	6.4%
Grade 7	82.6%	8.2%	1.6%	0.8%	6.8%
Grade 8	78.3%	10.4%	4.2%	1.0%	6.1%
Grade 9	77.9%	11.2%	4.3%	0.4%	6.2%
Grade 10	74.1%	13.3%	3.5%	1.6%	7.5%
Grade 11	74.6%	12.9%	5.0%	1.7%	5.8%
Grade 12	76.0%	12.4%	4.1%	1.2%	6.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.3%	6.0%	13.4%	86.6%
Grade 7	4.9%	6.2%	11.6%	88.4%
Grade 8	5.8%	8.0%	15.8%	84.2%
Grade 9	3.8%	6.1%	13.9%	86.1%
Grade 10	3.9%	4.8%	11.3%	88.7%
Grade 11	4.1%	6.4%	15.1%	84.9%
Grade 12	2.8%	4.3%	12.5%	87.5%
Spray Paint?				
All	0.4%	0.7%	2.7%	97.3%
Grade 7	0.2%	0.4%	1.5%	98.5%
Grade 8	0.6%	1.1%	3.7%	96.3%
Grade 9	0.5%	0.8%	2.8%	97.2%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.4%	0.5%	3.5%	96.5%
Grade 12	0.4%	0.5%	2.1%	97.9%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.5%	5.4%	94.6%
Grade 7	1.3%	1.9%	6.5%	93.5%
Grade 8	1.2%	2.2%	6.6%	93.4%
Grade 9	0.6%	1.4%	6.0%	94.0%
Grade 10	0.6%	1.3%	4.4%	95.6%
Grade 11	1.2%	1.4%	4.2%	95.8%
Grade 12	0.5%	0.7%	4.4%	95.6%
Computer Dusting Sprays?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.6%	1.1%	98.9%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.2%	0.5%	1.9%	98.1%
Grade 12	0.4%	0.5%	1.9%	98.1%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.2%	5.9%	94.1%
Grade 7	1.1%	1.8%	3.9%	96.1%
Grade 8	2.1%	3.4%	7.1%	92.9%
Grade 9	1.5%	2.4%	6.0%	94.0%
Grade 10	1.3%	2.0%	5.6%	94.4%
Grade 11	0.9%	1.4%	6.2%	93.8%
Grade 12	1.2%	2.1%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.3%	1.6%	98.4%
Grade 9	0.1%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.7%	1.5%	98.5%
Grade 11	0.3%	0.9%	1.8%	98.2%
Grade 12	0.3%	0.6%	1.4%	98.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.5%	1.1%	98.9%
Grade 10	0.1%	0.6%	1.0%	99.0%
Grade 11	0.7%	0.8%	2.2%	97.8%
Grade 12	0.4%	0.8%	2.0%	98.0%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.8%	1.1%	3.0%	97.0%
Grade 7	0.7%	1.0%	2.6%	97.4%
Grade 8	0.8%	1.0%	3.5%	96.5%
Grade 9	0.7%	1.0%	3.0%	97.0%
Grade 10	1.0%	1.6%	2.7%	97.3%
Grade 11	1.1%	1.7%	3.6%	96.4%
Grade 12	0.3%	0.5%	2.6%	97.4%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.9%	2.0%	98.0%
Grade 7	0.6%	1.0%	2.4%	97.6%
Grade 8	0.4%	1.2%	2.6%	97.4%
Grade 9	0.8%	1.1%	2.0%	98.0%
Grade 10	0.4%	0.6%	1.6%	98.4%
Grade 11	0.3%	0.4%	1.5%	98.5%
Grade 12	0.6%	0.8%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.1%	0.2%	0.7%	0.4%	1.4%
Grade 7	97.5%	0.0%	0.0%	0.4%	0.6%	0.7%	0.8%
Grade 8	95.7%	0.1%	0.1%	0.4%	1.1%	0.4%	2.4%
Grade 9	97.2%	0.1%	0.2%	0.1%	0.5%	0.4%	1.6%
Grade 10	97.9%	0.1%	0.2%	0.3%	0.4%	0.2%	1.0%
Grade 11	96.5%	0.1%	0.1%	0.1%	1.1%	0.5%	1.6%
Grade 12	98.0%	0.0%	0.0%	0.1%	0.5%	0.5%	0.9%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.5%	6.5%	3.6%	1.4%
Grade 7	89.7%	6.0%	3.1%	1.2%
Grade 8	86.4%	7.3%	4.8%	1.6%
Grade 9	88.3%	6.9%	3.5%	1.2%
Grade 10	89.6%	6.0%	2.8%	1.6%
Grade 11	87.9%	6.1%	4.7%	1.3%
Grade 12	88.9%	6.9%	2.6%	1.6%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.6%	0.1%	0.2%
Grade 7	99.1%	0.8%	0.1%	0.0%
Grade 8	99.0%	0.6%	0.0%	0.3%
Grade 9	98.9%	0.8%	0.1%	0.3%
Grade 10	99.5%	0.4%	0.0%	0.0%
Grade 11	99.1%	0.4%	0.1%	0.3%
Grade 12	99.2%	0.3%	0.1%	0.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.4
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	4.5
Inhalant Non-Users	1.6

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	92.5%	5.3%	1.6%	0.3%	0.3%
Grade 7	93.3%	4.6%	1.5%	0.5%	0.0%
Grade 8	91.4%	6.3%	1.8%	0.4%	0.0%
Grade 9	92.9%	5.5%	0.7%	0.3%	0.5%
Grade 10	92.2%	5.4%	1.9%	0.3%	0.2%
Grade 11	91.1%	6.2%	1.9%	0.1%	0.7%
Grade 12	94.5%	3.5%	1.6%	0.2%	0.2%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.1%	10.5%	2.7%	0.8%	6.9%
Grade 7	82.0%	9.3%	2.8%	0.6%	5.2%
Grade 8	78.4%	11.1%	3.4%	1.2%	5.9%
Grade 9	78.0%	11.8%	2.2%	0.4%	7.6%
Grade 10	78.5%	10.7%	2.5%	0.9%	7.4%
Grade 11	78.9%	9.1%	2.3%	1.0%	8.7%
Grade 12	78.6%	11.0%	2.8%	0.8%	6.8%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.7%	19.1%	4.8%	6.1%	9.4%	21.9%
Grade 7	42.3%	31.8%	4.8%	5.6%	5.4%	10.1%
Grade 8	40.3%	23.6%	5.1%	6.4%	7.5%	17.1%
Grade 9	39.7%	17.4%	5.9%	6.7%	9.1%	21.3%
Grade 10	38.0%	15.4%	4.7%	6.0%	11.3%	24.6%
Grade 11	36.6%	14.0%	4.2%	6.6%	10.9%	27.6%
Grade 12	33.9%	10.3%	3.9%	5.1%	13.0%	33.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	36.9%
	Grade 7	31.9%
	Grade 8	40.0%
	Grade 9	39.3%
	Grade 10	40.6%
	Grade 11	35.9%
	Grade 12	33.1%
An Assembly Program		
	All	46.8%
	Grade 7	38.0%
	Grade 8	43.8%
	Grade 9	49.7%
	Grade 10	53.3%
	Grade 11	51.0%
	Grade 12	45.4%
Guidance Counselor		
	All	19.9%
	Grade 7	24.0%
	Grade 8	23.1%
	Grade 9	20.6%
	Grade 10	18.0%
	Grade 11	17.7%
	Grade 12	15.0%
School Nurse		
	All	16.0%
	Grade 7	20.9%
	Grade 8	18.9%
	Grade 9	17.9%
	Grade 10	13.5%
	Grade 11	11.9%
	Grade 12	11.9%
Science or Social Studies Class		
	All	23.9%
	Grade 7	25.4%
	Grade 8	27.0%
	Grade 9	27.3%
	Grade 10	22.7%
	Grade 11	19.0%
	Grade 12	20.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	12.7%
Grade 7	11.5%
Grade 8	14.0%
Grade 9	14.8%
Grade 10	10.5%
Grade 11	13.4%
Grade 12	11.5%
An Invited School Guest	
All	32.5%
Grade 7	24.0%
Grade 8	28.5%
Grade 9	35.6%
Grade 10	38.3%
Grade 11	34.2%
Grade 12	35.0%
Another Source at School	
All	24.2%
Grade 7	24.4%
Grade 8	23.5%
Grade 9	25.9%
Grade 10	23.8%
Grade 11	23.9%
Grade 12	23.3%
Any School Source	
All	65.2%
Grade 7	57.4%
Grade 8	62.1%
Grade 9	69.1%
Grade 10	71.1%
Grade 11	67.9%
Grade 12	63.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	36.2%
	Grade 7	48.3%
	Grade 8	38.4%
	Grade 9	36.5%
	Grade 10	32.3%
	Grade 11	30.6%
	Grade 12	29.4%
<b>School Nurse</b>		
	All	22.6%
	Grade 7	33.8%
	Grade 8	24.6%
	Grade 9	22.8%
	Grade 10	15.4%
	Grade 11	20.5%
	Grade 12	17.5%
<b>Another Adult In School</b>		
	All	41.4%
	Grade 7	45.5%
	Grade 8	43.1%
	Grade 9	41.8%
	Grade 10	37.7%
	Grade 11	41.7%
	Grade 12	38.2%
<b>Counselor/Program Outside-School</b>		
	All	38.3%
	Grade 7	44.1%
	Grade 8	42.0%
	Grade 9	40.1%
	Grade 10	32.2%
	Grade 11	37.6%
	Grade 12	32.6%
<b>Your Parents</b>		
	All	69.0%
	Grade 7	80.3%
	Grade 8	71.0%
	Grade 9	71.6%
	Grade 10	65.8%
	Grade 11	62.0%
	Grade 12	60.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	53.0%
	Grade 7	62.3%
	Grade 8	58.1%
	Grade 9	52.9%
	Grade 10	46.8%
	Grade 11	49.8%
	Grade 12	46.5%
<b>Your Friends</b>		
	All	59.9%
	Grade 7	50.6%
	Grade 8	52.2%
	Grade 9	61.6%
	Grade 10	64.0%
	Grade 11	66.8%
	Grade 12	65.9%
<b>Another Adult</b>		
	All	60.3%
	Grade 7	63.8%
	Grade 8	60.7%
	Grade 9	60.7%
	Grade 10	58.1%
	Grade 11	59.1%
	Grade 12	59.2%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	5.4%
	Grade 7	4.1%
	Grade 8	5.6%
	Grade 9	6.1%
	Grade 10	5.1%
	Grade 11	7.2%
	Grade 12	4.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.3%	21.9%	22.5%	37.1%	14.2%
Grade 7	4.7%	18.0%	19.2%	38.6%	19.5%
Grade 8	4.0%	20.5%	20.7%	38.9%	15.9%
Grade 9	4.1%	20.8%	24.2%	38.4%	12.5%
Grade 10	5.6%	20.7%	23.3%	37.5%	12.9%
Grade 11	3.2%	28.0%	25.2%	33.9%	9.7%
Grade 12	4.4%	24.2%	22.9%	34.3%	14.1%
<b>Sometimes Carry Weapons?</b>					
All	65.9%	18.0%	8.8%	5.2%	2.1%
Grade 7	83.8%	9.9%	4.1%	1.3%	0.8%
Grade 8	67.7%	18.8%	7.2%	3.9%	2.5%
Grade 9	67.5%	18.6%	7.1%	5.1%	1.6%
Grade 10	61.0%	20.3%	10.4%	6.4%	2.0%
Grade 11	55.0%	22.1%	11.7%	8.4%	2.7%
Grade 12	57.5%	18.4%	13.6%	6.9%	3.6%
<b>Care About Making Good Grades?</b>					
All	2.0%	11.2%	23.9%	42.3%	20.6%
Grade 7	1.8%	9.6%	23.2%	40.1%	25.3%
Grade 8	2.0%	9.7%	22.5%	44.1%	21.7%
Grade 9	1.8%	12.1%	25.1%	39.6%	21.4%
Grade 10	2.4%	13.2%	25.3%	42.6%	16.7%
Grade 11	1.9%	11.1%	25.9%	44.4%	16.8%
Grade 12	2.1%	11.6%	21.1%	44.0%	21.2%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.1%	9.5%	3.0%	1.3%	1.1%
Grade 7	86.9%	9.6%	2.0%	0.7%	0.8%
Grade 8	81.6%	11.6%	3.6%	2.1%	1.2%
Grade 9	86.1%	9.7%	2.6%	0.7%	0.9%
Grade 10	87.4%	8.1%	2.8%	1.3%	0.4%
Grade 11	83.3%	9.8%	3.4%	1.5%	1.9%
Grade 12	85.0%	7.6%	3.7%	2.0%	1.7%
<b>Wish They Could Drop Out of School?</b>					
All	54.5%	27.6%	11.4%	3.6%	2.9%
Grade 7	65.9%	21.4%	7.9%	3.0%	1.7%
Grade 8	62.3%	23.9%	8.5%	2.6%	2.7%
Grade 9	54.1%	28.5%	12.4%	2.7%	2.4%
Grade 10	47.4%	34.2%	11.6%	3.8%	3.0%
Grade 11	45.7%	30.8%	14.0%	5.4%	4.1%
Grade 12	50.1%	27.1%	14.8%	4.4%	3.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 36 of 120

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.1%	11.3%	0.7%	0.2%	0.8%
Grade 7	86.2%	11.0%	1.5%	0.3%	1.1%
Grade 8	86.5%	12.4%	0.6%	0.0%	0.5%
Grade 9	87.8%	10.5%	0.3%	0.1%	1.3%
Grade 10	85.9%	12.8%	0.6%	0.1%	0.6%
Grade 11	86.9%	11.4%	0.9%	0.2%	0.7%
Grade 12	89.5%	9.1%	0.2%	0.5%	0.7%
<b>Out In Your Neighborhood?</b>					
All	47.9%	41.1%	6.1%	1.9%	3.0%
Grade 7	42.4%	43.4%	7.8%	2.0%	4.4%
Grade 8	44.9%	43.5%	6.8%	2.9%	1.9%
Grade 9	46.9%	44.8%	3.9%	0.8%	3.6%
Grade 10	46.5%	43.9%	6.1%	1.1%	2.4%
Grade 11	52.3%	35.6%	6.6%	2.5%	3.0%
Grade 12	56.4%	33.3%	5.7%	2.0%	2.6%
<b>At School?</b>					
All	43.4%	42.6%	6.8%	3.7%	3.4%
Grade 7	50.8%	35.0%	6.9%	3.0%	4.3%
Grade 8	46.9%	41.1%	5.2%	3.8%	3.0%
Grade 9	42.3%	45.6%	6.3%	2.4%	3.4%
Grade 10	37.6%	48.3%	7.6%	2.9%	3.5%
Grade 11	40.4%	42.5%	8.4%	5.4%	3.3%
Grade 12	42.1%	43.4%	6.7%	5.1%	2.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.5%	21.8%	34.9%	65.1%
Grade 7	7.2%	8.6%	15.4%	84.6%
Grade 8	10.5%	13.1%	26.2%	73.8%
Grade 9	15.1%	19.1%	31.5%	68.5%
Grade 10	19.5%	24.4%	42.1%	57.9%
Grade 11	25.5%	31.9%	47.1%	52.9%
Grade 12	31.0%	37.7%	51.9%	48.1%
<b>Any Alcohol Product</b>				
All	32.3%	38.2%	58.0%	42.0%
Grade 7	14.8%	17.2%	34.8%	65.2%
Grade 8	24.4%	28.5%	50.8%	49.2%
Grade 9	31.2%	36.6%	57.5%	42.5%
Grade 10	36.0%	43.8%	64.0%	36.0%
Grade 11	40.6%	49.7%	69.6%	30.4%
Grade 12	51.3%	58.8%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	13.0%	17.1%	23.5%	76.5%
Grade 7	3.9%	5.1%	6.7%	93.3%
Grade 8	7.2%	9.7%	13.0%	87.0%
Grade 9	10.5%	15.7%	21.5%	78.5%
Grade 10	15.2%	19.8%	27.0%	73.0%
Grade 11	19.6%	25.6%	36.4%	63.6%
Grade 12	24.7%	30.1%	41.0%	59.0%
<b>Any Prescription Drug</b>				
All	12.3%	15.6%	20.4%	79.6%
Grade 7	8.6%	10.8%	14.4%	85.6%
Grade 8	10.5%	13.0%	17.8%	82.2%
Grade 9	10.3%	13.3%	17.8%	82.2%
Grade 10	13.7%	17.1%	20.9%	79.1%
Grade 11	15.7%	20.1%	27.0%	73.0%
Grade 12	16.4%	21.0%	26.8%	73.2%
<b>Any Inhalant</b>				
All	4.3%	6.0%	13.4%	86.6%
Grade 7	4.9%	6.2%	11.6%	88.4%
Grade 8	5.8%	8.0%	15.8%	84.2%
Grade 9	3.8%	6.1%	13.9%	86.1%
Grade 10	3.9%	4.8%	11.3%	88.7%
Grade 11	4.1%	6.4%	15.1%	84.9%
Grade 12	2.8%	4.3%	12.5%	87.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	13.1%	25.7%	74.3%
Grade 7	2.3%	4.1%	9.0%	91.0%
Grade 8	4.4%	7.4%	18.7%	81.3%
Grade 9	7.3%	11.6%	24.4%	75.6%
Grade 10	8.8%	13.9%	29.5%	70.5%
Grade 11	14.8%	21.1%	37.7%	62.3%
Grade 12	15.5%	23.4%	38.7%	61.3%
<b>Marijuana</b>				
All	12.7%	15.4%	21.8%	78.2%
Grade 7	3.8%	4.1%	5.2%	94.8%
Grade 8	6.7%	8.1%	10.9%	89.1%
Grade 9	10.0%	13.6%	19.9%	80.1%
Grade 10	15.0%	17.4%	24.4%	75.6%
Grade 11	19.4%	24.3%	35.4%	64.6%
Grade 12	24.1%	28.2%	40.2%	59.8%
<b>Marijuana Only</b>				
All	7.0%	8.8%	14.0%	86.0%
Grade 7	2.4%	2.7%	3.6%	96.4%
Grade 8	3.9%	4.8%	6.9%	93.1%
Grade 9	5.0%	7.7%	13.3%	86.7%
Grade 10	8.9%	10.7%	15.6%	84.4%
Grade 11	10.2%	13.3%	22.6%	77.4%
Grade 12	13.1%	15.2%	24.8%	75.2%
<b>Cocaine or Crack</b>				
All	1.7%	2.0%	3.1%	96.9%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	1.0%	1.2%	1.5%	98.5%
Grade 9	1.3%	1.6%	3.0%	97.0%
Grade 10	1.0%	1.2%	2.3%	97.7%
Grade 11	2.8%	3.2%	5.3%	94.7%
Grade 12	4.0%	4.6%	6.4%	93.6%
<b>Cocaine</b>				
All	1.6%	1.8%	3.0%	97.0%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.1%	1.3%	98.7%
Grade 9	1.2%	1.6%	2.9%	97.1%
Grade 10	0.9%	1.0%	1.9%	98.1%
Grade 11	2.7%	3.0%	5.0%	95.0%
Grade 12	4.0%	4.6%	6.4%	93.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.7%	0.8%	1.7%	98.3%
Grade 12	0.6%	0.8%	1.2%	98.8%
<b>Hallucinogens</b>				
All	0.6%	1.0%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	1.3%	2.0%	5.2%	94.8%
Grade 12	0.6%	2.0%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.2%	0.6%	2.4%	97.6%
Grade 9	0.9%	1.1%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	1.5%	2.1%	5.4%	94.6%
Grade 12	1.6%	2.3%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.4%	1.5%	98.5%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.1%	0.2%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	5.1%	94.9%
Grade 7	0.1%	0.2%	1.3%	98.7%
Grade 8	1.0%	1.5%	3.0%	97.0%
Grade 9	0.8%	2.2%	4.4%	95.6%
Grade 10	1.3%	1.8%	6.9%	93.1%
Grade 11	2.3%	3.2%	7.8%	92.2%
Grade 12	1.3%	2.4%	8.4%	91.6%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.1%	0.3%	0.9%	99.1%
Grade 11	0.7%	1.1%	3.7%	96.3%
Grade 12	1.2%	1.4%	2.8%	97.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.0%	25.3%	38.4%	61.6%
Grade 7	8.7%	10.7%	18.0%	82.0%
Grade 8	10.5%	13.5%	27.5%	72.5%
Grade 9	19.2%	22.6%	34.3%	65.7%
Grade 10	21.1%	26.4%	43.5%	56.5%
Grade 11	32.7%	38.8%	51.4%	48.6%
Grade 12	39.1%	45.7%	61.9%	38.1%
<b>Any Alcohol Product</b>				
All	32.3%	37.6%	56.9%	43.1%
Grade 7	16.2%	18.0%	34.1%	65.9%
Grade 8	20.9%	24.7%	49.2%	50.8%
Grade 9	32.6%	36.2%	57.4%	42.6%
Grade 10	30.8%	38.9%	59.4%	40.6%
Grade 11	43.5%	52.0%	69.5%	30.5%
Grade 12	55.3%	62.2%	76.8%	23.2%
<b>Any Illicit Drug</b>				
All	13.4%	17.1%	24.0%	76.0%
Grade 7	4.6%	5.5%	6.4%	93.6%
Grade 8	7.7%	9.6%	12.5%	87.5%
Grade 9	10.9%	14.9%	21.0%	79.0%
Grade 10	14.3%	19.0%	26.0%	74.0%
Grade 11	20.9%	25.2%	37.1%	62.9%
Grade 12	25.3%	32.7%	47.2%	52.8%
<b>Any Prescription Drug</b>				
All	13.1%	16.5%	22.2%	77.8%
Grade 7	10.3%	13.1%	16.7%	83.3%
Grade 8	10.4%	12.2%	17.5%	82.5%
Grade 9	10.1%	13.8%	18.6%	81.4%
Grade 10	14.5%	16.9%	21.3%	78.7%
Grade 11	16.7%	21.5%	29.7%	70.3%
Grade 12	18.4%	24.0%	32.7%	67.3%
<b>Any Inhalant</b>				
All	4.3%	6.0%	12.9%	87.1%
Grade 7	4.4%	5.7%	11.5%	88.5%
Grade 8	5.7%	7.3%	13.9%	86.1%
Grade 9	4.3%	6.2%	14.1%	85.9%
Grade 10	3.0%	3.9%	9.0%	91.0%
Grade 11	4.6%	7.4%	16.0%	84.0%
Grade 12	3.6%	5.3%	13.4%	86.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	14.8%	27.8%	72.2%
Grade 7	2.9%	5.2%	11.0%	89.0%
Grade 8	3.8%	6.8%	18.9%	81.1%
Grade 9	9.0%	13.9%	25.6%	74.4%
Grade 10	8.4%	13.4%	29.8%	70.2%
Grade 11	17.5%	25.0%	40.5%	59.5%
Grade 12	18.8%	28.8%	46.5%	53.5%
<b>Marijuana</b>				
All	13.0%	15.6%	22.7%	77.3%
Grade 7	4.4%	4.8%	5.6%	94.4%
Grade 8	6.7%	8.5%	10.9%	89.1%
Grade 9	10.8%	13.8%	20.7%	79.3%
Grade 10	14.2%	16.2%	23.2%	76.8%
Grade 11	20.4%	23.9%	35.9%	64.1%
Grade 12	24.9%	30.1%	45.9%	54.1%
<b>Marijuana Only</b>				
All	7.1%	8.7%	14.3%	85.7%
Grade 7	2.9%	3.3%	3.9%	96.1%
Grade 8	4.5%	5.5%	7.3%	92.7%
Grade 9	4.7%	6.9%	13.5%	86.5%
Grade 10	9.3%	10.7%	15.7%	84.3%
Grade 11	10.6%	13.1%	22.4%	77.6%
Grade 12	11.9%	14.1%	25.9%	74.1%
<b>Cocaine or Crack</b>				
All	2.0%	2.3%	3.5%	96.5%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	1.1%	1.3%	1.5%	98.5%
Grade 9	1.7%	2.0%	3.0%	97.0%
Grade 10	0.9%	1.0%	2.7%	97.3%
Grade 11	3.4%	3.8%	5.3%	94.7%
Grade 12	5.5%	6.6%	8.6%	91.4%
<b>Cocaine</b>				
All	1.9%	2.3%	3.3%	96.7%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	1.1%	1.3%	1.5%	98.5%
Grade 9	1.6%	1.8%	2.8%	97.2%
Grade 10	0.9%	1.0%	2.2%	97.8%
Grade 11	3.3%	3.8%	5.0%	95.0%
Grade 12	5.5%	6.6%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	1.0%	1.0%	1.7%	98.3%
Grade 12	1.1%	1.4%	1.9%	98.1%
<b>Hallucinogens</b>				
All	0.8%	1.4%	2.9%	97.1%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.8%	0.8%	1.8%	98.2%
Grade 9	0.9%	1.0%	1.9%	98.1%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	1.9%	3.1%	5.5%	94.5%
Grade 12	0.4%	3.0%	6.8%	93.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.5%	3.1%	96.9%
Grade 9	0.8%	0.9%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.2%	98.8%
Grade 12	0.4%	0.9%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.8%	1.6%	98.4%
Grade 10	0.2%	0.4%	1.0%	99.0%
Grade 11	2.6%	3.7%	6.1%	93.9%
Grade 12	1.9%	2.8%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.2%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.9%	1.3%	5.0%	95.0%
Grade 7	0.3%	0.3%	1.4%	98.6%
Grade 8	0.6%	0.6%	2.5%	97.5%
Grade 9	0.5%	1.3%	4.2%	95.8%
Grade 10	0.8%	1.1%	5.5%	94.5%
Grade 11	2.3%	3.0%	7.4%	92.6%
Grade 12	0.9%	2.2%	10.3%	89.7%
<b>Methamphetamine</b>				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.4%	0.6%	99.4%
Grade 11	1.0%	1.4%	2.4%	97.6%
Grade 12	1.7%	1.8%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.0%	18.2%	31.4%	68.6%
Grade 7	5.6%	6.5%	13.0%	87.0%
Grade 8	10.3%	12.7%	24.8%	75.2%
Grade 9	10.6%	15.3%	28.4%	71.6%
Grade 10	17.7%	22.3%	40.5%	59.5%
Grade 11	18.3%	25.1%	42.7%	57.3%
Grade 12	23.4%	30.3%	42.3%	57.7%
<b>Any Alcohol Product</b>				
All	32.4%	38.9%	59.1%	40.9%
Grade 7	13.4%	16.2%	35.3%	64.7%
Grade 8	28.0%	32.6%	52.7%	47.3%
Grade 9	29.8%	37.2%	57.6%	42.4%
Grade 10	41.4%	48.8%	68.7%	31.3%
Grade 11	37.8%	47.1%	69.4%	30.6%
Grade 12	47.8%	55.9%	75.7%	24.3%
<b>Any Illicit Drug</b>				
All	12.7%	17.1%	23.0%	77.0%
Grade 7	3.4%	4.7%	6.9%	93.1%
Grade 8	6.9%	10.1%	13.5%	86.5%
Grade 9	9.8%	16.3%	21.9%	78.1%
Grade 10	16.2%	20.6%	27.9%	72.1%
Grade 11	18.3%	25.9%	35.5%	64.5%
Grade 12	24.3%	27.9%	35.6%	64.4%
<b>Any Prescription Drug</b>				
All	11.6%	14.7%	18.7%	81.3%
Grade 7	7.1%	8.5%	12.2%	87.8%
Grade 8	10.8%	13.9%	18.3%	81.7%
Grade 9	10.8%	13.1%	17.3%	82.7%
Grade 10	12.6%	17.0%	20.0%	80.0%
Grade 11	14.6%	18.6%	24.3%	75.7%
Grade 12	14.5%	18.3%	21.4%	78.6%
<b>Any Inhalant</b>				
All	4.2%	6.0%	13.8%	86.2%
Grade 7	5.3%	6.2%	11.4%	88.6%
Grade 8	6.0%	8.8%	18.1%	81.9%
Grade 9	3.0%	5.8%	13.6%	86.4%
Grade 10	4.9%	5.7%	13.7%	86.3%
Grade 11	3.6%	5.4%	14.2%	85.8%
Grade 12	2.1%	3.5%	11.7%	88.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.4%	11.4%	23.5%	76.5%
Grade 7	1.5%	3.0%	7.1%	92.9%
Grade 8	4.7%	7.8%	18.3%	81.7%
Grade 9	5.5%	9.4%	23.0%	77.0%
Grade 10	9.0%	14.4%	28.9%	71.1%
Grade 11	12.3%	17.1%	34.7%	65.3%
Grade 12	12.6%	18.7%	31.6%	68.4%
<b>Marijuana</b>				
All	12.4%	15.2%	21.0%	79.0%
Grade 7	3.3%	3.5%	4.7%	95.3%
Grade 8	6.9%	7.8%	10.9%	89.1%
Grade 9	8.9%	13.2%	18.9%	81.1%
Grade 10	15.9%	18.7%	25.4%	74.6%
Grade 11	18.3%	24.6%	34.8%	65.2%
Grade 12	23.6%	26.6%	35.1%	64.9%
<b>Marijuana Only</b>				
All	6.9%	8.9%	13.7%	86.3%
Grade 7	2.0%	2.1%	3.3%	96.7%
Grade 8	3.3%	4.2%	6.4%	93.6%
Grade 9	5.0%	8.4%	13.0%	87.0%
Grade 10	8.5%	10.7%	15.2%	84.8%
Grade 11	9.9%	13.5%	22.7%	77.3%
Grade 12	14.4%	16.4%	24.0%	76.0%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.8%	97.2%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	0.8%	1.3%	3.0%	97.0%
Grade 10	1.2%	1.4%	1.9%	98.1%
Grade 11	2.2%	2.6%	5.4%	94.6%
Grade 12	2.6%	2.6%	4.2%	95.8%
<b>Cocaine</b>				
All	1.3%	1.4%	2.6%	97.4%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.8%	1.3%	2.9%	97.1%
Grade 10	0.8%	1.0%	1.5%	98.5%
Grade 11	2.1%	2.3%	5.0%	95.0%
Grade 12	2.6%	2.6%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.7%	1.8%	98.2%
Grade 12	0.1%	0.1%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.4%	0.7%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.3%	1.4%	98.6%
Grade 9	0.4%	0.8%	1.5%	98.5%
Grade 10	0.8%	1.3%	3.4%	96.6%
Grade 11	0.7%	0.7%	4.7%	95.3%
Grade 12	0.8%	1.0%	3.2%	96.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.5%	1.7%	98.3%
Grade 7	0.2%	0.2%	1.6%	98.4%
Grade 8	0.2%	0.8%	1.8%	98.2%
Grade 9	1.0%	1.2%	1.6%	98.4%
Grade 10	0.4%	0.4%	2.6%	97.4%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.3%	0.3%	2.3%	97.7%
<b>Ecstasy</b>				
All	0.5%	0.7%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.2%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.7%	1.1%	3.1%	96.9%
Grade 11	0.5%	0.5%	4.7%	95.3%
Grade 12	1.3%	2.0%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.1%	0.2%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.8%	98.2%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.1%	2.1%	97.9%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.4%	2.3%	5.3%	94.7%
Grade 7	0.0%	0.1%	1.1%	98.9%
Grade 8	1.5%	2.5%	3.6%	96.4%
Grade 9	1.2%	3.2%	4.7%	95.3%
Grade 10	1.8%	2.5%	8.2%	91.8%
Grade 11	2.4%	3.3%	8.1%	91.9%
Grade 12	1.6%	2.6%	6.6%	93.4%
<b>Methamphetamine</b>				
All	0.3%	0.6%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.8%	2.1%	97.9%
Grade 10	0.1%	0.3%	1.3%	98.7%
Grade 11	0.4%	0.9%	4.9%	95.1%
Grade 12	0.8%	1.1%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.2%	25.2%	38.6%	61.4%
Grade 7	6.8%	9.0%	17.6%	82.4%
Grade 8	11.1%	14.8%	29.2%	70.8%
Grade 9	18.2%	21.5%	32.6%	67.4%
Grade 10	23.3%	29.7%	47.5%	52.5%
Grade 11	32.4%	38.2%	52.6%	47.4%
Grade 12	31.9%	41.3%	56.3%	43.7%
<b>Any Alcohol Product</b>				
All	32.1%	38.8%	59.6%	40.4%
Grade 7	13.8%	16.1%	34.5%	65.5%
Grade 8	24.1%	28.8%	54.8%	45.2%
Grade 9	29.9%	35.9%	55.5%	44.5%
Grade 10	34.2%	43.8%	65.8%	34.2%
Grade 11	42.9%	52.8%	72.8%	27.2%
Grade 12	51.5%	60.1%	77.6%	22.4%
<b>Any Illicit Drug</b>				
All	9.6%	13.7%	20.7%	79.3%
Grade 7	2.7%	3.6%	5.3%	94.7%
Grade 8	4.7%	7.0%	11.3%	88.7%
Grade 9	4.6%	10.4%	15.6%	84.4%
Grade 10	10.9%	16.3%	24.7%	75.3%
Grade 11	18.2%	23.6%	35.7%	64.3%
Grade 12	18.9%	23.7%	35.4%	64.6%
<b>Any Prescription Drug</b>				
All	12.3%	15.3%	18.9%	81.1%
Grade 7	10.0%	12.3%	15.8%	84.2%
Grade 8	9.6%	11.9%	16.3%	83.7%
Grade 9	9.3%	11.8%	15.1%	84.9%
Grade 10	13.1%	16.5%	18.9%	81.1%
Grade 11	15.0%	19.8%	25.5%	74.5%
Grade 12	17.7%	21.0%	22.8%	77.2%
<b>Any Inhalant</b>				
All	3.4%	5.5%	12.5%	87.5%
Grade 7	3.2%	4.6%	9.9%	90.1%
Grade 8	3.6%	6.7%	14.8%	85.2%
Grade 9	3.4%	6.8%	14.4%	85.6%
Grade 10	4.0%	4.5%	9.6%	90.4%
Grade 11	4.2%	6.4%	16.2%	83.8%
Grade 12	1.9%	3.3%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	15.4%	28.2%	71.8%
Grade 7	2.0%	4.9%	10.1%	89.9%
Grade 8	5.5%	9.8%	22.5%	77.5%
Grade 9	8.3%	13.5%	26.1%	73.9%
Grade 10	9.2%	15.7%	30.2%	69.8%
Grade 11	18.6%	25.2%	41.3%	58.7%
Grade 12	15.4%	25.8%	41.9%	58.1%
<b>Marijuana</b>				
All	9.4%	11.9%	19.0%	81.0%
Grade 7	2.7%	3.0%	4.3%	95.7%
Grade 8	4.6%	5.2%	9.1%	90.9%
Grade 9	4.4%	8.2%	13.6%	86.4%
Grade 10	10.7%	13.0%	21.0%	79.0%
Grade 11	18.1%	22.3%	34.9%	65.1%
Grade 12	18.5%	22.4%	35.1%	64.9%
<b>Marijuana Only</b>				
All	4.7%	6.2%	11.8%	88.2%
Grade 7	1.5%	1.8%	2.9%	97.1%
Grade 8	3.5%	3.9%	6.6%	93.4%
Grade 9	1.5%	3.8%	8.6%	91.4%
Grade 10	5.2%	6.7%	12.1%	87.9%
Grade 11	7.8%	10.4%	21.1%	78.9%
Grade 12	9.7%	11.5%	21.6%	78.4%
<b>Cocaine or Crack</b>				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.6%	0.7%	1.7%	98.3%
Grade 11	2.4%	3.0%	5.0%	95.0%
Grade 12	1.6%	2.2%	4.5%	95.5%
<b>Cocaine</b>				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.3%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	2.4%	2.8%	4.7%	95.3%
Grade 12	1.6%	2.2%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.5%	0.7%	1.2%	98.8%
Grade 12	0.2%	0.3%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.6%	1.2%	3.0%	97.0%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.8%	1.1%	1.4%	98.6%
Grade 10	0.7%	1.3%	3.4%	96.6%
Grade 11	1.1%	2.3%	6.2%	93.8%
Grade 12	0.3%	2.1%	6.3%	93.7%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	1.0%	2.1%	97.9%
Grade 9	0.7%	0.9%	1.4%	98.6%
Grade 10	0.4%	0.4%	2.3%	97.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.6%	0.6%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.5%	0.9%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.5%	1.0%	2.7%	97.3%
Grade 11	1.4%	2.2%	6.5%	93.5%
Grade 12	0.6%	1.6%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.2%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.9%	1.5%	5.2%	94.8%
Grade 7	0.2%	0.4%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.7%	98.3%
Grade 9	0.3%	1.5%	4.0%	96.0%
Grade 10	0.9%	1.5%	7.6%	92.4%
Grade 11	2.7%	3.7%	9.0%	91.0%
Grade 12	1.1%	1.8%	8.4%	91.6%
<b>Methamphetamine</b>				
All	0.4%	0.7%	2.0%	98.0%
Grade 7	0.2%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.2%	0.5%	1.5%	98.5%
Grade 11	0.8%	1.5%	4.9%	95.1%
Grade 12	1.0%	1.3%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.4%	13.7%	25.3%	74.7%
Grade 7	6.5%	6.5%	9.8%	90.2%
Grade 8	7.9%	9.4%	18.6%	81.4%
Grade 9	6.7%	10.0%	26.1%	73.9%
Grade 10	12.1%	13.9%	29.0%	71.0%
Grade 11	10.4%	16.7%	29.4%	70.6%
Grade 12	27.1%	28.7%	41.7%	58.3%
<b>Any Alcohol Product</b>				
All	29.4%	34.9%	52.6%	47.4%
Grade 7	14.6%	18.2%	29.9%	70.1%
Grade 8	24.3%	27.2%	44.8%	55.2%
Grade 9	26.1%	31.3%	51.9%	48.1%
Grade 10	33.0%	41.8%	58.8%	41.2%
Grade 11	33.2%	40.2%	62.1%	37.9%
Grade 12	48.4%	54.8%	72.3%	27.7%
<b>Any Illicit Drug</b>				
All	17.2%	21.5%	26.7%	73.3%
Grade 7	4.2%	6.3%	7.8%	92.2%
Grade 8	9.5%	12.7%	15.0%	85.0%
Grade 9	15.2%	19.9%	26.7%	73.3%
Grade 10	19.9%	24.0%	27.5%	72.5%
Grade 11	20.7%	24.6%	35.4%	64.6%
Grade 12	37.3%	45.8%	52.7%	47.3%
<b>Any Prescription Drug</b>				
All	13.7%	17.1%	23.5%	76.5%
Grade 7	7.4%	11.2%	15.5%	84.5%
Grade 8	16.6%	18.4%	25.2%	74.8%
Grade 9	11.8%	13.5%	17.6%	82.4%
Grade 10	16.5%	19.2%	25.1%	74.9%
Grade 11	17.5%	19.9%	27.6%	72.4%
Grade 12	12.2%	21.5%	31.5%	68.5%
<b>Any Inhalant</b>				
All	4.4%	5.4%	14.2%	85.8%
Grade 7	7.5%	9.0%	16.5%	83.5%
Grade 8	5.8%	5.8%	13.1%	86.9%
Grade 9	2.4%	2.4%	10.9%	89.1%
Grade 10	4.8%	5.9%	14.1%	85.9%
Grade 11	2.9%	4.6%	10.4%	89.6%
Grade 12	2.9%	4.8%	21.2%	78.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.4%	7.2%	17.2%	82.8%
Grade 7	0.9%	1.7%	5.8%	94.2%
Grade 8	3.3%	3.3%	9.5%	90.5%
Grade 9	3.3%	4.0%	16.6%	83.4%
Grade 10	5.5%	7.3%	20.4%	79.6%
Grade 11	5.1%	10.7%	21.2%	78.8%
Grade 12	16.4%	18.7%	32.3%	67.7%
<b>Marijuana</b>				
All	16.9%	19.9%	24.7%	75.3%
Grade 7	4.2%	4.2%	4.9%	95.1%
Grade 8	8.9%	10.4%	11.8%	88.2%
Grade 9	14.5%	18.7%	25.5%	74.5%
Grade 10	19.6%	22.7%	26.2%	73.8%
Grade 11	20.7%	23.8%	34.5%	65.5%
Grade 12	37.3%	43.5%	50.0%	50.0%
<b>Marijuana Only</b>				
All	12.9%	15.5%	20.1%	79.9%
Grade 7	2.2%	2.2%	2.8%	97.2%
Grade 8	5.5%	7.0%	8.4%	91.6%
Grade 9	12.3%	16.5%	23.2%	76.8%
Grade 10	16.2%	19.2%	22.7%	77.3%
Grade 11	17.4%	20.4%	30.3%	69.7%
Grade 12	26.1%	30.2%	36.5%	63.5%
<b>Cocaine or Crack</b>				
All	1.1%	1.1%	1.5%	98.5%
Grade 7	1.3%	1.3%	2.0%	98.0%
Grade 8	1.2%	1.2%	2.1%	97.9%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.7%	2.7%	97.3%
<b>Cocaine</b>				
All	1.1%	1.1%	1.4%	98.6%
Grade 7	1.3%	1.3%	2.0%	98.0%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.7%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	1.2%	1.2%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.5%	0.9%	99.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Steroids</b>				
All	0.4%	0.4%	1.5%	98.5%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.0%	1.0%	2.1%	97.9%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	2.3%	3.1%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.7%	0.7%	2.1%	97.9%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.5%	0.7%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.2%	1.2%	2.7%	97.3%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.8%	0.8%	2.7%	97.3%
Grade 11	0.4%	1.1%	2.5%	97.5%
Grade 12	0.8%	1.1%	6.0%	94.0%
<b>Methamphetamine</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	2.3%	2.3%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.5%	19.6%	32.9%	67.1%
Grade 7	8.4%	9.1%	13.3%	86.7%
Grade 8	9.3%	10.6%	23.1%	76.9%
Grade 9	14.0%	19.4%	31.8%	68.2%
Grade 10	14.8%	19.0%	39.4%	60.6%
Grade 11	21.1%	29.1%	46.9%	53.1%
Grade 12	30.4%	35.9%	50.4%	49.6%
<b>Any Alcohol Product</b>				
All	33.4%	37.7%	56.8%	43.2%
Grade 7	15.2%	16.9%	35.6%	64.4%
Grade 8	22.8%	26.4%	43.9%	56.1%
Grade 9	36.9%	40.2%	62.9%	37.1%
Grade 10	39.5%	43.1%	62.0%	38.0%
Grade 11	40.0%	49.2%	67.4%	32.6%
Grade 12	52.1%	58.2%	76.4%	23.6%
<b>Any Illicit Drug</b>				
All	17.3%	21.3%	26.7%	73.3%
Grade 7	6.0%	6.6%	7.4%	92.6%
Grade 8	10.1%	12.6%	14.0%	86.0%
Grade 9	18.9%	23.6%	30.0%	70.0%
Grade 10	21.8%	25.2%	33.1%	66.9%
Grade 11	21.5%	30.4%	37.9%	62.1%
Grade 12	29.8%	34.7%	44.6%	55.4%
<b>Any Prescription Drug</b>				
All	10.6%	13.8%	19.9%	80.1%
Grade 7	5.3%	5.6%	8.0%	92.0%
Grade 8	6.3%	9.0%	13.0%	87.0%
Grade 9	11.0%	15.5%	21.9%	78.1%
Grade 10	12.5%	15.6%	20.3%	79.7%
Grade 11	14.8%	20.0%	28.3%	71.7%
Grade 12	15.8%	19.9%	32.5%	67.5%
<b>Any Inhalant</b>				
All	5.3%	6.7%	12.9%	87.1%
Grade 7	5.4%	5.9%	10.1%	89.9%
Grade 8	9.3%	11.0%	18.5%	81.5%
Grade 9	4.4%	6.2%	12.3%	87.7%
Grade 10	2.9%	3.5%	9.6%	90.4%
Grade 11	4.8%	7.5%	15.6%	84.4%
Grade 12	4.9%	6.0%	11.3%	88.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.8%	11.7%	25.7%	74.3%
Grade 7	3.7%	4.5%	7.7%	92.3%
Grade 8	1.2%	3.3%	15.2%	84.8%
Grade 9	7.8%	12.6%	26.5%	73.5%
Grade 10	9.9%	14.1%	33.9%	66.1%
Grade 11	14.0%	20.2%	41.5%	58.5%
Grade 12	12.7%	18.9%	34.8%	65.2%
<b>Marijuana</b>				
All	16.6%	19.6%	25.6%	74.4%
Grade 7	5.6%	5.9%	6.5%	93.5%
Grade 8	9.0%	12.0%	13.3%	86.7%
Grade 9	18.1%	20.8%	28.7%	71.3%
Grade 10	21.8%	23.8%	31.6%	68.4%
Grade 11	20.8%	28.8%	36.6%	63.4%
Grade 12	28.0%	31.3%	43.9%	56.1%
<b>Marijuana Only</b>				
All	7.8%	9.7%	14.4%	85.6%
Grade 7	4.8%	5.1%	5.4%	94.6%
Grade 8	3.5%	5.3%	6.7%	93.3%
Grade 9	6.6%	8.8%	15.7%	84.3%
Grade 10	12.8%	14.5%	19.5%	80.5%
Grade 11	9.6%	14.2%	19.8%	80.2%
Grade 12	10.8%	11.8%	22.3%	77.7%
<b>Cocaine or Crack</b>				
All	4.2%	4.7%	6.2%	93.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	2.1%	2.5%	2.5%	97.5%
Grade 9	4.0%	5.4%	7.8%	92.2%
Grade 10	2.7%	3.0%	4.6%	95.4%
Grade 11	5.7%	6.0%	10.3%	89.7%
Grade 12	12.2%	12.9%	13.9%	86.1%
<b>Cocaine</b>				
All	4.0%	4.5%	6.0%	94.0%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	2.1%	2.1%	2.5%	97.5%
Grade 9	3.7%	5.1%	7.5%	92.5%
Grade 10	2.7%	3.0%	4.6%	95.4%
Grade 11	5.4%	5.7%	9.5%	90.5%
Grade 12	12.2%	12.9%	13.9%	86.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.1%	1.3%	2.0%	98.0%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.3%	1.7%	2.0%	98.0%
Grade 9	1.6%	1.6%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.5%	1.5%	4.1%	95.9%
Grade 12	2.1%	2.4%	2.4%	97.6%
<b>Hallucinogens</b>				
All	1.1%	1.3%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	2.8%	97.2%
Grade 9	1.0%	1.5%	3.1%	96.9%
Grade 10	0.5%	0.5%	2.4%	97.6%
Grade 11	2.0%	2.0%	6.0%	94.0%
Grade 12	2.2%	3.0%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	3.7%	96.3%
Grade 9	1.0%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.0%	1.2%	2.7%	97.3%
<b>Ecstasy</b>				
All	1.0%	1.2%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	1.0%	1.4%	3.0%	97.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	2.5%	2.5%	5.7%	94.3%
Grade 12	3.4%	3.4%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.5%	1.0%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	0.9%	2.7%	97.3%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.9%	3.3%	6.5%	93.5%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	1.9%	3.6%	5.2%	94.8%
Grade 9	2.2%	4.6%	6.6%	93.4%
Grade 10	2.1%	2.7%	8.3%	91.7%
Grade 11	3.2%	3.7%	8.8%	91.2%
Grade 12	2.6%	5.5%	11.0%	89.0%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	2.2%	97.8%
Grade 9	1.0%	1.9%	2.4%	97.6%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.5%	0.8%	3.5%	96.5%
Grade 12	1.0%	1.4%	2.9%	97.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.4%	15.6%	27.3%	72.7%
Grade 7	4.2%	5.2%	13.3%	86.7%
Grade 8	7.4%	9.5%	19.1%	80.9%
Grade 9	9.5%	14.1%	25.6%	74.4%
Grade 10	10.6%	16.0%	31.4%	68.6%
Grade 11	15.9%	21.7%	34.4%	65.6%
Grade 12	22.5%	29.8%	43.8%	56.2%
<b>Any Alcohol Product</b>				
All	24.9%	31.4%	53.1%	46.9%
Grade 7	8.6%	11.5%	32.5%	67.5%
Grade 8	21.5%	26.2%	49.4%	50.6%
Grade 9	22.7%	29.7%	50.9%	49.1%
Grade 10	27.3%	33.7%	56.8%	43.2%
Grade 11	32.3%	41.0%	60.7%	39.3%
Grade 12	41.0%	51.8%	73.2%	26.8%
<b>Any Illicit Drug</b>				
All	6.4%	10.7%	16.2%	83.8%
Grade 7	2.2%	3.5%	5.7%	94.3%
Grade 8	4.3%	7.2%	8.7%	91.3%
Grade 9	3.7%	8.6%	12.9%	87.1%
Grade 10	7.7%	13.8%	19.0%	81.0%
Grade 11	7.5%	13.0%	24.2%	75.8%
Grade 12	14.4%	19.8%	29.7%	70.3%
<b>Any Prescription Drug</b>				
All	10.2%	12.7%	16.0%	84.0%
Grade 7	7.7%	9.9%	14.1%	85.9%
Grade 8	9.1%	11.0%	14.1%	85.9%
Grade 9	8.8%	11.1%	13.1%	86.9%
Grade 10	10.0%	13.8%	16.7%	83.3%
Grade 11	12.7%	15.6%	19.5%	80.5%
Grade 12	13.8%	15.7%	19.1%	80.9%
<b>Any Inhalant</b>				
All	3.1%	4.6%	10.3%	89.7%
Grade 7	4.2%	4.7%	9.4%	90.6%
Grade 8	4.3%	7.5%	11.3%	88.7%
Grade 9	2.0%	3.9%	10.5%	89.5%
Grade 10	3.4%	3.7%	9.3%	90.7%
Grade 11	2.0%	3.8%	11.7%	88.3%
Grade 12	2.5%	3.4%	10.1%	89.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.2%	9.3%	19.1%	80.9%
Grade 7	1.6%	2.6%	7.0%	93.0%
Grade 8	3.4%	6.3%	12.8%	87.2%
Grade 9	3.8%	7.8%	17.4%	82.6%
Grade 10	4.2%	9.2%	23.0%	77.0%
Grade 11	9.0%	14.0%	26.8%	73.2%
Grade 12	10.6%	17.9%	31.4%	68.6%
<b>Marijuana</b>				
All	6.3%	8.5%	14.1%	85.9%
Grade 7	2.1%	2.1%	3.9%	96.1%
Grade 8	4.1%	5.1%	6.3%	93.7%
Grade 9	3.2%	6.2%	11.4%	88.6%
Grade 10	7.7%	9.7%	15.0%	85.0%
Grade 11	7.3%	11.5%	23.2%	76.8%
Grade 12	14.2%	18.2%	28.4%	71.6%
<b>Marijuana Only</b>				
All	3.3%	4.9%	9.4%	90.6%
Grade 7	1.5%	1.5%	3.1%	96.9%
Grade 8	1.3%	2.1%	2.6%	97.4%
Grade 9	1.9%	4.6%	9.2%	90.8%
Grade 10	3.4%	5.3%	8.9%	91.1%
Grade 11	3.4%	6.6%	15.8%	84.2%
Grade 12	8.4%	10.5%	19.3%	80.7%
<b>Cocaine or Crack</b>				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.8%	1.2%	98.8%
Grade 12	1.0%	1.3%	2.4%	97.6%
<b>Cocaine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.8%	1.2%	98.8%
Grade 12	1.0%	1.3%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.6%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.2%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.4%	1.7%	98.3%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.8%	1.3%	3.3%	96.7%
Grade 11	0.4%	0.6%	2.8%	97.2%
Grade 12	0.0%	1.0%	2.8%	97.2%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.1%	0.3%	1.6%	98.4%
Grade 9	1.0%	1.2%	1.6%	98.4%
Grade 10	0.3%	0.3%	2.5%	97.5%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	0.2%	0.2%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.1%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.2%	1.1%	2.7%	97.3%
Grade 11	0.2%	0.4%	1.7%	98.3%
Grade 12	0.1%	0.8%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.7%	1.0%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.0%	1.3%	2.6%	97.4%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.4%	1.1%	4.6%	95.4%
Grade 11	1.8%	2.2%	5.3%	94.7%
Grade 12	0.6%	0.9%	6.3%	93.7%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.6%	23.6%	37.0%	63.0%
Grade 7	9.1%	9.9%	15.5%	84.5%
Grade 8	11.3%	13.9%	28.3%	71.7%
Grade 9	17.7%	21.2%	32.7%	67.3%
Grade 10	23.8%	28.2%	48.2%	51.8%
Grade 11	29.2%	36.4%	51.6%	48.4%
Grade 12	34.1%	40.7%	55.5%	44.5%
<b>Any Alcohol Product</b>				
All	34.8%	40.0%	58.5%	41.5%
Grade 7	16.2%	18.4%	34.3%	65.7%
Grade 8	25.9%	29.7%	51.7%	48.3%
Grade 9	34.9%	39.0%	60.0%	40.0%
Grade 10	40.6%	49.8%	66.9%	33.1%
Grade 11	44.0%	52.3%	70.7%	29.3%
Grade 12	57.8%	61.2%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	16.0%	19.5%	26.2%	73.8%
Grade 7	4.5%	5.6%	7.0%	93.0%
Grade 8	8.4%	10.4%	14.6%	85.4%
Grade 9	14.2%	18.8%	25.6%	74.4%
Grade 10	19.6%	23.6%	32.0%	68.0%
Grade 11	25.3%	31.5%	41.5%	58.5%
Grade 12	31.8%	35.4%	46.8%	53.2%
<b>Any Prescription Drug</b>				
All	13.1%	16.8%	22.5%	77.5%
Grade 7	8.2%	10.1%	13.7%	86.3%
Grade 8	11.3%	13.9%	20.0%	80.0%
Grade 9	10.7%	14.3%	19.8%	80.2%
Grade 10	16.5%	19.7%	23.8%	76.2%
Grade 11	17.1%	22.3%	30.3%	69.7%
Grade 12	17.0%	24.1%	31.9%	68.1%
<b>Any Inhalant</b>				
All	4.7%	6.7%	15.0%	85.0%
Grade 7	4.2%	5.9%	12.6%	87.4%
Grade 8	6.5%	8.2%	18.2%	81.8%
Grade 9	4.5%	7.2%	15.8%	84.2%
Grade 10	4.4%	5.7%	13.1%	86.9%
Grade 11	4.9%	7.8%	16.9%	83.1%
Grade 12	2.6%	4.7%	12.2%	87.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.0%	14.4%	28.1%	71.9%
Grade 7	3.1%	4.7%	9.5%	90.5%
Grade 8	4.5%	7.4%	20.3%	79.7%
Grade 9	9.5%	14.1%	27.9%	72.1%
Grade 10	11.6%	16.2%	34.3%	65.7%
Grade 11	18.1%	24.7%	43.0%	57.0%
Grade 12	17.2%	25.0%	41.5%	58.5%
<b>Marijuana</b>				
All	15.5%	18.1%	24.7%	75.3%
Grade 7	4.3%	4.8%	5.5%	94.5%
Grade 8	7.6%	9.3%	12.9%	87.1%
Grade 9	13.6%	16.4%	23.3%	76.7%
Grade 10	19.5%	22.0%	30.7%	69.3%
Grade 11	24.9%	30.0%	40.6%	59.4%
Grade 12	31.1%	34.6%	46.3%	53.7%
<b>Marijuana Only</b>				
All	8.7%	10.5%	15.7%	84.3%
Grade 7	2.4%	2.9%	3.4%	96.6%
Grade 8	5.3%	6.6%	9.5%	90.5%
Grade 9	6.1%	8.5%	14.8%	85.2%
Grade 10	12.4%	14.3%	20.0%	80.0%
Grade 11	12.7%	15.7%	24.7%	75.3%
Grade 12	17.7%	19.8%	28.2%	71.8%
<b>Cocaine or Crack</b>				
All	2.4%	2.6%	4.0%	96.0%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	1.2%	1.4%	1.5%	98.5%
Grade 9	1.9%	2.4%	4.0%	96.0%
Grade 10	1.7%	1.9%	3.5%	96.5%
Grade 11	4.4%	4.8%	7.7%	92.3%
Grade 12	5.5%	6.0%	7.7%	92.3%
<b>Cocaine</b>				
All	2.3%	2.4%	3.7%	96.3%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	1.9%	2.4%	3.9%	96.1%
Grade 10	1.4%	1.5%	2.6%	97.4%
Grade 11	4.3%	4.5%	7.1%	92.9%
Grade 12	5.5%	6.0%	7.7%	92.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.8%	1.0%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	0.7%	1.0%	2.4%	97.6%
Grade 12	0.8%	1.0%	1.4%	98.6%
<b>Hallucinogens</b>				
All	0.7%	1.0%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.7%	98.3%
Grade 9	1.1%	1.4%	2.2%	97.8%
Grade 10	0.3%	0.4%	1.9%	98.1%
Grade 11	1.6%	2.8%	5.6%	94.4%
Grade 12	0.5%	1.1%	5.5%	94.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Steroids</b>				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.9%	2.5%	97.5%
Grade 9	1.1%	1.3%	2.1%	97.9%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.6%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.8%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.8%	1.1%	1.6%	98.4%
Grade 10	0.7%	0.8%	1.8%	98.2%
Grade 11	2.5%	3.3%	6.5%	93.5%
Grade 12	1.2%	1.6%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.4%	2.5%	97.5%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.4%	2.3%	5.9%	94.1%
Grade 7	0.2%	0.3%	1.7%	98.3%
Grade 8	1.0%	1.6%	2.5%	97.5%
Grade 9	1.2%	3.0%	6.0%	94.0%
Grade 10	1.8%	2.0%	7.8%	92.2%
Grade 11	2.2%	3.3%	9.8%	90.2%
Grade 12	2.3%	4.7%	9.8%	90.2%
<b>Methamphetamine</b>				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.6%	2.0%	98.0%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	1.0%	1.7%	4.8%	95.2%
Grade 12	1.7%	1.7%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.2%	19.3%	30.4%	69.6%
Grade 7	5.1%	6.5%	11.3%	88.7%
Grade 8	9.2%	11.7%	20.7%	79.3%
Grade 9	11.7%	15.1%	25.4%	74.6%
Grade 10	17.3%	21.6%	37.7%	62.3%
Grade 11	22.7%	30.0%	44.4%	55.6%
Grade 12	29.0%	35.2%	48.1%	51.9%
<b>Any Alcohol Product</b>				
All	29.4%	34.9%	53.5%	46.5%
Grade 7	12.3%	13.5%	29.7%	70.3%
Grade 8	22.4%	26.4%	47.0%	53.0%
Grade 9	26.5%	30.8%	52.0%	48.0%
Grade 10	34.2%	40.7%	59.6%	40.4%
Grade 11	37.3%	47.6%	65.7%	34.3%
Grade 12	49.0%	56.1%	72.1%	27.9%
<b>Any Illicit Drug</b>				
All	10.0%	13.5%	18.6%	81.4%
Grade 7	2.7%	3.6%	5.0%	95.0%
Grade 8	4.9%	6.8%	7.7%	92.3%
Grade 9	6.8%	10.7%	15.9%	84.1%
Grade 10	11.2%	17.1%	23.3%	76.7%
Grade 11	16.7%	21.4%	29.7%	70.3%
Grade 12	20.2%	24.5%	34.3%	65.7%
<b>Any Prescription Drug</b>				
All	9.7%	12.6%	16.3%	83.7%
Grade 7	6.6%	8.7%	11.0%	89.0%
Grade 8	7.9%	10.1%	14.1%	85.9%
Grade 9	9.0%	11.4%	13.9%	86.1%
Grade 10	12.1%	14.4%	16.8%	83.2%
Grade 11	11.0%	15.7%	22.2%	77.8%
Grade 12	12.3%	16.2%	21.5%	78.5%
<b>Any Inhalant</b>				
All	3.9%	5.7%	12.9%	87.1%
Grade 7	3.4%	5.0%	10.2%	89.8%
Grade 8	6.2%	8.0%	15.9%	84.1%
Grade 9	3.6%	5.6%	13.6%	86.4%
Grade 10	4.1%	5.0%	12.0%	88.0%
Grade 11	3.6%	6.7%	14.7%	85.3%
Grade 12	2.4%	3.8%	10.7%	89.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.4%	11.5%	22.6%	77.4%
Grade 7	1.2%	3.1%	6.0%	94.0%
Grade 8	2.8%	5.6%	13.9%	86.1%
Grade 9	5.7%	9.4%	21.7%	78.3%
Grade 10	6.5%	11.5%	26.3%	73.7%
Grade 11	14.2%	20.1%	35.8%	64.2%
Grade 12	16.6%	22.4%	36.0%	64.0%
<b>Marijuana</b>				
All	9.6%	12.1%	17.0%	83.0%
Grade 7	2.6%	2.9%	3.4%	96.6%
Grade 8	4.9%	5.7%	6.2%	93.8%
Grade 9	6.3%	9.0%	14.2%	85.8%
Grade 10	11.2%	14.3%	19.9%	80.1%
Grade 11	16.2%	20.0%	28.6%	71.4%
Grade 12	19.2%	23.7%	34.0%	66.0%
<b>Marijuana Only</b>				
All	5.5%	7.3%	11.3%	88.7%
Grade 7	1.6%	2.0%	2.2%	97.8%
Grade 8	2.8%	3.5%	4.0%	96.0%
Grade 9	3.4%	5.9%	10.2%	89.8%
Grade 10	6.6%	8.9%	13.2%	86.8%
Grade 11	9.0%	11.9%	19.6%	80.4%
Grade 12	10.8%	13.0%	21.2%	78.8%
<b>Cocaine or Crack</b>				
All	1.7%	1.9%	2.8%	97.2%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.8%	1.2%	2.4%	97.6%
Grade 10	1.3%	1.5%	2.4%	97.6%
Grade 11	3.0%	3.1%	4.0%	96.0%
Grade 12	4.2%	4.9%	6.6%	93.4%
<b>Cocaine</b>				
All	1.6%	1.8%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.8%	1.2%	2.4%	97.6%
Grade 10	0.9%	1.1%	2.0%	98.0%
Grade 11	3.0%	3.1%	3.8%	96.2%
Grade 12	4.2%	4.9%	6.6%	93.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.3%	0.7%	1.3%	98.7%
Grade 10	0.2%	0.5%	2.4%	97.6%
Grade 11	0.9%	1.1%	2.8%	97.2%
Grade 12	0.8%	1.5%	4.0%	96.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.3%	0.5%	2.6%	97.4%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.2%	0.2%	2.1%	97.9%
Grade 11	0.1%	0.3%	0.8%	99.2%
Grade 12	0.4%	0.5%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.4%	0.5%	1.1%	98.9%
Grade 11	1.3%	1.6%	4.1%	95.9%
Grade 12	1.5%	2.1%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.4%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.4%	0.8%	1.9%	98.1%
Grade 9	0.9%	1.4%	2.2%	97.8%
Grade 10	1.3%	1.6%	4.9%	95.1%
Grade 11	3.2%	3.7%	6.4%	93.6%
Grade 12	0.8%	2.3%	7.8%	92.2%
<b>Methamphetamine</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.6%	0.7%	2.5%	97.5%
Grade 12	1.1%	1.1%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.3%	24.9%	40.5%	59.5%
Grade 7	9.7%	11.2%	20.8%	79.2%
Grade 8	11.8%	14.7%	31.9%	68.1%
Grade 9	19.4%	24.5%	39.2%	60.8%
Grade 10	21.5%	27.3%	47.0%	53.0%
Grade 11	28.7%	34.1%	50.5%	49.5%
Grade 12	34.5%	41.7%	57.8%	42.2%
<b>Any Alcohol Product</b>				
All	35.8%	42.4%	63.4%	36.6%
Grade 7	17.9%	21.3%	40.6%	59.4%
Grade 8	26.7%	30.9%	54.7%	45.3%
Grade 9	37.8%	44.7%	64.9%	35.1%
Grade 10	38.1%	47.5%	69.0%	31.0%
Grade 11	44.7%	52.3%	74.2%	25.8%
Grade 12	54.5%	62.6%	81.5%	18.5%
<b>Any Illicit Drug</b>				
All	16.8%	21.6%	29.3%	70.7%
Grade 7	5.6%	7.0%	8.7%	91.3%
Grade 8	9.8%	13.0%	18.8%	81.2%
Grade 9	15.6%	22.6%	29.0%	71.0%
Grade 10	19.8%	22.9%	31.5%	68.5%
Grade 11	23.2%	30.7%	44.1%	55.9%
Grade 12	30.4%	37.2%	48.8%	51.2%
<b>Any Prescription Drug</b>				
All	15.4%	19.2%	25.3%	74.7%
Grade 7	10.9%	12.9%	18.0%	82.0%
Grade 8	13.5%	16.2%	21.8%	78.2%
Grade 9	12.2%	16.0%	22.9%	77.1%
Grade 10	15.5%	20.1%	25.6%	74.4%
Grade 11	21.3%	25.5%	32.7%	67.3%
Grade 12	20.8%	26.3%	32.7%	67.3%
<b>Any Inhalant</b>				
All	4.6%	6.4%	14.0%	86.0%
Grade 7	6.5%	7.4%	13.4%	86.6%
Grade 8	5.3%	7.9%	15.9%	84.1%
Grade 9	4.2%	7.0%	14.4%	85.6%
Grade 10	3.5%	4.4%	10.6%	89.4%
Grade 11	4.7%	6.1%	15.4%	84.6%
Grade 12	3.3%	5.1%	14.1%	85.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.9%	15.3%	29.7%	70.3%
Grade 7	3.6%	5.5%	13.1%	86.9%
Grade 8	6.0%	9.3%	23.9%	76.1%
Grade 9	9.5%	14.7%	28.1%	71.9%
Grade 10	11.5%	16.8%	33.4%	66.6%
Grade 11	15.7%	22.4%	40.2%	59.8%
Grade 12	14.8%	25.5%	42.9%	57.1%
<b>Marijuana</b>				
All	16.5%	19.5%	27.7%	72.3%
Grade 7	5.6%	5.7%	7.4%	92.6%
Grade 8	8.8%	10.7%	16.0%	84.0%
Grade 9	15.0%	20.0%	27.5%	72.5%
Grade 10	19.4%	21.0%	29.9%	70.1%
Grade 11	23.2%	29.5%	43.3%	56.7%
Grade 12	30.2%	34.0%	47.3%	52.7%
<b>Marijuana Only</b>				
All	8.9%	10.8%	17.1%	82.9%
Grade 7	3.5%	3.6%	5.2%	94.8%
Grade 8	5.1%	6.3%	10.2%	89.8%
Grade 9	7.2%	10.4%	17.5%	82.5%
Grade 10	11.7%	13.0%	18.6%	81.4%
Grade 11	11.6%	15.0%	25.8%	74.2%
Grade 12	16.1%	18.1%	28.6%	71.4%
<b>Cocaine or Crack</b>				
All	1.7%	2.0%	3.6%	96.4%
Grade 7	0.9%	0.9%	1.6%	98.4%
Grade 8	0.9%	1.3%	1.9%	98.1%
Grade 9	2.0%	2.2%	3.8%	96.2%
Grade 10	0.6%	0.7%	2.1%	97.9%
Grade 11	2.5%	3.3%	6.9%	93.1%
Grade 12	3.8%	4.1%	6.2%	93.8%
<b>Cocaine</b>				
All	1.6%	1.8%	3.3%	96.7%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	1.8%	2.1%	3.5%	96.5%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	2.4%	2.9%	6.5%	93.5%
Grade 12	3.8%	4.1%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.8%	1.2%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.6%	0.9%	2.3%	97.7%
Grade 12	0.8%	1.1%	1.4%	98.6%
<b>Hallucinogens</b>				
All	0.9%	1.6%	3.6%	96.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.8%	1.1%	2.5%	97.5%
Grade 9	1.1%	1.3%	2.2%	97.8%
Grade 10	1.0%	1.4%	2.6%	97.4%
Grade 11	1.8%	3.1%	8.0%	92.0%
Grade 12	0.5%	2.6%	6.4%	93.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Steroids</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.1%	0.8%	2.1%	97.9%
Grade 9	1.4%	1.4%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.2%	0.8%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.8%	97.2%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.5%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.1%	98.9%
Grade 10	0.6%	1.0%	3.0%	97.0%
Grade 11	1.8%	2.7%	6.9%	93.1%
Grade 12	1.8%	2.7%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.3%	0.3%	2.1%	97.9%
Grade 10	0.3%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.2%	0.4%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.2%	2.2%	6.8%	93.2%
Grade 7	0.3%	0.4%	1.7%	98.3%
Grade 8	1.8%	2.2%	4.3%	95.7%
Grade 9	0.8%	3.2%	7.5%	92.5%
Grade 10	1.3%	1.9%	9.1%	90.9%
Grade 11	1.4%	2.7%	9.5%	90.5%
Grade 12	1.9%	2.7%	9.5%	90.5%
<b>Methamphetamine</b>				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.3%	0.8%	1.2%	98.8%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	0.6%	0.8%	2.1%	97.9%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.8%	1.7%	5.0%	95.0%
Grade 12	1.4%	1.8%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.2%	19.4%	32.6%	67.4%
Grade 7	6.0%	7.3%	14.0%	86.0%
Grade 8	8.2%	10.8%	23.8%	76.2%
Grade 9	13.0%	17.2%	29.7%	70.3%
Grade 10	17.2%	21.7%	40.2%	59.8%
Grade 11	22.2%	28.7%	44.5%	55.5%
Grade 12	29.4%	36.4%	50.0%	50.0%
<b>Any Alcohol Product</b>				
All	29.4%	35.3%	56.3%	43.7%
Grade 7	12.4%	14.8%	33.5%	66.5%
Grade 8	20.2%	24.1%	47.6%	52.4%
Grade 9	29.1%	33.7%	55.2%	44.8%
Grade 10	33.8%	42.3%	63.6%	36.4%
Grade 11	37.3%	46.5%	68.6%	31.4%
Grade 12	50.0%	58.0%	76.4%	23.6%
<b>Any Illicit Drug</b>				
All	10.7%	14.5%	20.8%	79.2%
Grade 7	2.9%	3.8%	5.6%	94.4%
Grade 8	5.0%	7.1%	10.0%	90.0%
Grade 9	9.2%	13.6%	19.6%	80.4%
Grade 10	11.6%	16.1%	23.3%	76.7%
Grade 11	16.3%	22.0%	32.6%	67.4%
Grade 12	23.0%	28.7%	39.8%	60.2%
<b>Any Prescription Drug</b>				
All	11.3%	14.2%	18.8%	81.2%
Grade 7	7.8%	9.6%	13.3%	86.7%
Grade 8	10.2%	12.7%	17.5%	82.5%
Grade 9	8.0%	10.5%	14.9%	85.1%
Grade 10	13.3%	16.4%	20.6%	79.4%
Grade 11	14.9%	19.0%	24.2%	75.8%
Grade 12	15.5%	19.0%	24.4%	75.6%
<b>Any Inhalant</b>				
All	3.7%	5.3%	12.4%	87.6%
Grade 7	4.0%	4.9%	10.7%	89.3%
Grade 8	5.0%	7.1%	15.0%	85.0%
Grade 9	3.8%	6.1%	13.4%	86.6%
Grade 10	3.6%	4.6%	11.2%	88.8%
Grade 11	3.2%	5.0%	12.8%	87.2%
Grade 12	2.1%	3.4%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.0%	11.2%	23.5%	76.5%
Grade 7	1.8%	3.3%	8.0%	92.0%
Grade 8	3.4%	5.7%	16.3%	83.7%
Grade 9	5.9%	9.7%	22.8%	77.2%
Grade 10	6.7%	11.7%	27.1%	72.9%
Grade 11	12.8%	18.3%	34.7%	65.3%
Grade 12	13.9%	22.1%	37.2%	62.8%
<b>Marijuana</b>				
All	10.4%	12.9%	19.3%	80.7%
Grade 7	2.8%	3.1%	4.2%	95.8%
Grade 8	4.3%	5.6%	8.2%	91.8%
Grade 9	9.0%	11.7%	17.9%	82.1%
Grade 10	11.6%	14.0%	21.3%	78.7%
Grade 11	16.1%	20.7%	31.8%	68.2%
Grade 12	22.6%	26.6%	38.7%	61.3%
<b>Marijuana Only</b>				
All	6.0%	7.7%	13.1%	86.9%
Grade 7	2.0%	2.3%	3.4%	96.6%
Grade 8	2.6%	3.5%	5.6%	94.4%
Grade 9	5.2%	7.2%	12.8%	87.2%
Grade 10	6.4%	8.4%	13.7%	86.3%
Grade 11	9.3%	12.3%	21.8%	78.2%
Grade 12	12.6%	14.7%	25.2%	74.8%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	0.8%	99.2%
Grade 9	1.1%	1.2%	2.5%	97.5%
Grade 10	1.0%	1.1%	2.3%	97.7%
Grade 11	2.2%	2.6%	4.5%	95.5%
Grade 12	3.5%	4.0%	5.8%	94.2%
<b>Cocaine</b>				
All	1.3%	1.4%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	1.0%	1.1%	2.4%	97.6%
Grade 10	0.7%	0.9%	1.7%	98.3%
Grade 11	2.2%	2.4%	4.1%	95.9%
Grade 12	3.5%	4.0%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.1%	98.9%
Grade 12	0.4%	0.5%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.5%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.5%	98.5%
Grade 10	0.4%	0.7%	2.0%	98.0%
Grade 11	1.0%	1.1%	4.0%	96.0%
Grade 12	0.6%	2.3%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.3%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.3%	0.3%	2.0%	98.0%
Grade 11	0.4%	0.5%	0.7%	99.3%
Grade 12	0.1%	0.3%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.9%	1.3%	4.0%	96.0%
Grade 12	1.5%	2.1%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.7%	1.2%	3.9%	96.1%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.4%	1.5%	3.6%	96.4%
Grade 10	0.7%	1.1%	5.6%	94.4%
Grade 11	1.7%	2.1%	6.3%	93.7%
Grade 12	0.7%	1.7%	6.1%	93.9%
<b>Methamphetamine</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	1.2%	98.8%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.1%	0.3%	2.6%	97.4%
Grade 12	1.0%	1.3%	2.6%	97.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	29.0%	33.7%	46.5%	53.5%
Grade 7	13.8%	15.9%	27.0%	73.0%
Grade 8	20.5%	22.8%	34.9%	65.1%
Grade 9	27.7%	31.1%	43.0%	57.0%
Grade 10	34.4%	41.3%	55.6%	44.4%
Grade 11	38.5%	44.4%	55.6%	44.4%
Grade 12	35.8%	42.3%	58.2%	41.8%
<b>Any Alcohol Product</b>				
All	45.0%	51.9%	66.5%	33.5%
Grade 7	28.2%	32.3%	48.4%	51.6%
Grade 8	40.5%	44.8%	62.7%	37.3%
Grade 9	41.7%	51.9%	69.0%	31.0%
Grade 10	48.0%	53.4%	65.7%	34.3%
Grade 11	52.6%	62.7%	72.5%	27.5%
Grade 12	54.9%	62.2%	76.8%	23.2%
<b>Any Illicit Drug</b>				
All	23.3%	29.2%	35.5%	64.5%
Grade 7	9.5%	11.2%	11.8%	88.2%
Grade 8	17.6%	21.9%	25.5%	74.5%
Grade 9	15.8%	26.6%	30.7%	69.3%
Grade 10	32.4%	38.2%	46.8%	53.2%
Grade 11	30.7%	38.0%	48.7%	51.3%
Grade 12	30.2%	34.6%	43.3%	56.7%
<b>Any Prescription Drug</b>				
All	16.1%	21.0%	27.3%	72.7%
Grade 7	11.3%	15.5%	18.5%	81.5%
Grade 8	12.2%	14.6%	20.2%	79.8%
Grade 9	19.4%	24.4%	29.7%	70.3%
Grade 10	16.3%	20.8%	23.4%	76.6%
Grade 11	17.5%	22.7%	34.7%	65.3%
Grade 12	19.3%	27.9%	36.1%	63.9%
<b>Any Inhalant</b>				
All	6.4%	8.9%	17.6%	82.4%
Grade 7	11.3%	14.4%	18.9%	81.1%
Grade 8	7.9%	10.1%	18.3%	81.7%
Grade 9	2.1%	4.7%	14.4%	85.6%
Grade 10	6.2%	6.8%	13.4%	86.6%
Grade 11	6.9%	10.4%	21.9%	78.1%
Grade 12	4.8%	7.7%	18.8%	81.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	16.3%	23.0%	36.5%	63.5%
Grade 7	4.8%	8.1%	17.1%	82.9%
Grade 8	9.3%	14.6%	28.6%	71.4%
Grade 9	15.5%	22.7%	34.4%	65.6%
Grade 10	20.2%	26.7%	42.7%	57.3%
Grade 11	23.5%	32.6%	46.6%	53.4%
Grade 12	22.1%	30.1%	45.3%	54.7%
<b>Marijuana</b>				
All	22.9%	26.7%	33.1%	66.9%
Grade 7	9.4%	9.4%	10.0%	90.0%
Grade 8	17.7%	19.2%	21.8%	78.2%
Grade 9	15.3%	24.4%	29.7%	70.3%
Grade 10	31.6%	33.6%	41.1%	58.9%
Grade 11	30.1%	36.2%	47.1%	52.9%
Grade 12	29.1%	33.1%	43.3%	56.7%
<b>Marijuana Only</b>				
All	11.7%	14.3%	18.5%	81.5%
Grade 7	4.9%	4.9%	5.5%	94.5%
Grade 8	9.6%	11.1%	12.7%	87.3%
Grade 9	4.5%	12.3%	16.9%	83.1%
Grade 10	21.2%	22.3%	26.5%	73.5%
Grade 11	12.4%	16.0%	24.6%	75.4%
Grade 12	15.1%	16.7%	21.5%	78.5%
<b>Cocaine or Crack</b>				
All	3.0%	3.4%	5.2%	94.8%
Grade 7	1.4%	1.4%	2.8%	97.2%
Grade 8	2.7%	2.7%	3.7%	96.3%
Grade 9	1.4%	2.2%	4.1%	95.9%
Grade 10	0.8%	1.0%	1.7%	98.3%
Grade 11	4.3%	5.0%	8.5%	91.5%
Grade 12	6.7%	7.6%	10.0%	90.0%
<b>Cocaine</b>				
All	2.9%	3.4%	5.0%	95.0%
Grade 7	1.5%	1.5%	2.9%	97.1%
Grade 8	2.7%	2.7%	2.7%	97.3%
Grade 9	1.4%	2.2%	4.1%	95.9%
Grade 10	0.8%	1.0%	1.7%	98.3%
Grade 11	4.2%	4.9%	8.3%	91.7%
Grade 12	6.7%	7.6%	10.0%	90.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.3%	1.3%	2.2%	97.8%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	2.7%	2.7%	3.7%	96.3%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	1.6%	1.6%	3.6%	96.4%
Grade 12	1.7%	2.2%	3.1%	96.9%
<b>Hallucinogens</b>				
All	1.3%	2.2%	4.7%	95.3%
Grade 7	1.5%	1.5%	2.0%	98.0%
Grade 8	0.5%	0.5%	2.2%	97.8%
Grade 9	1.4%	1.9%	2.6%	97.4%
Grade 10	1.7%	2.3%	4.9%	95.1%
Grade 11	2.1%	5.5%	9.6%	90.4%
Grade 12	0.8%	1.2%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.5%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.5%	3.9%	96.1%
Grade 9	0.7%	0.7%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.4%	0.6%	99.4%
Grade 12	1.2%	2.3%	3.5%	96.5%
<b>Ecstasy</b>				
All	1.7%	2.5%	4.9%	95.1%
Grade 7	0.0%	0.3%	1.7%	98.3%
Grade 8	0.5%	0.5%	1.5%	98.5%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	1.3%	3.2%	5.6%	94.4%
Grade 11	4.1%	5.2%	10.3%	89.7%
Grade 12	2.6%	4.1%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.8%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.4%	0.9%	1.0%	99.0%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	0.0%	0.5%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	3.2%	5.1%	11.3%	88.7%
Grade 7	1.1%	1.6%	4.7%	95.3%
Grade 8	3.1%	4.8%	8.4%	91.6%
Grade 9	2.3%	5.4%	8.4%	91.6%
Grade 10	4.3%	5.7%	14.0%	86.0%
Grade 11	4.3%	6.6%	13.8%	86.2%
Grade 12	3.6%	5.6%	16.9%	83.1%
<b>Methamphetamine</b>				
All	1.3%	2.1%	3.5%	96.5%
Grade 7	1.1%	3.1%	3.6%	96.4%
Grade 8	1.0%	1.0%	2.1%	97.9%
Grade 9	0.0%	1.7%	2.0%	98.0%
Grade 10	0.4%	0.4%	1.7%	98.3%
Grade 11	2.8%	4.4%	7.6%	92.4%
Grade 12	2.4%	2.4%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	69,709	50.1%
Female	69,300	49.9%
Frequency Missing	883	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	102,592	76.2%
Yes	32,100	23.8%
Frequency Missing	5,199	

**Grade**

Q2	Frequency	Percent
Grade 7	24,193	17.3%
Grade 8	24,166	17.3%
Grade 9	25,699	18.4%
Grade 10	23,866	17.1%
Grade 11	22,128	15.8%
Grade 12	19,556	14.0%
Frequency Missing	284	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,407	1.1%
Asian American	604	0.5%
African American	27,359	21.3%
Pacific Islander	140	0.1%
White	79,154	61.7%
Other	11,125	8.7%
More Than One Race	8,521	6.6%
Frequency Missing	11,581	

**Live with Both Parents**

Q3	Frequency	Percent
No	63,464	45.8%
Yes	74,961	54.2%
Frequency Missing	1,467	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	528	0.4%
Mostly D's	1,500	1.2%
Mostly C's	13,621	11.3%
Mostly B's	58,725	48.7%
Mostly A's	46,210	38.3%
Frequency Missing	19,306	

**Age**

Q4	Frequency	Percent
11 Or Younger	92	0.1%
12	8,618	6.2%
13	21,474	15.4%
14	23,580	16.9%
15	25,478	18.3%
16	24,286	17.4%
17	21,251	15.3%
18	13,215	9.5%
19 Or Older	1,332	1.0%
Frequency Missing	566	

**Do You Have a Job**

Q7	Frequency	Percent
No	95,960	79.1%
Yes	25,410	20.9%
Frequency Missing	18,522	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	39,856	33.1%
Yes	56,428	46.8%
Don't Know	24,217	20.1%
Frequency Missing	19,391	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	92,948	90.1%
Yes	10,234	9.9%
Frequency Missing	36,709	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	46,044	40.1%
Yes	68,854	59.9%
Frequency Missing	24,993	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	72,056	68.2%
Yes	33,550	31.8%
Frequency Missing	34,285	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	78,086	73.1%
Yes	28,795	26.9%
Frequency Missing	33,010	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	75,550	72.2%
Yes	29,120	27.8%
Frequency Missing	35,221	

**Participate in School Choir**

Q9c	Frequency	Percent
No	95,271	93.1%
Yes	7,086	6.9%
Frequency Missing	37,534	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	70,877	66.6%
Yes	35,595	33.4%
Frequency Missing	33,419	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	92,493	89.2%
Yes	11,249	10.8%
Frequency Missing	36,149	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	80,262	76.9%
Yes	24,059	23.1%
Frequency Missing	35,570	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	121,141	87.1%
Somewhat Safe	15,669	11.3%
Not Very Safe	922	0.7%
Not Safe At All	283	0.2%
Don't Know	1,126	0.8%
Frequency Missing	749	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	11,115	8.4%
Some High School	14,978	11.3%
Finished High School	27,534	20.8%
Some College	20,285	15.3%
Finished College	29,743	22.5%
Post-Secondary	13,176	10.0%
Don't Know Or N/A	15,388	11.6%
Frequency Missing	7,671	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	66,092	47.9%
Somewhat Safe	56,661	41.1%
Not Very Safe	8,479	6.1%
Not Safe At All	2,555	1.9%
Don't Know	4,120	3.0%
Frequency Missing	1,984	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	77,938	64.9%
Yes	42,073	35.1%
Frequency Missing	19,880	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	60,198	43.4%
Somewhat Safe	59,121	42.6%
Not Very Safe	9,478	6.8%
Not Safe At All	5,113	3.7%
Don't Know	4,736	3.4%
Frequency Missing	1,245	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	5,985	4.3%
A Few	30,177	21.9%
Some	31,070	22.5%
Most	51,121	37.1%
All	19,514	14.2%
Frequency Missing	2,024	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	12,025	9.1%
Some High School	16,384	12.5%
Finished High School	34,769	26.4%
Some College	15,156	11.5%
Finished College	20,583	15.7%
Post-Secondary	9,180	7.0%
Don't Know Or N/A	23,417	17.8%
Frequency Missing	8,377	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	2,722	2.0%
A Few	15,426	11.2%
Some	32,918	23.9%
Most	58,266	42.3%
All	28,312	20.6%
Frequency Missing	2,247	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	73,532	54.5%
A Few	37,240	27.6%
Some	15,353	11.4%
Most	4,861	3.6%
All	3,897	2.9%
Frequency Missing	5,008	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	130,291	94.6%
In Your Lifetime	5,362	3.9%
Since School Began	802	0.6%
In The Past Month	1,279	0.9%
Frequency Missing	2,157	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	89,693	65.9%
A Few	24,443	18.0%
Some	11,979	8.8%
Most	7,136	5.2%
All	2,913	2.1%
Frequency Missing	3,726	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	134,731	98.8%
In Your Lifetime	1,073	0.8%
Since School Began	206	0.2%
In The Past Month	385	0.3%
Frequency Missing	3,495	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	116,649	85.1%
A Few	12,995	9.5%
Some	4,103	3.0%
Most	1,849	1.3%
All	1,528	1.1%
Frequency Missing	2,768	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	129,400	94.1%
In Your Lifetime	5,141	3.7%
Since School Began	1,142	0.8%
In The Past Month	1,881	1.4%
Frequency Missing	2,328	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	134,350	97.3%
In Your Lifetime	2,744	2.0%
Since School Began	365	0.3%
In The Past Month	607	0.4%
Frequency Missing	1,824	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	135,077	98.6%
In Your Lifetime	1,122	0.8%
Since School Began	396	0.3%
In The Past Month	416	0.3%
Frequency Missing	2,879	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	135,677	98.7%
In Your Lifetime	1,098	0.8%
Since School Began	300	0.2%
In The Past Month	417	0.3%
Frequency Missing	2,401	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	119,445	87.8%
In Your Lifetime	7,743	5.7%
Since School Began	2,497	1.8%
In The Past Month	6,416	4.7%
Frequency Missing	3,791	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	133,207	97.0%
In Your Lifetime	2,554	1.9%
Since School Began	486	0.4%
In The Past Month	1,081	0.8%
Frequency Missing	2,564	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	81,240	60.5%
In Your Lifetime	25,693	19.1%
Since School Began	8,930	6.6%
In The Past Month	18,449	13.7%
Frequency Missing	5,579	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	134,674	98.0%
In Your Lifetime	1,550	1.1%
Since School Began	477	0.3%
In The Past Month	722	0.5%
Frequency Missing	2,468	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	85,756	63.1%
In Your Lifetime	22,221	16.3%
Since School Began	10,199	7.5%
In The Past Month	17,760	13.1%
Frequency Missing	3,955	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	106,402	77.5%
In Your Lifetime	15,656	11.4%
Since School Began	4,530	3.3%
In The Past Month	10,744	7.8%
Frequency Missing	2,560	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	90,678	67.9%
In Your Lifetime	23,313	17.5%
Since School Began	7,196	5.4%
In The Past Month	12,330	9.2%
Frequency Missing	6,375	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	85,313	62.6%
In Your Lifetime	22,247	16.3%
Since School Began	9,664	7.1%
In The Past Month	19,044	14.0%
Frequency Missing	3,623	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	133,312	97.4%
In Your Lifetime	1,923	1.4%
Since School Began	628	0.5%
In The Past Month	1,050	0.8%
Frequency Missing	2,978	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	131,752	96.0%
In Your Lifetime	3,863	2.8%
Since School Began	547	0.4%
In The Past Month	1,036	0.8%
Frequency Missing	2,694	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	135,417	99.2%
In Your Lifetime	643	0.5%
Since School Began	202	0.1%
In The Past Month	191	0.1%
Frequency Missing	3,437	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	101,967	74.3%
In Your Lifetime	17,326	12.6%
Since School Began	6,356	4.6%
In The Past Month	11,674	8.5%
Frequency Missing	2,569	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	133,235	97.4%
In Your Lifetime	2,153	1.6%
Since School Began	574	0.4%
In The Past Month	844	0.6%
Frequency Missing	3,085	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	108,624	79.2%
In Your Lifetime	13,813	10.1%
Since School Began	4,438	3.2%
In The Past Month	10,226	7.5%
Frequency Missing	2,790	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	136,411	99.7%
In Your Lifetime	247	0.2%
Since School Began	42	0.0%
In The Past Month	136	0.1%
Frequency Missing	3,055	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	134,891	98.6%
In Your Lifetime	1,234	0.9%
Since School Began	262	0.2%
In The Past Month	404	0.3%
Frequency Missing	3,100	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	130,459	95.2%
In Your Lifetime	4,599	3.4%
Since School Began	793	0.6%
In The Past Month	1,249	0.9%
Frequency Missing	2,791	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	133,544	97.9%
In Your Lifetime	1,740	1.3%
Since School Began	252	0.2%
In The Past Month	828	0.6%
Frequency Missing	3,528	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	115,224	84.5%
In Your Lifetime	6,102	4.5%
Since School Began	4,129	3.0%
In The Past Month	10,850	8.0%
Frequency Missing	3,586	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	135,859	99.4%
In Your Lifetime	655	0.5%
Since School Began	78	0.1%
In The Past Month	144	0.1%
Frequency Missing	3,155	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	128,298	94.0%
In Your Lifetime	2,034	1.5%
Since School Began	1,836	1.3%
In The Past Month	4,303	3.2%
Frequency Missing	3,421	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	134,919	98.5%
In Your Lifetime	1,264	0.9%
Since School Began	291	0.2%
In The Past Month	530	0.4%
Frequency Missing	2,887	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	130,201	95.9%
In Your Lifetime	1,780	1.3%
Since School Began	1,243	0.9%
In The Past Month	2,526	1.9%
Frequency Missing	4,141	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	129,765	95.6%
In Your Lifetime	1,935	1.4%
Since School Began	929	0.7%
In The Past Month	3,054	2.3%
Frequency Missing	4,207	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	98,569	72.5%
1-2 Times	21,362	15.7%
3-10 Times	10,833	8.0%
11+ Times	5,155	3.8%
Frequency Missing	3,973	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	124,365	91.3%
In Your Lifetime	3,990	2.9%
Since School Began	1,691	1.2%
In The Past Month	6,103	4.5%
Frequency Missing	3,741	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	134,135	98.5%
1-2 Times	1,538	1.1%
3-10 Times	372	0.3%
11+ Times	156	0.1%
Frequency Missing	3,691	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	130,050	95.6%
In Your Lifetime	1,856	1.4%
Since School Began	902	0.7%
In The Past Month	3,298	2.4%
Frequency Missing	3,786	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	120,085	88.1%
1-2 Times	7,426	5.5%
3-10 Times	3,807	2.8%
11+ Times	4,919	3.6%
Frequency Missing	3,654	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	118,889	87.4%
1-2 Times	6,452	4.7%
3-10 Times	4,707	3.5%
11+ Times	6,033	4.4%
Frequency Missing	3,810	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	134,555	98.5%
1-2 Times	1,261	0.9%
3-10 Times	424	0.3%
11+ Times	335	0.2%
Frequency Missing	3,316	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	135,924	99.5%
1-2 Times	521	0.4%
3-10 Times	67	0.0%
11+ Times	96	0.1%
Frequency Missing	3,283	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	81,260	59.8%
A Few	26,640	19.6%
Some	12,755	9.4%
Most	11,439	8.4%
All	3,712	2.7%
Frequency Missing	4,086	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	80,223	59.0%
A Few	29,898	22.0%
Some	14,140	10.4%
Most	9,775	7.2%
All	1,929	1.4%
Frequency Missing	3,928	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	31,185	23.2%
Impossible	28,606	21.3%
Very Difficult	7,436	5.5%
Somewhat Diff	12,187	9.1%
Somewhat Easy	19,631	14.6%
Very Easy	35,112	26.2%
Frequency Missing	5,735	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	59,268	43.7%
A Few	34,958	25.8%
Some	18,865	13.9%
Most	17,370	12.8%
All	5,183	3.8%
Frequency Missing	4,247	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	25,884	19.3%
Impossible	20,952	15.7%
Very Difficult	8,302	6.2%
Somewhat Diff	14,887	11.1%
Somewhat Easy	24,430	18.3%
Very Easy	39,350	29.4%
Frequency Missing	6,086	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	125,314	92.5%
A Few	7,194	5.3%
Some	2,110	1.6%
Most	440	0.3%
All	377	0.3%
Frequency Missing	4,456	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	51,651	38.7%
Impossible	25,512	19.1%
Very Difficult	6,420	4.8%
Somewhat Diff	8,153	6.1%
Somewhat Easy	12,533	9.4%
Very Easy	29,290	21.9%
Frequency Missing	6,332	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	32,690	24.4%
Impossible	35,846	26.8%
Very Difficult	10,305	7.7%
Somewhat Diff	13,251	9.9%
Somewhat Easy	15,314	11.4%
Very Easy	26,486	19.8%
Frequency Missing	5,998	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	62,234	46.6%
Impossible	40,597	30.4%
Very Difficult	12,427	9.3%
Somewhat Diff	7,646	5.7%
Somewhat Easy	4,729	3.5%
Very Easy	5,930	4.4%
Frequency Missing	6,327	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	45,700	34.1%
Impossible	50,288	37.6%
Very Difficult	15,067	11.3%
Somewhat Diff	9,715	7.3%
Somewhat Easy	6,135	4.6%
Very Easy	6,959	5.2%
Frequency Missing	6,027	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	57,581	42.9%
Impossible	49,661	37.0%
Very Difficult	14,445	10.8%
Somewhat Diff	5,861	4.4%
Somewhat Easy	2,672	2.0%
Very Easy	4,099	3.1%
Frequency Missing	5,573	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	47,461	35.6%
Impossible	51,853	38.8%
Very Difficult	15,464	11.6%
Somewhat Diff	9,188	6.9%
Somewhat Easy	4,105	3.1%
Very Easy	5,409	4.1%
Frequency Missing	6,411	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	58,417	43.5%
Impossible	46,729	34.8%
Very Difficult	13,968	10.4%
Somewhat Diff	6,492	4.8%
Somewhat Easy	3,692	2.7%
Very Easy	5,083	3.8%
Frequency Missing	5,511	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	50,193	37.5%
Impossible	47,584	35.6%
Very Difficult	15,015	11.2%
Somewhat Diff	10,332	7.7%
Somewhat Easy	4,905	3.7%
Very Easy	5,668	4.2%
Frequency Missing	6,195	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	54,483	40.6%
Impossible	40,283	30.0%
Very Difficult	10,749	8.0%
Somewhat Diff	9,321	6.9%
Somewhat Easy	8,231	6.1%
Very Easy	11,098	8.3%
Frequency Missing	5,726	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	4,615	3.4%
Several Times/Wk	2,886	2.1%
Several Times/Mo	3,403	2.5%
About Once/Month	4,150	3.1%
About Once/Year	4,216	3.1%
Less than Once/Year	8,125	6.0%
Never Used	108,135	79.8%
Frequency Missing	4,363	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	2,243	1.7%
Several Times/Wk	2,411	1.8%
Several Times/Mo	3,727	2.8%
About Once/Month	5,011	3.7%
About Once/Year	4,930	3.6%
Less than Once/Year	6,144	4.5%
Never Used	110,895	81.9%
Frequency Missing	4,529	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	762	0.6%
Several Times/Wk	3,122	2.3%
Several Times/Mo	10,240	7.6%
About Once/Month	16,331	12.1%
About Once/Year	13,842	10.3%
Less than Once/Year	13,242	9.8%
Never Used	77,361	57.3%
Frequency Missing	4,991	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	136	0.1%
Several Times/Wk	164	0.1%
Several Times/Mo	452	0.3%
About Once/Month	377	0.3%
About Once/Year	565	0.4%
Less than Once/Year	1,034	0.8%
Never Used	132,786	98.0%
Frequency Missing	4,377	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	76	0.1%
Several Times/Wk	121	0.1%
Several Times/Mo	318	0.2%
About Once/Month	946	0.7%
About Once/Year	586	0.4%
Less than Once/Year	1,881	1.4%
Never Used	131,388	97.1%
Frequency Missing	4,576	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	74	0.1%
Several Times/Wk	29	0.0%
Several Times/Mo	68	0.0%
About Once/Month	68	0.1%
About Once/Year	260	0.2%
Less than Once/Year	380	0.3%
Never Used	134,702	99.4%
Frequency Missing	4,312	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	61	0.0%
Several Times/Wk	29	0.0%
Several Times/Mo	146	0.1%
About Once/Month	14	0.0%
About Once/Year	250	0.2%
Less than Once/Year	432	0.3%
Never Used	134,272	99.3%
Frequency Missing	4,688	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	110	0.1%
Several Times/Wk	56	0.0%
Several Times/Mo	58	0.0%
About Once/Month	160	0.1%
About Once/Year	288	0.2%
Less than Once/Year	833	0.6%
Never Used	133,764	98.9%
Frequency Missing	4,622	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	95	0.1%
Several Times/Mo	119	0.1%
About Once/Month	542	0.4%
About Once/Year	523	0.4%
Less than Once/Year	1,060	0.8%
Never Used	132,517	98.3%
Frequency Missing	5,036	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	67	0.0%
Several Times/Wk	218	0.2%
Several Times/Mo	426	0.3%
About Once/Month	512	0.4%
About Once/Year	798	0.6%
Less than Once/Year	2,529	1.9%
Never Used	130,564	96.6%
Frequency Missing	4,777	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	14	0.0%
Several Times/Wk	49	0.0%
Several Times/Mo	44	0.0%
About Once/Month	18	0.0%
About Once/Year	90	0.1%
Less than Once/Year	562	0.4%
Never Used	134,346	99.4%
Frequency Missing	4,767	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	82,528	61.5%
12+ Drinks	5,153	3.8%
9-11 Drinks	3,156	2.4%
5-8 Drinks	4,003	3.0%
3-4 Drinks	7,889	5.9%
2 Drinks	7,304	5.4%
1 Drink	8,663	6.5%
Less than 1 Drink	15,446	11.5%
Frequency Missing	5,749	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 99 of 120

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	84,194	62.5%
12+ Drinks	4,198	3.1%
9-11 Drinks	2,383	1.8%
5-8 Drinks	5,814	4.3%
3-4 Drinks	9,310	6.9%
2 Drinks	7,781	5.8%
1 Drink	10,332	7.7%
Less than 1 Drink	10,684	7.9%
Frequency Missing	5,195	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	74,919	56.5%
0 Days	39,270	29.6%
1 Day	5,840	4.4%
2 Days	4,058	3.1%
3 To 5 Days	4,046	3.1%
6 To 9 Days	1,407	1.1%
10 Or More Days	3,113	2.3%
Frequency Missing	7,238	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	90,556	67.8%
12+ Drinks	1,649	1.2%
9-11 Drinks	681	0.5%
5-8 Drinks	1,671	1.3%
3-4 Drinks	4,427	3.3%
2 Drinks	6,025	4.5%
1 Drink	10,422	7.8%
Less than 1 Drink	18,200	13.6%
Frequency Missing	6,261	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	74,218	55.2%
Never	26,261	19.5%
Seldom	23,420	17.4%
Most Of The Time	6,694	5.0%
Always	3,799	2.8%
Frequency Missing	5,500	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	84,362	62.5%
12+ Drinks	5,076	3.8%
9-11 Drinks	2,696	2.0%
5-8 Drinks	5,755	4.3%
3-4 Drinks	7,600	5.6%
2 Drinks	7,669	5.7%
1 Drink	9,527	7.1%
Less than 1 Drink	12,382	9.2%
Frequency Missing	4,825	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	72,118	53.7%
Never	26,122	19.5%
Seldom	17,056	12.7%
Most Of The Time	13,656	10.2%
Always	5,275	3.9%
Frequency Missing	5,664	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	75,259	56.3%
Never	47,176	35.3%
Seldom	5,293	4.0%
Most Of The Time	3,643	2.7%
Always	2,230	1.7%
Frequency Missing	6,291	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	70,576	52.5%
Never	24,150	18.0%
Seldom	14,353	10.7%
Most Of The Time	12,574	9.4%
Always	12,676	9.4%
Frequency Missing	5,562	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	106,621	79.1%
Somewhat	14,225	10.5%
Not Very	3,613	2.7%
Not At All	1,081	0.8%
Don't Know	9,309	6.9%
Frequency Missing	5,041	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	76,392	57.4%
Never	32,392	24.3%
Seldom	11,597	8.7%
Most Of The Time	6,856	5.2%
Always	5,814	4.4%
Frequency Missing	6,840	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	83,300	61.7%
Somewhat	17,993	13.3%
Not Very	14,090	10.4%
Not At All	14,395	10.7%
Don't Know	5,300	3.9%
Frequency Missing	4,812	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	79,168	58.4%
Somewhat	33,407	24.7%
Not Very	14,099	10.4%
Not At All	3,229	2.4%
Don't Know	5,616	4.1%
Frequency Missing	4,372	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	120,498	89.1%
Somewhat	6,974	5.2%
Not Very	1,047	0.8%
Not At All	532	0.4%
Don't Know	6,145	4.5%
Frequency Missing	4,694	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	71,684	53.2%
Somewhat	39,202	29.1%
Not Very	15,899	11.8%
Not At All	3,556	2.6%
Don't Know	4,495	3.3%
Frequency Missing	5,055	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	122,096	90.2%
Somewhat	5,856	4.3%
Not Very	722	0.5%
Not At All	509	0.4%
Don't Know	6,140	4.5%
Frequency Missing	4,567	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	113,872	84.4%
Somewhat	7,923	5.9%
Not Very	2,317	1.7%
Not At All	612	0.5%
Don't Know	10,269	7.6%
Frequency Missing	4,898	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	116,055	86.1%
Somewhat	7,461	5.5%
Not Very	2,436	1.8%
Not At All	733	0.5%
Don't Know	8,183	6.1%
Frequency Missing	5,022	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	105,790	78.4%
Somewhat	14,849	11.0%
Not Very	4,784	3.5%
Not At All	889	0.7%
Don't Know	8,697	6.4%
Frequency Missing	4,884	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	104,575	77.4%
Somewhat	15,340	11.3%
Not Very	5,088	3.8%
Not At All	1,474	1.1%
Don't Know	8,709	6.4%
Frequency Missing	4,705	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	122,281	90.2%
Somewhat	4,012	3.0%
Not Very	548	0.4%
Not At All	547	0.4%
Don't Know	8,161	6.0%
Frequency Missing	4,342	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	74,603	55.2%
Somewhat	17,839	13.2%
Not Very	19,591	14.5%
Not At All	14,246	10.5%
Don't Know	8,829	6.5%
Frequency Missing	4,782	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	122,569	90.6%
Somewhat	3,659	2.7%
Not Very	648	0.5%
Not At All	506	0.4%
Don't Know	7,977	5.9%
Frequency Missing	4,532	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	101,543	75.4%
1-3 Days	24,901	18.5%
4-9 Days	5,175	3.8%
10+ Days	2,981	2.2%
Frequency Missing	5,291	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Days Ill Since September**

Q27b	Frequency	Percent
None	46,820	34.9%
1-3 Days	65,716	49.0%
4-9 Days	16,365	12.2%
10+ Days	5,195	3.9%
Frequency Missing	5,796	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	128,436	95.5%
1-3 Times	4,883	3.6%
4-9 Times	588	0.4%
10+ Times	541	0.4%
Frequency Missing	5,444	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	55,113	41.5%
1-3 Days	62,175	46.8%
4-9 Days	10,900	8.2%
10+ Days	4,617	3.5%
Frequency Missing	7,086	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	127,647	95.1%
1-3 Times	4,911	3.7%
4-9 Times	922	0.7%
10+ Times	730	0.5%
Frequency Missing	5,681	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	114,344	85.0%
1-3 Days	15,276	11.4%
4-9 Days	2,726	2.0%
10+ Days	2,109	1.6%
Frequency Missing	5,436	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	129,267	96.3%
1-3 Times	4,042	3.0%
4-9 Times	536	0.4%
10+ Times	368	0.3%
Frequency Missing	5,678	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	120,098	89.6%
1-3 Days	10,841	8.1%
4-9 Days	1,576	1.2%
10+ Days	1,512	1.1%
Frequency Missing	5,864	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	126,915	94.8%
1-3 Times	4,207	3.1%
4-9 Times	1,153	0.9%
10+ Times	1,628	1.2%
Frequency Missing	5,989	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	127,691	95.4%
1-3 Days	4,236	3.2%
4-9 Days	800	0.6%
10+ Days	1,173	0.9%
Frequency Missing	5,992	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	64,364	48.1%
Seldom	9,304	7.0%
Half The Time	5,911	4.4%
Most Of The Time	10,332	7.7%
Always	16,951	12.7%
Don't Know	1,650	1.2%
Didn't Attend	25,287	18.9%
Frequency Missing	6,092	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	124,477	93.0%
1-3 Days	5,546	4.1%
4-9 Days	1,334	1.0%
10+ Days	2,496	1.9%
Frequency Missing	6,038	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	77,250	57.9%
Seldom	8,277	6.2%
Half The Time	5,661	4.2%
Most Of The Time	6,816	5.1%
Always	8,130	6.1%
Don't Know	2,276	1.7%
Didn't Attend	25,095	18.8%
Frequency Missing	6,385	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	132,219	99.1%
1-3 Days	777	0.6%
4-9 Days	92	0.1%
10+ Days	272	0.2%
Frequency Missing	6,531	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	113,475	94.6%
Yes	6,509	5.4%
Frequency Missing	19,907	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	129,162	96.7%
1-3 Days	2,332	1.7%
4-9 Days	928	0.7%
10+ Days	1,133	0.8%
Frequency Missing	6,335	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	83,567	63.8%
Yes	47,418	36.2%
Frequency Missing	8,906	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	100,836	77.4%
Yes	29,497	22.6%
Frequency Missing	9,559	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	52,043	39.7%
Yes	79,152	60.3%
Frequency Missing	8,696	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	76,427	58.6%
Yes	54,086	41.4%
Frequency Missing	9,378	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	80,729	61.7%
Yes	50,173	38.3%
Frequency Missing	8,990	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	40,804	31.0%
Yes	90,666	69.0%
Frequency Missing	8,421	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	106,260	82.7%
Yes	22,220	17.3%
Frequency Missing	11,411	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	60,941	47.0%
Yes	68,745	53.0%
Frequency Missing	10,205	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	78,564	63.1%
Yes	46,001	36.9%
Frequency Missing	15,326	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	52,010	40.1%
Yes	77,813	59.9%
Frequency Missing	10,067	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	66,232	53.2%
Yes	58,368	46.8%
Frequency Missing	15,291	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	98,874	80.1%
Yes	24,615	19.9%
Frequency Missing	16,403	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	93,512	75.8%
Yes	29,815	24.2%
Frequency Missing	16,564	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	103,330	84.0%
Yes	19,752	16.0%
Frequency Missing	16,809	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	94,663	71.0%
Mild Disapprove	13,409	10.1%
Neither	11,159	8.4%
Mildly Approve	2,660	2.0%
Strongly Approve	1,249	0.9%
Don't Know	10,130	7.6%
Frequency Missing	6,620	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	93,852	76.1%
Yes	29,482	23.9%
Frequency Missing	16,558	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	81,157	60.9%
Mild Disapprove	19,356	14.5%
Neither	16,009	12.0%
Mildly Approve	5,629	4.2%
Strongly Approve	1,273	1.0%
Don't Know	9,827	7.4%
Frequency Missing	6,642	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	107,947	87.3%
Yes	15,683	12.7%
Frequency Missing	16,261	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	104,944	78.8%
Mild Disapprove	7,627	5.7%
Neither	7,466	5.6%
Mildly Approve	1,507	1.1%
Strongly Approve	1,906	1.4%
Don't Know	9,659	7.3%
Frequency Missing	6,783	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	83,587	67.5%
Yes	40,248	32.5%
Frequency Missing	16,057	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

