
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 4 AND 5 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4 and 5. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	19.7%	23.7%	36.5%	63.5%
Grade 7	7.3%	8.9%	18.2%	81.8%
Grade 8	14.6%	16.8%	29.8%	70.2%
Grade 9	18.3%	23.4%	35.6%	64.4%
Grade 10	24.9%	29.8%	44.0%	56.0%
Grade 11	25.4%	30.7%	46.5%	53.5%
Grade 12	30.5%	36.0%	48.8%	51.2%
Cigarettes?				
All	7.0%	9.5%	19.7%	80.3%
Grade 7	1.4%	2.1%	7.5%	92.5%
Grade 8	3.5%	5.7%	13.6%	86.4%
Grade 9	6.7%	9.3%	18.5%	81.5%
Grade 10	8.7%	12.2%	23.5%	76.5%
Grade 11	9.7%	13.7%	29.9%	70.1%
Grade 12	13.6%	15.7%	28.3%	71.7%
Smokeless Tobacco?				
All	4.9%	6.6%	12.5%	87.5%
Grade 7	1.6%	2.3%	5.7%	94.3%
Grade 8	3.6%	4.4%	8.8%	91.2%
Grade 9	4.5%	6.1%	13.1%	86.9%
Grade 10	7.1%	9.5%	14.8%	85.2%
Grade 11	6.0%	8.3%	17.3%	82.7%
Grade 12	7.5%	10.4%	16.8%	83.2%
Electronic Vapor Products?				
All	13.1%	17.9%	29.4%	70.6%
Grade 7	3.7%	5.9%	13.6%	86.4%
Grade 8	8.0%	10.6%	21.4%	78.6%
Grade 9	12.1%	17.1%	27.9%	72.1%
Grade 10	18.8%	24.9%	38.7%	61.3%
Grade 11	16.0%	22.2%	37.3%	62.7%
Grade 12	22.4%	30.2%	40.6%	59.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	80.5%	3.5%	1.8%	2.3%	3.7%	2.9%	5.4%
Grade 7	91.8%	0.3%	0.5%	1.0%	1.9%	1.5%	3.1%
Grade 8	86.2%	1.5%	0.8%	1.2%	3.2%	2.2%	5.0%
Grade 9	81.8%	2.2%	2.1%	2.9%	3.3%	3.5%	4.3%
Grade 10	76.7%	4.8%	1.9%	3.3%	4.5%	3.2%	5.6%
Grade 11	72.1%	6.1%	3.1%	2.5%	4.9%	4.1%	7.2%
Grade 12	71.2%	7.3%	2.8%	3.0%	4.7%	2.8%	8.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	10.9	11.4	12.4	12.7	13.6	14.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.3%	19.6%	6.8%	8.3%	14.3%	25.8%
Grade 7	31.0%	36.3%	7.7%	8.1%	9.1%	7.7%
Grade 8	27.7%	27.6%	8.1%	9.9%	13.4%	13.3%
Grade 9	29.6%	18.1%	5.9%	9.5%	15.6%	21.3%
Grade 10	23.0%	13.5%	7.6%	9.2%	17.2%	29.6%
Grade 11	18.9%	10.4%	6.4%	8.8%	16.7%	38.8%
Grade 12	19.3%	8.0%	4.8%	3.7%	13.9%	50.2%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	59.1%	23.0%	10.1%	6.3%	1.5%
Grade 7	80.2%	14.8%	3.3%	1.2%	0.5%
Grade 8	69.5%	19.6%	6.7%	3.8%	0.4%
Grade 9	59.6%	21.9%	11.9%	6.1%	0.6%
Grade 10	51.6%	26.3%	11.4%	8.4%	2.3%
Grade 11	45.3%	28.2%	14.8%	9.2%	2.6%
Grade 12	44.0%	29.0%	14.0%	10.3%	2.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	69.6%	10.2%	9.7%	2.1%	0.8%	7.7%
Grade 7	82.9%	3.6%	2.1%	1.1%	0.7%	9.7%
Grade 8	78.4%	6.4%	5.1%	1.3%	0.7%	8.1%
Grade 9	70.6%	9.9%	9.2%	2.5%	0.5%	7.3%
Grade 10	65.5%	12.7%	11.6%	1.6%	0.6%	8.0%
Grade 11	62.1%	14.9%	13.4%	2.0%	1.3%	6.4%
Grade 12	54.4%	15.1%	18.9%	4.3%	1.2%	6.0%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	56.5%	24.7%	11.3%	3.1%	4.4%
	Grade 7	73.7%	16.1%	4.2%	1.3%	4.6%
	Grade 8	62.1%	23.8%	7.6%	2.4%	4.1%
	Grade 9	53.0%	24.0%	13.6%	2.4%	6.9%
	Grade 10	48.8%	28.9%	13.6%	5.0%	3.7%
	Grade 11	48.9%	30.0%	13.7%	3.3%	4.1%
	Grade 12	49.5%	27.0%	16.6%	4.5%	2.4%
Electronic Vapor Products?						
	All	57.3%	12.6%	13.5%	10.9%	5.7%
	Grade 7	70.7%	12.9%	6.3%	4.8%	5.3%
	Grade 8	60.8%	13.8%	11.1%	8.4%	5.8%
	Grade 9	54.6%	12.5%	13.6%	10.1%	9.1%
	Grade 10	52.3%	11.5%	15.8%	15.5%	4.9%
	Grade 11	51.7%	13.4%	19.1%	11.4%	4.5%
	Grade 12	51.1%	11.6%	16.8%	16.7%	3.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.4%	37.7%	57.5%	42.5%
Grade 7	16.0%	19.1%	41.0%	59.0%
Grade 8	24.3%	29.1%	49.9%	50.1%
Grade 9	30.9%	37.1%	58.4%	41.6%
Grade 10	39.0%	47.1%	63.8%	36.2%
Grade 11	38.0%	46.2%	67.8%	32.2%
Grade 12	43.7%	51.9%	67.6%	32.4%
Beer?				
All	12.4%	18.9%	42.9%	57.1%
Grade 7	4.3%	6.7%	30.8%	69.2%
Grade 8	7.8%	12.7%	37.1%	62.9%
Grade 9	12.9%	18.4%	42.4%	57.6%
Grade 10	16.7%	25.2%	47.1%	52.9%
Grade 11	16.1%	24.8%	52.9%	47.1%
Grade 12	18.3%	28.7%	49.8%	50.2%
Wine Coolers?				
All	11.9%	18.3%	40.5%	59.5%
Grade 7	3.9%	5.5%	21.5%	78.5%
Grade 8	7.1%	11.3%	30.8%	69.2%
Grade 9	11.8%	18.1%	39.7%	60.3%
Grade 10	16.5%	25.9%	48.3%	51.7%
Grade 11	13.5%	21.5%	51.5%	48.5%
Grade 12	20.7%	30.3%	55.5%	44.5%
Wine?				
All	8.0%	13.6%	36.5%	63.5%
Grade 7	2.9%	4.4%	23.4%	76.6%
Grade 8	5.0%	9.3%	29.6%	70.4%
Grade 9	8.5%	13.7%	37.3%	62.7%
Grade 10	9.8%	16.9%	40.5%	59.5%
Grade 11	8.8%	16.5%	45.0%	55.0%
Grade 12	14.4%	23.3%	46.4%	53.6%
Liquor?				
All	13.1%	19.8%	40.6%	59.4%
Grade 7	3.4%	5.3%	18.7%	81.3%
Grade 8	8.2%	13.3%	30.8%	69.2%
Grade 9	12.8%	18.4%	40.6%	59.4%
Grade 10	18.8%	27.6%	47.8%	52.2%
Grade 11	15.4%	24.4%	54.0%	46.0%
Grade 12	22.4%	33.4%	56.4%	43.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	57.1%	0.4%	1.8%	7.0%	12.9%	11.2%	9.6%
Grade 7	77.4%	0.1%	0.6%	1.9%	5.0%	6.2%	8.7%
Grade 8	67.3%	0.1%	1.4%	3.8%	8.1%	10.3%	9.0%
Grade 9	57.4%	0.0%	1.8%	7.7%	12.5%	10.5%	10.1%
Grade 10	49.4%	0.5%	2.8%	8.9%	16.5%	13.0%	8.9%
Grade 11	44.3%	0.6%	2.8%	9.5%	17.3%	14.5%	10.9%
Grade 12	42.2%	1.0%	1.5%	11.6%	19.8%	13.3%	10.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	62.6%	37.4%	9.0%	17.3%	11.1%
	Grade 7	73.5%	26.5%	2.8%	9.6%	14.1%
	Grade 8	67.7%	32.3%	4.5%	15.9%	11.9%
	Grade 9	62.6%	37.4%	8.5%	17.6%	11.3%
	Grade 10	59.0%	41.0%	13.2%	19.2%	8.6%
	Grade 11	53.7%	46.3%	14.5%	20.0%	11.8%
	Grade 12	56.5%	43.5%	12.1%	23.1%	8.4%
Wine Coolers						
	All	63.2%	36.8%	8.9%	20.6%	7.2%
	Grade 7	82.1%	17.9%	1.3%	9.4%	7.2%
	Grade 8	72.2%	27.8%	3.8%	15.6%	8.4%
	Grade 9	64.3%	35.7%	7.9%	20.2%	7.6%
	Grade 10	54.2%	45.8%	13.7%	26.0%	6.1%
	Grade 11	52.0%	48.0%	13.6%	27.7%	6.7%
	Grade 12	50.2%	49.8%	15.3%	27.1%	7.3%
Wine						
	All	68.3%	31.7%	3.6%	15.3%	12.9%
	Grade 7	79.3%	20.7%	1.1%	7.5%	12.2%
	Grade 8	74.9%	25.1%	2.0%	10.9%	12.2%
	Grade 9	66.6%	33.4%	3.5%	15.4%	14.6%
	Grade 10	65.0%	35.0%	5.5%	18.2%	11.3%
	Grade 11	62.2%	37.8%	5.7%	19.6%	12.5%
	Grade 12	59.0%	41.0%	4.4%	22.0%	14.6%
Liquor						
	All	62.1%	37.9%	10.6%	18.7%	8.5%
	Grade 7	83.2%	16.8%	2.2%	6.6%	8.0%
	Grade 8	71.8%	28.2%	5.9%	12.8%	9.5%
	Grade 9	62.9%	37.1%	10.4%	17.8%	8.9%
	Grade 10	54.8%	45.2%	14.0%	23.9%	7.3%
	Grade 11	49.0%	51.0%	18.3%	23.9%	8.8%
	Grade 12	46.4%	53.6%	14.7%	30.1%	8.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.6%	5.0%	2.4%	2.7%	1.2%	2.1%
Grade 7	95.1%	1.9%	1.1%	0.5%	0.5%	0.9%
Grade 8	91.6%	3.9%	1.2%	1.2%	0.6%	1.5%
Grade 9	87.7%	4.6%	2.3%	2.9%	0.7%	1.9%
Grade 10	81.1%	6.9%	3.7%	4.4%	1.4%	2.4%
Grade 11	82.3%	4.8%	2.5%	4.2%	2.7%	3.5%
Grade 12	80.1%	8.6%	4.1%	3.3%	1.5%	2.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.4	11.4	12.3	13.1	13.7	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.6%	14.8%	7.0%	10.7%	20.5%	27.4%
Grade 7	27.4%	27.8%	8.5%	9.4%	12.9%	14.0%
Grade 8	22.0%	20.2%	8.4%	11.0%	17.7%	20.7%
Grade 9	22.2%	12.9%	7.4%	10.5%	20.6%	26.4%
Grade 10	15.7%	9.9%	7.0%	10.9%	24.0%	32.6%
Grade 11	14.1%	7.9%	5.3%	11.3%	23.3%	38.1%
Grade 12	14.0%	7.3%	4.9%	11.4%	26.3%	36.0%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.5%	3.4%	0.5%	0.6%
Grade 7	96.5%	2.8%	0.4%	0.3%
Grade 8	95.9%	2.8%	0.3%	1.0%
Grade 9	95.6%	3.9%	0.3%	0.2%
Grade 10	94.0%	4.3%	0.4%	1.4%
Grade 11	95.5%	3.4%	0.7%	0.3%
Grade 12	95.2%	3.3%	0.9%	0.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.6
Alcohol Non-Users	3.3
Average Days Conduct Problems Reported	
Alcohol Users	2.5
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.6%	3.5%	0.5%	0.4%
Grade 9	99.0%	0.9%	0.1%	0.0%
Grade 10	95.9%	3.0%	0.7%	0.4%
Grade 11	95.1%	3.7%	0.8%	0.4%
Grade 12	91.6%	7.2%	0.6%	0.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.6%	3.8%	0.4%	0.2%
Grade 7	97.7%	2.0%	0.1%	0.2%
Grade 8	96.7%	2.9%	0.2%	0.3%
Grade 9	96.0%	3.4%	0.5%	0.1%
Grade 10	93.5%	5.5%	0.5%	0.5%
Grade 11	94.8%	4.5%	0.7%	0.0%
Grade 12	94.4%	4.9%	0.5%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	44.2%	26.2%	14.6%	11.8%	3.3%
Grade 7	68.6%	20.9%	6.7%	3.2%	0.6%
Grade 8	53.7%	27.2%	11.0%	6.7%	1.5%
Grade 9	44.4%	26.5%	15.5%	10.8%	2.8%
Grade 10	34.5%	28.9%	16.6%	15.6%	4.5%
Grade 11	29.2%	28.0%	19.9%	17.3%	5.6%
Grade 12	30.0%	25.9%	19.4%	19.4%	5.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.3%	7.1%	4.7%	8.8%	10.9%	1.3%	18.9%
Grade 7	69.0%	6.0%	4.3%	4.7%	2.2%	1.5%	12.2%
Grade 8	60.3%	8.4%	4.5%	5.5%	4.3%	2.2%	14.7%
Grade 9	47.9%	8.8%	4.2%	7.4%	9.6%	0.5%	21.4%
Grade 10	39.4%	6.8%	6.0%	10.6%	15.3%	1.3%	20.5%
Grade 11	32.8%	6.8%	4.2%	12.4%	17.9%	1.1%	24.8%
Grade 12	35.8%	5.6%	4.9%	13.3%	18.7%	0.8%	21.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	55.3%	18.9%	17.7%	5.2%	3.0%
	Grade 7	66.0%	18.1%	12.0%	2.9%	1.1%
	Grade 8	63.3%	16.4%	14.6%	4.2%	1.6%
	Grade 9	56.2%	17.3%	17.9%	4.6%	4.0%
	Grade 10	49.2%	22.6%	19.8%	5.6%	2.8%
	Grade 11	48.0%	20.2%	21.8%	6.5%	3.5%
	Grade 12	46.2%	19.1%	21.2%	8.2%	5.3%
Friends?						
	All	54.7%	18.1%	13.4%	10.6%	3.2%
	Grade 7	69.5%	21.3%	5.4%	3.2%	0.6%
	Grade 8	64.6%	18.6%	9.1%	6.2%	1.4%
	Grade 9	57.0%	19.2%	12.0%	9.7%	2.1%
	Grade 10	46.6%	16.9%	15.7%	15.5%	5.2%
	Grade 11	44.1%	16.3%	18.2%	16.7%	4.7%
	Grade 12	42.0%	15.7%	22.6%	13.8%	6.0%
A Store?						
	All	57.3%	34.0%	4.5%	2.7%	1.5%
	Grade 7	69.9%	27.0%	1.2%	1.5%	0.4%
	Grade 8	66.6%	29.0%	2.5%	1.2%	0.6%
	Grade 9	59.8%	33.3%	3.8%	2.4%	0.8%
	Grade 10	51.8%	38.1%	4.7%	3.9%	1.5%
	Grade 11	46.4%	38.0%	9.0%	4.3%	2.3%
	Grade 12	45.6%	40.6%	6.8%	3.4%	3.6%
Parties?						
	All	53.8%	17.9%	10.9%	10.2%	7.2%
	Grade 7	67.1%	20.5%	6.4%	3.9%	2.1%
	Grade 8	63.8%	17.3%	8.4%	6.6%	4.0%
	Grade 9	55.8%	16.5%	11.0%	9.5%	7.1%
	Grade 10	46.7%	17.8%	12.6%	11.9%	11.0%
	Grade 11	43.8%	17.9%	12.3%	15.2%	10.8%
	Grade 12	41.7%	17.2%	16.0%	16.1%	9.0%
Other Sources?						
	All	58.0%	23.5%	8.9%	5.4%	4.2%
	Grade 7	69.4%	21.0%	5.2%	2.5%	1.8%
	Grade 8	66.0%	19.5%	7.8%	4.2%	2.5%
	Grade 9	59.4%	23.7%	7.9%	5.5%	3.5%
	Grade 10	52.7%	23.9%	11.3%	6.4%	5.7%
	Grade 11	48.8%	26.4%	11.1%	7.0%	6.7%
	Grade 12	48.3%	27.6%	11.1%	7.4%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.9%	14.6%	14.0%	4.6%	0.9%	7.0%
Grade 7	73.5%	8.4%	6.6%	1.6%	0.6%	9.3%
Grade 8	64.9%	14.2%	9.5%	3.1%	0.9%	7.4%
Grade 9	60.5%	14.9%	12.5%	3.6%	0.6%	7.8%
Grade 10	54.9%	16.2%	16.1%	4.7%	1.2%	6.9%
Grade 11	50.0%	17.4%	18.5%	7.6%	1.3%	5.3%
Grade 12	46.2%	17.4%	22.7%	7.8%	1.1%	4.8%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.2%	29.9%	12.5%	2.8%	3.6%
Grade 7	62.7%	21.1%	10.0%	2.0%	4.2%
Grade 8	52.5%	28.0%	13.4%	2.7%	3.4%
Grade 9	49.2%	28.7%	13.5%	2.5%	6.0%
Grade 10	45.6%	35.9%	11.9%	3.5%	3.1%
Grade 11	47.7%	33.6%	13.1%	2.8%	2.8%
Grade 12	48.3%	33.8%	13.1%	3.4%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.9%	17.1%	23.2%	76.8%
Grade 7	4.7%	6.3%	8.2%	91.8%
Grade 8	8.5%	11.1%	14.4%	85.6%
Grade 9	11.8%	15.7%	20.0%	80.0%
Grade 10	17.4%	22.5%	30.6%	69.4%
Grade 11	16.8%	22.8%	33.6%	66.4%
Grade 12	20.0%	27.1%	36.5%	63.5%
Marijuana?				
All	12.5%	15.2%	21.6%	78.4%
Grade 7	3.8%	4.5%	6.1%	93.9%
Grade 8	8.0%	9.5%	12.8%	87.2%
Grade 9	11.7%	13.7%	18.6%	81.4%
Grade 10	16.8%	19.9%	28.8%	71.2%
Grade 11	16.7%	21.0%	32.8%	67.2%
Grade 12	20.0%	25.3%	35.0%	65.0%
Cocaine?				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.3%	98.7%
Grade 10	1.5%	1.8%	2.9%	97.1%
Grade 11	0.7%	0.9%	2.6%	97.4%
Grade 12	1.4%	1.9%	4.2%	95.8%
Crack?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.4%	99.6%
Hallucinogens?				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.8%	1.7%	98.3%
Grade 9	0.4%	0.7%	1.8%	98.2%
Grade 10	1.5%	1.6%	4.0%	96.0%
Grade 11	0.6%	1.1%	3.5%	96.5%
Grade 12	0.7%	1.0%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.5%	98.5%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	0.2%	0.5%	1.7%	98.3%
Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy?				
All	0.5%	0.8%	2.2%	97.8%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.9%	98.1%
Grade 10	0.4%	0.6%	2.4%	97.6%
Grade 11	1.2%	1.9%	3.3%	96.7%
Grade 12	0.8%	1.5%	4.8%	95.2%
Heroin?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.3%	99.7%
Methamphetamine?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.2%	3.4%	96.6%
Grade 7	0.6%	0.9%	1.5%	98.5%
Grade 8	0.9%	1.4%	2.3%	97.7%
Grade 9	1.5%	1.8%	3.8%	96.2%
Grade 10	1.2%	1.4%	4.7%	95.3%
Grade 11	0.7%	1.1%	3.8%	96.2%
Grade 12	0.4%	0.7%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	82.5%	2.0%	1.6%	2.8%	3.7%	3.5%	3.8%
	Grade 7	95.3%	0.4%	0.1%	1.1%	0.8%	1.2%	1.1%
	Grade 8	90.0%	0.4%	1.4%	1.3%	2.5%	2.2%	2.1%
	Grade 9	85.2%	2.0%	0.9%	3.5%	2.2%	2.8%	3.2%
	Grade 10	77.3%	2.4%	2.4%	4.3%	5.2%	3.9%	4.5%
	Grade 11	72.3%	3.3%	1.6%	3.7%	5.4%	7.0%	6.7%
	Grade 12	71.4%	4.0%	3.3%	3.1%	7.1%	4.8%	6.3%
Cocaine?								
	All	98.6%	0.0%	0.0%	0.1%	0.2%	0.4%	0.7%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%
	Grade 8	99.2%	0.0%	0.0%	0.1%	0.2%	0.1%	0.3%
	Grade 9	99.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.5%
	Grade 10	98.8%	0.0%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 11	98.6%	0.0%	0.0%	0.0%	0.2%	0.3%	0.9%
	Grade 12	96.3%	0.0%	0.2%	0.4%	0.4%	1.1%	1.7%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Steroids?								
	All	99.2%	0.1%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 7	98.9%	0.1%	0.0%	0.1%	0.1%	0.5%	0.3%
	Grade 8	99.2%	0.1%	0.0%	0.1%	0.0%	0.3%	0.4%
	Grade 9	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 10	99.2%	0.5%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 11	99.0%	0.0%	0.0%	0.0%	0.3%	0.3%	0.3%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.5%
Ecstasy?								
	All	98.2%	0.0%	0.0%	0.1%	0.2%	0.7%	0.7%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.2%	0.1%	0.3%
	Grade 9	98.5%	0.0%	0.0%	0.1%	0.0%	0.9%	0.6%
	Grade 10	98.1%	0.0%	0.0%	0.2%	0.2%	1.0%	0.6%
	Grade 11	97.0%	0.0%	0.0%	0.4%	0.7%	0.8%	1.0%
	Grade 12	95.9%	0.0%	0.2%	0.1%	0.3%	1.3%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 7	99.6%	0.0%	0.1%	0.2%	0.1%	0.0%	0.0%
Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 11	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?							
All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.1%	0.0%	0.0%	0.1%	0.2%
Grade 8	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 11	99.3%	0.2%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 12	99.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.6%
Synthetic Marijuana?							
All	97.8%	0.0%	0.1%	0.2%	0.3%	0.4%	1.1%
Grade 7	98.7%	0.0%	0.0%	0.4%	0.1%	0.2%	0.5%
Grade 8	98.5%	0.0%	0.0%	0.1%	0.4%	0.1%	0.7%
Grade 9	97.4%	0.0%	0.4%	0.3%	0.2%	0.4%	1.3%
Grade 10	96.6%	0.1%	0.3%	0.2%	0.3%	0.7%	1.8%
Grade 11	97.8%	0.0%	0.0%	0.1%	0.4%	0.9%	0.8%
Grade 12	97.4%	0.0%	0.1%	0.0%	0.3%	0.3%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.3	12.3	13.0	13.8	14.5	15.2
Cocaine	14.6	10.3	12.4	14.2	14.7	14.8	16.0
Crack	12.8	11.2	12.0	14.0	11.0	13.9	18.0
Steroids	12.2	10.5	11.5	11.6	12.4	13.5	15.7
Ecstasy	15.3	12.4	13.1	14.1	14.9	15.8	16.4
Heroin	11.1	9.8	10.7	12.0	15.0	17.0	N/A
Methamphetamine	13.6	10.8	12.2	13.7	13.6	15.5	15.5
Synthetic Marijuana	13.6	11.2	13.0	13.4	13.8	14.4	14.0

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	27.4%	24.8%	8.4%	8.9%	12.8%	17.9%
	Grade 7	35.6%	44.6%	7.2%	4.9%	4.4%	3.3%
	Grade 8	30.1%	36.8%	9.6%	7.4%	7.5%	8.6%
	Grade 9	31.6%	20.8%	8.6%	10.8%	11.5%	16.6%
	Grade 10	22.9%	16.3%	8.2%	9.3%	16.0%	27.2%
	Grade 11	20.7%	15.7%	8.8%	11.1%	16.5%	27.2%
	Grade 12	21.4%	10.5%	7.7%	10.3%	23.0%	27.2%
Cocaine?							
	All	39.0%	35.2%	12.0%	6.3%	3.6%	3.8%
	Grade 7	39.1%	49.2%	6.8%	2.3%	1.2%	1.4%
	Grade 8	37.2%	45.0%	9.7%	3.6%	2.4%	2.1%
	Grade 9	42.6%	32.1%	12.1%	6.4%	3.7%	3.1%
	Grade 10	37.8%	29.5%	15.2%	8.4%	4.1%	5.0%
	Grade 11	37.6%	28.5%	14.7%	8.4%	4.8%	6.0%
	Grade 12	39.5%	24.0%	14.3%	10.0%	6.3%	6.0%
Crack?							
	All	40.7%	35.9%	11.9%	5.5%	2.8%	3.2%
	Grade 7	40.1%	48.6%	6.2%	2.3%	1.3%	1.6%
	Grade 8	38.1%	45.0%	9.4%	3.0%	2.2%	2.4%
	Grade 9	43.7%	33.3%	10.7%	6.3%	2.8%	3.3%
	Grade 10	39.8%	30.3%	14.4%	8.0%	3.4%	4.1%
	Grade 11	39.2%	30.1%	15.5%	6.4%	3.8%	5.1%
	Grade 12	43.4%	25.6%	16.7%	7.5%	3.6%	3.2%
Steroids?							
	All	41.3%	33.6%	11.1%	6.1%	3.6%	4.3%
	Grade 7	41.7%	45.2%	5.6%	3.6%	1.5%	2.4%
	Grade 8	40.3%	41.5%	8.8%	4.2%	2.7%	2.5%
	Grade 9	44.6%	31.0%	9.9%	6.0%	3.7%	4.8%
	Grade 10	40.2%	29.2%	13.9%	6.1%	5.0%	5.7%
	Grade 11	38.2%	27.6%	15.1%	7.6%	5.4%	6.1%
	Grade 12	42.4%	24.7%	14.5%	9.9%	3.8%	4.6%
Ecstasy?							
	All	48.7%	30.4%	9.5%	4.8%	3.1%	3.5%
	Grade 7	57.9%	35.8%	3.5%	1.2%	0.5%	1.1%
	Grade 8	50.7%	37.5%	6.6%	2.3%	1.0%	1.9%
	Grade 9	50.8%	29.4%	9.2%	4.4%	3.2%	3.0%
	Grade 10	45.1%	27.5%	12.3%	5.5%	5.2%	4.4%
	Grade 11	42.0%	27.3%	13.2%	7.5%	4.7%	5.3%
	Grade 12	43.8%	22.7%	13.8%	9.1%	4.6%	6.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	45.7%	35.2%	10.5%	4.0%	1.8%	2.7%
	Grade 7	49.2%	41.7%	5.0%	1.6%	1.0%	1.4%
	Grade 8	46.1%	41.2%	7.5%	2.0%	1.3%	1.9%
	Grade 9	47.9%	33.5%	10.1%	4.1%	2.0%	2.4%
	Grade 10	43.6%	32.0%	13.3%	5.0%	2.4%	3.8%
	Grade 11	42.0%	32.7%	14.1%	4.9%	2.1%	4.1%
	Grade 12	45.0%	28.5%	14.5%	7.2%	2.3%	2.6%
Methamphetamine?							
	All	46.5%	33.3%	10.4%	4.2%	2.4%	3.2%
	Grade 7	51.7%	40.2%	4.8%	1.7%	0.5%	1.2%
	Grade 8	47.2%	39.7%	7.1%	2.3%	1.5%	2.2%
	Grade 9	49.1%	31.0%	10.6%	3.9%	2.0%	3.4%
	Grade 10	43.4%	29.7%	14.4%	4.7%	3.7%	4.2%
	Grade 11	42.0%	31.7%	12.9%	5.4%	3.0%	5.0%
	Grade 12	44.6%	25.9%	13.9%	7.9%	4.3%	3.4%
Synthetic Marijuana?							
	All	46.3%	29.9%	8.9%	5.8%	4.1%	5.0%
	Grade 7	52.5%	37.5%	4.7%	2.3%	1.3%	1.6%
	Grade 8	49.1%	36.4%	6.1%	2.8%	2.6%	3.1%
	Grade 9	47.0%	28.8%	8.1%	6.4%	4.0%	5.6%
	Grade 10	41.6%	25.5%	11.9%	7.7%	6.1%	7.2%
	Grade 11	42.7%	26.8%	11.2%	7.0%	4.9%	7.4%
	Grade 12	43.6%	22.3%	12.6%	9.7%	6.0%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.1%	3.2%	0.9%	1.7%
Grade 7	97.7%	1.6%	0.2%	0.5%
Grade 8	95.3%	2.3%	0.6%	1.8%
Grade 9	95.3%	2.7%	0.8%	1.2%
Grade 10	91.6%	4.4%	1.6%	2.3%
Grade 11	92.9%	4.1%	0.9%	2.1%
Grade 12	91.1%	4.8%	1.8%	2.4%
Attended Class While High from Use of Some Other Drug?				
All	97.5%	1.6%	0.3%	0.5%
Grade 7	98.3%	1.1%	0.4%	0.2%
Grade 8	97.1%	1.4%	0.4%	1.1%
Grade 9	97.5%	2.2%	0.0%	0.3%
Grade 10	97.4%	1.7%	0.2%	0.7%
Grade 11	97.9%	1.0%	0.5%	0.6%
Grade 12	97.0%	2.0%	0.5%	0.4%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.2
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.2

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.1%	3.9%	0.7%	1.3%
Grade 9	97.3%	2.0%	0.2%	0.5%
Grade 10	96.1%	2.6%	0.3%	1.0%
Grade 11	92.9%	4.7%	1.0%	1.4%
Grade 12	89.2%	6.9%	1.3%	2.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.1%	2.5%	0.3%	0.1%
Grade 7	98.4%	1.5%	0.1%	0.1%
Grade 8	97.5%	1.9%	0.3%	0.2%
Grade 9	97.3%	2.3%	0.3%	0.1%
Grade 10	96.5%	2.9%	0.2%	0.3%
Grade 11	96.4%	3.0%	0.5%	0.1%
Grade 12	96.3%	3.6%	0.1%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	59.0%	20.3%	10.0%	8.3%	2.5%
Grade 7	85.9%	9.6%	2.4%	1.4%	0.8%
Grade 8	72.1%	15.5%	7.1%	4.0%	1.2%
Grade 9	58.3%	22.3%	9.3%	7.9%	2.2%
Grade 10	47.0%	24.9%	13.2%	11.3%	3.6%
Grade 11	42.1%	26.1%	14.7%	14.3%	2.9%
Grade 12	43.5%	25.2%	14.7%	12.1%	4.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.6%	5.6%	4.0%	5.3%	5.8%	1.9%	18.8%
Grade 7	80.2%	2.7%	1.5%	0.9%	0.8%	1.5%	12.4%
Grade 8	73.6%	3.5%	2.2%	2.4%	2.6%	1.8%	13.9%
Grade 9	58.6%	7.8%	2.9%	3.6%	4.6%	1.8%	20.7%
Grade 10	49.2%	7.3%	5.2%	7.0%	8.0%	2.7%	20.6%
Grade 11	40.6%	6.0%	6.0%	9.0%	10.5%	2.7%	25.2%
Grade 12	44.2%	6.9%	6.8%	10.0%	9.8%	0.9%	21.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.5%	6.1%	7.3%	2.3%	1.5%	7.3%
Grade 7	85.0%	2.1%	2.1%	0.7%	0.7%	9.5%
Grade 8	81.4%	4.3%	4.1%	1.4%	1.2%	7.7%
Grade 9	76.5%	6.6%	6.5%	2.1%	1.2%	7.0%
Grade 10	70.6%	6.1%	11.0%	3.0%	2.1%	7.1%
Grade 11	71.5%	9.3%	8.2%	2.6%	2.5%	5.9%
Grade 12	65.0%	9.6%	13.3%	4.4%	1.7%	5.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	59.3%	13.0%	11.1%	12.1%	4.5%
	Grade 7	81.5%	8.3%	3.2%	2.7%	4.3%
	Grade 8	69.8%	11.9%	8.0%	6.1%	4.2%
	Grade 9	56.6%	14.6%	10.4%	11.4%	7.0%
	Grade 10	48.9%	15.7%	14.8%	16.9%	3.7%
	Grade 11	48.6%	15.3%	15.5%	16.2%	4.4%
	Grade 12	45.8%	12.7%	16.7%	21.7%	3.2%
Cocaine?						
	All	88.8%	5.1%	0.7%	0.4%	5.0%
	Grade 7	90.3%	4.4%	0.6%	0.5%	4.3%
	Grade 8	88.5%	5.3%	0.8%	0.6%	4.8%
	Grade 9	85.5%	5.3%	0.7%	0.2%	8.4%
	Grade 10	88.4%	4.9%	1.2%	0.7%	4.9%
	Grade 11	91.2%	4.6%	0.2%	0.0%	4.1%
	Grade 12	89.7%	6.3%	0.7%	0.2%	3.1%
Crack?						
	All	89.4%	4.5%	0.6%	0.3%	5.2%
	Grade 7	89.8%	4.6%	0.6%	0.4%	4.5%
	Grade 8	89.0%	4.7%	0.9%	0.4%	5.0%
	Grade 9	85.5%	5.2%	0.7%	0.2%	8.4%
	Grade 10	89.2%	4.6%	0.4%	0.5%	5.3%
	Grade 11	92.5%	2.9%	0.2%	0.0%	4.4%
	Grade 12	90.7%	4.9%	0.7%	0.2%	3.5%
Ecstasy?						
	All	84.1%	6.2%	1.4%	0.6%	7.7%
	Grade 7	85.4%	4.3%	0.5%	0.5%	9.3%
	Grade 8	84.2%	5.7%	1.0%	0.5%	8.6%
	Grade 9	81.0%	6.4%	1.2%	0.5%	10.9%
	Grade 10	83.9%	7.1%	1.2%	0.9%	6.9%
	Grade 11	85.6%	6.3%	1.9%	0.5%	5.7%
	Grade 12	85.0%	8.0%	2.7%	0.4%	3.9%
Steroids?						
	All	78.9%	10.4%	3.2%	1.0%	6.5%
	Grade 7	80.9%	8.8%	2.8%	1.2%	6.4%
	Grade 8	78.8%	10.5%	3.3%	0.9%	6.5%
	Grade 9	75.9%	9.9%	3.4%	0.9%	9.9%
	Grade 10	76.5%	12.2%	3.1%	1.8%	6.4%
	Grade 11	80.7%	10.2%	3.3%	0.5%	5.3%
	Grade 12	81.0%	10.9%	3.2%	0.9%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.4%	3.5%	0.4%	0.4%	6.3%
	Grade 7	88.1%	3.8%	0.6%	0.5%	7.1%
	Grade 8	88.3%	4.1%	0.7%	0.6%	6.4%
	Grade 9	85.1%	4.5%	0.4%	0.3%	9.7%
	Grade 10	90.5%	3.0%	0.3%	0.5%	5.6%
	Grade 11	93.0%	2.0%	0.1%	0.2%	4.8%
	Grade 12	92.6%	3.6%	0.5%	0.2%	3.2%
Methamphetamine?						
	All	89.3%	3.6%	0.5%	0.4%	6.2%
	Grade 7	87.9%	3.8%	0.4%	0.6%	7.4%
	Grade 8	88.5%	4.1%	0.7%	0.6%	6.2%
	Grade 9	85.1%	4.3%	1.0%	0.2%	9.3%
	Grade 10	90.6%	3.1%	0.3%	0.5%	5.5%
	Grade 11	92.9%	2.2%	0.4%	0.0%	4.5%
	Grade 12	91.7%	4.0%	0.5%	0.2%	3.6%
Synthetic Marijuana?						
	All	85.5%	5.7%	1.2%	0.8%	6.9%
	Grade 7	85.9%	4.6%	0.7%	0.7%	8.2%
	Grade 8	85.5%	5.4%	1.5%	0.8%	6.8%
	Grade 9	80.5%	7.0%	1.4%	1.0%	10.1%
	Grade 10	84.9%	6.7%	1.1%	1.1%	6.2%
	Grade 11	87.9%	5.0%	1.2%	0.6%	5.3%
	Grade 12	89.1%	5.4%	1.1%	0.5%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	8.1%	12.2%	21.0%	79.0%
Grade 7	8.3%	11.0%	18.0%	82.0%
Grade 8	8.2%	11.7%	20.9%	79.1%
Grade 9	9.2%	14.1%	21.0%	79.0%
Grade 10	8.4%	12.3%	23.7%	76.3%
Grade 11	7.5%	12.9%	22.2%	77.8%
Grade 12	6.4%	10.9%	20.2%	79.8%
Codeine Cough Syrup?				
All	4.6%	8.0%	15.6%	84.4%
Grade 7	4.6%	7.6%	13.7%	86.3%
Grade 8	4.9%	7.7%	15.4%	84.6%
Grade 9	4.9%	8.9%	15.7%	84.3%
Grade 10	5.2%	9.1%	18.2%	81.8%
Grade 11	3.6%	7.5%	15.4%	84.6%
Grade 12	4.2%	7.2%	15.4%	84.6%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.2%	2.1%	4.4%	95.6%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.7%	1.4%	2.6%	97.4%
Grade 9	1.2%	2.0%	4.3%	95.7%
Grade 10	2.2%	3.0%	5.9%	94.1%
Grade 11	1.5%	3.2%	6.8%	93.2%
Grade 12	1.0%	2.4%	5.7%	94.3%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	2.8%	5.4%	94.6%
Grade 7	1.2%	1.6%	2.4%	97.6%
Grade 8	1.5%	2.0%	3.5%	96.5%
Grade 9	1.7%	2.9%	4.7%	95.3%
Grade 10	2.2%	3.1%	7.4%	92.6%
Grade 11	1.9%	4.2%	7.3%	92.7%
Grade 12	1.4%	3.1%	7.8%	92.2%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.2%	2.0%	3.9%	96.1%
Grade 7	1.0%	1.2%	2.4%	97.6%
Grade 8	1.1%	1.7%	3.0%	97.0%
Grade 9	1.4%	2.0%	3.1%	96.9%
Grade 10	1.6%	2.0%	4.7%	95.3%
Grade 11	1.2%	2.4%	5.5%	94.5%
Grade 12	0.8%	2.6%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.4%	4.7%	8.8%	91.2%
Grade 7	4.3%	5.6%	9.6%	90.4%
Grade 8	3.5%	5.3%	10.2%	89.8%
Grade 9	4.5%	6.4%	10.0%	90.0%
Grade 10	2.7%	4.0%	7.8%	92.2%
Grade 11	3.2%	4.2%	8.3%	91.7%
Grade 12	1.9%	2.1%	6.2%	93.8%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.6%	3.2%	96.8%
Grade 7	1.5%	2.0%	3.7%	96.3%
Grade 8	2.1%	2.4%	4.2%	95.8%
Grade 9	1.0%	1.8%	3.6%	96.4%
Grade 10	1.1%	1.6%	2.8%	97.2%
Grade 11	0.4%	1.2%	3.1%	96.9%
Grade 12	0.2%	0.3%	1.2%	98.8%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.6%	11.3%	2.9%	1.3%	6.0%
Grade 7	81.3%	9.4%	2.7%	1.0%	5.6%
Grade 8	79.4%	11.1%	2.9%	1.3%	5.4%
Grade 9	74.8%	11.6%	3.8%	1.1%	8.7%
Grade 10	77.7%	11.5%	3.0%	1.9%	5.9%
Grade 11	79.9%	11.2%	1.7%	1.1%	6.0%
Grade 12	78.7%	13.4%	3.0%	1.1%	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.0%	6.9%	14.1%	85.9%
Grade 7	6.9%	8.3%	14.8%	85.2%
Grade 8	5.6%	8.6%	16.9%	83.1%
Grade 9	5.9%	7.7%	16.0%	84.0%
Grade 10	5.1%	7.3%	15.1%	84.9%
Grade 11	2.9%	4.3%	11.7%	88.3%
Grade 12	3.1%	4.7%	9.1%	90.9%
Spray Paint?				
All	0.4%	0.5%	2.0%	98.0%
Grade 7	0.5%	0.6%	1.7%	98.3%
Grade 8	1.0%	1.2%	3.0%	97.0%
Grade 9	0.2%	0.3%	2.0%	98.0%
Grade 10	0.2%	0.4%	2.2%	97.8%
Grade 11	0.3%	0.4%	2.2%	97.8%
Grade 12	0.2%	0.2%	0.8%	99.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.8%	5.4%	94.6%
Grade 7	1.0%	1.7%	5.8%	94.2%
Grade 8	2.2%	2.8%	8.0%	92.0%
Grade 9	1.4%	2.5%	7.3%	92.7%
Grade 10	0.7%	1.3%	4.6%	95.4%
Grade 11	0.6%	0.6%	3.3%	96.7%
Grade 12	0.7%	1.3%	2.4%	97.6%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.3%	0.7%	1.3%	98.7%
Grade 12	0.2%	0.3%	0.5%	99.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.9%	7.4%	92.6%
Grade 7	2.6%	3.1%	7.6%	92.4%
Grade 8	2.1%	3.9%	9.6%	90.4%
Grade 9	1.8%	3.4%	8.3%	91.7%
Grade 10	1.7%	3.2%	7.9%	92.1%
Grade 11	0.9%	1.8%	6.1%	93.9%
Grade 12	1.4%	2.0%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.1%	1.8%	98.2%
Grade 9	0.0%	0.2%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.5%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.1%	99.9%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.5%	99.5%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.1%	2.5%	97.5%
Grade 7	1.1%	1.5%	3.0%	97.0%
Grade 8	1.1%	1.5%	3.8%	96.2%
Grade 9	0.7%	1.3%	2.9%	97.1%
Grade 10	0.6%	0.9%	2.1%	97.9%
Grade 11	0.7%	1.0%	2.5%	97.5%
Grade 12	0.0%	0.1%	0.5%	99.5%
Other Aerosols/Sprays?				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	1.1%	1.2%	2.3%	97.7%
Grade 8	1.0%	1.3%	2.5%	97.5%
Grade 9	0.3%	0.5%	1.5%	98.5%
Grade 10	0.7%	0.9%	2.0%	98.0%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.2%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.1%	0.2%	0.3%	0.6%	0.9%	1.3%
Grade 7	95.3%	0.2%	0.3%	0.5%	1.2%	0.8%	1.7%
Grade 8	95.7%	0.1%	0.3%	0.3%	0.9%	1.4%	1.4%
Grade 9	97.0%	0.0%	0.3%	0.4%	0.3%	0.6%	1.4%
Grade 10	96.9%	0.1%	0.0%	0.1%	0.9%	0.5%	1.4%
Grade 11	97.7%	0.0%	0.0%	0.0%	0.4%	1.0%	1.0%
Grade 12	98.3%	0.0%	0.0%	0.2%	0.0%	0.9%	0.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.1%	7.5%	3.3%	1.1%
Grade 7	87.0%	7.9%	4.2%	0.8%
Grade 8	85.4%	8.1%	4.4%	2.1%
Grade 9	85.5%	9.5%	4.0%	1.0%
Grade 10	87.6%	8.6%	2.6%	1.2%
Grade 11	90.6%	5.4%	2.9%	1.1%
Grade 12	94.0%	4.6%	1.0%	0.5%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.9	10.6	11.4	11.7	12.5	13.6	12.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.6%	0.1%	0.2%
Grade 7	98.4%	1.2%	0.4%	0.1%
Grade 8	98.0%	1.0%	0.1%	0.8%
Grade 9	99.8%	0.2%	0.0%	0.0%
Grade 10	98.9%	0.8%	0.0%	0.3%
Grade 11	99.9%	0.0%	0.1%	0.0%
Grade 12	99.3%	0.5%	0.0%	0.2%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	4.9
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.7%	4.8%	1.7%	0.5%	0.3%
Grade 7	91.5%	6.0%	1.7%	0.5%	0.3%
Grade 8	91.6%	6.2%	1.4%	0.7%	0.1%
Grade 9	92.4%	5.5%	1.6%	0.4%	0.0%
Grade 10	92.8%	4.4%	1.9%	0.2%	0.8%
Grade 11	93.9%	3.9%	1.6%	0.5%	0.0%
Grade 12	94.5%	2.1%	2.0%	0.7%	0.6%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.8%	12.1%	3.2%	1.3%	6.6%
Grade 7	77.7%	11.4%	3.3%	1.8%	5.8%
Grade 8	75.5%	13.4%	4.1%	1.1%	5.9%
Grade 9	75.1%	11.4%	3.6%	1.3%	8.6%
Grade 10	73.1%	14.0%	3.8%	1.3%	7.7%
Grade 11	79.5%	10.8%	2.1%	1.1%	6.6%
Grade 12	81.0%	11.5%	1.9%	0.8%	4.9%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.5%	19.0%	4.6%	5.1%	9.1%	21.6%
Grade 7	41.0%	29.1%	3.9%	5.4%	6.1%	14.4%
Grade 8	38.8%	24.8%	5.0%	4.0%	8.9%	18.4%
Grade 9	43.4%	17.6%	4.7%	5.2%	8.6%	20.5%
Grade 10	40.5%	15.3%	6.2%	4.6%	10.0%	23.3%
Grade 11	38.5%	13.9%	4.5%	5.4%	10.7%	26.9%
Grade 12	40.5%	11.1%	2.9%	6.4%	11.0%	28.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	33.9%
	Grade 7	29.2%
	Grade 8	38.2%
	Grade 9	37.7%
	Grade 10	34.5%
	Grade 11	34.0%
	Grade 12	29.1%
An Assembly Program		
	All	41.5%
	Grade 7	43.2%
	Grade 8	47.1%
	Grade 9	40.5%
	Grade 10	36.6%
	Grade 11	37.5%
	Grade 12	43.5%
Guidance Counselor		
	All	22.7%
	Grade 7	23.0%
	Grade 8	24.1%
	Grade 9	23.0%
	Grade 10	22.2%
	Grade 11	21.1%
	Grade 12	22.5%
School Nurse		
	All	14.6%
	Grade 7	16.0%
	Grade 8	14.8%
	Grade 9	13.4%
	Grade 10	14.5%
	Grade 11	12.4%
	Grade 12	16.4%
Science or Social Studies Class		
	All	24.4%
	Grade 7	27.5%
	Grade 8	25.7%
	Grade 9	24.2%
	Grade 10	21.7%
	Grade 11	21.8%
	Grade 12	25.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.9%
	Grade 7	10.6%
	Grade 8	11.9%
	Grade 9	14.9%
	Grade 10	13.9%
	Grade 11	13.9%
	Grade 12	12.1%
An Invited School Guest		
	All	28.4%
	Grade 7	31.0%
	Grade 8	32.1%
	Grade 9	26.0%
	Grade 10	27.2%
	Grade 11	24.2%
	Grade 12	29.6%
Another Source at School		
	All	25.8%
	Grade 7	24.5%
	Grade 8	26.4%
	Grade 9	25.9%
	Grade 10	26.1%
	Grade 11	27.2%
	Grade 12	24.8%
Any School Source		
	All	60.7%
	Grade 7	61.7%
	Grade 8	64.2%
	Grade 9	61.1%
	Grade 10	58.4%
	Grade 11	57.2%
	Grade 12	61.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 126

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	36.4%
	Grade 7	46.0%
	Grade 8	41.8%
	Grade 9	36.4%
	Grade 10	30.7%
	Grade 11	31.5%
	Grade 12	30.2%
School Nurse		
	All	21.0%
	Grade 7	31.6%
	Grade 8	24.8%
	Grade 9	16.8%
	Grade 10	16.4%
	Grade 11	17.4%
	Grade 12	17.4%
Another Adult In School		
	All	41.9%
	Grade 7	44.8%
	Grade 8	46.3%
	Grade 9	41.4%
	Grade 10	38.6%
	Grade 11	42.2%
	Grade 12	37.4%
Counselor/Program Outside-School		
	All	40.0%
	Grade 7	44.5%
	Grade 8	42.7%
	Grade 9	40.1%
	Grade 10	37.4%
	Grade 11	38.9%
	Grade 12	35.2%
Your Parents		
	All	71.8%
	Grade 7	79.9%
	Grade 8	75.1%
	Grade 9	70.5%
	Grade 10	69.6%
	Grade 11	68.0%
	Grade 12	65.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	55.6%
	Grade 7	65.3%
	Grade 8	58.8%
	Grade 9	51.7%
	Grade 10	49.5%
	Grade 11	52.9%
	Grade 12	54.6%
Your Friends		
	All	62.5%
	Grade 7	53.7%
	Grade 8	58.3%
	Grade 9	63.7%
	Grade 10	66.8%
	Grade 11	67.3%
	Grade 12	67.1%
Another Adult		
	All	61.2%
	Grade 7	64.0%
	Grade 8	61.6%
	Grade 9	62.2%
	Grade 10	61.6%
	Grade 11	60.7%
	Grade 12	56.0%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.4%
	Grade 7	6.3%
	Grade 8	5.1%
	Grade 9	6.3%
	Grade 10	5.4%
	Grade 11	5.6%
	Grade 12	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.3%	22.5%	21.7%	36.7%	14.8%
Grade 7	5.4%	19.1%	18.5%	37.2%	19.8%
Grade 8	4.8%	20.2%	19.3%	37.9%	17.8%
Grade 9	3.6%	21.2%	23.2%	37.9%	14.0%
Grade 10	3.6%	24.7%	23.3%	35.8%	12.6%
Grade 11	4.8%	23.9%	24.5%	36.0%	10.7%
Grade 12	3.5%	26.9%	22.0%	34.8%	12.9%
Sometimes Carry Weapons?					
All	66.4%	17.9%	8.6%	5.3%	1.8%
Grade 7	79.8%	14.3%	3.5%	1.5%	0.9%
Grade 8	73.0%	16.3%	6.3%	3.9%	0.6%
Grade 9	64.9%	19.5%	7.8%	5.9%	1.9%
Grade 10	60.0%	19.8%	10.7%	6.5%	3.0%
Grade 11	58.6%	20.0%	11.9%	7.1%	2.4%
Grade 12	59.7%	17.8%	12.6%	7.8%	2.1%
Care About Making Good Grades?					
All	2.0%	12.2%	24.4%	40.7%	20.7%
Grade 7	2.4%	11.4%	21.5%	39.7%	25.0%
Grade 8	2.5%	11.4%	25.5%	38.5%	22.1%
Grade 9	1.5%	12.6%	24.3%	41.6%	19.9%
Grade 10	1.9%	13.4%	22.7%	41.9%	20.1%
Grade 11	1.7%	12.9%	27.2%	41.8%	16.4%
Grade 12	2.1%	11.6%	25.7%	40.7%	20.0%
Belong/Want to Belong to a Gang?					
All	85.4%	9.4%	2.9%	1.5%	0.9%
Grade 7	85.4%	10.3%	2.4%	1.2%	0.8%
Grade 8	82.9%	11.4%	2.8%	2.0%	1.0%
Grade 9	82.7%	11.2%	3.9%	1.4%	0.7%
Grade 10	85.1%	9.4%	2.9%	1.2%	1.4%
Grade 11	87.9%	7.4%	2.4%	1.5%	0.8%
Grade 12	89.3%	5.5%	3.0%	1.5%	0.7%
Wish They Could Drop Out of School?					
All	48.9%	29.9%	12.2%	5.5%	3.5%
Grade 7	60.9%	23.8%	9.1%	4.1%	2.0%
Grade 8	55.7%	29.1%	8.7%	4.3%	2.2%
Grade 9	43.5%	34.0%	14.3%	5.5%	2.8%
Grade 10	46.2%	33.5%	11.7%	4.1%	4.5%
Grade 11	41.1%	31.8%	16.1%	7.5%	3.5%
Grade 12	44.2%	27.1%	14.0%	8.0%	6.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.9%	12.0%	0.8%	0.3%	1.0%
Grade 7	84.6%	12.8%	0.7%	0.4%	1.6%
Grade 8	85.6%	11.5%	1.2%	0.1%	1.6%
Grade 9	85.0%	13.5%	0.5%	0.3%	0.6%
Grade 10	85.3%	13.1%	1.0%	0.0%	0.6%
Grade 11	86.2%	11.3%	0.9%	0.6%	1.1%
Grade 12	89.7%	9.3%	0.5%	0.2%	0.3%
Out In Your Neighborhood?					
All	48.5%	40.6%	6.2%	1.5%	3.1%
Grade 7	39.6%	45.8%	7.8%	2.4%	4.4%
Grade 8	43.4%	44.6%	6.5%	1.9%	3.6%
Grade 9	49.1%	40.1%	6.5%	1.4%	2.9%
Grade 10	54.2%	36.7%	5.9%	0.9%	2.4%
Grade 11	51.8%	37.5%	6.1%	1.0%	3.6%
Grade 12	54.7%	38.1%	4.4%	1.4%	1.4%
At School?					
All	36.7%	44.6%	10.1%	5.3%	3.4%
Grade 7	46.1%	39.4%	8.1%	3.9%	2.5%
Grade 8	45.4%	41.6%	6.7%	2.5%	3.8%
Grade 9	31.2%	46.9%	12.0%	6.3%	3.6%
Grade 10	35.2%	44.4%	10.4%	6.7%	3.4%
Grade 11	31.3%	45.1%	12.2%	7.1%	4.3%
Grade 12	29.4%	51.2%	11.3%	5.5%	2.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.7%	23.7%	36.5%	63.5%
Grade 7	7.3%	8.9%	18.2%	81.8%
Grade 8	14.6%	16.8%	29.8%	70.2%
Grade 9	18.3%	23.4%	35.6%	64.4%
Grade 10	24.9%	29.8%	44.0%	56.0%
Grade 11	25.4%	30.7%	46.5%	53.5%
Grade 12	30.5%	36.0%	48.8%	51.2%
Any Alcohol Product				
All	31.4%	37.7%	57.5%	42.5%
Grade 7	16.0%	19.1%	41.0%	59.0%
Grade 8	24.3%	29.1%	49.9%	50.1%
Grade 9	30.9%	37.1%	58.4%	41.6%
Grade 10	39.0%	47.1%	63.8%	36.2%
Grade 11	38.0%	46.2%	67.8%	32.2%
Grade 12	43.7%	51.9%	67.6%	32.4%
Any Illicit Drug				
All	12.9%	17.1%	23.2%	76.8%
Grade 7	4.7%	6.3%	8.2%	91.8%
Grade 8	8.5%	11.1%	14.4%	85.6%
Grade 9	11.8%	15.7%	20.0%	80.0%
Grade 10	17.4%	22.5%	30.6%	69.4%
Grade 11	16.8%	22.8%	33.6%	66.4%
Grade 12	20.0%	27.1%	36.5%	63.5%
Any Prescription Drug				
All	8.1%	12.2%	21.0%	79.0%
Grade 7	8.3%	11.0%	18.0%	82.0%
Grade 8	8.2%	11.7%	20.9%	79.1%
Grade 9	9.2%	14.1%	21.0%	79.0%
Grade 10	8.4%	12.3%	23.7%	76.3%
Grade 11	7.5%	12.9%	22.2%	77.8%
Grade 12	6.4%	10.9%	20.2%	79.8%
Any Inhalant				
All	5.0%	6.9%	14.1%	85.9%
Grade 7	6.9%	8.3%	14.8%	85.2%
Grade 8	5.6%	8.6%	16.9%	83.1%
Grade 9	5.9%	7.7%	16.0%	84.0%
Grade 10	5.1%	7.3%	15.1%	84.9%
Grade 11	2.9%	4.3%	11.7%	88.3%
Grade 12	3.1%	4.7%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.1%	17.9%	29.4%	70.6%
Grade 7	3.7%	5.9%	13.6%	86.4%
Grade 8	8.0%	10.6%	21.4%	78.6%
Grade 9	12.1%	17.1%	27.9%	72.1%
Grade 10	18.8%	24.9%	38.7%	61.3%
Grade 11	16.0%	22.2%	37.3%	62.7%
Grade 12	22.4%	30.2%	40.6%	59.4%
Marijuana				
All	12.5%	15.2%	21.6%	78.4%
Grade 7	3.8%	4.5%	6.1%	93.9%
Grade 8	8.0%	9.5%	12.8%	87.2%
Grade 9	11.7%	13.7%	18.6%	81.4%
Grade 10	16.8%	19.9%	28.8%	71.2%
Grade 11	16.7%	21.0%	32.8%	67.2%
Grade 12	20.0%	25.3%	35.0%	65.0%
Marijuana Only				
All	7.5%	9.5%	15.1%	84.9%
Grade 7	2.2%	2.7%	4.0%	96.0%
Grade 8	4.9%	6.0%	8.9%	91.1%
Grade 9	6.8%	8.3%	12.2%	87.8%
Grade 10	10.1%	12.6%	20.1%	79.9%
Grade 11	10.2%	13.0%	23.5%	76.5%
Grade 12	11.9%	16.3%	24.8%	75.2%
Cocaine or Crack				
All	0.9%	1.1%	2.2%	97.8%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.8%	1.1%	1.4%	98.6%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	1.6%	1.9%	3.0%	97.0%
Grade 11	0.7%	0.9%	2.8%	97.2%
Grade 12	1.4%	1.9%	4.2%	95.8%
Cocaine				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.3%	98.7%
Grade 10	1.5%	1.8%	2.9%	97.1%
Grade 11	0.7%	0.9%	2.6%	97.4%
Grade 12	1.4%	1.9%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.4%	99.6%
Hallucinogens				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.8%	1.7%	98.3%
Grade 9	0.4%	0.7%	1.8%	98.2%
Grade 10	1.5%	1.6%	4.0%	96.0%
Grade 11	0.6%	1.1%	3.5%	96.5%
Grade 12	0.7%	1.0%	3.3%	96.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.5%	0.7%	1.7%	98.3%
Grade 8	0.6%	0.9%	2.0%	98.0%
Grade 9	0.6%	0.7%	1.5%	98.5%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	0.2%	0.5%	1.7%	98.3%
Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy				
All	0.5%	0.8%	2.2%	97.8%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.9%	98.1%
Grade 10	0.4%	0.6%	2.4%	97.6%
Grade 11	1.2%	1.9%	3.3%	96.7%
Grade 12	0.8%	1.5%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	0.9%	1.2%	3.4%	96.6%
Grade 7	0.6%	0.9%	1.5%	98.5%
Grade 8	0.9%	1.4%	2.3%	97.7%
Grade 9	1.5%	1.8%	3.8%	96.2%
Grade 10	1.2%	1.4%	4.7%	95.3%
Grade 11	0.7%	1.1%	3.8%	96.2%
Grade 12	0.4%	0.7%	4.6%	95.4%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.8%	26.6%	40.0%	60.0%
Grade 7	9.5%	10.4%	21.5%	78.5%
Grade 8	16.8%	19.3%	33.0%	67.0%
Grade 9	20.3%	26.5%	37.7%	62.3%
Grade 10	29.2%	32.7%	45.8%	54.2%
Grade 11	29.6%	35.0%	53.7%	46.3%
Grade 12	36.8%	41.5%	54.5%	45.5%
Any Alcohol Product				
All	30.8%	36.7%	57.1%	42.9%
Grade 7	16.8%	20.2%	44.6%	55.4%
Grade 8	25.3%	30.6%	51.9%	48.1%
Grade 9	27.8%	34.0%	55.3%	44.7%
Grade 10	37.3%	43.3%	59.3%	40.7%
Grade 11	39.2%	46.1%	69.4%	30.6%
Grade 12	43.4%	52.5%	67.1%	32.9%
Any Illicit Drug				
All	12.1%	16.3%	23.2%	76.8%
Grade 7	5.6%	7.1%	9.4%	90.6%
Grade 8	8.1%	11.2%	15.5%	84.5%
Grade 9	11.7%	16.6%	21.4%	78.6%
Grade 10	16.7%	21.0%	30.4%	69.6%
Grade 11	16.0%	22.2%	33.0%	67.0%
Grade 12	16.4%	23.0%	34.7%	65.3%
Any Prescription Drug				
All	8.6%	13.1%	22.6%	77.4%
Grade 7	8.1%	11.1%	19.1%	80.9%
Grade 8	7.4%	11.2%	21.3%	78.7%
Grade 9	9.4%	16.1%	23.1%	76.9%
Grade 10	8.1%	12.9%	24.1%	75.9%
Grade 11	9.0%	13.9%	25.1%	74.9%
Grade 12	9.7%	13.3%	23.5%	76.5%
Any Inhalant				
All	4.4%	6.4%	13.4%	86.6%
Grade 7	7.3%	9.2%	15.4%	84.6%
Grade 8	4.6%	7.8%	16.4%	83.6%
Grade 9	4.6%	5.9%	13.1%	86.9%
Grade 10	3.5%	5.7%	12.8%	87.2%
Grade 11	3.1%	4.4%	11.7%	88.3%
Grade 12	2.6%	4.4%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	19.3%	30.8%	69.2%
Grade 7	4.2%	6.4%	14.4%	85.6%
Grade 8	8.2%	11.6%	23.4%	76.6%
Grade 9	12.8%	18.9%	28.3%	71.7%
Grade 10	20.9%	25.3%	39.3%	60.7%
Grade 11	18.6%	25.4%	41.3%	58.7%
Grade 12	25.1%	33.1%	43.8%	56.2%
Marijuana				
All	11.6%	14.3%	21.3%	78.7%
Grade 7	4.3%	5.3%	7.1%	92.9%
Grade 8	7.8%	9.8%	13.9%	86.1%
Grade 9	11.5%	14.1%	19.4%	80.6%
Grade 10	15.8%	18.5%	28.3%	71.7%
Grade 11	15.8%	20.1%	31.8%	68.2%
Grade 12	16.4%	20.7%	32.4%	67.6%
Marijuana Only				
All	6.5%	8.4%	14.3%	85.7%
Grade 7	2.3%	3.0%	4.6%	95.4%
Grade 8	4.5%	5.7%	9.4%	90.6%
Grade 9	5.7%	8.1%	11.9%	88.1%
Grade 10	10.1%	12.3%	20.8%	79.2%
Grade 11	8.8%	11.0%	20.9%	79.1%
Grade 12	8.7%	11.6%	21.4%	78.6%
Cocaine or Crack				
All	1.1%	1.3%	2.7%	97.3%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.4%	0.4%	2.0%	98.0%
Grade 10	1.6%	1.9%	3.1%	96.9%
Grade 11	1.3%	1.7%	4.6%	95.4%
Grade 12	2.1%	2.6%	4.5%	95.5%
Cocaine				
All	1.1%	1.3%	2.5%	97.5%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	1.6%	1.9%	3.1%	96.9%
Grade 11	1.3%	1.7%	4.1%	95.9%
Grade 12	2.1%	2.6%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	1.0%	1.6%	3.3%	96.7%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	0.4%	1.2%	2.6%	97.4%
Grade 9	0.7%	1.3%	3.0%	97.0%
Grade 10	2.2%	2.4%	4.9%	95.1%
Grade 11	0.7%	1.7%	4.7%	95.3%
Grade 12	1.4%	1.8%	2.9%	97.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.4%	0.6%	1.9%	98.1%
Grade 7	0.5%	1.0%	2.2%	97.8%
Grade 8	0.8%	1.2%	2.5%	97.5%
Grade 9	0.2%	0.4%	1.3%	98.7%
Grade 10	0.8%	0.8%	2.0%	98.0%
Grade 11	0.0%	0.2%	1.5%	98.5%
Grade 12	0.1%	0.2%	1.5%	98.5%
Ecstasy				
All	0.6%	1.1%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.5%	0.7%	2.8%	97.2%
Grade 10	0.4%	0.7%	2.3%	97.7%
Grade 11	1.6%	2.9%	4.6%	95.4%
Grade 12	0.5%	1.5%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.5%	99.5%
Synthetic Marijuana				
All	1.0%	1.2%	3.2%	96.8%
Grade 7	1.0%	1.0%	1.9%	98.1%
Grade 8	1.0%	1.4%	2.4%	97.6%
Grade 9	2.0%	2.0%	4.2%	95.8%
Grade 10	0.6%	0.9%	2.1%	97.9%
Grade 11	0.4%	0.7%	3.4%	96.6%
Grade 12	0.6%	1.0%	6.4%	93.6%
Methamphetamine				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	1.2%	98.8%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.7%	20.9%	33.1%	66.9%
Grade 7	5.2%	7.4%	14.8%	85.2%
Grade 8	12.4%	14.2%	26.6%	73.4%
Grade 9	16.6%	20.6%	34.1%	65.9%
Grade 10	20.6%	27.2%	42.5%	57.5%
Grade 11	21.0%	26.2%	39.3%	60.7%
Grade 12	26.2%	31.7%	43.8%	56.2%
Any Alcohol Product				
All	31.8%	38.5%	57.8%	42.2%
Grade 7	15.3%	18.1%	37.3%	62.7%
Grade 8	23.3%	27.4%	47.8%	52.2%
Grade 9	34.3%	40.7%	62.4%	37.6%
Grade 10	40.8%	51.0%	68.3%	31.7%
Grade 11	36.5%	46.2%	66.2%	33.8%
Grade 12	43.0%	50.6%	67.3%	32.7%
Any Illicit Drug				
All	13.7%	17.8%	23.0%	77.0%
Grade 7	3.8%	5.5%	7.0%	93.0%
Grade 8	8.8%	10.9%	13.2%	86.8%
Grade 9	12.2%	15.1%	18.8%	81.2%
Grade 10	18.4%	24.4%	31.1%	68.9%
Grade 11	17.3%	23.1%	33.9%	66.1%
Grade 12	23.1%	30.1%	37.1%	62.9%
Any Prescription Drug				
All	7.6%	11.3%	19.4%	80.6%
Grade 7	8.6%	10.8%	16.9%	83.1%
Grade 8	8.9%	12.2%	20.4%	79.6%
Grade 9	8.8%	11.8%	18.8%	81.2%
Grade 10	8.8%	11.7%	23.6%	76.4%
Grade 11	6.2%	12.1%	19.0%	81.0%
Grade 12	3.9%	9.2%	17.9%	82.1%
Any Inhalant				
All	5.6%	7.4%	14.7%	85.3%
Grade 7	6.6%	7.5%	14.2%	85.8%
Grade 8	6.6%	9.4%	17.4%	82.6%
Grade 9	7.4%	9.7%	18.7%	81.3%
Grade 10	6.6%	8.7%	17.4%	82.6%
Grade 11	2.7%	4.2%	11.2%	88.8%
Grade 12	3.2%	4.5%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.9%	16.6%	27.9%	72.1%
Grade 7	3.2%	5.3%	12.8%	87.2%
Grade 8	7.7%	9.6%	19.4%	80.6%
Grade 9	11.5%	15.4%	28.0%	72.0%
Grade 10	16.7%	24.4%	38.1%	61.9%
Grade 11	12.9%	18.6%	33.2%	66.8%
Grade 12	20.5%	27.6%	37.9%	62.1%
Marijuana				
All	13.4%	16.0%	21.8%	78.2%
Grade 7	3.2%	3.7%	5.1%	94.9%
Grade 8	8.1%	9.2%	11.6%	88.4%
Grade 9	12.3%	13.5%	17.9%	82.1%
Grade 10	18.2%	21.6%	29.5%	70.5%
Grade 11	17.3%	21.6%	33.4%	66.6%
Grade 12	23.1%	28.7%	36.4%	63.6%
Marijuana Only				
All	8.4%	10.5%	15.7%	84.3%
Grade 7	2.2%	2.4%	3.4%	96.6%
Grade 8	5.2%	6.2%	8.4%	91.6%
Grade 9	8.1%	8.7%	12.7%	87.3%
Grade 10	10.2%	13.1%	19.5%	80.5%
Grade 11	11.1%	14.6%	25.7%	74.3%
Grade 12	14.6%	19.6%	26.6%	73.4%
Cocaine or Crack				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	1.1%	1.5%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	1.7%	1.9%	2.9%	97.1%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.8%	1.4%	4.0%	96.0%
Cocaine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	1.4%	1.7%	2.7%	97.3%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.8%	1.4%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.3%	0.4%	1.7%	98.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.8%	0.8%	3.1%	96.9%
Grade 11	0.5%	0.6%	2.2%	97.8%
Grade 12	0.2%	0.4%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	0.5%	0.8%	1.7%	98.3%
Grade 12	0.6%	0.6%	0.6%	99.4%
Ecstasy				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	0.5%	0.6%	2.5%	97.5%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	1.0%	1.5%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.8%	1.3%	3.6%	96.4%
Grade 7	0.2%	0.7%	1.1%	98.9%
Grade 8	0.8%	1.5%	2.3%	97.7%
Grade 9	1.0%	1.5%	3.5%	96.5%
Grade 10	1.8%	1.9%	7.5%	92.5%
Grade 11	0.9%	1.4%	4.0%	96.0%
Grade 12	0.2%	0.5%	3.3%	96.7%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.7%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	24.8%	29.7%	43.1%	56.9%
Grade 7	7.8%	9.2%	18.3%	81.7%
Grade 8	17.4%	19.7%	34.0%	66.0%
Grade 9	23.9%	30.1%	42.8%	57.2%
Grade 10	31.3%	36.9%	52.9%	47.1%
Grade 11	34.0%	40.1%	56.2%	43.8%
Grade 12	37.3%	45.6%	58.1%	41.9%
Any Alcohol Product				
All	34.3%	41.2%	60.4%	39.6%
Grade 7	14.5%	17.4%	40.7%	59.3%
Grade 8	24.8%	30.0%	50.4%	49.6%
Grade 9	35.2%	40.9%	59.3%	40.7%
Grade 10	42.2%	51.5%	67.1%	32.9%
Grade 11	43.5%	52.6%	74.9%	25.1%
Grade 12	48.7%	58.0%	73.5%	26.5%
Any Illicit Drug				
All	11.7%	16.6%	22.9%	77.1%
Grade 7	2.9%	3.9%	5.5%	94.5%
Grade 8	6.9%	9.6%	13.0%	87.0%
Grade 9	10.5%	15.1%	19.7%	80.3%
Grade 10	14.8%	20.5%	29.3%	70.7%
Grade 11	17.5%	25.0%	35.7%	64.3%
Grade 12	19.5%	28.1%	37.5%	62.5%
Any Prescription Drug				
All	8.7%	13.5%	22.4%	77.6%
Grade 7	8.9%	11.8%	17.8%	82.2%
Grade 8	8.6%	13.0%	21.6%	78.4%
Grade 9	10.9%	17.0%	24.6%	75.4%
Grade 10	8.5%	12.9%	25.3%	74.7%
Grade 11	7.9%	14.1%	25.1%	74.9%
Grade 12	6.9%	11.9%	19.9%	80.1%
Any Inhalant				
All	4.9%	7.0%	15.0%	85.0%
Grade 7	5.3%	7.0%	14.0%	86.0%
Grade 8	5.2%	8.1%	17.3%	82.7%
Grade 9	5.1%	6.8%	15.6%	84.4%
Grade 10	5.9%	7.9%	16.6%	83.4%
Grade 11	4.0%	6.5%	15.3%	84.7%
Grade 12	3.9%	5.6%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.5%	22.5%	35.2%	64.8%
Grade 7	4.3%	5.9%	13.5%	86.5%
Grade 8	9.3%	12.7%	25.3%	74.7%
Grade 9	15.0%	21.0%	33.5%	66.5%
Grade 10	23.3%	30.5%	45.7%	54.3%
Grade 11	21.6%	29.1%	46.0%	54.0%
Grade 12	27.3%	38.5%	50.0%	50.0%
Marijuana				
All	11.3%	14.3%	21.2%	78.8%
Grade 7	2.1%	2.4%	3.7%	96.3%
Grade 8	6.4%	7.9%	11.4%	88.6%
Grade 9	10.3%	12.9%	18.1%	81.9%
Grade 10	13.9%	16.7%	26.3%	73.7%
Grade 11	17.3%	22.9%	35.1%	64.9%
Grade 12	19.5%	25.6%	36.0%	64.0%
Marijuana Only				
All	5.8%	7.9%	13.8%	86.2%
Grade 7	1.1%	1.3%	2.6%	97.4%
Grade 8	3.0%	3.7%	6.8%	93.2%
Grade 9	5.0%	7.2%	11.1%	88.9%
Grade 10	7.5%	9.6%	17.4%	82.6%
Grade 11	8.8%	12.3%	23.2%	76.8%
Grade 12	10.2%	14.9%	24.0%	76.0%
Cocaine or Crack				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.7%	1.2%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	1.3%	1.7%	3.7%	96.3%
Grade 12	1.4%	2.3%	4.8%	95.2%
Cocaine				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.3%	0.8%	1.4%	98.6%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	1.3%	1.7%	3.5%	96.5%
Grade 12	1.4%	2.3%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.7%	1.0%	3.2%	96.8%
Grade 7	0.1%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.9%	2.2%	97.8%
Grade 9	0.8%	1.0%	2.3%	97.7%
Grade 10	1.7%	1.7%	4.5%	95.5%
Grade 11	0.6%	1.2%	5.1%	94.9%
Grade 12	0.7%	1.0%	4.8%	95.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.7%	1.7%	98.3%
Grade 9	0.7%	0.8%	1.9%	98.1%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.5%	1.7%	98.3%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.8%	1.5%	98.5%
Grade 9	0.6%	0.6%	2.3%	97.7%
Grade 10	0.6%	0.8%	2.7%	97.3%
Grade 11	1.4%	2.4%	4.4%	95.6%
Grade 12	1.2%	2.5%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.2%	3.8%	96.2%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.5%	3.0%	97.0%
Grade 9	1.1%	1.6%	3.8%	96.2%
Grade 10	1.2%	1.3%	4.8%	95.2%
Grade 11	0.8%	1.3%	5.0%	95.0%
Grade 12	0.4%	0.8%	5.7%	94.3%
Methamphetamine				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.7%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.8%	13.6%	24.1%	75.9%
Grade 7	6.7%	8.3%	17.5%	82.5%
Grade 8	11.8%	13.5%	23.5%	76.5%
Grade 9	10.5%	12.6%	22.2%	77.8%
Grade 10	12.0%	14.8%	23.0%	77.0%
Grade 11	10.6%	13.6%	25.9%	74.1%
Grade 12	20.1%	20.1%	34.2%	65.8%
Any Alcohol Product				
All	25.9%	30.3%	50.9%	49.1%
Grade 7	17.4%	21.1%	43.8%	56.2%
Grade 8	23.6%	27.5%	46.1%	53.9%
Grade 9	21.5%	26.9%	49.2%	50.8%
Grade 10	34.1%	36.9%	57.1%	42.9%
Grade 11	25.1%	30.9%	53.2%	46.8%
Grade 12	35.7%	40.4%	57.4%	42.6%
Any Illicit Drug				
All	14.2%	17.2%	23.3%	76.7%
Grade 7	6.5%	9.7%	12.1%	87.9%
Grade 8	12.8%	15.4%	18.4%	81.6%
Grade 9	11.4%	14.1%	15.6%	84.4%
Grade 10	21.0%	23.4%	30.8%	69.2%
Grade 11	16.7%	19.7%	29.9%	70.1%
Grade 12	17.8%	22.6%	36.3%	63.7%
Any Prescription Drug				
All	7.4%	10.1%	19.5%	80.5%
Grade 7	10.3%	13.2%	23.2%	76.8%
Grade 8	8.7%	9.4%	19.4%	80.6%
Grade 9	3.3%	5.3%	11.4%	88.6%
Grade 10	8.1%	12.3%	22.9%	77.1%
Grade 11	7.5%	9.7%	16.0%	84.0%
Grade 12	6.7%	10.5%	24.8%	75.2%
Any Inhalant				
All	5.5%	6.8%	12.8%	87.2%
Grade 7	9.4%	10.5%	16.8%	83.2%
Grade 8	4.9%	8.0%	14.0%	86.0%
Grade 9	7.3%	8.8%	16.2%	83.8%
Grade 10	6.5%	8.4%	14.4%	85.6%
Grade 11	1.3%	1.3%	6.6%	93.4%
Grade 12	2.4%	2.4%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.9%	9.3%	16.5%	83.5%
Grade 7	2.7%	5.7%	12.5%	87.5%
Grade 8	4.3%	5.1%	11.3%	88.7%
Grade 9	5.4%	8.3%	17.4%	82.6%
Grade 10	11.6%	14.0%	20.4%	79.6%
Grade 11	5.5%	9.1%	17.3%	82.7%
Grade 12	12.7%	14.3%	21.2%	78.8%
Marijuana				
All	13.7%	15.9%	21.8%	78.2%
Grade 7	4.4%	6.5%	8.5%	91.5%
Grade 8	12.3%	14.9%	17.1%	82.9%
Grade 9	11.6%	12.1%	13.6%	86.4%
Grade 10	20.8%	22.7%	30.7%	69.3%
Grade 11	16.7%	18.0%	29.1%	70.9%
Grade 12	17.8%	22.6%	35.2%	64.8%
Marijuana Only				
All	10.8%	12.8%	18.2%	81.8%
Grade 7	3.8%	4.9%	5.8%	94.2%
Grade 8	9.9%	12.4%	14.7%	85.3%
Grade 9	9.9%	10.4%	11.9%	88.1%
Grade 10	15.6%	17.5%	24.9%	75.1%
Grade 11	15.1%	16.3%	26.3%	73.7%
Grade 12	11.5%	16.2%	28.4%	71.6%
Cocaine or Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.9%	2.2%	97.8%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.8%	0.9%	2.2%	97.8%
Grade 7	1.0%	1.4%	2.7%	97.3%
Grade 8	1.5%	1.9%	3.3%	96.7%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	1.3%	1.3%	3.8%	96.2%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy				
All	0.2%	0.2%	1.2%	98.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.8%	2.0%	98.0%
Grade 7	0.0%	1.0%	1.5%	98.5%
Grade 8	1.2%	1.7%	1.7%	98.3%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	1.4%	1.4%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.5%	0.5%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	17.7%	30.7%	69.3%
Grade 7	7.0%	9.1%	17.9%	82.1%
Grade 8	10.3%	11.9%	24.5%	75.5%
Grade 9	12.0%	16.7%	29.6%	70.4%
Grade 10	19.6%	24.6%	39.1%	60.9%
Grade 11	16.3%	22.4%	39.7%	60.3%
Grade 12	22.6%	25.7%	38.4%	61.6%
Any Alcohol Product				
All	28.4%	35.2%	55.9%	44.1%
Grade 7	17.2%	20.5%	38.3%	61.7%
Grade 8	23.2%	27.3%	50.9%	49.1%
Grade 9	29.7%	36.9%	64.3%	35.7%
Grade 10	33.9%	43.7%	60.3%	39.7%
Grade 11	34.3%	42.9%	63.7%	36.3%
Grade 12	36.1%	45.6%	61.6%	38.4%
Any Illicit Drug				
All	13.9%	17.2%	22.7%	77.3%
Grade 7	7.2%	8.2%	10.1%	89.9%
Grade 8	8.8%	10.5%	13.2%	86.8%
Grade 9	14.5%	17.6%	23.8%	76.2%
Grade 10	18.9%	24.3%	30.9%	69.1%
Grade 11	14.6%	19.4%	30.2%	69.8%
Grade 12	23.1%	27.6%	33.4%	66.6%
Any Prescription Drug				
All	6.6%	10.1%	18.2%	81.8%
Grade 7	5.4%	7.0%	13.5%	86.5%
Grade 8	6.4%	9.8%	19.3%	80.7%
Grade 9	8.7%	13.0%	19.3%	80.7%
Grade 10	7.7%	10.0%	20.7%	79.3%
Grade 11	6.0%	12.1%	19.3%	80.7%
Grade 12	5.0%	8.6%	17.6%	82.4%
Any Inhalant				
All	4.9%	6.7%	12.9%	87.1%
Grade 7	8.6%	9.2%	14.6%	85.4%
Grade 8	7.0%	9.8%	17.4%	82.6%
Grade 9	6.3%	8.5%	16.5%	83.5%
Grade 10	1.9%	4.2%	11.1%	88.9%
Grade 11	1.4%	1.9%	6.7%	93.3%
Grade 12	2.5%	5.2%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	14.1%	25.7%	74.3%
Grade 7	3.6%	6.5%	14.7%	85.3%
Grade 8	7.1%	8.9%	19.1%	80.9%
Grade 9	10.6%	14.6%	22.9%	77.1%
Grade 10	13.0%	19.3%	35.7%	64.3%
Grade 11	10.4%	15.7%	32.7%	67.3%
Grade 12	18.1%	22.8%	33.9%	66.1%
Marijuana				
All	13.7%	15.8%	21.5%	78.5%
Grade 7	6.9%	7.1%	8.6%	91.4%
Grade 8	8.1%	8.9%	11.7%	88.3%
Grade 9	14.5%	16.4%	23.2%	76.8%
Grade 10	18.5%	22.7%	30.4%	69.6%
Grade 11	14.6%	18.4%	28.7%	71.3%
Grade 12	23.1%	25.9%	31.7%	68.3%
Marijuana Only				
All	8.3%	10.0%	14.8%	85.2%
Grade 7	3.4%	3.6%	4.8%	95.2%
Grade 8	5.5%	6.1%	8.8%	91.2%
Grade 9	7.7%	9.0%	14.7%	85.3%
Grade 10	11.2%	14.7%	21.5%	78.5%
Grade 11	8.8%	11.3%	20.0%	80.0%
Grade 12	16.1%	18.8%	22.7%	77.3%
Cocaine or Crack				
All	1.1%	1.1%	2.5%	97.5%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	0.3%	0.3%	1.8%	98.2%
Grade 10	2.9%	2.9%	3.9%	96.1%
Grade 11	0.0%	0.0%	2.3%	97.7%
Grade 12	1.6%	1.6%	5.9%	94.1%
Cocaine				
All	1.0%	1.0%	2.4%	97.6%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.8%	0.8%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.8%	98.2%
Grade 10	2.9%	2.9%	3.9%	96.1%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	1.6%	1.6%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	1.2%	1.3%	1.6%	98.4%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.7%	2.3%	97.7%
Grade 10	1.8%	1.8%	3.8%	96.2%
Grade 11	0.5%	1.5%	1.9%	98.1%
Grade 12	0.9%	0.9%	1.1%	98.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.6%	1.2%	2.3%	97.7%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	1.0%	1.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.7%	99.3%
Ecstasy				
All	0.3%	0.5%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.3%	2.7%	97.3%
Grade 10	0.0%	0.3%	2.0%	98.0%
Grade 11	1.5%	2.0%	3.5%	96.5%
Grade 12	0.0%	0.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	1.6%	3.4%	96.6%
Grade 7	2.0%	2.0%	3.1%	96.9%
Grade 8	1.0%	1.1%	1.3%	98.7%
Grade 9	3.1%	3.1%	5.6%	94.4%
Grade 10	1.1%	1.1%	4.9%	95.1%
Grade 11	1.0%	1.6%	3.2%	96.8%
Grade 12	0.0%	0.2%	2.0%	98.0%
Methamphetamine				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.6%	30.4%	69.6%
Grade 7	3.6%	4.4%	13.3%	86.7%
Grade 8	9.0%	10.4%	23.0%	77.0%
Grade 9	13.0%	16.9%	25.4%	74.6%
Grade 10	19.0%	23.9%	37.6%	62.4%
Grade 11	17.3%	20.7%	35.5%	64.5%
Grade 12	26.3%	33.1%	45.2%	54.8%
Any Alcohol Product				
All	27.1%	33.7%	53.3%	46.7%
Grade 7	11.0%	14.0%	35.8%	64.2%
Grade 8	16.7%	22.5%	43.4%	56.6%
Grade 9	24.7%	32.3%	52.1%	47.9%
Grade 10	34.9%	43.3%	58.4%	41.6%
Grade 11	31.0%	39.3%	61.9%	38.1%
Grade 12	42.1%	48.0%	65.6%	34.4%
Any Illicit Drug				
All	8.0%	11.1%	17.1%	82.9%
Grade 7	3.6%	4.3%	5.0%	95.0%
Grade 8	4.0%	6.2%	9.2%	90.8%
Grade 9	5.8%	8.1%	10.4%	89.6%
Grade 10	8.6%	12.9%	20.5%	79.5%
Grade 11	8.5%	12.5%	24.2%	75.8%
Grade 12	16.7%	21.2%	31.3%	68.7%
Any Prescription Drug				
All	5.6%	9.3%	17.0%	83.0%
Grade 7	6.1%	9.1%	14.9%	85.1%
Grade 8	5.0%	8.3%	17.2%	82.8%
Grade 9	8.0%	12.0%	19.9%	80.1%
Grade 10	5.2%	9.3%	16.6%	83.4%
Grade 11	5.8%	8.6%	17.7%	82.3%
Grade 12	3.6%	8.8%	15.6%	84.4%
Any Inhalant				
All	3.4%	4.8%	10.4%	89.6%
Grade 7	5.6%	7.0%	12.4%	87.6%
Grade 8	3.5%	6.8%	13.7%	86.3%
Grade 9	4.0%	5.7%	13.5%	86.5%
Grade 10	3.0%	3.3%	9.9%	90.1%
Grade 11	1.4%	2.5%	6.3%	93.7%
Grade 12	2.9%	3.8%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.5%	15.8%	25.3%	74.7%
Grade 7	2.4%	3.7%	9.9%	90.1%
Grade 8	6.2%	7.5%	17.8%	82.2%
Grade 9	8.5%	13.2%	20.2%	79.8%
Grade 10	15.3%	21.6%	34.1%	65.9%
Grade 11	14.2%	17.4%	27.3%	72.7%
Grade 12	20.7%	29.2%	39.8%	60.2%
Marijuana				
All	7.8%	9.7%	15.8%	84.2%
Grade 7	2.4%	2.6%	3.2%	96.8%
Grade 8	3.9%	5.4%	8.0%	92.0%
Grade 9	5.8%	7.3%	9.8%	90.2%
Grade 10	8.2%	10.5%	18.4%	81.6%
Grade 11	8.5%	11.5%	23.3%	76.7%
Grade 12	16.7%	19.5%	30.1%	69.9%
Marijuana Only				
All	4.9%	6.6%	12.3%	87.7%
Grade 7	1.6%	1.8%	2.4%	97.6%
Grade 8	2.8%	4.1%	6.6%	93.4%
Grade 9	4.1%	4.8%	6.5%	93.5%
Grade 10	4.5%	6.8%	13.8%	86.2%
Grade 11	5.3%	7.8%	19.2%	80.8%
Grade 12	10.6%	13.4%	23.5%	76.5%
Cocaine or Crack				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.1%	0.4%	1.0%	99.0%
Grade 12	0.9%	1.0%	4.2%	95.8%
Cocaine				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.1%	0.4%	0.7%	99.3%
Grade 12	0.9%	1.0%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.6%	1.2%	2.6%	97.4%
Grade 12	0.4%	0.7%	2.6%	97.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.4%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.8%	99.2%
Ecstasy				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.9%	98.1%
Grade 11	0.6%	1.7%	1.9%	98.1%
Grade 12	0.7%	1.2%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.8%	1.1%	2.0%	98.0%
Grade 10	0.4%	0.5%	2.7%	97.3%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	0.0%	0.0%	1.7%	98.3%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.1%	26.5%	39.4%	60.6%
Grade 7	9.0%	10.5%	19.2%	80.8%
Grade 8	17.6%	19.9%	32.1%	67.9%
Grade 9	20.5%	26.5%	39.9%	60.1%
Grade 10	28.6%	34.5%	49.1%	50.9%
Grade 11	31.9%	39.1%	55.5%	44.5%
Grade 12	32.7%	37.2%	51.6%	48.4%
Any Alcohol Product				
All	33.3%	39.2%	59.0%	41.0%
Grade 7	17.5%	20.2%	41.8%	58.2%
Grade 8	27.7%	31.6%	52.2%	47.8%
Grade 9	32.3%	37.7%	60.3%	39.7%
Grade 10	42.8%	51.1%	67.9%	32.1%
Grade 11	43.0%	51.3%	72.0%	28.0%
Grade 12	45.7%	54.8%	68.8%	31.2%
Any Illicit Drug				
All	15.5%	20.4%	26.3%	73.7%
Grade 7	5.1%	7.1%	9.1%	90.9%
Grade 8	10.9%	13.4%	16.5%	83.5%
Grade 9	13.2%	17.9%	22.8%	77.2%
Grade 10	23.1%	28.9%	37.3%	62.7%
Grade 11	24.2%	31.0%	41.2%	58.8%
Grade 12	23.1%	32.8%	42.3%	57.7%
Any Prescription Drug				
All	9.2%	13.4%	22.8%	77.2%
Grade 7	9.4%	11.7%	18.6%	81.4%
Grade 8	10.2%	13.5%	21.8%	78.2%
Grade 9	8.9%	13.7%	20.2%	79.8%
Grade 10	10.5%	14.3%	29.2%	70.8%
Grade 11	7.8%	16.0%	25.3%	74.7%
Grade 12	7.5%	11.4%	23.4%	76.6%
Any Inhalant				
All	6.0%	8.3%	16.6%	83.4%
Grade 7	7.5%	8.8%	15.9%	84.1%
Grade 8	7.0%	9.8%	18.9%	81.1%
Grade 9	6.9%	9.1%	17.3%	82.7%
Grade 10	6.1%	9.7%	18.8%	81.2%
Grade 11	3.7%	5.2%	15.1%	84.9%
Grade 12	3.4%	5.9%	11.9%	88.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.7%	19.1%	31.3%	68.7%
Grade 7	4.4%	6.7%	14.3%	85.7%
Grade 8	8.8%	11.9%	22.2%	77.8%
Grade 9	13.8%	19.2%	31.4%	68.6%
Grade 10	21.3%	27.9%	43.0%	57.0%
Grade 11	17.1%	26.1%	44.9%	55.1%
Grade 12	22.6%	30.1%	41.5%	58.5%
Marijuana				
All	15.0%	18.2%	24.5%	75.5%
Grade 7	4.3%	5.4%	7.2%	92.8%
Grade 8	10.1%	11.5%	14.8%	85.2%
Grade 9	13.1%	15.3%	20.8%	79.2%
Grade 10	22.2%	25.6%	35.3%	64.7%
Grade 11	24.0%	29.4%	40.8%	59.2%
Grade 12	23.1%	30.8%	40.4%	59.6%
Marijuana Only				
All	8.6%	11.0%	16.2%	83.8%
Grade 7	2.6%	3.2%	4.7%	95.3%
Grade 8	6.1%	7.2%	10.2%	89.8%
Grade 9	7.2%	9.4%	13.8%	86.2%
Grade 10	12.9%	15.6%	23.2%	76.8%
Grade 11	13.8%	17.3%	26.8%	73.2%
Grade 12	12.5%	18.5%	26.1%	73.9%
Cocaine or Crack				
All	1.1%	1.3%	2.6%	97.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.6%	2.0%	98.0%
Grade 9	0.2%	0.2%	1.8%	98.2%
Grade 10	2.2%	2.2%	4.0%	96.0%
Grade 11	1.3%	1.5%	4.0%	96.0%
Grade 12	1.6%	2.5%	4.3%	95.7%
Cocaine				
All	1.0%	1.2%	2.4%	97.6%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.6%	1.0%	1.5%	98.5%
Grade 9	0.2%	0.2%	1.6%	98.4%
Grade 10	1.9%	2.0%	3.8%	96.2%
Grade 11	1.3%	1.5%	3.8%	96.2%
Grade 12	1.6%	2.5%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.6%	0.6%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.1%	3.0%	97.0%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.9%	1.9%	98.1%
Grade 9	0.1%	0.5%	1.3%	98.7%
Grade 10	2.7%	3.0%	6.6%	93.4%
Grade 11	0.7%	1.0%	4.6%	95.4%
Grade 12	1.1%	1.2%	3.8%	96.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.6%	1.1%	2.6%	97.4%
Grade 9	0.7%	0.9%	1.6%	98.4%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.5%	1.1%	3.1%	96.9%
Grade 12	0.3%	0.3%	1.3%	98.7%
Ecstasy				
All	0.6%	0.9%	2.8%	97.2%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.9%	1.5%	98.5%
Grade 9	0.2%	0.2%	2.1%	97.9%
Grade 10	0.7%	0.8%	2.5%	97.5%
Grade 11	2.0%	2.3%	4.9%	95.1%
Grade 12	0.9%	2.1%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.6%	99.4%
Synthetic Marijuana				
All	1.2%	1.6%	4.3%	95.7%
Grade 7	0.7%	1.1%	1.9%	98.1%
Grade 8	1.2%	1.9%	2.8%	97.2%
Grade 9	1.8%	1.8%	4.0%	96.0%
Grade 10	1.6%	1.7%	6.3%	93.7%
Grade 11	0.9%	1.7%	5.4%	94.6%
Grade 12	0.8%	1.4%	7.4%	92.6%
Methamphetamine				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.5%	0.7%	1.4%	98.6%
Grade 12	0.6%	1.2%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.0%	19.6%	30.9%	69.1%
Grade 7	5.5%	6.5%	13.6%	86.4%
Grade 8	10.8%	12.5%	23.4%	76.6%
Grade 9	16.9%	22.1%	31.6%	68.4%
Grade 10	20.1%	24.5%	38.0%	62.0%
Grade 11	21.5%	25.8%	39.9%	60.1%
Grade 12	26.1%	32.0%	46.2%	53.8%
Any Alcohol Product				
All	27.1%	32.7%	51.9%	48.1%
Grade 7	12.8%	15.4%	36.1%	63.9%
Grade 8	19.6%	24.8%	42.8%	57.2%
Grade 9	29.1%	34.8%	56.6%	43.4%
Grade 10	32.4%	38.0%	55.8%	44.2%
Grade 11	34.3%	42.6%	61.1%	38.9%
Grade 12	40.8%	47.7%	65.4%	34.6%
Any Illicit Drug				
All	8.8%	12.4%	17.4%	82.6%
Grade 7	3.1%	4.7%	5.9%	94.1%
Grade 8	5.2%	7.7%	10.2%	89.8%
Grade 9	10.5%	13.4%	16.6%	83.4%
Grade 10	8.6%	13.6%	20.4%	79.6%
Grade 11	12.2%	17.0%	26.3%	73.7%
Grade 12	15.9%	21.9%	30.5%	69.5%
Any Prescription Drug				
All	6.9%	10.8%	18.4%	81.6%
Grade 7	6.5%	8.9%	15.0%	85.0%
Grade 8	6.3%	10.1%	18.2%	81.8%
Grade 9	9.0%	13.4%	20.6%	79.4%
Grade 10	6.0%	9.4%	18.2%	81.8%
Grade 11	7.7%	13.2%	20.7%	79.3%
Grade 12	5.9%	10.1%	18.2%	81.8%
Any Inhalant				
All	4.6%	6.2%	12.7%	87.3%
Grade 7	6.0%	7.2%	13.6%	86.4%
Grade 8	5.1%	8.3%	15.5%	84.5%
Grade 9	5.5%	7.1%	15.0%	85.0%
Grade 10	3.9%	5.8%	13.0%	87.0%
Grade 11	2.2%	3.0%	9.5%	90.5%
Grade 12	4.0%	4.8%	8.2%	91.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	14.8%	24.0%	76.0%
Grade 7	2.5%	3.8%	9.7%	90.3%
Grade 8	5.5%	8.0%	16.2%	83.8%
Grade 9	11.1%	16.0%	23.3%	76.7%
Grade 10	15.4%	20.2%	32.2%	67.8%
Grade 11	14.6%	19.4%	32.2%	67.8%
Grade 12	20.3%	26.3%	36.2%	63.8%
Marijuana				
All	8.3%	10.6%	15.9%	84.1%
Grade 7	2.3%	3.1%	4.1%	95.9%
Grade 8	4.5%	5.7%	8.3%	91.7%
Grade 9	10.2%	12.1%	15.7%	84.3%
Grade 10	7.7%	10.2%	18.2%	81.8%
Grade 11	12.1%	15.9%	25.7%	74.3%
Grade 12	15.9%	20.0%	29.5%	70.5%
Marijuana Only				
All	5.2%	7.0%	11.7%	88.3%
Grade 7	1.5%	2.0%	2.9%	97.1%
Grade 8	2.6%	3.7%	6.2%	93.8%
Grade 9	5.6%	6.9%	9.5%	90.5%
Grade 10	4.9%	6.7%	13.4%	86.6%
Grade 11	8.4%	11.0%	19.9%	80.1%
Grade 12	10.0%	14.1%	22.6%	77.4%
Cocaine or Crack				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	1.0%	1.1%	1.3%	98.7%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	1.3%	1.6%	4.0%	96.0%
Cocaine				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	1.0%	1.1%	1.3%	98.7%
Grade 11	0.3%	0.3%	1.5%	98.5%
Grade 12	1.3%	1.6%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.3%	1.3%	98.7%
Grade 9	0.2%	0.6%	1.8%	98.2%
Grade 10	1.0%	1.0%	2.3%	97.7%
Grade 11	0.1%	0.5%	2.0%	98.0%
Grade 12	0.1%	0.3%	0.9%	99.1%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.6%	98.4%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.8%	98.2%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Ecstasy				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.2%	1.5%	98.5%
Grade 10	0.2%	0.5%	2.1%	97.9%
Grade 11	0.5%	0.9%	1.5%	98.5%
Grade 12	0.5%	1.0%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.1%	0.5%	1.1%	98.9%
Grade 8	0.3%	0.7%	1.3%	98.7%
Grade 9	1.9%	2.1%	4.0%	96.0%
Grade 10	0.9%	0.9%	2.1%	97.9%
Grade 11	0.4%	1.2%	3.1%	96.9%
Grade 12	0.4%	0.5%	3.1%	96.9%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.2%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 75 of 126

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.8%	28.4%	42.8%	57.2%
Grade 7	9.6%	11.9%	24.1%	75.9%
Grade 8	19.6%	22.1%	37.5%	62.5%
Grade 9	20.1%	25.3%	40.5%	59.5%
Grade 10	29.7%	35.3%	49.9%	50.1%
Grade 11	29.4%	35.9%	53.3%	46.7%
Grade 12	35.3%	40.4%	51.4%	48.6%
Any Alcohol Product				
All	36.0%	43.3%	63.5%	36.5%
Grade 7	20.2%	23.9%	47.3%	52.7%
Grade 8	30.2%	34.3%	57.7%	42.3%
Grade 9	32.6%	39.5%	60.5%	39.5%
Grade 10	45.3%	55.9%	71.6%	28.4%
Grade 11	41.8%	50.1%	74.5%	25.5%
Grade 12	46.2%	56.0%	69.4%	30.6%
Any Illicit Drug				
All	17.3%	22.2%	29.7%	70.3%
Grade 7	6.5%	8.2%	10.9%	89.1%
Grade 8	12.6%	15.0%	19.3%	80.7%
Grade 9	13.4%	18.1%	23.8%	76.2%
Grade 10	25.8%	30.9%	40.5%	59.5%
Grade 11	21.7%	29.0%	41.5%	58.5%
Grade 12	24.2%	32.6%	43.0%	57.0%
Any Prescription Drug				
All	9.4%	13.7%	23.8%	76.2%
Grade 7	10.5%	13.4%	21.6%	78.4%
Grade 8	10.6%	13.4%	23.6%	76.4%
Grade 9	9.7%	15.0%	21.8%	78.2%
Grade 10	10.9%	15.2%	29.0%	71.0%
Grade 11	7.2%	12.6%	23.8%	76.2%
Grade 12	7.0%	11.9%	22.6%	77.4%
Any Inhalant				
All	5.3%	7.5%	15.4%	84.6%
Grade 7	7.8%	9.3%	16.1%	83.9%
Grade 8	5.6%	8.2%	17.7%	82.3%
Grade 9	6.2%	8.3%	16.8%	83.2%
Grade 10	6.0%	8.4%	16.9%	83.1%
Grade 11	3.5%	5.7%	13.9%	86.1%
Grade 12	2.2%	4.6%	10.1%	89.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.7%	21.6%	35.3%	64.7%
Grade 7	5.3%	8.7%	18.8%	81.2%
Grade 8	11.1%	13.8%	27.4%	72.6%
Grade 9	13.6%	18.8%	33.2%	66.8%
Grade 10	22.5%	29.5%	44.8%	55.2%
Grade 11	17.7%	24.9%	42.5%	57.5%
Grade 12	24.4%	34.4%	45.1%	54.9%
Marijuana				
All	17.1%	20.3%	28.1%	71.9%
Grade 7	5.5%	6.1%	8.5%	91.5%
Grade 8	12.2%	14.2%	18.2%	81.8%
Grade 9	13.4%	15.5%	22.0%	78.0%
Grade 10	25.4%	29.1%	39.1%	60.9%
Grade 11	21.7%	26.5%	40.5%	59.5%
Grade 12	24.2%	30.9%	41.1%	58.9%
Marijuana Only				
All	9.9%	12.3%	19.0%	81.0%
Grade 7	3.0%	3.4%	5.3%	94.7%
Grade 8	7.6%	8.8%	12.2%	87.8%
Grade 9	8.0%	9.9%	15.2%	84.8%
Grade 10	14.7%	17.9%	26.4%	73.6%
Grade 11	12.1%	15.3%	27.5%	72.5%
Grade 12	13.7%	18.5%	27.3%	72.7%
Cocaine or Crack				
All	1.2%	1.5%	3.1%	96.9%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	1.2%	1.7%	1.9%	98.1%
Grade 9	0.3%	0.3%	2.1%	97.9%
Grade 10	2.3%	2.7%	4.7%	95.3%
Grade 11	1.2%	1.6%	3.9%	96.1%
Grade 12	1.4%	2.1%	4.2%	95.8%
Cocaine				
All	1.1%	1.4%	2.8%	97.2%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	1.0%	1.4%	1.6%	98.4%
Grade 9	0.3%	0.3%	1.9%	98.1%
Grade 10	2.0%	2.5%	4.5%	95.5%
Grade 11	1.2%	1.6%	3.7%	96.3%
Grade 12	1.4%	2.1%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.4%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.4%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.6%	99.4%
Hallucinogens				
All	1.1%	1.5%	3.6%	96.4%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	0.7%	1.4%	2.2%	97.8%
Grade 9	0.6%	0.9%	2.0%	98.0%
Grade 10	2.0%	2.2%	5.6%	94.4%
Grade 11	1.1%	1.8%	5.1%	94.9%
Grade 12	1.4%	1.6%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.6%	1.1%	1.7%	98.3%
Grade 8	0.8%	1.2%	2.9%	97.1%
Grade 9	1.1%	1.4%	2.2%	97.8%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.5%	1.1%	2.5%	97.5%
Grade 12	0.8%	0.9%	1.6%	98.4%
Ecstasy				
All	0.8%	1.3%	3.1%	96.9%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	1.3%	1.8%	98.2%
Grade 9	0.7%	0.7%	2.4%	97.6%
Grade 10	0.6%	0.8%	2.6%	97.4%
Grade 11	2.0%	2.9%	5.3%	94.7%
Grade 12	0.9%	1.9%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	1.1%	1.5%	4.6%	95.4%
Grade 7	1.2%	1.4%	2.0%	98.0%
Grade 8	1.6%	2.3%	3.6%	96.4%
Grade 9	1.1%	1.4%	3.7%	96.3%
Grade 10	1.5%	1.9%	7.5%	92.5%
Grade 11	1.0%	1.0%	4.5%	95.5%
Grade 12	0.3%	0.9%	6.1%	93.9%
Methamphetamine				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.7%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.2%	98.8%
Grade 11	0.6%	0.8%	1.2%	98.8%
Grade 12	0.6%	1.0%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.4%	21.3%	34.2%	65.8%
Grade 7	6.0%	7.4%	16.3%	83.7%
Grade 8	12.3%	14.4%	27.5%	72.5%
Grade 9	16.2%	21.5%	32.9%	67.1%
Grade 10	21.9%	26.7%	41.9%	58.1%
Grade 11	21.9%	27.1%	43.4%	56.6%
Grade 12	30.0%	35.1%	49.1%	50.9%
Any Alcohol Product				
All	28.8%	34.9%	55.9%	44.1%
Grade 7	14.6%	17.4%	39.7%	60.3%
Grade 8	22.2%	26.3%	47.5%	52.5%
Grade 9	27.5%	33.9%	56.7%	43.3%
Grade 10	35.6%	44.1%	62.3%	37.7%
Grade 11	34.8%	42.6%	65.5%	34.5%
Grade 12	42.6%	51.2%	68.7%	31.3%
Any Illicit Drug				
All	10.6%	14.5%	20.2%	79.8%
Grade 7	3.8%	5.3%	7.2%	92.8%
Grade 8	6.4%	8.7%	12.0%	88.0%
Grade 9	8.5%	12.5%	16.7%	83.3%
Grade 10	14.3%	19.4%	26.4%	73.6%
Grade 11	14.4%	19.2%	29.7%	70.3%
Grade 12	18.9%	25.3%	34.7%	65.3%
Any Prescription Drug				
All	7.3%	11.2%	19.7%	80.3%
Grade 7	8.1%	10.2%	17.0%	83.0%
Grade 8	7.5%	10.8%	19.8%	80.2%
Grade 9	8.1%	12.8%	19.8%	80.2%
Grade 10	6.4%	9.8%	22.7%	77.3%
Grade 11	6.8%	12.1%	19.4%	80.6%
Grade 12	6.7%	11.7%	20.1%	79.9%
Any Inhalant				
All	4.4%	6.0%	13.4%	86.6%
Grade 7	5.9%	6.9%	13.3%	86.7%
Grade 8	5.1%	8.0%	16.3%	83.7%
Grade 9	5.3%	6.4%	14.4%	85.6%
Grade 10	4.4%	6.1%	14.7%	85.3%
Grade 11	2.5%	3.7%	11.4%	88.6%
Grade 12	3.0%	4.3%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.6%	16.1%	27.4%	72.6%
Grade 7	2.5%	4.4%	11.7%	88.3%
Grade 8	6.6%	9.0%	19.7%	80.3%
Grade 9	10.7%	15.5%	26.1%	73.9%
Grade 10	16.6%	22.1%	36.6%	63.4%
Grade 11	14.5%	19.9%	34.8%	65.2%
Grade 12	21.9%	30.0%	40.9%	59.1%
Marijuana				
All	10.1%	12.5%	18.6%	81.4%
Grade 7	2.8%	3.6%	5.2%	94.8%
Grade 8	5.8%	7.2%	10.5%	89.5%
Grade 9	8.4%	10.2%	15.0%	85.0%
Grade 10	13.6%	16.6%	24.3%	75.7%
Grade 11	14.3%	17.8%	28.9%	71.1%
Grade 12	18.9%	23.5%	33.3%	66.7%
Marijuana Only				
All	6.4%	8.2%	13.6%	86.4%
Grade 7	1.9%	2.3%	3.7%	96.3%
Grade 8	3.7%	4.7%	7.7%	92.3%
Grade 9	5.3%	7.0%	10.7%	89.3%
Grade 10	8.5%	10.8%	17.5%	82.5%
Grade 11	9.5%	11.7%	22.2%	77.8%
Grade 12	11.0%	14.8%	23.6%	76.4%
Cocaine or Crack				
All	0.7%	0.8%	2.0%	98.0%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.9%	1.2%	2.4%	97.6%
Grade 11	0.7%	0.8%	2.6%	97.4%
Grade 12	1.3%	1.9%	4.7%	95.3%
Cocaine				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.7%	1.0%	2.3%	97.7%
Grade 11	0.7%	0.8%	2.3%	97.7%
Grade 12	1.3%	1.9%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.4%	0.6%	2.0%	98.0%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.6%	0.7%	3.1%	96.9%
Grade 11	0.2%	0.8%	2.6%	97.4%
Grade 12	0.5%	0.7%	3.0%	97.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.3%	98.7%
Grade 8	0.2%	0.3%	1.3%	98.7%
Grade 9	0.0%	0.1%	0.6%	99.4%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.3%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.5%	0.7%	2.8%	97.2%
Grade 11	1.2%	1.8%	2.8%	97.2%
Grade 12	0.9%	1.5%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	0.8%	2.6%	97.4%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.9%	1.1%	2.5%	97.5%
Grade 10	0.9%	1.0%	3.8%	96.2%
Grade 11	0.3%	0.7%	2.9%	97.1%
Grade 12	0.1%	0.4%	4.1%	95.9%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.4%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	33.1%	37.1%	49.6%	50.4%
Grade 7	17.0%	19.4%	33.5%	66.5%
Grade 8	28.0%	30.3%	43.8%	56.2%
Grade 9	33.2%	35.7%	51.1%	48.9%
Grade 10	37.6%	42.7%	54.2%	45.8%
Grade 11	41.9%	47.1%	60.0%	40.0%
Grade 12	37.2%	44.1%	51.0%	49.0%
Any Alcohol Product				
All	46.8%	53.3%	69.2%	30.8%
Grade 7	27.7%	33.4%	58.2%	41.8%
Grade 8	37.5%	45.6%	63.4%	36.6%
Grade 9	49.1%	53.1%	72.0%	28.0%
Grade 10	54.7%	61.7%	72.5%	27.5%
Grade 11	53.8%	64.0%	79.4%	20.6%
Grade 12	53.3%	56.9%	66.3%	33.7%
Any Illicit Drug				
All	24.6%	30.6%	37.5%	62.5%
Grade 7	11.0%	14.4%	16.6%	83.4%
Grade 8	19.8%	23.5%	28.3%	71.7%
Grade 9	25.7%	29.5%	34.4%	65.6%
Grade 10	33.1%	35.7%	45.0%	55.0%
Grade 11	28.6%	40.8%	50.8%	49.2%
Grade 12	25.6%	35.8%	45.8%	54.2%
Any Prescription Drug				
All	12.2%	17.5%	29.3%	70.7%
Grade 7	10.6%	16.3%	27.0%	73.0%
Grade 8	13.2%	18.9%	31.6%	68.4%
Grade 9	13.3%	18.5%	27.0%	73.0%
Grade 10	18.1%	23.4%	29.7%	70.3%
Grade 11	10.1%	16.4%	36.0%	64.0%
Grade 12	6.8%	9.9%	24.1%	75.9%
Any Inhalant				
All	9.6%	12.5%	19.5%	80.5%
Grade 7	15.6%	20.1%	26.0%	74.0%
Grade 8	9.4%	14.4%	22.5%	77.5%
Grade 9	12.8%	13.9%	25.3%	74.7%
Grade 10	9.0%	12.3%	18.9%	81.1%
Grade 11	5.5%	8.6%	16.7%	83.3%
Grade 12	5.5%	6.4%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	21.4%	27.5%	39.9%	60.1%
Grade 7	13.2%	16.5%	26.9%	73.1%
Grade 8	16.7%	20.1%	30.8%	69.2%
Grade 9	21.2%	25.0%	39.3%	60.7%
Grade 10	27.3%	35.4%	46.6%	53.4%
Grade 11	20.5%	29.4%	47.0%	53.0%
Grade 12	27.4%	35.6%	44.7%	55.3%
Marijuana				
All	24.4%	27.9%	35.3%	64.7%
Grade 7	10.1%	11.0%	12.5%	87.5%
Grade 8	19.1%	21.4%	24.7%	75.3%
Grade 9	25.7%	27.4%	32.7%	67.3%
Grade 10	33.1%	34.5%	43.7%	56.3%
Grade 11	28.6%	36.1%	49.8%	50.2%
Grade 12	25.6%	33.3%	43.2%	56.8%
Marijuana Only				
All	13.6%	16.6%	22.6%	77.4%
Grade 7	6.6%	7.4%	8.4%	91.6%
Grade 8	11.4%	13.2%	16.3%	83.7%
Grade 9	13.5%	14.1%	18.5%	81.5%
Grade 10	16.7%	18.2%	26.2%	73.8%
Grade 11	13.9%	20.6%	30.2%	69.8%
Grade 12	18.4%	24.9%	34.3%	65.7%
Cocaine or Crack				
All	1.7%	2.1%	3.3%	96.7%
Grade 7	0.8%	0.8%	3.1%	96.9%
Grade 8	0.9%	2.2%	2.5%	97.5%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	5.0%	5.3%	6.0%	94.0%
Grade 11	1.0%	1.8%	5.0%	95.0%
Grade 12	1.6%	1.6%	1.8%	98.2%
Cocaine				
All	1.6%	1.9%	3.2%	96.8%
Grade 7	0.8%	0.8%	3.1%	96.9%
Grade 8	0.2%	1.5%	1.7%	98.3%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	5.0%	5.3%	6.0%	94.0%
Grade 11	1.0%	1.8%	5.0%	95.0%
Grade 12	1.6%	1.6%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.6%	0.6%	2.9%	97.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.4%	2.8%	5.4%	94.6%
Grade 7	1.9%	2.0%	2.0%	98.0%
Grade 8	0.8%	1.4%	2.8%	97.2%
Grade 9	1.2%	1.2%	4.3%	95.7%
Grade 10	6.2%	7.0%	9.4%	90.6%
Grade 11	2.5%	2.5%	7.7%	92.3%
Grade 12	1.4%	2.0%	5.0%	95.0%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.1%	1.5%	3.4%	96.6%
Grade 7	1.4%	2.2%	4.2%	95.8%
Grade 8	0.8%	0.8%	3.7%	96.3%
Grade 9	3.2%	3.4%	5.8%	94.2%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.0%	1.3%	3.5%	96.5%
Grade 12	1.1%	1.1%	1.1%	98.9%
Ecstasy				
All	0.4%	1.2%	3.6%	96.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	2.5%	3.6%	96.4%
Grade 9	0.4%	0.4%	5.1%	94.9%
Grade 10	0.2%	0.5%	1.6%	98.4%
Grade 11	1.3%	2.1%	5.5%	94.5%
Grade 12	0.6%	2.0%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.6%	0.6%	1.7%	98.3%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.4%	3.2%	7.3%	92.7%
Grade 7	1.4%	1.4%	2.9%	97.1%
Grade 8	2.9%	4.6%	5.7%	94.3%
Grade 9	3.3%	4.2%	9.3%	90.7%
Grade 10	2.9%	3.4%	9.9%	90.1%
Grade 11	3.0%	3.3%	8.3%	91.7%
Grade 12	0.7%	1.5%	6.1%	93.9%
Methamphetamine				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.3%	0.3%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.7%	0.7%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	67,480	49.3%
Female	69,422	50.7%
Frequency Missing	830	

Hispanic or Latino

Q5a	Frequency	Percent
No	101,269	75.8%
Yes	32,324	24.2%
Frequency Missing	4,139	

Grade

Q2	Frequency	Percent
Grade 7	24,148	17.6%
Grade 8	23,813	17.4%
Grade 9	24,841	18.1%
Grade 10	23,094	16.8%
Grade 11	21,560	15.7%
Grade 12	19,633	14.3%
Frequency Missing	645	

Ethnicity

Q5b	Frequency	Percent
American Indian	2,154	1.7%
Asian American	460	0.4%
African American	26,808	20.7%
Pacific Islander	357	0.3%
White	76,852	59.3%
Other	11,566	8.9%
More Than One Race	11,328	8.7%
Frequency Missing	8,207	

Live with Both Parents

Q3	Frequency	Percent
No	64,605	47.5%
Yes	71,418	52.5%
Frequency Missing	1,710	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	536	0.4%
Mostly D's	1,005	0.8%
Mostly C's	13,559	11.1%
Mostly B's	58,235	47.8%
Mostly A's	48,466	39.8%
Frequency Missing	15,931	

Age

Q4	Frequency	Percent
11 or younger	398	0.3%
12	10,092	7.3%
13	21,465	15.6%
14	21,892	15.9%
15	23,864	17.4%
16	23,244	16.9%
17	21,344	15.5%
18	13,603	9.9%
19 or older	1,447	1.1%
Frequency Missing	383	

Do You Have a Job

Q7	Frequency	Percent
No	97,452	79.4%
Yes	25,264	20.6%
Frequency Missing	15,016	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	39,716	32.6%
Yes	54,140	44.4%
Don't Know	28,108	23.0%
Frequency Missing	15,769	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	90,146	89.3%
Yes	10,762	10.7%
Frequency Missing	36,824	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	48,179	41.8%
Yes	66,949	58.2%
Frequency Missing	22,605	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	71,359	68.1%
Yes	33,467	31.9%
Frequency Missing	32,906	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	76,007	72.2%
Yes	29,324	27.8%
Frequency Missing	32,402	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	72,982	70.8%
Yes	30,039	29.2%
Frequency Missing	34,711	

Participate in School Choir

Q9c	Frequency	Percent
No	94,217	93.0%
Yes	7,082	7.0%
Frequency Missing	36,434	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	70,678	67.9%
Yes	33,455	32.1%
Frequency Missing	33,600	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	91,134	89.9%
Yes	10,287	10.1%
Frequency Missing	36,312	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	78,816	76.9%
Yes	23,695	23.1%
Frequency Missing	35,222	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	117,723	85.9%
Somewhat Safe	16,468	12.0%
Not Very Safe	1,071	0.8%
Not Safe At All	360	0.3%
Don't Know	1,346	1.0%
Frequency Missing	763	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	9,275	7.2%
Some High School	15,317	11.8%
Finished High School	29,429	22.7%
Some College	21,803	16.9%
Finished College	27,469	21.2%
Post-Secondary	12,038	9.3%
Don't Know or N/A	14,036	10.9%
Frequency Missing	8,365	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	65,427	48.5%
Somewhat Safe	54,779	40.6%
Not Very Safe	8,424	6.2%
Not Safe At All	2,043	1.5%
Don't Know	4,182	3.1%
Frequency Missing	2,879	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	78,986	64.9%
Yes	42,657	35.1%
Frequency Missing	16,090	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	49,667	36.7%
Somewhat Safe	60,304	44.6%
Not Very Safe	13,606	10.1%
Not Safe At All	7,173	5.3%
Don't Know	4,537	3.4%
Frequency Missing	2,446	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	5,815	4.3%
A Few	30,236	22.5%
Some	29,238	21.7%
Most	49,300	36.7%
All	19,869	14.8%
Frequency Missing	3,276	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	9,646	7.5%
Some High School	17,116	13.3%
Finished High School	39,628	30.9%
Some College	15,695	12.2%
Finished College	17,355	13.5%
Post-Secondary	7,196	5.6%
Don't Know or N/A	21,715	16.9%
Frequency Missing	9,383	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	2,691	2.0%
A Few	16,381	12.2%
Some	32,721	24.4%
Most	54,578	40.7%
All	27,770	20.7%
Frequency Missing	3,592	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	64,622	48.9%
A Few	39,534	29.9%
Some	16,156	12.2%
Most	7,234	5.5%
All	4,657	3.5%
Frequency Missing	5,530	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	127,397	94.6%
In Your Lifetime	4,873	3.6%
Since School Began	860	0.6%
In the Past Month	1,504	1.1%
Frequency Missing	3,099	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	88,349	66.4%
A Few	23,816	17.9%
Some	11,447	8.6%
Most	7,090	5.3%
All	2,401	1.8%
Frequency Missing	4,629	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	132,503	99.3%
In Your Lifetime	527	0.4%
Since School Began	197	0.1%
In the Past Month	236	0.2%
Frequency Missing	4,269	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	114,295	85.4%
A Few	12,537	9.4%
Some	3,892	2.9%
Most	1,965	1.5%
All	1,181	0.9%
Frequency Missing	3,863	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	124,589	92.6%
In Your Lifetime	5,992	4.5%
Since School Began	1,552	1.2%
In the Past Month	2,402	1.8%
Frequency Missing	3,198	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	132,476	98.0%
In Your Lifetime	1,999	1.5%
Since School Began	142	0.1%
In the Past Month	575	0.4%
Frequency Missing	2,540	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	133,075	99.0%
In Your Lifetime	757	0.6%
Since School Began	193	0.1%
In the Past Month	409	0.3%
Frequency Missing	3,299	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	132,697	99.1%
In Your Lifetime	702	0.5%
Since School Began	184	0.1%
In the Past Month	276	0.2%
Frequency Missing	3,874	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	116,645	87.5%
In Your Lifetime	7,822	5.9%
Since School Began	2,292	1.7%
In the Past Month	6,573	4.9%
Frequency Missing	4,400	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	130,890	97.5%
In Your Lifetime	1,942	1.4%
Since School Began	470	0.4%
In the Past Month	978	0.7%
Frequency Missing	3,452	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	80,321	61.2%
In Your Lifetime	25,201	19.2%
Since School Began	8,896	6.8%
In the Past Month	16,816	12.8%
Frequency Missing	6,499	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	86,083	64.6%
In Your Lifetime	22,335	16.8%
Since School Began	8,600	6.5%
In the Past Month	16,173	12.1%
Frequency Missing	4,542	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	132,229	98.3%
In Your Lifetime	1,190	0.9%
Since School Began	295	0.2%
In the Past Month	742	0.6%
Frequency Missing	3,276	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	89,172	68.1%
In Your Lifetime	23,312	17.8%
Since School Began	7,570	5.8%
In the Past Month	10,861	8.3%
Frequency Missing	6,817	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	107,930	80.3%
In Your Lifetime	13,777	10.2%
Since School Began	3,333	2.5%
In the Past Month	9,408	7.0%
Frequency Missing	3,284	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	83,850	63.5%
In Your Lifetime	21,338	16.2%
Since School Began	9,107	6.9%
In the Past Month	17,736	13.4%
Frequency Missing	5,702	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	131,929	98.1%
In Your Lifetime	1,595	1.2%
Since School Began	413	0.3%
In the Past Month	549	0.4%
Frequency Missing	3,247	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	128,292	96.0%
In Your Lifetime	3,549	2.7%
Since School Began	724	0.5%
In the Past Month	1,060	0.8%
Frequency Missing	4,108	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	133,373	99.7%
In Your Lifetime	240	0.2%
Since School Began	17	0.0%
In the Past Month	99	0.1%
Frequency Missing	4,003	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	94,789	70.6%
In Your Lifetime	15,331	11.4%
Since School Began	6,487	4.8%
In the Past Month	17,597	13.1%
Frequency Missing	3,529	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	130,730	97.5%
In Your Lifetime	2,038	1.5%
Since School Began	416	0.3%
In the Past Month	888	0.7%
Frequency Missing	3,660	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	107,590	79.8%
In Your Lifetime	12,076	9.0%
Since School Began	4,893	3.6%
In the Past Month	10,236	7.6%
Frequency Missing	2,937	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	133,796	99.7%
In Your Lifetime	202	0.2%
Since School Began	3	0.0%
In the Past Month	173	0.1%
Frequency Missing	3,558	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	132,383	98.7%
In Your Lifetime	965	0.7%
Since School Began	211	0.2%
In the Past Month	618	0.5%
Frequency Missing	3,555	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	129,463	96.9%
In Your Lifetime	2,795	2.1%
Since School Began	444	0.3%
In the Past Month	914	0.7%
Frequency Missing	4,117	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	130,648	98.0%
In Your Lifetime	1,629	1.2%
Since School Began	458	0.3%
In the Past Month	575	0.4%
Frequency Missing	4,423	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	112,111	84.4%
In Your Lifetime	10,123	7.6%
Since School Began	4,573	3.4%
In the Past Month	6,079	4.6%
Frequency Missing	4,847	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	133,899	99.8%
In Your Lifetime	102	0.1%
Since School Began	12	0.0%
In the Past Month	144	0.1%
Frequency Missing	3,576	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	126,992	95.6%
In Your Lifetime	3,082	2.3%
Since School Began	1,219	0.9%
In the Past Month	1,538	1.2%
Frequency Missing	4,902	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	133,446	99.4%
In Your Lifetime	462	0.3%
Since School Began	116	0.1%
In the Past Month	267	0.2%
Frequency Missing	3,443	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	125,335	94.6%
In Your Lifetime	3,468	2.6%
Since School Began	1,487	1.1%
In the Past Month	2,194	1.7%
Frequency Missing	5,249	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	127,096	96.1%
In Your Lifetime	2,526	1.9%
Since School Began	1,051	0.8%
In the Past Month	1,569	1.2%
Frequency Missing	5,490	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	96,424	72.9%
1-2 times	21,774	16.5%
3-10 times	9,922	7.5%
11+ times	4,154	3.1%
Frequency Missing	5,458	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	120,522	91.2%
In Your Lifetime	5,446	4.1%
Since School Began	1,668	1.3%
In the Past Month	4,505	3.4%
Frequency Missing	5,591	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	129,892	98.0%
1-2 times	1,920	1.4%
3-10 times	320	0.2%
11+ times	393	0.3%
Frequency Missing	5,207	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	128,644	96.8%
In Your Lifetime	2,047	1.5%
Since School Began	710	0.5%
In the Past Month	1,432	1.1%
Frequency Missing	4,898	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	117,139	88.4%
1-2 times	7,439	5.6%
3-10 times	3,099	2.3%
11+ times	4,853	3.7%
Frequency Missing	5,204	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	116,244	87.3%
1-2 times	7,519	5.6%
3-10 times	3,344	2.5%
11+ times	6,088	4.6%
Frequency Missing	4,538	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	131,627	99.3%
1-2 times	605	0.5%
3-10 times	282	0.2%
11+ times	64	0.0%
Frequency Missing	5,155	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	132,395	99.8%
1-2 times	117	0.1%
3-10 times	30	0.0%
11+ times	73	0.1%
Frequency Missing	5,118	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	77,925	59.0%
A few	26,823	20.3%
Some	13,169	10.0%
Most	10,924	8.3%
All	3,239	2.5%
Frequency Missing	5,651	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	78,517	59.1%
A few	30,534	23.0%
Some	13,456	10.1%
Most	8,383	6.3%
All	1,931	1.5%
Frequency Missing	4,912	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	102,700	78.0%
8 or younger	2,840	2.2%
9 years old	1,558	1.2%
10 years old	1,702	1.3%
11 years old	2,081	1.6%
12 years old	3,932	3.0%
13 years old	3,670	2.8%
14 years old	3,973	3.0%
15 years old	3,939	3.0%
16 years old	2,789	2.1%
17 years old	1,374	1.0%
18 or older	1,072	0.8%
Frequency Missing	6,103	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	58,401	44.2%
A few	34,561	26.2%
Some	19,248	14.6%
Most	15,553	11.8%
All	4,315	3.3%
Frequency Missing	5,655	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	69,150	52.9%
8 or younger	8,066	6.2%
9 years old	2,096	1.6%
10 years old	2,877	2.2%
11 years old	3,870	3.0%
12 years old	6,745	5.2%
13 years old	9,040	6.9%
14 years old	9,370	7.2%
15 years old	9,062	6.9%
16 years old	7,004	5.4%
17 years old	2,612	2.0%
18 or older	948	0.7%
Frequency Missing	6,893	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	122,216	92.7%
A few	6,355	4.8%
Some	2,235	1.7%
Most	637	0.5%
All	408	0.3%
Frequency Missing	5,881	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	126,467	96.4%
8 or younger	632	0.5%
9 years old	388	0.3%
10 years old	398	0.3%
11 years old	425	0.3%
12 years old	912	0.7%
13 years old	700	0.5%
14 years old	579	0.4%
15 years old	358	0.3%
16 years old	214	0.2%
17 years old	107	0.1%
18 or older	7	0.0%
Frequency Missing	6,546	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	129,148	98.3%
8 or younger	33	0.0%
9 years old	30	0.0%
10 years old	49	0.0%
11 years old	111	0.1%
12 years old	152	0.1%
13 years old	176	0.1%
14 years old	306	0.2%
15 years old	527	0.4%
16 years old	502	0.4%
17 years old	240	0.2%
18 or older	125	0.1%
Frequency Missing	6,335	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	105,240	80.1%
8 or younger	682	0.5%
9 years old	624	0.5%
10 years old	913	0.7%
11 years old	1,221	0.9%
12 years old	2,548	1.9%
13 years old	3,688	2.8%
14 years old	4,482	3.4%
15 years old	5,465	4.2%
16 years old	4,460	3.4%
17 years old	1,719	1.3%
18 or older	407	0.3%
Frequency Missing	6,285	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	131,335	99.8%
8 or younger	6	0.0%
9 years old	0	0.0%
10 years old	24	0.0%
11 years old	69	0.1%
12 years old	39	0.0%
13 years old	93	0.1%
14 years old	28	0.0%
15 years old	42	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	18	0.0%
Frequency Missing	6,078	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	129,777	98.8%
8 or younger	214	0.2%
9 years old	191	0.1%
10 years old	102	0.1%
11 years old	63	0.0%
12 years old	258	0.2%
13 years old	148	0.1%
14 years old	138	0.1%
15 years old	177	0.1%
16 years old	171	0.1%
17 years old	65	0.0%
18 or older	0	0.0%
Frequency Missing	6,428	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	131,285	99.8%
8 or younger	89	0.1%
9 years old	0	0.0%
10 years old	7	0.0%
11 years old	14	0.0%
12 years old	57	0.0%
13 years old	31	0.0%
14 years old	7	0.0%
15 years old	19	0.0%
16 years old	0	0.0%
17 years old	12	0.0%
18 or older	0	0.0%
Frequency Missing	6,213	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	128,337	98.0%
8 or younger	0	0.0%
9 years old	7	0.0%
10 years old	0	0.0%
11 years old	2	0.0%
12 years old	81	0.1%
13 years old	253	0.2%
14 years old	457	0.3%
15 years old	351	0.3%
16 years old	932	0.7%
17 years old	408	0.3%
18 or older	127	0.1%
Frequency Missing	6,777	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	130,798	99.5%
8 or younger	44	0.0%
9 years old	18	0.0%
10 years old	0	0.0%
11 years old	47	0.0%
12 years old	37	0.0%
13 years old	118	0.1%
14 years old	133	0.1%
15 years old	104	0.1%
16 years old	77	0.1%
17 years old	62	0.0%
18 or older	0	0.0%
Frequency Missing	6,295	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	127,866	97.3%
8 or younger	114	0.1%
9 years old	67	0.1%
10 years old	92	0.1%
11 years old	224	0.2%
12 years old	334	0.3%
13 years old	684	0.5%
14 years old	867	0.7%
15 years old	658	0.5%
16 years old	246	0.2%
17 years old	198	0.2%
18 or older	42	0.0%
Frequency Missing	6,339	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	33,243	25.3%
Impossible	25,782	19.6%
Very Difficult	8,950	6.8%
Somewhat diff	10,968	8.3%
Somewhat easy	18,786	14.3%
Very easy	33,904	25.8%
Frequency Missing	6,101	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	25,642	19.6%
Impossible	19,352	14.8%
Very Difficult	9,184	7.0%
Somewhat diff	14,035	10.7%
Somewhat easy	26,932	20.5%
Very easy	35,983	27.4%
Frequency Missing	6,604	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	52,931	40.5%
Impossible	24,866	19.0%
Very Difficult	6,017	4.6%
Somewhat diff	6,713	5.1%
Somewhat easy	11,924	9.1%
Very easy	28,247	21.6%
Frequency Missing	7,035	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	35,823	27.4%
Impossible	32,398	24.8%
Very Difficult	10,939	8.4%
Somewhat diff	11,630	8.9%
Somewhat easy	16,703	12.8%
Very easy	23,358	17.9%
Frequency Missing	6,882	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	50,981	39.0%
Impossible	46,108	35.2%
Very Difficult	15,670	12.0%
Somewhat diff	8,305	6.3%
Somewhat easy	4,757	3.6%
Very easy	5,001	3.8%
Frequency Missing	6,911	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	53,033	40.7%
Impossible	46,863	35.9%
Very Difficult	15,539	11.9%
Somewhat diff	7,143	5.5%
Somewhat easy	3,644	2.8%
Very easy	4,210	3.2%
Frequency Missing	7,301	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	53,806	41.3%
Impossible	43,859	33.6%
Very Difficult	14,493	11.1%
Somewhat diff	7,929	6.1%
Somewhat easy	4,740	3.6%
Very easy	5,605	4.3%
Frequency Missing	7,300	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	60,493	46.3%
Impossible	39,069	29.9%
Very Difficult	11,671	8.9%
Somewhat diff	7,642	5.8%
Somewhat easy	5,328	4.1%
Very easy	6,587	5.0%
Frequency Missing	6,942	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	63,375	48.7%
Impossible	39,521	30.4%
Very Difficult	12,401	9.5%
Somewhat diff	6,270	4.8%
Somewhat easy	4,053	3.1%
Very easy	4,552	3.5%
Frequency Missing	7,561	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	4,596	3.5%
Several times/wk	2,358	1.8%
Several times/mo	2,961	2.3%
About once/month	4,788	3.7%
About once/year	3,727	2.9%
Less than once/year	7,075	5.4%
Never used	105,002	80.5%
Frequency Missing	7,226	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	59,873	45.7%
Impossible	46,084	35.2%
Very Difficult	13,802	10.5%
Somewhat diff	5,277	4.0%
Somewhat easy	2,382	1.8%
Very easy	3,494	2.7%
Frequency Missing	6,821	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	482	0.4%
Several times/wk	2,333	1.8%
Several times/mo	9,128	7.0%
About once/month	16,748	12.9%
About once/year	14,502	11.2%
Less than once/year	12,531	9.6%
Never used	74,294	57.1%
Frequency Missing	7,714	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	60,837	46.5%
Impossible	43,542	33.3%
Very Difficult	13,639	10.4%
Somewhat diff	5,467	4.2%
Somewhat easy	3,155	2.4%
Very easy	4,157	3.2%
Frequency Missing	6,935	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	84	0.1%
Several times/wk	213	0.2%
Several times/mo	333	0.3%
About once/month	839	0.6%
About once/year	1,126	0.9%
Less than once/year	1,648	1.3%
Never used	125,897	96.7%
Frequency Missing	7,591	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	10	0.0%
Several times/wk	0	0.0%
Several times/mo	23	0.0%
About once/month	0	0.0%
About once/year	123	0.1%
Less than once/year	80	0.1%
Never used	130,485	99.8%
Frequency Missing	7,012	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	2,616	2.0%
Several times/wk	2,035	1.6%
Several times/mo	3,645	2.8%
About once/month	4,847	3.7%
About once/year	4,601	3.5%
Less than once/year	5,018	3.8%
Never used	107,592	82.5%
Frequency Missing	7,378	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	148	0.1%
Several times/wk	0	0.0%
Several times/mo	61	0.0%
About once/month	148	0.1%
About once/year	324	0.2%
Less than once/year	410	0.3%
Never used	129,405	99.2%
Frequency Missing	7,236	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	10	0.0%
Several times/wk	57	0.0%
Several times/mo	119	0.1%
About once/month	275	0.2%
About once/year	485	0.4%
Less than once/year	852	0.7%
Never used	128,743	98.6%
Frequency Missing	7,192	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	49	0.0%
Several times/mo	181	0.1%
About once/month	287	0.2%
About once/year	876	0.7%
Less than once/year	945	0.7%
Never used	127,733	98.2%
Frequency Missing	7,661	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	9	0.0%
Several times/wk	14	0.0%
Several times/mo	60	0.0%
About once/month	29	0.0%
About once/year	60	0.0%
Less than once/year	56	0.0%
Never used	130,127	99.8%
Frequency Missing	7,377	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	82,359	62.6%
12+ drinks	4,457	3.4%
9-11 drinks	2,549	1.9%
5-8 drinks	4,872	3.7%
3-4 drinks	7,079	5.4%
2 drinks	6,686	5.1%
1 drink	9,012	6.8%
Less than 1 drink	14,599	11.1%
Frequency Missing	6,120	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	62	0.0%
Several times/wk	14	0.0%
Several times/mo	39	0.0%
About once/month	39	0.0%
About once/year	68	0.1%
Less than once/year	350	0.3%
Never used	130,029	99.6%
Frequency Missing	7,131	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	82,690	63.2%
12+ drinks	3,512	2.7%
9-11 drinks	2,302	1.8%
5-8 drinks	5,883	4.5%
3-4 drinks	8,634	6.6%
2 drinks	8,882	6.8%
1 drink	9,460	7.2%
Less than 1 drink	9,430	7.2%
Frequency Missing	6,940	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	46	0.0%
Several times/wk	175	0.1%
Several times/mo	282	0.2%
About once/month	356	0.3%
About once/year	557	0.4%
Less than once/year	1,482	1.1%
Never used	126,840	97.8%
Frequency Missing	7,994	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	89,103	68.3%
12+ drinks	1,515	1.2%
9-11 drinks	865	0.7%
5-8 drinks	2,350	1.8%
3-4 drinks	4,224	3.2%
2 drinks	6,215	4.8%
1 drink	9,479	7.3%
Less than 1 drink	16,785	12.9%
Frequency Missing	7,195	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	81,425	62.1%
12+ drinks	4,663	3.6%
9-11 drinks	3,006	2.3%
5-8 drinks	6,231	4.8%
3-4 drinks	8,379	6.4%
2 drinks	7,456	5.7%
1 drink	8,665	6.6%
Less than 1 drink	11,193	8.5%
Frequency Missing	6,715	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	71,470	54.7%
Never	23,730	18.1%
Seldom	17,526	13.4%
Most of the Time	13,845	10.6%
Always	4,200	3.2%
Frequency Missing	6,962	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	72,197	55.4%
0 days	40,662	31.2%
1 day	6,496	5.0%
2 days	3,183	2.4%
3 to 5 days	3,514	2.7%
6 to 9 days	1,534	1.2%
10 or more days	2,720	2.1%
Frequency Missing	7,427	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	74,742	57.3%
Never	44,346	34.0%
Seldom	5,870	4.5%
Most of the Time	3,572	2.7%
Always	1,913	1.5%
Frequency Missing	7,289	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	72,473	55.3%
Never	24,754	18.9%
Seldom	23,148	17.7%
Most of the Time	6,806	5.2%
Always	3,882	3.0%
Frequency Missing	6,671	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	70,280	53.8%
Never	23,373	17.9%
Seldom	14,244	10.9%
Most of the Time	13,377	10.2%
Always	9,394	7.2%
Frequency Missing	7,065	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	75,414	58.0%
Never	30,579	23.5%
Seldom	11,616	8.9%
Most of the Time	6,988	5.4%
Always	5,476	4.2%
Frequency Missing	7,659	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	73,684	56.5%
Somewhat	32,274	24.7%
Not very	14,750	11.3%
Not at all	4,013	3.1%
Don't know	5,701	4.4%
Frequency Missing	7,310	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	115,396	88.8%
Somewhat	6,613	5.1%
Not very	911	0.7%
Not at all	469	0.4%
Don't know	6,489	5.0%
Frequency Missing	7,855	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	66,501	51.2%
Somewhat	38,822	29.9%
Not very	16,189	12.5%
Not at all	3,622	2.8%
Don't know	4,644	3.6%
Frequency Missing	7,955	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	116,097	89.4%
Somewhat	5,844	4.5%
Not very	770	0.6%
Not at all	395	0.3%
Don't know	6,807	5.2%
Frequency Missing	7,821	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	99,356	76.8%
Somewhat	15,666	12.1%
Not very	4,094	3.2%
Not at all	1,626	1.3%
Don't know	8,587	6.6%
Frequency Missing	8,403	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	109,164	84.1%
Somewhat	8,080	6.2%
Not very	1,780	1.4%
Not at all	729	0.6%
Don't know	10,022	7.7%
Frequency Missing	7,957	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	77,076	59.3%
Somewhat	16,911	13.0%
Not very	14,446	11.1%
Not at all	15,678	12.1%
Don't know	5,891	4.5%
Frequency Missing	7,730	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	102,101	78.9%
Somewhat	13,464	10.4%
Not very	4,129	3.2%
Not at all	1,354	1.0%
Don't know	8,414	6.5%
Frequency Missing	8,270	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	116,023	89.4%
Somewhat	4,572	3.5%
Not very	564	0.4%
Not at all	491	0.4%
Don't know	8,128	6.3%
Frequency Missing	7,954	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	74,039	57.3%
Somewhat	16,337	12.6%
Not very	17,513	13.5%
Not at all	14,109	10.9%
Don't know	7,326	5.7%
Frequency Missing	8,409	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	115,708	89.3%
Somewhat	4,693	3.6%
Not very	704	0.5%
Not at all	457	0.4%
Don't know	8,028	6.2%
Frequency Missing	8,143	

Days Skipped Since September

Q28a	Frequency	Percent
None	99,050	76.8%
1-3 days	22,687	17.6%
4-9 days	4,690	3.6%
10+ days	2,510	1.9%
Frequency Missing	8,795	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	110,527	85.5%
Somewhat	7,367	5.7%
Not very	1,491	1.2%
Not at all	1,027	0.8%
Don't know	8,921	6.9%
Frequency Missing	8,401	

Days Ill Since September

Q28b	Frequency	Percent
None	43,203	33.5%
1-3 days	63,063	48.9%
4-9 days	18,054	14.0%
10+ days	4,576	3.6%
Frequency Missing	8,837	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	101,703	78.6%
Somewhat	14,601	11.3%
Not very	3,716	2.9%
Not at all	1,634	1.3%
Don't know	7,721	6.0%
Frequency Missing	8,358	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	50,011	39.4%
1-3 days	62,477	49.2%
4-9 days	10,994	8.7%
10+ days	3,537	2.8%
Frequency Missing	10,713	

Percentages and frequencies have been weighted to reflect proportions within the population.

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	109,031	85.0%
1-3 days	14,797	11.5%
4-9 days	2,620	2.0%
10+ days	1,802	1.4%
Frequency Missing	9,483	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	124,077	97.1%
1-3 times	3,172	2.5%
4-9 times	329	0.3%
10+ times	186	0.1%
Frequency Missing	9,968	

Someone Called Home Since September

Q28e	Frequency	Percent
None	116,294	90.5%
1-3 days	9,791	7.6%
4-9 days	1,369	1.1%
10+ days	1,035	0.8%
Frequency Missing	9,242	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	122,365	95.7%
1-3 times	3,733	2.9%
4-9 times	609	0.5%
10+ times	1,126	0.9%
Frequency Missing	9,899	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	122,715	95.6%
1-3 times	4,880	3.8%
4-9 times	511	0.4%
10+ times	269	0.2%
Frequency Missing	9,358	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	122,066	95.5%
1-3 days	4,379	3.4%
4-9 days	595	0.5%
10+ days	817	0.6%
Frequency Missing	9,876	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	123,537	96.5%
1-3 times	3,572	2.8%
4-9 times	487	0.4%
10+ times	365	0.3%
Frequency Missing	9,771	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	120,185	94.1%
1-3 days	4,146	3.2%
4-9 days	1,191	0.9%
10+ days	2,156	1.7%
Frequency Missing	10,054	

Percentages and frequencies have been weighted to reflect proportions within the population.

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	125,837	99.0%
1-3 days	806	0.6%
4-9 days	131	0.1%
10+ days	293	0.2%
Frequency Missing	10,666	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	113,195	94.6%
Yes	6,515	5.4%
Frequency Missing	18,022	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	123,998	97.5%
1-3 days	2,014	1.6%
4-9 days	426	0.3%
10+ days	684	0.5%
Frequency Missing	10,611	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	79,172	63.6%
Yes	45,347	36.4%
Frequency Missing	13,214	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	61,710	48.3%
Seldom	9,097	7.1%
Half the time	5,971	4.7%
Most of the Time	11,207	8.8%
Always	13,983	10.9%
Don't Know	1,616	1.3%
Didn't attend	24,177	18.9%
Frequency Missing	9,970	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	97,501	79.0%
Yes	25,858	21.0%
Frequency Missing	14,374	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	71,497	58.1%
Yes	51,667	41.9%
Frequency Missing	14,569	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	74,650	58.6%
Seldom	7,189	5.6%
Half the time	5,046	4.0%
Most of the Time	6,710	5.3%
Always	7,415	5.8%
Don't Know	2,416	1.9%
Didn't attend	23,956	18.8%
Frequency Missing	10,351	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	35,300	28.2%
Yes	89,710	71.8%
Frequency Missing	12,723	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	54,641	44.4%
Yes	68,506	55.6%
Frequency Missing	14,586	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	80,640	66.1%
Yes	41,340	33.9%
Frequency Missing	15,753	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	46,280	37.5%
Yes	77,292	62.5%
Frequency Missing	14,161	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	71,162	58.5%
Yes	50,412	41.5%
Frequency Missing	16,159	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	48,107	38.8%
Yes	75,754	61.2%
Frequency Missing	13,871	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	93,545	77.3%
Yes	27,431	22.7%
Frequency Missing	16,757	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	74,101	60.0%
Yes	49,398	40.0%
Frequency Missing	14,233	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	103,066	85.4%
Yes	17,570	14.6%
Frequency Missing	17,096	

Would Not Seek Help

Q33i	Frequency	Percent
No	99,645	82.9%
Yes	20,502	17.1%
Frequency Missing	17,585	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	90,964	75.6%
Yes	29,399	24.4%
Frequency Missing	17,370	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	104,871	87.1%
Yes	15,498	12.9%
Frequency Missing	17,364	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	86,527	71.6%
Yes	34,388	28.4%
Frequency Missing	16,818	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	89,070	74.2%
Yes	31,017	25.8%
Frequency Missing	17,646	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	89,486	69.6%
Mild disapprove	13,062	10.2%
Neither	12,402	9.7%
Mildly approve	2,667	2.1%
Strongly approve	1,032	0.8%
Don't know	9,833	7.7%
Frequency Missing	9,251	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	75,599	58.9%
Mild disapprove	18,701	14.6%
Neither	17,892	14.0%
Mildly approve	5,877	4.6%
Strongly approve	1,211	0.9%
Don't know	8,975	7.0%
Frequency Missing	9,478	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	96,558	75.5%
Mild disapprove	7,860	6.1%
Neither	9,333	7.3%
Mildly approve	2,940	2.3%
Strongly approve	1,974	1.5%
Don't know	9,283	7.3%
Frequency Missing	9,784	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 110 of 126

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

