
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 4 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	18.8%	22.7%	35.1%	64.9%
Grade 7	7.5%	8.9%	18.8%	81.2%
Grade 8	13.6%	15.5%	28.7%	71.3%
Grade 9	17.0%	22.1%	33.1%	66.9%
Grade 10	24.0%	28.5%	41.9%	58.1%
Grade 11	24.5%	29.9%	44.7%	55.3%
Grade 12	29.8%	35.9%	48.2%	51.8%
Cigarettes?				
All	7.0%	9.4%	18.5%	81.5%
Grade 7	1.7%	2.3%	7.1%	92.9%
Grade 8	3.0%	5.6%	12.0%	88.0%
Grade 9	6.8%	9.1%	16.9%	83.1%
Grade 10	8.8%	12.2%	22.6%	77.4%
Grade 11	9.3%	13.0%	29.1%	70.9%
Grade 12	14.3%	16.3%	26.9%	73.1%
Smokeless Tobacco?				
All	4.7%	6.4%	11.7%	88.3%
Grade 7	2.1%	2.8%	6.8%	93.2%
Grade 8	3.7%	4.7%	8.7%	91.3%
Grade 9	3.9%	5.3%	11.3%	88.7%
Grade 10	6.7%	9.3%	13.4%	86.6%
Grade 11	5.2%	7.4%	15.3%	84.7%
Grade 12	7.7%	10.3%	16.0%	84.0%
Electronic Vapor Products?				
All	13.1%	17.8%	28.9%	71.1%
Grade 7	3.9%	6.0%	14.4%	85.6%
Grade 8	7.2%	9.7%	20.2%	79.8%
Grade 9	12.1%	17.3%	27.0%	73.0%
Grade 10	19.7%	25.0%	37.9%	62.1%
Grade 11	16.5%	22.3%	36.3%	63.7%
Grade 12	22.1%	30.8%	41.9%	58.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 126

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	81.2%	3.4%	1.9%	2.2%	3.3%	2.7%	5.3%
Grade 7	90.8%	0.4%	0.4%	1.4%	1.9%	1.5%	3.7%
Grade 8	86.8%	1.7%	0.8%	1.2%	2.8%	1.9%	4.7%
Grade 9	83.5%	1.8%	2.2%	3.1%	3.1%	3.0%	3.4%
Grade 10	78.1%	4.8%	1.8%	3.0%	3.9%	2.8%	5.5%
Grade 11	73.1%	5.9%	3.6%	1.9%	4.0%	4.4%	7.2%
Grade 12	71.5%	7.4%	2.9%	2.8%	4.4%	2.8%	8.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	11.0	11.5	12.5	12.7	13.7	14.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.8%	20.9%	6.9%	8.7%	14.0%	25.7%
Grade 7	28.5%	36.8%	6.6%	9.3%	10.8%	8.1%
Grade 8	24.6%	31.3%	8.1%	10.9%	12.8%	12.2%
Grade 9	28.8%	19.6%	6.4%	9.3%	15.2%	20.7%
Grade 10	22.2%	14.0%	8.6%	9.6%	15.6%	30.1%
Grade 11	17.1%	10.9%	6.5%	8.8%	16.4%	40.3%
Grade 12	19.7%	8.1%	4.6%	3.2%	13.4%	51.1%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	60.3%	23.2%	9.5%	5.5%	1.4%
Grade 7	79.9%	15.0%	3.4%	1.2%	0.6%
Grade 8	70.7%	18.4%	6.3%	4.2%	0.3%
Grade 9	62.0%	22.3%	10.5%	4.9%	0.4%
Grade 10	53.5%	26.0%	11.1%	7.1%	2.3%
Grade 11	45.6%	30.1%	14.6%	7.6%	2.2%
Grade 12	44.1%	30.4%	12.7%	9.3%	3.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	71.5%	9.8%	8.6%	2.0%	0.8%	7.2%
Grade 7	83.0%	3.7%	2.0%	1.5%	0.5%	9.4%
Grade 8	79.2%	5.7%	5.3%	1.3%	0.8%	7.7%
Grade 9	74.0%	8.8%	7.6%	2.3%	0.3%	7.0%
Grade 10	68.9%	12.0%	9.8%	1.3%	0.6%	7.4%
Grade 11	64.8%	15.2%	12.3%	1.3%	1.4%	5.0%
Grade 12	53.7%	15.9%	17.6%	5.2%	1.3%	6.3%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	57.7%	24.4%	10.9%	2.9%	4.1%
	Grade 7	72.3%	16.3%	4.6%	1.9%	5.0%
	Grade 8	64.1%	22.9%	7.7%	2.2%	3.1%
	Grade 9	55.1%	23.8%	12.5%	2.0%	6.7%
	Grade 10	50.7%	28.7%	13.3%	4.2%	3.1%
	Grade 11	49.5%	31.4%	12.4%	3.2%	3.5%
	Grade 12	51.3%	24.9%	16.4%	4.8%	2.6%
Electronic Vapor Products?						
	All	57.2%	13.2%	13.2%	11.2%	5.2%
	Grade 7	70.7%	12.9%	5.3%	5.5%	5.6%
	Grade 8	62.4%	14.8%	10.2%	7.8%	4.8%
	Grade 9	53.0%	14.0%	13.5%	10.7%	8.7%
	Grade 10	52.5%	11.6%	15.5%	16.3%	4.0%
	Grade 11	49.9%	14.5%	20.0%	11.2%	4.4%
	Grade 12	52.2%	11.0%	16.5%	17.4%	2.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	29.5%	35.9%	55.9%	44.1%
Grade 7	15.0%	17.8%	39.7%	60.3%
Grade 8	20.0%	24.2%	45.9%	54.1%
Grade 9	29.2%	35.3%	56.7%	43.3%
Grade 10	37.5%	46.2%	62.6%	37.4%
Grade 11	36.9%	45.2%	67.1%	32.9%
Grade 12	43.1%	52.6%	68.3%	31.7%
Beer?				
All	11.3%	17.9%	41.5%	58.5%
Grade 7	3.7%	6.1%	30.1%	69.9%
Grade 8	6.4%	11.0%	34.4%	65.6%
Grade 9	12.1%	17.7%	40.3%	59.7%
Grade 10	15.4%	24.2%	45.9%	54.1%
Grade 11	15.1%	23.5%	51.9%	48.1%
Grade 12	17.6%	28.4%	50.2%	49.8%
Wine Coolers?				
All	11.3%	17.3%	38.9%	61.1%
Grade 7	3.2%	4.6%	19.9%	80.1%
Grade 8	6.0%	9.5%	27.7%	72.3%
Grade 9	11.5%	17.2%	37.3%	62.7%
Grade 10	15.4%	24.6%	46.9%	53.1%
Grade 11	13.7%	21.0%	50.8%	49.2%
Grade 12	20.6%	31.0%	56.8%	43.2%
Wine?				
All	7.9%	13.4%	35.4%	64.6%
Grade 7	2.9%	3.9%	21.9%	78.1%
Grade 8	3.5%	6.9%	26.1%	73.9%
Grade 9	8.7%	13.2%	35.8%	64.2%
Grade 10	9.8%	17.3%	39.2%	60.8%
Grade 11	9.0%	17.3%	46.2%	53.8%
Grade 12	15.4%	25.0%	47.5%	52.5%
Liquor?				
All	12.4%	18.6%	38.7%	61.3%
Grade 7	3.0%	4.5%	17.5%	82.5%
Grade 8	7.3%	11.5%	26.4%	73.6%
Grade 9	11.9%	16.6%	38.0%	62.0%
Grade 10	18.4%	27.0%	46.4%	53.6%
Grade 11	14.0%	22.9%	53.6%	46.4%
Grade 12	22.6%	33.5%	56.5%	43.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.7%	0.4%	1.6%	6.2%	12.2%	11.1%	9.9%
Grade 7	78.5%	0.1%	0.6%	1.9%	4.2%	6.7%	8.1%
Grade 8	70.7%	0.2%	1.2%	3.4%	6.8%	9.6%	8.2%
Grade 9	60.2%	0.0%	1.5%	6.3%	12.5%	8.8%	10.7%
Grade 10	50.4%	0.4%	2.8%	8.2%	15.0%	13.2%	10.1%
Grade 11	43.7%	0.5%	2.8%	8.4%	16.7%	15.7%	12.2%
Grade 12	42.4%	1.3%	0.8%	10.1%	20.7%	14.1%	10.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	64.0%	36.0%	7.8%	16.9%	11.3%
	Grade 7	73.8%	26.2%	2.5%	9.0%	14.8%
	Grade 8	69.9%	30.1%	4.5%	15.0%	10.6%
	Grade 9	65.2%	34.8%	7.2%	16.9%	10.8%
	Grade 10	60.8%	39.2%	11.4%	18.5%	9.3%
	Grade 11	54.4%	45.6%	12.5%	20.3%	12.7%
	Grade 12	56.8%	43.2%	10.3%	23.8%	9.1%
Wine Coolers						
	All	64.7%	35.3%	8.5%	19.7%	7.1%
	Grade 7	83.5%	16.5%	1.1%	8.9%	6.5%
	Grade 8	74.8%	25.2%	3.2%	14.0%	8.0%
	Grade 9	66.9%	33.1%	7.7%	17.6%	7.8%
	Grade 10	55.4%	44.6%	12.6%	25.6%	6.4%
	Grade 11	52.8%	47.2%	13.1%	27.9%	6.2%
	Grade 12	48.9%	51.1%	15.8%	27.3%	7.9%
Wine						
	All	69.2%	30.8%	3.6%	14.4%	12.8%
	Grade 7	80.7%	19.3%	1.0%	6.6%	11.7%
	Grade 8	78.4%	21.6%	1.5%	8.9%	11.2%
	Grade 9	67.8%	32.2%	3.4%	14.1%	14.7%
	Grade 10	66.0%	34.0%	5.7%	17.1%	11.2%
	Grade 11	60.9%	39.1%	6.3%	19.9%	13.0%
	Grade 12	57.3%	42.7%	4.6%	22.9%	15.3%
Liquor						
	All	63.8%	36.2%	9.9%	17.9%	8.4%
	Grade 7	84.0%	16.0%	1.9%	5.8%	8.2%
	Grade 8	75.1%	24.9%	5.6%	10.8%	8.5%
	Grade 9	65.3%	34.7%	9.1%	17.4%	8.2%
	Grade 10	56.0%	44.0%	13.3%	23.3%	7.4%
	Grade 11	49.2%	50.8%	17.9%	23.3%	9.5%
	Grade 12	46.4%	53.6%	13.9%	31.3%	8.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.0%	4.7%	2.2%	2.5%	0.9%	1.8%
Grade 7	95.3%	2.0%	1.0%	0.4%	0.4%	1.0%
Grade 8	92.7%	3.7%	0.9%	0.7%	0.5%	1.5%
Grade 9	88.8%	4.5%	2.0%	2.9%	0.4%	1.3%
Grade 10	82.7%	6.9%	3.3%	4.2%	1.0%	1.9%
Grade 11	84.2%	4.0%	2.3%	4.0%	2.5%	3.1%
Grade 12	82.0%	8.0%	4.1%	3.0%	0.8%	2.1%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.4	11.5	12.4	13.1	13.8	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.5%	15.6%	7.3%	10.9%	20.3%	27.4%
Grade 7	25.7%	28.1%	8.6%	9.1%	13.5%	15.0%
Grade 8	19.8%	23.9%	8.9%	11.5%	16.7%	19.1%
Grade 9	21.8%	13.1%	7.7%	10.8%	20.5%	26.1%
Grade 10	14.6%	10.3%	7.5%	11.7%	23.0%	32.9%
Grade 11	12.4%	7.8%	5.1%	11.5%	23.4%	39.8%
Grade 12	14.3%	7.2%	4.8%	10.8%	27.2%	35.6%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.9%	3.1%	0.4%	0.6%
Grade 7	97.4%	2.2%	0.1%	0.3%
Grade 8	96.0%	2.6%	0.2%	1.1%
Grade 9	95.9%	3.7%	0.3%	0.1%
Grade 10	93.9%	4.4%	0.3%	1.4%
Grade 11	96.5%	2.5%	0.5%	0.5%
Grade 12	95.4%	3.3%	1.0%	0.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.6
Alcohol Non-Users	3.5
Average Days Conduct Problems Reported	
Alcohol Users	2.5
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.9%	3.4%	0.5%	0.3%
Grade 9	98.9%	0.9%	0.2%	0.0%
Grade 10	95.9%	3.1%	0.7%	0.4%
Grade 11	95.7%	3.5%	0.5%	0.3%
Grade 12	92.1%	6.9%	0.4%	0.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.7%	3.7%	0.3%	0.2%
Grade 7	97.9%	1.7%	0.1%	0.3%
Grade 8	97.0%	2.6%	0.1%	0.2%
Grade 9	96.6%	3.0%	0.2%	0.2%
Grade 10	93.1%	6.0%	0.5%	0.5%
Grade 11	94.7%	4.6%	0.6%	0.0%
Grade 12	94.2%	5.2%	0.4%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	45.8%	26.7%	14.2%	10.6%	2.7%
Grade 7	69.0%	20.7%	6.4%	3.3%	0.6%
Grade 8	57.1%	26.3%	10.2%	5.2%	1.2%
Grade 9	45.8%	28.0%	14.7%	9.5%	2.1%
Grade 10	35.7%	29.5%	16.9%	14.3%	3.5%
Grade 11	29.1%	29.6%	21.1%	15.8%	4.4%
Grade 12	31.6%	26.7%	18.1%	18.2%	5.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 126

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	49.5%	7.3%	4.5%	8.1%	9.9%	1.2%	19.4%
Grade 7	69.9%	6.4%	3.6%	4.4%	2.1%	1.2%	12.4%
Grade 8	61.1%	7.7%	4.7%	4.8%	4.0%	2.2%	15.5%
Grade 9	49.3%	8.7%	4.4%	6.4%	8.9%	0.5%	21.8%
Grade 10	41.0%	7.6%	5.7%	9.7%	13.8%	1.1%	21.0%
Grade 11	31.9%	7.4%	3.6%	12.9%	15.9%	0.9%	27.4%
Grade 12	37.6%	5.9%	5.2%	12.6%	17.9%	0.9%	19.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	56.8%	18.9%	16.8%	4.6%	3.0%
	Grade 7	67.7%	17.8%	11.0%	2.4%	1.1%
	Grade 8	66.8%	16.2%	12.5%	3.0%	1.6%
	Grade 9	57.7%	17.7%	16.3%	4.1%	4.2%
	Grade 10	51.0%	22.1%	19.7%	4.6%	2.6%
	Grade 11	46.6%	20.1%	22.6%	6.8%	3.9%
	Grade 12	46.2%	20.2%	20.9%	7.6%	5.1%
Friends?						
	All	56.3%	18.2%	12.9%	9.8%	2.8%
	Grade 7	71.5%	19.6%	5.5%	2.8%	0.5%
	Grade 8	67.4%	18.2%	7.6%	5.7%	1.1%
	Grade 9	58.6%	20.0%	10.3%	9.2%	1.9%
	Grade 10	47.9%	17.3%	15.8%	14.5%	4.5%
	Grade 11	44.0%	17.5%	18.7%	15.8%	4.0%
	Grade 12	42.6%	15.4%	23.2%	12.8%	5.9%
A Store?						
	All	58.7%	33.4%	4.2%	2.5%	1.1%
	Grade 7	71.7%	25.4%	0.9%	1.6%	0.5%
	Grade 8	68.8%	27.7%	1.9%	1.0%	0.6%
	Grade 9	61.0%	33.1%	3.4%	1.8%	0.7%
	Grade 10	53.6%	37.4%	4.2%	3.9%	0.9%
	Grade 11	46.4%	38.6%	8.8%	4.7%	1.5%
	Grade 12	45.7%	41.0%	7.4%	2.7%	3.1%
Parties?						
	All	55.4%	18.4%	10.5%	9.5%	6.2%
	Grade 7	69.3%	19.5%	5.6%	3.6%	1.9%
	Grade 8	66.1%	17.3%	6.7%	6.7%	3.2%
	Grade 9	57.7%	16.5%	10.7%	8.7%	6.4%
	Grade 10	48.0%	18.3%	13.4%	10.9%	9.5%
	Grade 11	44.1%	21.1%	12.7%	13.7%	8.4%
	Grade 12	42.0%	17.6%	15.6%	15.9%	8.8%
Other Sources?						
	All	59.1%	23.3%	8.6%	5.2%	3.8%
	Grade 7	70.8%	19.5%	5.2%	2.8%	1.8%
	Grade 8	68.7%	18.6%	6.9%	3.6%	2.2%
	Grade 9	60.6%	23.7%	7.3%	5.0%	3.4%
	Grade 10	53.6%	24.0%	11.1%	6.3%	5.0%
	Grade 11	48.1%	27.8%	11.6%	7.1%	5.4%
	Grade 12	48.2%	28.2%	10.7%	7.1%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.1%	14.2%	13.0%	4.1%	0.9%	6.7%
Grade 7	75.4%	7.9%	6.3%	1.2%	0.5%	8.8%
Grade 8	67.5%	13.5%	8.9%	2.1%	0.8%	7.2%
Grade 9	63.2%	14.0%	10.8%	3.5%	0.4%	8.0%
Grade 10	57.4%	16.6%	14.8%	3.7%	1.1%	6.4%
Grade 11	51.5%	18.1%	17.7%	7.4%	1.4%	3.9%
Grade 12	46.1%	16.3%	23.0%	8.5%	1.2%	4.9%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.8%	30.0%	11.4%	2.5%	3.3%
Grade 7	64.5%	19.8%	9.2%	2.2%	4.3%
Grade 8	54.7%	29.1%	11.7%	2.2%	2.2%
Grade 9	51.1%	28.0%	13.1%	2.0%	5.8%
Grade 10	47.3%	36.8%	10.4%	3.0%	2.5%
Grade 11	47.7%	35.2%	12.1%	2.2%	2.8%
Grade 12	49.6%	33.4%	12.1%	3.4%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.3%	16.4%	22.5%	77.5%
Grade 7	3.8%	5.3%	6.8%	93.2%
Grade 8	6.6%	9.1%	12.8%	87.2%
Grade 9	11.8%	15.3%	18.9%	81.1%
Grade 10	18.2%	23.0%	31.2%	68.8%
Grade 11	16.1%	22.1%	33.4%	66.6%
Grade 12	19.7%	27.4%	37.3%	62.7%
Marijuana?				
All	11.9%	14.5%	21.0%	79.0%
Grade 7	3.1%	3.9%	5.2%	94.8%
Grade 8	6.1%	7.5%	11.3%	88.7%
Grade 9	11.9%	13.4%	17.5%	82.5%
Grade 10	17.6%	20.6%	29.5%	70.5%
Grade 11	15.9%	20.1%	32.3%	67.7%
Grade 12	19.7%	25.6%	35.6%	64.4%
Cocaine?				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	1.2%	1.5%	2.7%	97.3%
Grade 11	0.5%	0.8%	2.2%	97.8%
Grade 12	0.9%	1.5%	4.1%	95.9%
Crack?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Hallucinogens?				
All	0.6%	0.9%	2.3%	97.7%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	1.7%	1.8%	4.1%	95.9%
Grade 11	0.6%	1.0%	3.1%	96.9%
Grade 12	0.4%	0.6%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.7%	1.7%	98.3%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.8%	0.8%	1.9%	98.1%
Grade 11	0.3%	0.6%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy?				
All	0.3%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.9%	98.1%
Grade 11	1.0%	1.6%	2.6%	97.4%
Grade 12	0.6%	1.1%	4.9%	95.1%
Heroin?				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.2%	99.8%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.6%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.3%	3.5%	96.5%
Grade 7	0.7%	1.1%	1.5%	98.5%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	1.7%	2.0%	3.9%	96.1%
Grade 10	1.2%	1.4%	5.2%	94.8%
Grade 11	0.8%	1.3%	4.0%	96.0%
Grade 12	0.3%	0.7%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	83.0%	2.1%	1.4%	2.7%	3.6%	3.3%	3.8%
	Grade 7	95.8%	0.1%	0.1%	1.2%	0.6%	1.2%	1.0%
	Grade 8	91.2%	0.5%	1.0%	1.1%	2.0%	1.8%	2.4%
	Grade 9	86.0%	2.2%	0.9%	3.9%	1.8%	2.6%	2.6%
	Grade 10	77.1%	2.7%	2.4%	4.1%	5.6%	3.8%	4.3%
	Grade 11	72.4%	3.3%	1.7%	3.2%	5.8%	6.7%	6.8%
	Grade 12	70.8%	4.5%	3.0%	2.9%	7.1%	4.8%	6.8%
Cocaine?								
	All	98.8%	0.0%	0.0%	0.1%	0.1%	0.3%	0.7%
	Grade 7	99.2%	0.0%	0.0%	0.0%	0.2%	0.3%	0.4%
	Grade 8	99.2%	0.1%	0.0%	0.1%	0.3%	0.0%	0.4%
	Grade 9	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.7%
	Grade 12	96.3%	0.0%	0.0%	0.3%	0.4%	1.0%	2.0%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Steroids?								
	All	99.2%	0.2%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 7	98.9%	0.1%	0.0%	0.0%	0.2%	0.6%	0.1%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%
	Grade 10	99.0%	0.7%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.3%	0.2%	0.4%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.6%
Ecstasy?								
	All	98.4%	0.0%	0.0%	0.0%	0.3%	0.5%	0.8%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.4%	0.1%	0.3%
	Grade 9	98.8%	0.0%	0.0%	0.0%	0.0%	0.6%	0.6%
	Grade 10	98.4%	0.0%	0.0%	0.1%	0.1%	0.7%	0.7%
	Grade 11	97.7%	0.0%	0.0%	0.2%	0.9%	0.3%	1.0%
	Grade 12	96.0%	0.0%	0.2%	0.0%	0.3%	1.1%	2.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.5%	0.2%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 12	99.1%	0.0%	0.0%	0.2%	0.0%	0.0%	0.8%
Synthetic Marijuana?								
	All	97.7%	0.0%	0.2%	0.3%	0.3%	0.4%	1.2%
	Grade 7	98.7%	0.0%	0.0%	0.6%	0.1%	0.1%	0.5%
	Grade 8	98.8%	0.0%	0.0%	0.1%	0.2%	0.1%	0.8%
	Grade 9	97.1%	0.0%	0.5%	0.3%	0.2%	0.5%	1.4%
	Grade 10	96.5%	0.0%	0.4%	0.2%	0.3%	0.6%	1.9%
	Grade 11	97.7%	0.0%	0.0%	0.2%	0.5%	0.9%	0.7%
	Grade 12	97.5%	0.0%	0.0%	0.0%	0.3%	0.3%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.2	12.3	13.0	13.8	14.6	15.2
Cocaine	14.4	10.0	12.5	14.1	14.2	14.6	15.9
Crack	12.4	11.1	12.5	14.0	11.0	13.6	N/A
Steroids	12.1	9.8	12.0	12.9	12.3	13.0	15.7
Ecstasy	15.3	12.5	13.4	14.3	15.0	15.5	16.5
Heroin	12.4	11.2	N/A	12.0	15.0	N/A	N/A
Methamphetamine	14.0	11.2	11.7	14.0	13.6	15.0	15.7
Synthetic Marijuana	13.5	10.6	13.2	13.5	13.8	14.3	13.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	25.6%	26.4%	8.7%	8.6%	12.5%	18.4%
	Grade 7	32.5%	47.8%	7.6%	4.8%	4.3%	3.1%
	Grade 8	29.0%	40.2%	9.8%	7.3%	6.4%	7.2%
	Grade 9	30.3%	21.4%	8.9%	10.8%	11.5%	17.0%
	Grade 10	20.7%	16.6%	8.6%	9.4%	16.2%	28.5%
	Grade 11	17.9%	16.4%	9.0%	9.9%	17.4%	29.4%
	Grade 12	20.4%	10.5%	8.0%	9.6%	22.2%	29.3%
Cocaine?							
	All	36.7%	37.4%	12.1%	6.4%	3.5%	4.0%
	Grade 7	35.7%	52.7%	6.6%	2.3%	1.3%	1.5%
	Grade 8	34.6%	48.6%	9.7%	3.0%	1.8%	2.2%
	Grade 9	41.4%	33.5%	12.7%	5.8%	3.5%	3.1%
	Grade 10	36.0%	30.8%	15.5%	8.7%	4.1%	4.8%
	Grade 11	33.2%	30.5%	15.4%	9.7%	4.9%	6.4%
	Grade 12	39.1%	23.3%	14.2%	10.1%	6.3%	7.0%
Crack?							
	All	38.2%	37.9%	12.1%	5.7%	2.8%	3.3%
	Grade 7	37.2%	51.3%	6.1%	2.5%	1.3%	1.6%
	Grade 8	35.3%	48.6%	9.4%	2.4%	1.8%	2.5%
	Grade 9	42.3%	34.6%	11.0%	6.2%	2.7%	3.2%
	Grade 10	38.1%	31.3%	14.7%	8.5%	3.7%	3.9%
	Grade 11	34.4%	32.0%	16.5%	7.6%	4.4%	5.2%
	Grade 12	42.3%	25.3%	16.7%	8.3%	3.6%	3.9%
Steroids?							
	All	38.6%	35.6%	11.5%	6.1%	3.7%	4.6%
	Grade 7	38.7%	47.2%	6.0%	3.6%	1.5%	3.0%
	Grade 8	38.0%	45.2%	8.3%	3.6%	2.4%	2.6%
	Grade 9	42.0%	33.4%	10.5%	5.8%	3.5%	4.7%
	Grade 10	37.9%	30.7%	13.7%	6.6%	5.2%	6.0%
	Grade 11	33.2%	29.0%	16.5%	8.6%	6.1%	6.7%
	Grade 12	41.6%	23.9%	15.6%	9.5%	3.9%	5.5%
Ecstasy?							
	All	46.3%	32.2%	9.9%	4.9%	3.1%	3.6%
	Grade 7	54.4%	38.6%	3.8%	1.4%	0.5%	1.3%
	Grade 8	48.4%	40.8%	6.6%	1.6%	0.7%	1.8%
	Grade 9	49.0%	31.2%	9.6%	3.8%	3.5%	2.9%
	Grade 10	43.0%	28.9%	12.9%	5.4%	5.3%	4.4%
	Grade 11	37.8%	28.8%	14.0%	9.2%	4.3%	5.9%
	Grade 12	42.8%	22.0%	14.3%	9.8%	4.6%	6.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	43.4%	37.0%	10.8%	4.2%	1.7%	2.8%
	Grade 7	46.5%	43.6%	5.6%	1.7%	0.9%	1.7%
	Grade 8	43.8%	44.5%	7.6%	1.3%	0.8%	1.9%
	Grade 9	45.9%	34.9%	10.7%	3.7%	2.1%	2.6%
	Grade 10	41.9%	33.3%	13.2%	5.5%	2.4%	3.7%
	Grade 11	37.5%	35.4%	15.1%	5.8%	2.1%	4.1%
	Grade 12	44.1%	28.0%	14.3%	8.3%	2.3%	2.9%
Methamphetamine?							
	All	44.0%	35.4%	10.5%	4.4%	2.3%	3.3%
	Grade 7	48.9%	42.8%	5.0%	1.7%	0.5%	1.2%
	Grade 8	45.0%	43.3%	6.4%	2.0%	0.9%	2.2%
	Grade 9	47.0%	32.8%	11.2%	3.4%	1.9%	3.7%
	Grade 10	41.6%	31.0%	14.4%	5.1%	3.8%	4.1%
	Grade 11	37.5%	34.5%	13.2%	6.9%	3.0%	4.9%
	Grade 12	42.8%	25.6%	14.6%	8.5%	4.7%	3.9%
Synthetic Marijuana?							
	All	44.0%	31.5%	9.1%	6.1%	4.1%	5.2%
	Grade 7	49.8%	39.7%	4.7%	2.7%	1.3%	1.7%
	Grade 8	47.2%	39.7%	6.0%	2.3%	2.2%	2.6%
	Grade 9	45.2%	30.1%	9.0%	5.8%	4.0%	5.9%
	Grade 10	39.3%	26.2%	12.3%	8.5%	6.4%	7.4%
	Grade 11	38.3%	28.7%	11.4%	9.0%	4.8%	7.7%
	Grade 12	42.5%	21.8%	12.7%	9.8%	6.5%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.4%	3.0%	0.9%	1.7%
Grade 7	98.0%	1.5%	0.1%	0.5%
Grade 8	95.9%	1.6%	0.5%	1.9%
Grade 9	95.1%	3.0%	0.8%	1.1%
Grade 10	90.9%	4.9%	1.7%	2.4%
Grade 11	93.9%	2.8%	0.9%	2.3%
Grade 12	91.3%	4.8%	1.3%	2.6%
Attended Class While High from Use of Some Other Drug?				
All	97.8%	1.4%	0.2%	0.5%
Grade 7	98.8%	0.7%	0.3%	0.2%
Grade 8	97.3%	1.0%	0.3%	1.4%
Grade 9	97.5%	2.5%	0.0%	0.0%
Grade 10	97.7%	1.7%	0.1%	0.5%
Grade 11	97.9%	0.9%	0.6%	0.7%
Grade 12	97.7%	1.7%	0.2%	0.4%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.2
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	4.1
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.9%	4.0%	0.7%	1.4%
Grade 9	97.0%	2.3%	0.2%	0.4%
Grade 10	95.6%	3.0%	0.4%	1.1%
Grade 11	93.0%	4.7%	0.9%	1.5%
Grade 12	88.9%	6.6%	1.4%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.0%	2.6%	0.3%	0.1%
Grade 7	98.0%	1.8%	0.1%	0.1%
Grade 8	97.7%	1.8%	0.4%	0.2%
Grade 9	97.2%	2.3%	0.4%	0.1%
Grade 10	96.3%	3.2%	0.2%	0.3%
Grade 11	96.2%	3.1%	0.6%	0.1%
Grade 12	96.2%	3.7%	0.2%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	60.0%	20.0%	9.8%	7.8%	2.5%
Grade 7	85.9%	10.2%	2.0%	1.1%	0.8%
Grade 8	76.2%	13.3%	6.2%	3.4%	0.9%
Grade 9	59.2%	22.7%	8.6%	7.8%	1.8%
Grade 10	46.0%	25.6%	13.8%	10.8%	3.8%
Grade 11	40.9%	26.6%	15.8%	13.8%	3.0%
Grade 12	45.1%	23.8%	14.2%	11.8%	5.2%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.7%	5.2%	3.5%	5.1%	5.6%	1.7%	19.2%
Grade 7	81.3%	2.7%	1.3%	0.7%	0.7%	1.1%	12.2%
Grade 8	74.8%	2.9%	1.8%	1.8%	2.7%	1.8%	14.3%
Grade 9	59.4%	7.2%	2.8%	3.4%	4.4%	1.9%	20.9%
Grade 10	49.9%	6.9%	4.5%	7.4%	7.9%	2.3%	21.1%
Grade 11	40.0%	5.7%	4.7%	9.4%	9.9%	2.4%	27.8%
Grade 12	45.9%	6.7%	6.8%	9.7%	9.7%	1.0%	20.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.3%	6.0%	6.8%	2.4%	1.6%	6.8%
Grade 7	85.6%	2.4%	1.9%	0.5%	0.6%	8.9%
Grade 8	83.2%	3.4%	3.5%	1.5%	1.1%	7.4%
Grade 9	76.8%	6.6%	6.5%	2.0%	1.3%	6.7%
Grade 10	71.0%	6.2%	10.8%	3.1%	2.3%	6.6%
Grade 11	72.8%	9.6%	7.3%	3.1%	2.6%	4.6%
Grade 12	64.2%	9.2%	13.0%	5.2%	2.2%	6.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	59.2%	13.4%	10.9%	12.1%	4.4%
	Grade 7	81.2%	8.8%	3.3%	2.0%	4.6%
	Grade 8	73.0%	11.6%	7.2%	5.1%	3.1%
	Grade 9	55.9%	15.2%	10.0%	12.0%	7.0%
	Grade 10	48.1%	15.5%	15.2%	17.8%	3.5%
	Grade 11	46.5%	17.0%	15.2%	17.1%	4.2%
	Grade 12	44.5%	13.0%	17.1%	22.2%	3.3%
Cocaine?						
	All	89.3%	4.9%	0.7%	0.4%	4.7%
	Grade 7	89.9%	4.5%	0.5%	0.5%	4.5%
	Grade 8	90.7%	4.4%	0.8%	0.5%	3.6%
	Grade 9	85.7%	5.1%	0.5%	0.2%	8.6%
	Grade 10	89.4%	4.3%	1.5%	0.6%	4.2%
	Grade 11	91.8%	4.1%	0.1%	0.0%	4.0%
	Grade 12	88.5%	7.4%	0.9%	0.2%	2.9%
Crack?						
	All	89.7%	4.6%	0.6%	0.3%	4.9%
	Grade 7	89.3%	4.7%	0.7%	0.5%	4.8%
	Grade 8	91.2%	4.1%	0.8%	0.3%	3.7%
	Grade 9	85.5%	5.5%	0.5%	0.2%	8.3%
	Grade 10	90.1%	4.2%	0.6%	0.4%	4.7%
	Grade 11	92.8%	2.9%	0.1%	0.0%	4.1%
	Grade 12	90.1%	6.1%	0.6%	0.2%	2.9%
Ecstasy?						
	All	84.6%	6.3%	1.3%	0.6%	7.3%
	Grade 7	84.8%	4.7%	0.3%	0.7%	9.6%
	Grade 8	86.8%	4.9%	0.8%	0.3%	7.2%
	Grade 9	81.1%	6.5%	1.2%	0.5%	10.6%
	Grade 10	84.3%	7.4%	1.3%	0.9%	6.0%
	Grade 11	86.1%	6.2%	1.9%	0.3%	5.4%
	Grade 12	84.4%	8.7%	2.9%	0.5%	3.5%
Steroids?						
	All	78.9%	10.8%	3.3%	1.0%	6.0%
	Grade 7	80.1%	9.0%	3.1%	1.3%	6.4%
	Grade 8	80.7%	10.3%	3.2%	0.7%	5.1%
	Grade 9	74.9%	10.8%	3.8%	1.1%	9.5%
	Grade 10	77.7%	11.8%	3.1%	1.6%	5.7%
	Grade 11	80.4%	11.2%	3.0%	0.5%	4.9%
	Grade 12	80.0%	12.1%	3.7%	0.9%	3.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.7%	3.6%	0.4%	0.4%	5.8%
	Grade 7	87.4%	3.8%	0.5%	0.6%	7.7%
	Grade 8	90.6%	3.5%	0.6%	0.4%	4.9%
	Grade 9	85.1%	4.9%	0.3%	0.4%	9.3%
	Grade 10	91.2%	2.9%	0.4%	0.4%	5.0%
	Grade 11	93.6%	1.9%	0.1%	0.2%	4.2%
	Grade 12	91.8%	4.6%	0.6%	0.2%	2.8%
Methamphetamine?						
	All	89.4%	3.7%	0.5%	0.3%	6.0%
	Grade 7	86.8%	3.7%	0.3%	0.6%	8.6%
	Grade 8	90.1%	3.5%	0.6%	0.4%	5.4%
	Grade 9	85.0%	4.6%	1.0%	0.2%	9.3%
	Grade 10	91.3%	3.1%	0.4%	0.4%	4.8%
	Grade 11	93.3%	2.3%	0.3%	0.0%	4.1%
	Grade 12	91.2%	5.1%	0.6%	0.2%	2.8%
Synthetic Marijuana?						
	All	85.7%	5.9%	1.1%	0.8%	6.6%
	Grade 7	85.1%	4.8%	0.6%	0.8%	8.8%
	Grade 8	88.0%	4.4%	1.2%	0.6%	5.8%
	Grade 9	80.3%	7.1%	1.5%	1.1%	10.0%
	Grade 10	85.4%	7.2%	1.0%	1.0%	5.4%
	Grade 11	87.6%	5.5%	1.4%	0.4%	5.1%
	Grade 12	88.7%	6.5%	0.9%	0.4%	3.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.6%	11.7%	20.2%	79.8%
Grade 7	8.0%	11.1%	18.2%	81.8%
Grade 8	7.6%	11.0%	20.4%	79.6%
Grade 9	9.2%	13.9%	20.4%	79.6%
Grade 10	7.9%	11.5%	22.7%	77.3%
Grade 11	6.2%	12.0%	20.2%	79.8%
Grade 12	6.3%	10.2%	19.4%	80.6%
Codeine Cough Syrup?				
All	4.2%	7.5%	14.7%	85.3%
Grade 7	4.0%	7.3%	13.4%	86.6%
Grade 8	3.9%	6.6%	14.2%	85.8%
Grade 9	4.9%	8.5%	14.8%	85.2%
Grade 10	4.9%	8.9%	17.8%	82.2%
Grade 11	3.2%	6.9%	13.5%	86.5%
Grade 12	4.2%	6.7%	14.7%	85.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	2.1%	4.3%	95.7%
Grade 7	0.4%	0.8%	1.8%	98.2%
Grade 8	0.9%	1.8%	3.2%	96.8%
Grade 9	0.8%	1.6%	3.7%	96.3%
Grade 10	2.4%	3.3%	6.2%	93.8%
Grade 11	0.9%	2.8%	6.3%	93.7%
Grade 12	1.2%	2.3%	5.6%	94.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	2.8%	5.2%	94.8%
Grade 7	1.3%	1.6%	2.5%	97.5%
Grade 8	1.2%	1.8%	3.1%	96.9%
Grade 9	1.5%	2.6%	4.2%	95.8%
Grade 10	2.7%	3.5%	7.8%	92.2%
Grade 11	1.7%	4.4%	7.0%	93.0%
Grade 12	1.6%	2.8%	7.6%	92.4%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.1%	1.8%	3.6%	96.4%
Grade 7	1.2%	1.5%	2.7%	97.3%
Grade 8	1.4%	2.0%	3.2%	96.8%
Grade 9	1.0%	1.7%	2.7%	97.3%
Grade 10	1.4%	1.8%	4.7%	95.3%
Grade 11	0.7%	2.0%	5.0%	95.0%
Grade 12	0.7%	1.8%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.6%	8.6%	91.4%
Grade 7	4.2%	5.9%	10.2%	89.8%
Grade 8	3.0%	5.1%	10.0%	90.0%
Grade 9	4.0%	6.2%	9.4%	90.6%
Grade 10	2.5%	3.8%	7.7%	92.3%
Grade 11	2.7%	3.8%	7.4%	92.6%
Grade 12	1.7%	2.0%	5.8%	94.2%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.6%	3.0%	97.0%
Grade 7	1.3%	1.9%	3.2%	96.8%
Grade 8	1.7%	2.0%	3.2%	96.8%
Grade 9	1.3%	2.0%	3.7%	96.3%
Grade 10	1.3%	1.9%	3.2%	96.8%
Grade 11	0.2%	1.1%	3.2%	96.8%
Grade 12	0.2%	0.4%	1.4%	98.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.6%	11.8%	2.8%	1.2%	5.7%
Grade 7	79.6%	10.3%	2.8%	1.0%	6.3%
Grade 8	81.4%	10.5%	2.3%	1.3%	4.5%
Grade 9	74.6%	12.4%	3.7%	1.2%	8.1%
Grade 10	78.2%	12.0%	3.4%	1.5%	5.0%
Grade 11	79.7%	11.8%	1.6%	1.0%	5.9%
Grade 12	78.1%	14.2%	2.8%	1.3%	3.7%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.9%	6.8%	13.6%	86.4%
Grade 7	6.5%	7.7%	14.3%	85.7%
Grade 8	4.8%	7.8%	14.3%	85.7%
Grade 9	6.5%	8.2%	16.5%	83.5%
Grade 10	5.3%	7.4%	14.1%	85.9%
Grade 11	2.5%	3.9%	11.6%	88.4%
Grade 12	3.1%	5.2%	9.6%	90.4%
Spray Paint?				
All	0.5%	0.6%	2.0%	98.0%
Grade 7	0.6%	0.7%	1.6%	98.4%
Grade 8	1.1%	1.2%	2.7%	97.3%
Grade 9	0.3%	0.4%	2.0%	98.0%
Grade 10	0.3%	0.5%	2.3%	97.7%
Grade 11	0.3%	0.3%	2.3%	97.7%
Grade 12	0.3%	0.3%	0.9%	99.1%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.7%	5.0%	95.0%
Grade 7	1.1%	1.6%	5.3%	94.7%
Grade 8	2.2%	2.4%	6.6%	93.4%
Grade 9	1.4%	2.7%	7.5%	92.5%
Grade 10	0.7%	1.3%	4.1%	95.9%
Grade 11	0.6%	0.6%	3.2%	96.8%
Grade 12	0.7%	1.6%	2.5%	97.5%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.3%	0.6%	1.4%	98.6%
Grade 12	0.3%	0.4%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.9%	7.2%	92.8%
Grade 7	2.4%	2.8%	7.3%	92.7%
Grade 8	2.1%	3.2%	8.3%	91.7%
Grade 9	2.3%	3.8%	8.9%	91.1%
Grade 10	1.7%	3.3%	7.8%	92.2%
Grade 11	0.5%	1.5%	5.6%	94.4%
Grade 12	1.6%	2.3%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.4%	0.6%	99.4%
Grade 8	0.8%	1.2%	1.5%	98.5%
Grade 9	0.0%	0.2%	1.3%	98.7%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.2%	99.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.3%	98.7%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.6%	99.4%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	1.1%	1.4%	2.8%	97.2%
Grade 8	0.9%	1.2%	2.8%	97.2%
Grade 9	0.8%	1.3%	2.9%	97.1%
Grade 10	0.6%	0.9%	2.1%	97.9%
Grade 11	0.6%	0.8%	2.1%	97.9%
Grade 12	0.0%	0.2%	0.7%	99.3%
Other Aerosols/Sprays?				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.7%	0.8%	1.6%	98.4%
Grade 8	1.2%	1.4%	2.3%	97.7%
Grade 9	0.3%	0.6%	1.4%	98.6%
Grade 10	0.9%	1.2%	2.3%	97.7%
Grade 11	0.1%	0.4%	1.1%	98.9%
Grade 12	0.0%	0.3%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.9%	0.1%	0.2%	0.3%	0.5%	0.8%	1.2%
Grade 7	95.6%	0.2%	0.3%	0.5%	1.0%	0.6%	1.9%
Grade 8	96.5%	0.0%	0.3%	0.3%	0.8%	1.4%	0.6%
Grade 9	96.7%	0.0%	0.3%	0.4%	0.3%	0.6%	1.6%
Grade 10	97.1%	0.2%	0.1%	0.1%	0.9%	0.2%	1.4%
Grade 11	97.5%	0.0%	0.0%	0.0%	0.2%	1.3%	1.0%
Grade 12	98.3%	0.0%	0.0%	0.0%	0.0%	1.0%	0.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.6%	7.4%	3.0%	1.0%
Grade 7	87.3%	8.0%	4.3%	0.3%
Grade 8	87.9%	6.8%	3.4%	1.9%
Grade 9	84.7%	10.4%	3.9%	1.0%
Grade 10	88.3%	8.1%	2.3%	1.3%
Grade 11	91.0%	5.4%	2.8%	0.9%
Grade 12	93.7%	4.8%	0.9%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.0	10.8	11.4	11.9	12.3	13.8	12.6

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.6%	0.1%	0.2%
Grade 7	98.9%	0.6%	0.3%	0.1%
Grade 8	97.7%	1.2%	0.1%	1.1%
Grade 9	99.8%	0.2%	0.0%	0.0%
Grade 10	99.0%	0.8%	0.0%	0.2%
Grade 11	100.0%	0.0%	0.0%	0.0%
Grade 12	99.3%	0.7%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.7
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	5.1
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.7%	4.9%	1.6%	0.5%	0.3%
Grade 7	91.6%	6.3%	1.5%	0.3%	0.3%
Grade 8	92.9%	5.3%	0.7%	0.9%	0.2%
Grade 9	91.6%	6.1%	2.0%	0.4%	0.0%
Grade 10	92.4%	4.7%	2.0%	0.1%	0.8%
Grade 11	94.1%	3.8%	1.8%	0.4%	0.0%
Grade 12	94.0%	2.2%	2.2%	0.8%	0.8%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.2%	12.0%	3.2%	1.2%	6.5%
Grade 7	77.8%	10.4%	3.7%	1.9%	6.2%
Grade 8	77.7%	13.8%	3.2%	0.6%	4.6%
Grade 9	75.6%	11.2%	3.4%	1.3%	8.6%
Grade 10	73.3%	13.5%	4.4%	1.4%	7.4%
Grade 11	79.1%	11.3%	2.3%	0.8%	6.6%
Grade 12	80.5%	11.5%	1.8%	1.0%	5.2%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.9%	20.2%	4.8%	5.2%	9.4%	22.4%
Grade 7	38.2%	30.6%	3.8%	6.2%	6.3%	14.9%
Grade 8	37.1%	27.6%	5.2%	4.1%	9.1%	17.0%
Grade 9	40.8%	18.2%	5.1%	5.4%	9.0%	21.4%
Grade 10	38.6%	16.0%	6.7%	5.0%	9.4%	24.4%
Grade 11	34.0%	14.4%	5.0%	4.1%	12.7%	29.9%
Grade 12	38.5%	11.2%	3.1%	6.3%	11.0%	29.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 126

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	36.7%
	Grade 7	31.4%
	Grade 8	42.2%
	Grade 9	42.4%
	Grade 10	36.9%
	Grade 11	36.5%
	Grade 12	29.5%
An Assembly Program		
	All	44.0%
	Grade 7	47.9%
	Grade 8	54.9%
	Grade 9	42.6%
	Grade 10	36.5%
	Grade 11	37.4%
	Grade 12	43.4%
Guidance Counselor		
	All	23.2%
	Grade 7	22.4%
	Grade 8	25.8%
	Grade 9	24.2%
	Grade 10	23.0%
	Grade 11	21.7%
	Grade 12	21.8%
School Nurse		
	All	15.4%
	Grade 7	18.2%
	Grade 8	15.2%
	Grade 9	14.7%
	Grade 10	15.1%
	Grade 11	12.4%
	Grade 12	16.7%
Science or Social Studies Class		
	All	26.1%
	Grade 7	29.8%
	Grade 8	29.5%
	Grade 9	25.9%
	Grade 10	22.6%
	Grade 11	22.5%
	Grade 12	25.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	13.4%
	Grade 7	11.7%
	Grade 8	12.0%
	Grade 9	15.8%
	Grade 10	14.9%
	Grade 11	14.6%
	Grade 12	11.4%
An Invited School Guest		
	All	29.5%
	Grade 7	34.5%
	Grade 8	36.6%
	Grade 9	25.9%
	Grade 10	26.8%
	Grade 11	23.0%
	Grade 12	28.9%
Another Source at School		
	All	27.7%
	Grade 7	27.2%
	Grade 8	29.4%
	Grade 9	28.7%
	Grade 10	28.0%
	Grade 11	27.9%
	Grade 12	24.4%
Any School Source		
	All	63.4%
	Grade 7	65.1%
	Grade 8	70.0%
	Grade 9	64.8%
	Grade 10	60.2%
	Grade 11	57.7%
	Grade 12	61.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	37.3%
	Grade 7	44.8%
	Grade 8	43.5%
	Grade 9	38.1%
	Grade 10	31.5%
	Grade 11	33.3%
	Grade 12	29.5%
School Nurse		
	All	21.5%
	Grade 7	31.5%
	Grade 8	24.9%
	Grade 9	17.7%
	Grade 10	17.5%
	Grade 11	18.2%
	Grade 12	17.6%
Another Adult In School		
	All	43.4%
	Grade 7	46.4%
	Grade 8	48.5%
	Grade 9	43.8%
	Grade 10	39.4%
	Grade 11	43.9%
	Grade 12	36.5%
Counselor/Program Outside-School		
	All	41.3%
	Grade 7	44.3%
	Grade 8	46.1%
	Grade 9	41.9%
	Grade 10	39.4%
	Grade 11	39.6%
	Grade 12	34.3%
Your Parents		
	All	73.0%
	Grade 7	80.6%
	Grade 8	80.0%
	Grade 9	71.3%
	Grade 10	68.4%
	Grade 11	68.3%
	Grade 12	66.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	57.1%
	Grade 7	65.2%
	Grade 8	62.6%
	Grade 9	53.7%
	Grade 10	51.5%
	Grade 11	52.9%
	Grade 12	54.8%
Your Friends		
	All	63.7%
	Grade 7	55.4%
	Grade 8	59.4%
	Grade 9	65.0%
	Grade 10	68.4%
	Grade 11	67.7%
	Grade 12	68.4%
Another Adult		
	All	62.2%
	Grade 7	63.7%
	Grade 8	64.7%
	Grade 9	63.2%
	Grade 10	61.5%
	Grade 11	62.3%
	Grade 12	56.2%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.1%
	Grade 7	5.8%
	Grade 8	4.3%
	Grade 9	6.4%
	Grade 10	5.1%
	Grade 11	4.8%
	Grade 12	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.2%	22.5%	22.2%	36.2%	14.8%
Grade 7	5.1%	18.9%	19.0%	36.9%	20.0%
Grade 8	4.3%	20.0%	18.8%	38.8%	18.0%
Grade 9	3.2%	20.7%	23.2%	38.3%	14.6%
Grade 10	3.9%	25.1%	24.8%	35.1%	11.1%
Grade 11	5.1%	24.1%	24.7%	35.4%	10.7%
Grade 12	3.5%	28.1%	23.4%	31.8%	13.3%
Sometimes Carry Weapons?					
All	67.2%	17.8%	8.6%	4.9%	1.5%
Grade 7	80.0%	14.1%	3.1%	1.7%	1.1%
Grade 8	74.5%	15.2%	6.7%	3.3%	0.4%
Grade 9	67.6%	19.3%	7.4%	4.6%	1.2%
Grade 10	59.7%	20.8%	10.6%	6.3%	2.5%
Grade 11	57.9%	20.9%	12.1%	7.2%	1.8%
Grade 12	60.6%	16.9%	13.4%	6.8%	2.3%
Care About Making Good Grades?					
All	1.8%	12.5%	24.2%	41.0%	20.5%
Grade 7	2.4%	11.3%	21.9%	40.6%	23.8%
Grade 8	1.9%	11.5%	25.7%	38.8%	22.1%
Grade 9	0.9%	12.8%	23.3%	42.5%	20.6%
Grade 10	1.8%	14.0%	22.9%	42.3%	19.0%
Grade 11	1.4%	13.1%	26.1%	43.3%	16.0%
Grade 12	2.3%	12.3%	26.1%	38.5%	20.8%
Belong/Want to Belong to a Gang?					
All	85.5%	9.5%	2.8%	1.4%	0.8%
Grade 7	86.5%	9.8%	1.8%	0.7%	1.1%
Grade 8	85.0%	10.1%	2.6%	1.6%	0.7%
Grade 9	82.8%	11.9%	3.6%	1.4%	0.3%
Grade 10	84.3%	10.3%	3.0%	1.4%	1.1%
Grade 11	87.4%	7.9%	2.4%	1.6%	0.7%
Grade 12	87.5%	6.3%	3.6%	1.8%	0.8%
Wish They Could Drop Out of School?					
All	49.3%	29.9%	11.8%	5.6%	3.4%
Grade 7	60.1%	24.6%	9.2%	4.0%	2.1%
Grade 8	59.7%	28.0%	6.7%	3.5%	2.1%
Grade 9	44.2%	33.8%	14.2%	5.2%	2.5%
Grade 10	46.3%	33.6%	11.4%	4.6%	4.2%
Grade 11	40.9%	31.5%	16.2%	8.3%	3.0%
Grade 12	42.1%	27.6%	14.0%	8.9%	7.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.9%	11.8%	0.9%	0.4%	1.1%
Grade 7	84.5%	12.5%	0.7%	0.5%	1.7%
Grade 8	87.8%	9.6%	1.1%	0.1%	1.5%
Grade 9	84.4%	13.9%	0.6%	0.5%	0.6%
Grade 10	84.2%	13.9%	1.1%	0.1%	0.7%
Grade 11	84.9%	11.9%	1.2%	0.8%	1.3%
Grade 12	90.5%	8.4%	0.4%	0.2%	0.5%
Out In Your Neighborhood?					
All	48.4%	41.3%	5.8%	1.6%	3.0%
Grade 7	41.0%	45.7%	6.7%	2.2%	4.3%
Grade 8	45.6%	44.2%	5.1%	1.6%	3.4%
Grade 9	47.6%	41.3%	7.0%	1.6%	2.5%
Grade 10	52.7%	37.8%	6.0%	1.1%	2.4%
Grade 11	50.9%	39.3%	5.2%	1.2%	3.5%
Grade 12	54.3%	38.2%	4.3%	1.5%	1.6%
At School?					
All	36.3%	44.8%	10.4%	5.3%	3.1%
Grade 7	49.6%	38.9%	6.2%	3.2%	2.1%
Grade 8	47.3%	41.1%	6.1%	2.0%	3.5%
Grade 9	29.0%	47.4%	13.3%	7.1%	3.2%
Grade 10	32.3%	45.5%	12.0%	6.9%	3.3%
Grade 11	29.4%	46.6%	13.3%	6.6%	4.1%
Grade 12	27.1%	51.1%	12.4%	6.8%	2.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.8%	22.7%	35.1%	64.9%
Grade 7	7.5%	8.9%	18.8%	81.2%
Grade 8	13.6%	15.5%	28.7%	71.3%
Grade 9	17.0%	22.1%	33.1%	66.9%
Grade 10	24.0%	28.5%	41.9%	58.1%
Grade 11	24.5%	29.9%	44.7%	55.3%
Grade 12	29.8%	35.9%	48.2%	51.8%
Any Alcohol Product				
All	29.5%	35.9%	55.9%	44.1%
Grade 7	15.0%	17.8%	39.7%	60.3%
Grade 8	20.0%	24.2%	45.9%	54.1%
Grade 9	29.2%	35.3%	56.7%	43.3%
Grade 10	37.5%	46.2%	62.6%	37.4%
Grade 11	36.9%	45.2%	67.1%	32.9%
Grade 12	43.1%	52.6%	68.3%	31.7%
Any Illicit Drug				
All	12.3%	16.4%	22.5%	77.5%
Grade 7	3.8%	5.3%	6.8%	93.2%
Grade 8	6.6%	9.1%	12.8%	87.2%
Grade 9	11.8%	15.3%	18.9%	81.1%
Grade 10	18.2%	23.0%	31.2%	68.8%
Grade 11	16.1%	22.1%	33.4%	66.6%
Grade 12	19.7%	27.4%	37.3%	62.7%
Any Prescription Drug				
All	7.6%	11.7%	20.2%	79.8%
Grade 7	8.0%	11.1%	18.2%	81.8%
Grade 8	7.6%	11.0%	20.4%	79.6%
Grade 9	9.2%	13.9%	20.4%	79.6%
Grade 10	7.9%	11.5%	22.7%	77.3%
Grade 11	6.2%	12.0%	20.2%	79.8%
Grade 12	6.3%	10.2%	19.4%	80.6%
Any Inhalant				
All	4.9%	6.8%	13.6%	86.4%
Grade 7	6.5%	7.7%	14.3%	85.7%
Grade 8	4.8%	7.8%	14.3%	85.7%
Grade 9	6.5%	8.2%	16.5%	83.5%
Grade 10	5.3%	7.4%	14.1%	85.9%
Grade 11	2.5%	3.9%	11.6%	88.4%
Grade 12	3.1%	5.2%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 126

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.1%	17.8%	28.9%	71.1%
Grade 7	3.9%	6.0%	14.4%	85.6%
Grade 8	7.2%	9.7%	20.2%	79.8%
Grade 9	12.1%	17.3%	27.0%	73.0%
Grade 10	19.7%	25.0%	37.9%	62.1%
Grade 11	16.5%	22.3%	36.3%	63.7%
Grade 12	22.1%	30.8%	41.9%	58.1%
Marijuana				
All	11.9%	14.5%	21.0%	79.0%
Grade 7	3.1%	3.9%	5.2%	94.8%
Grade 8	6.1%	7.5%	11.3%	88.7%
Grade 9	11.9%	13.4%	17.5%	82.5%
Grade 10	17.6%	20.6%	29.5%	70.5%
Grade 11	15.9%	20.1%	32.3%	67.7%
Grade 12	19.7%	25.6%	35.6%	64.4%
Marijuana Only				
All	7.1%	9.0%	14.6%	85.4%
Grade 7	1.7%	2.1%	3.2%	96.8%
Grade 8	3.7%	4.9%	8.3%	91.7%
Grade 9	6.7%	7.9%	11.3%	88.7%
Grade 10	10.8%	13.2%	20.6%	79.4%
Grade 11	9.6%	12.3%	23.3%	76.7%
Grade 12	11.5%	16.1%	25.1%	74.9%
Cocaine or Crack				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.8%	1.1%	98.9%
Grade 9	0.1%	0.1%	1.3%	98.7%
Grade 10	1.3%	1.6%	2.8%	97.2%
Grade 11	0.5%	0.8%	2.5%	97.5%
Grade 12	0.9%	1.5%	4.1%	95.9%
Cocaine				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	1.2%	1.5%	2.7%	97.3%
Grade 11	0.5%	0.8%	2.2%	97.8%
Grade 12	0.9%	1.5%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Hallucinogens				
All	0.6%	0.9%	2.3%	97.7%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	1.7%	1.8%	4.1%	95.9%
Grade 11	0.6%	1.0%	3.1%	96.9%
Grade 12	0.4%	0.6%	2.8%	97.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.7%	1.7%	98.3%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.8%	0.8%	1.9%	98.1%
Grade 11	0.3%	0.6%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.3%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.9%	98.1%
Grade 11	1.0%	1.6%	2.6%	97.4%
Grade 12	0.6%	1.1%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.9%	1.3%	3.5%	96.5%
Grade 7	0.7%	1.1%	1.5%	98.5%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	1.7%	2.0%	3.9%	96.1%
Grade 10	1.2%	1.4%	5.2%	94.8%
Grade 11	0.8%	1.3%	4.0%	96.0%
Grade 12	0.3%	0.7%	4.7%	95.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.6%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.3%	25.0%	38.0%	62.0%
Grade 7	10.3%	11.3%	22.3%	77.7%
Grade 8	16.5%	18.7%	33.2%	66.8%
Grade 9	18.0%	24.1%	34.6%	65.4%
Grade 10	27.3%	30.6%	42.0%	58.0%
Grade 11	26.5%	31.7%	50.6%	49.4%
Grade 12	35.4%	40.2%	53.2%	46.8%
Any Alcohol Product				
All	29.0%	35.1%	55.7%	44.3%
Grade 7	15.6%	18.8%	43.8%	56.2%
Grade 8	22.8%	27.9%	50.1%	49.9%
Grade 9	27.1%	33.1%	54.5%	45.5%
Grade 10	36.1%	42.4%	58.3%	41.7%
Grade 11	36.2%	43.3%	67.0%	33.0%
Grade 12	42.5%	53.4%	66.5%	33.5%
Any Illicit Drug				
All	11.3%	15.5%	22.2%	77.8%
Grade 7	5.1%	6.5%	8.2%	91.8%
Grade 8	6.4%	9.3%	13.8%	86.2%
Grade 9	12.1%	16.5%	21.3%	78.7%
Grade 10	16.4%	21.3%	31.2%	68.8%
Grade 11	14.9%	20.4%	31.2%	68.8%
Grade 12	15.5%	22.3%	33.4%	66.6%
Any Prescription Drug				
All	8.1%	12.1%	21.4%	78.6%
Grade 7	8.0%	11.4%	19.5%	80.5%
Grade 8	6.4%	9.8%	19.5%	80.5%
Grade 9	9.4%	15.1%	22.7%	77.3%
Grade 10	7.6%	12.0%	23.4%	76.6%
Grade 11	7.7%	12.6%	21.7%	78.3%
Grade 12	10.0%	11.6%	21.8%	78.2%
Any Inhalant				
All	4.5%	6.3%	12.9%	87.1%
Grade 7	8.0%	9.2%	15.6%	84.4%
Grade 8	3.5%	6.8%	13.8%	86.2%
Grade 9	5.0%	6.4%	13.7%	86.3%
Grade 10	3.6%	5.4%	11.5%	88.5%
Grade 11	2.7%	3.6%	11.2%	88.8%
Grade 12	2.9%	5.3%	10.0%	90.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	18.8%	29.9%	70.1%
Grade 7	5.2%	7.4%	15.2%	84.8%
Grade 8	7.2%	10.6%	22.4%	77.6%
Grade 9	12.3%	18.9%	27.6%	72.4%
Grade 10	21.7%	25.6%	37.6%	62.4%
Grade 11	18.5%	23.6%	39.0%	61.0%
Grade 12	23.7%	32.2%	44.5%	55.5%
Marijuana				
All	10.9%	13.3%	20.3%	79.7%
Grade 7	3.9%	4.6%	6.2%	93.8%
Grade 8	6.2%	7.9%	12.5%	87.5%
Grade 9	12.1%	14.4%	19.4%	80.6%
Grade 10	15.6%	18.6%	29.3%	70.7%
Grade 11	14.6%	17.9%	29.6%	70.4%
Grade 12	15.5%	19.5%	30.6%	69.4%
Marijuana Only				
All	6.4%	8.0%	13.8%	86.2%
Grade 7	1.9%	2.5%	3.8%	96.2%
Grade 8	3.7%	4.9%	9.1%	90.9%
Grade 9	5.7%	7.9%	11.8%	88.2%
Grade 10	10.7%	13.0%	22.0%	78.0%
Grade 11	8.6%	9.9%	19.6%	80.4%
Grade 12	9.0%	11.4%	20.3%	79.7%
Cocaine or Crack				
All	0.7%	0.8%	2.3%	97.7%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	1.4%	1.6%	2.7%	97.3%
Grade 11	0.6%	1.2%	3.9%	96.1%
Grade 12	1.1%	1.6%	3.8%	96.2%
Cocaine				
All	0.7%	0.8%	2.1%	97.9%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.4%	1.6%	2.7%	97.3%
Grade 11	0.6%	1.2%	3.3%	96.7%
Grade 12	1.1%	1.6%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	1.0%	1.4%	3.0%	97.0%
Grade 7	0.7%	1.2%	1.8%	98.2%
Grade 8	0.3%	1.1%	2.3%	97.7%
Grade 9	1.0%	1.2%	3.0%	97.0%
Grade 10	2.2%	2.5%	4.9%	95.1%
Grade 11	0.6%	1.3%	4.5%	95.5%
Grade 12	1.0%	1.0%	1.3%	98.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.6%	1.3%	2.7%	97.3%
Grade 8	0.3%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.7%	98.3%
Ecstasy				
All	0.2%	0.6%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.6%	0.6%	2.7%	97.3%
Grade 10	0.0%	0.1%	2.0%	98.0%
Grade 11	0.8%	2.1%	3.0%	97.0%
Grade 12	0.0%	0.5%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.4%	3.3%	96.7%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	1.0%	1.0%	2.2%	97.8%
Grade 9	2.6%	2.6%	4.6%	95.4%
Grade 10	0.6%	1.0%	2.5%	97.5%
Grade 11	0.6%	0.9%	3.5%	96.5%
Grade 12	0.8%	1.2%	6.3%	93.7%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.3%	1.0%	99.0%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.4%	0.4%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 126

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.4%	20.5%	32.2%	67.8%
Grade 7	4.4%	6.3%	14.8%	85.2%
Grade 8	10.9%	12.5%	24.6%	75.4%
Grade 9	16.5%	20.5%	32.4%	67.6%
Grade 10	20.5%	26.3%	41.8%	58.2%
Grade 11	22.2%	27.7%	38.8%	61.2%
Grade 12	26.0%	32.4%	43.7%	56.3%
Any Alcohol Product				
All	29.8%	36.6%	56.1%	43.9%
Grade 7	14.3%	16.7%	35.2%	64.8%
Grade 8	17.6%	21.0%	42.0%	58.0%
Grade 9	31.6%	38.0%	59.8%	40.2%
Grade 10	39.3%	50.3%	67.2%	32.8%
Grade 11	37.1%	46.7%	67.0%	33.0%
Grade 12	42.6%	51.2%	69.1%	30.9%
Any Illicit Drug				
All	13.2%	17.3%	22.6%	77.4%
Grade 7	2.4%	3.9%	5.2%	94.8%
Grade 8	6.9%	8.9%	11.9%	88.1%
Grade 9	11.9%	14.4%	16.9%	83.1%
Grade 10	20.4%	25.2%	31.4%	68.6%
Grade 11	16.7%	23.3%	35.1%	64.9%
Grade 12	23.5%	31.2%	39.6%	60.4%
Any Prescription Drug				
All	7.1%	11.2%	19.1%	80.9%
Grade 7	8.1%	10.8%	16.8%	83.2%
Grade 8	8.7%	12.1%	21.2%	78.8%
Grade 9	8.4%	12.3%	17.9%	82.1%
Grade 10	8.3%	11.2%	22.2%	77.8%
Grade 11	4.8%	11.4%	18.4%	81.6%
Grade 12	3.5%	9.2%	17.8%	82.2%
Any Inhalant				
All	5.3%	7.3%	14.2%	85.8%
Grade 7	4.9%	6.1%	12.8%	87.2%
Grade 8	6.0%	8.6%	14.8%	85.2%
Grade 9	8.1%	10.2%	19.5%	80.5%
Grade 10	6.9%	9.5%	16.7%	83.3%
Grade 11	2.4%	4.2%	11.4%	88.6%
Grade 12	3.0%	4.8%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.2%	16.8%	27.8%	72.2%
Grade 7	2.6%	4.3%	13.4%	86.6%
Grade 8	7.2%	8.8%	18.3%	81.7%
Grade 9	12.3%	16.1%	27.0%	73.0%
Grade 10	17.4%	24.1%	37.8%	62.2%
Grade 11	14.2%	20.5%	33.3%	66.7%
Grade 12	21.1%	29.3%	39.7%	60.3%
Marijuana				
All	13.0%	15.7%	21.5%	78.5%
Grade 7	2.2%	3.1%	4.1%	95.9%
Grade 8	6.0%	7.3%	10.1%	89.9%
Grade 9	12.0%	12.6%	15.8%	84.2%
Grade 10	20.0%	22.9%	29.9%	70.1%
Grade 11	16.7%	21.5%	34.5%	65.5%
Grade 12	23.5%	30.2%	38.9%	61.1%
Marijuana Only				
All	7.7%	9.9%	15.2%	84.8%
Grade 7	1.4%	1.6%	2.6%	97.4%
Grade 8	3.7%	4.9%	7.5%	92.5%
Grade 9	7.8%	8.1%	11.1%	88.9%
Grade 10	11.0%	13.5%	19.2%	80.8%
Grade 11	10.1%	13.9%	26.2%	73.8%
Grade 12	13.7%	19.6%	28.0%	72.0%
Cocaine or Crack				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	1.0%	1.5%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	1.3%	1.6%	3.0%	97.0%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.7%	1.5%	4.5%	95.5%
Cocaine				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.9%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.7%	1.5%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	1.1%	1.1%	3.3%	96.7%
Grade 11	0.7%	0.7%	1.8%	98.2%
Grade 12	0.0%	0.3%	4.0%	96.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.6%	98.4%
Grade 9	0.9%	1.0%	1.7%	98.3%
Grade 10	0.8%	0.8%	1.7%	98.3%
Grade 11	0.6%	1.1%	1.7%	98.3%
Grade 12	0.6%	0.6%	0.6%	99.4%
Ecstasy				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.7%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.9%	98.1%
Grade 11	1.2%	1.2%	2.2%	97.8%
Grade 12	1.2%	1.7%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.2%	3.7%	96.3%
Grade 7	0.2%	1.0%	1.4%	98.6%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	0.8%	1.4%	3.3%	96.7%
Grade 10	1.9%	1.9%	8.1%	91.9%
Grade 11	0.9%	1.6%	4.5%	95.5%
Grade 12	0.0%	0.3%	3.5%	96.5%
Methamphetamine				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.7%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	24.0%	28.7%	41.7%	58.3%
Grade 7	9.1%	10.7%	20.9%	79.1%
Grade 8	16.7%	18.8%	33.8%	66.2%
Grade 9	22.3%	28.5%	38.9%	61.1%
Grade 10	30.0%	34.6%	49.7%	50.3%
Grade 11	33.6%	39.5%	54.3%	45.7%
Grade 12	36.4%	45.4%	58.0%	42.0%
Any Alcohol Product				
All	32.4%	39.3%	58.8%	41.2%
Grade 7	15.5%	18.1%	40.9%	59.1%
Grade 8	21.6%	26.0%	47.6%	52.4%
Grade 9	32.1%	37.3%	55.7%	44.3%
Grade 10	40.2%	49.8%	65.3%	34.7%
Grade 11	41.5%	51.9%	74.7%	25.3%
Grade 12	48.2%	58.8%	74.1%	25.9%
Any Illicit Drug				
All	11.4%	16.1%	22.4%	77.6%
Grade 7	2.4%	3.5%	4.8%	95.2%
Grade 8	6.3%	9.1%	12.8%	87.2%
Grade 9	11.1%	15.1%	17.9%	82.1%
Grade 10	15.6%	20.6%	29.7%	70.3%
Grade 11	16.6%	24.2%	36.3%	63.7%
Grade 12	18.7%	27.9%	38.0%	62.0%
Any Prescription Drug				
All	8.5%	13.3%	21.6%	78.4%
Grade 7	9.1%	13.1%	19.2%	80.8%
Grade 8	8.5%	12.5%	21.4%	78.6%
Grade 9	10.9%	17.0%	24.3%	75.7%
Grade 10	8.7%	12.8%	24.3%	75.7%
Grade 11	6.6%	13.0%	21.4%	78.6%
Grade 12	6.6%	10.5%	18.5%	81.5%
Any Inhalant				
All	5.0%	7.0%	14.5%	85.5%
Grade 7	6.4%	8.1%	15.8%	84.2%
Grade 8	3.8%	6.8%	13.7%	86.3%
Grade 9	6.0%	7.3%	15.7%	84.3%
Grade 10	6.4%	8.0%	15.3%	84.7%
Grade 11	3.2%	5.7%	15.2%	84.8%
Grade 12	3.6%	6.0%	10.5%	89.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.7%	22.5%	34.9%	65.1%
Grade 7	4.9%	6.7%	15.8%	84.2%
Grade 8	8.4%	11.6%	24.5%	75.5%
Grade 9	15.2%	21.4%	31.9%	68.1%
Grade 10	24.6%	30.5%	44.3%	55.7%
Grade 11	23.3%	30.1%	45.3%	54.7%
Grade 12	27.3%	39.6%	52.7%	47.3%
Marijuana				
All	11.0%	13.9%	20.7%	79.3%
Grade 7	1.7%	2.0%	3.2%	96.8%
Grade 8	5.9%	7.5%	11.2%	88.8%
Grade 9	11.1%	13.2%	16.5%	83.5%
Grade 10	14.6%	17.0%	26.9%	73.1%
Grade 11	16.3%	21.9%	35.5%	64.5%
Grade 12	18.7%	25.4%	36.3%	63.7%
Marijuana Only				
All	5.7%	7.7%	13.7%	86.3%
Grade 7	0.6%	0.8%	2.0%	98.0%
Grade 8	2.9%	3.8%	7.0%	93.0%
Grade 9	5.6%	7.4%	10.0%	90.0%
Grade 10	8.6%	10.3%	18.3%	81.7%
Grade 11	8.6%	11.7%	24.5%	75.5%
Grade 12	9.1%	14.2%	24.0%	76.0%
Cocaine or Crack				
All	0.5%	0.9%	2.2%	97.8%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.6%	1.1%	1.5%	98.5%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.5%	2.0%	98.0%
Grade 11	0.8%	1.4%	3.1%	96.9%
Grade 12	0.7%	1.8%	4.4%	95.6%
Cocaine				
All	0.5%	0.8%	2.0%	98.0%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.2%	0.5%	2.0%	98.0%
Grade 11	0.8%	1.4%	2.9%	97.1%
Grade 12	0.7%	1.8%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.0%	3.0%	97.0%
Grade 7	0.1%	0.5%	1.2%	98.8%
Grade 8	0.0%	0.7%	1.7%	98.3%
Grade 9	0.9%	0.9%	2.2%	97.8%
Grade 10	2.1%	2.1%	4.6%	95.4%
Grade 11	0.9%	1.2%	4.5%	95.5%
Grade 12	0.0%	0.3%	4.2%	95.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	0.2%	0.7%	1.6%	98.4%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.3%	1.3%	98.7%
Ecstasy				
All	0.5%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.7%	1.4%	98.6%
Grade 9	0.5%	0.5%	2.1%	97.9%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	1.1%	1.9%	3.0%	97.0%
Grade 12	1.2%	2.0%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.2%	3.8%	96.2%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.7%	1.1%	2.6%	97.4%
Grade 9	1.3%	1.9%	3.7%	96.3%
Grade 10	1.3%	1.5%	5.4%	94.6%
Grade 11	1.1%	1.7%	5.3%	94.7%
Grade 12	0.3%	0.9%	5.5%	94.5%
Methamphetamine				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	0.0%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.7%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	12.3%	22.2%	77.8%
Grade 7	3.7%	3.7%	13.1%	86.9%
Grade 8	12.3%	13.6%	21.9%	78.1%
Grade 9	8.2%	9.8%	19.3%	80.7%
Grade 10	10.2%	13.6%	21.9%	78.1%
Grade 11	10.3%	13.6%	24.7%	75.3%
Grade 12	21.2%	21.2%	34.4%	65.6%
Any Alcohol Product				
All	23.4%	27.5%	48.6%	51.4%
Grade 7	12.9%	15.7%	41.7%	58.3%
Grade 8	19.2%	23.0%	39.9%	60.1%
Grade 9	18.5%	24.0%	46.5%	53.5%
Grade 10	33.5%	36.3%	56.8%	43.2%
Grade 11	22.1%	26.6%	48.5%	51.5%
Grade 12	35.0%	40.3%	58.1%	41.9%
Any Illicit Drug				
All	13.5%	16.5%	22.8%	77.2%
Grade 7	5.5%	8.4%	9.5%	90.5%
Grade 8	8.9%	10.9%	15.0%	85.0%
Grade 9	9.6%	12.3%	13.1%	86.9%
Grade 10	22.5%	24.8%	31.9%	68.1%
Grade 11	16.8%	20.1%	30.9%	69.1%
Grade 12	18.4%	23.5%	39.1%	60.9%
Any Prescription Drug				
All	6.8%	9.6%	18.9%	81.1%
Grade 7	10.2%	12.9%	23.1%	76.9%
Grade 8	9.8%	10.7%	20.2%	79.8%
Grade 9	1.8%	3.9%	7.9%	92.1%
Grade 10	6.7%	11.2%	22.4%	77.6%
Grade 11	6.9%	9.2%	16.2%	83.8%
Grade 12	6.5%	10.3%	25.7%	74.3%
Any Inhalant				
All	4.8%	6.0%	12.1%	87.9%
Grade 7	5.1%	5.1%	9.8%	90.2%
Grade 8	3.8%	6.8%	13.6%	86.4%
Grade 9	8.2%	10.0%	18.0%	82.0%
Grade 10	6.8%	9.0%	15.0%	85.0%
Grade 11	1.1%	1.1%	6.7%	93.3%
Grade 12	2.9%	2.9%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.0%	15.2%	84.8%
Grade 7	2.0%	3.8%	9.1%	90.9%
Grade 8	6.2%	7.1%	9.8%	90.2%
Grade 9	5.0%	7.4%	16.0%	84.0%
Grade 10	9.7%	12.6%	19.3%	80.7%
Grade 11	5.9%	9.3%	16.0%	84.0%
Grade 12	12.5%	14.5%	20.8%	79.2%
Marijuana				
All	13.0%	15.2%	21.4%	78.6%
Grade 7	3.5%	6.4%	7.5%	92.5%
Grade 8	7.5%	9.6%	13.7%	86.3%
Grade 9	9.7%	9.7%	10.6%	89.4%
Grade 10	22.6%	24.9%	32.1%	67.9%
Grade 11	16.8%	17.9%	29.8%	70.2%
Grade 12	18.4%	23.5%	37.7%	62.3%
Marijuana Only				
All	10.4%	12.2%	18.0%	82.0%
Grade 7	3.5%	4.6%	4.6%	95.4%
Grade 8	6.7%	8.8%	12.8%	87.2%
Grade 9	8.6%	8.6%	9.5%	90.5%
Grade 10	16.9%	19.2%	26.2%	73.8%
Grade 11	15.2%	16.3%	26.8%	73.2%
Grade 12	11.2%	16.1%	29.8%	70.2%
Cocaine or Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.3%	1.3%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.7%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.9%	1.8%	3.5%	96.5%
Grade 8	0.9%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.6%	1.6%	4.5%	95.5%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.1%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.0%	1.8%	1.8%	98.2%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	1.2%	1.2%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	4.7%	95.3%
Methamphetamine				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 59 of 126

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	16.3%	28.7%	71.3%
Grade 7	6.9%	9.0%	17.8%	82.2%
Grade 8	7.1%	8.3%	20.4%	79.6%
Grade 9	11.7%	16.4%	29.5%	70.5%
Grade 10	19.7%	25.1%	37.8%	62.2%
Grade 11	12.4%	18.7%	35.8%	64.2%
Grade 12	21.5%	24.9%	35.8%	64.2%
Any Alcohol Product				
All	26.6%	33.7%	54.4%	45.6%
Grade 7	14.3%	17.7%	35.2%	64.8%
Grade 8	15.9%	19.9%	44.1%	55.9%
Grade 9	31.1%	39.1%	66.5%	33.5%
Grade 10	33.4%	44.2%	60.6%	39.4%
Grade 11	35.0%	42.0%	63.1%	36.9%
Grade 12	35.6%	46.8%	62.5%	37.5%
Any Illicit Drug				
All	13.1%	16.2%	21.4%	78.6%
Grade 7	6.0%	6.6%	8.2%	91.8%
Grade 8	5.8%	7.2%	10.1%	89.9%
Grade 9	14.9%	17.7%	24.9%	75.1%
Grade 10	18.9%	24.8%	31.7%	68.3%
Grade 11	13.8%	18.0%	26.8%	73.2%
Grade 12	23.7%	28.6%	33.7%	66.3%
Any Prescription Drug				
All	5.5%	8.8%	17.3%	82.7%
Grade 7	3.8%	5.0%	12.0%	88.0%
Grade 8	4.3%	6.8%	17.4%	82.6%
Grade 9	9.0%	12.8%	19.3%	80.7%
Grade 10	6.2%	8.1%	19.0%	81.0%
Grade 11	4.2%	11.1%	19.0%	81.0%
Grade 12	5.4%	9.5%	17.9%	82.1%
Any Inhalant				
All	4.9%	6.8%	12.5%	87.5%
Grade 7	7.9%	8.3%	14.0%	86.0%
Grade 8	7.5%	10.3%	15.5%	84.5%
Grade 9	6.4%	8.7%	17.6%	82.4%
Grade 10	1.1%	3.9%	9.8%	90.2%
Grade 11	1.8%	1.8%	5.8%	94.2%
Grade 12	2.7%	6.1%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.1%	13.2%	24.2%	75.8%
Grade 7	3.4%	6.3%	15.0%	85.0%
Grade 8	4.1%	5.6%	14.8%	85.2%
Grade 9	10.8%	15.3%	23.5%	76.5%
Grade 10	14.6%	20.8%	35.2%	64.8%
Grade 11	7.8%	12.9%	29.5%	70.5%
Grade 12	17.3%	22.1%	32.8%	67.2%
Marijuana				
All	13.0%	14.9%	20.4%	79.6%
Grade 7	6.0%	6.3%	7.6%	92.4%
Grade 8	5.4%	6.2%	9.0%	91.0%
Grade 9	14.9%	16.2%	24.1%	75.9%
Grade 10	18.5%	22.9%	31.1%	68.9%
Grade 11	13.8%	16.7%	25.0%	75.0%
Grade 12	23.7%	26.9%	31.9%	68.1%
Marijuana Only				
All	7.7%	9.4%	13.8%	86.2%
Grade 7	2.9%	3.2%	4.5%	95.5%
Grade 8	4.0%	4.9%	7.7%	92.3%
Grade 9	7.6%	8.8%	15.3%	84.7%
Grade 10	10.6%	14.1%	21.3%	78.7%
Grade 11	7.2%	9.4%	15.6%	84.4%
Grade 12	17.0%	20.0%	22.8%	77.2%
Cocaine or Crack				
All	0.9%	0.9%	2.6%	97.4%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	3.3%	3.3%	4.4%	95.6%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	1.4%	1.4%	6.7%	93.3%
Cocaine				
All	0.9%	0.9%	2.5%	97.5%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	3.3%	3.3%	4.4%	95.6%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	1.4%	1.4%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.5%	2.0%	98.0%
Grade 10	1.9%	1.9%	4.2%	95.8%
Grade 11	0.6%	1.2%	1.9%	98.1%
Grade 12	1.1%	1.1%	1.1%	98.9%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.6%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.7%	0.7%	1.4%	98.6%
Grade 11	1.3%	1.3%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	1.9%	2.5%	4.0%	96.0%
Grade 12	0.0%	0.0%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	1.6%	3.6%	96.4%
Grade 7	2.4%	2.4%	3.1%	96.9%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	3.7%	3.7%	6.5%	93.5%
Grade 10	1.1%	1.1%	5.4%	94.6%
Grade 11	0.6%	1.4%	3.4%	96.6%
Grade 12	0.0%	0.0%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 126

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	17.6%	29.4%	70.6%
Grade 7	4.0%	4.9%	15.6%	84.4%
Grade 8	8.5%	9.3%	23.7%	76.3%
Grade 9	11.1%	15.3%	24.0%	76.0%
Grade 10	18.1%	22.0%	34.3%	65.7%
Grade 11	18.3%	22.0%	35.8%	64.2%
Grade 12	24.6%	32.8%	44.0%	56.0%
Any Alcohol Product				
All	25.5%	32.1%	52.0%	48.0%
Grade 7	11.7%	15.0%	36.8%	63.2%
Grade 8	13.0%	17.7%	40.4%	59.6%
Grade 9	24.3%	31.5%	50.5%	49.5%
Grade 10	33.6%	41.8%	55.9%	44.1%
Grade 11	30.0%	39.4%	62.7%	37.3%
Grade 12	41.8%	48.7%	66.2%	33.8%
Any Illicit Drug				
All	7.8%	10.8%	16.8%	83.2%
Grade 7	3.3%	4.3%	4.8%	95.2%
Grade 8	2.9%	5.3%	8.2%	91.8%
Grade 9	5.8%	7.6%	9.4%	90.6%
Grade 10	9.2%	13.5%	20.5%	79.5%
Grade 11	9.5%	13.1%	26.1%	73.9%
Grade 12	16.3%	21.8%	32.7%	67.3%
Any Prescription Drug				
All	5.1%	8.9%	16.6%	83.4%
Grade 7	6.4%	10.5%	16.6%	83.4%
Grade 8	3.2%	6.3%	16.2%	83.8%
Grade 9	8.4%	12.8%	20.5%	79.5%
Grade 10	4.6%	8.6%	15.7%	84.3%
Grade 11	4.6%	7.3%	15.4%	84.6%
Grade 12	3.0%	7.9%	14.7%	85.3%
Any Inhalant				
All	3.4%	4.9%	10.2%	89.8%
Grade 7	5.6%	7.4%	13.1%	86.9%
Grade 8	3.4%	6.7%	11.9%	88.1%
Grade 9	4.6%	6.3%	14.4%	85.6%
Grade 10	3.3%	3.6%	9.0%	91.0%
Grade 11	0.7%	1.1%	4.6%	95.4%
Grade 12	2.9%	4.2%	8.3%	91.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	15.6%	25.2%	74.8%
Grade 7	2.6%	4.1%	12.1%	87.9%
Grade 8	6.8%	7.9%	20.3%	79.7%
Grade 9	7.5%	12.8%	19.2%	80.8%
Grade 10	15.2%	20.5%	31.8%	68.2%
Grade 11	14.9%	18.3%	27.2%	72.8%
Grade 12	21.2%	31.0%	41.9%	58.1%
Marijuana				
All	7.6%	9.5%	15.5%	84.5%
Grade 7	2.7%	2.9%	3.3%	96.7%
Grade 8	2.8%	4.7%	7.4%	92.6%
Grade 9	5.8%	6.7%	8.8%	91.2%
Grade 10	8.6%	11.1%	17.9%	82.1%
Grade 11	9.5%	12.3%	25.0%	75.0%
Grade 12	16.3%	19.8%	31.3%	68.7%
Marijuana Only				
All	4.9%	6.7%	12.3%	87.7%
Grade 7	2.0%	2.2%	2.5%	97.5%
Grade 8	2.6%	4.2%	6.8%	93.2%
Grade 9	3.8%	4.3%	5.6%	94.4%
Grade 10	5.0%	7.5%	13.7%	86.3%
Grade 11	5.9%	8.7%	21.2%	78.8%
Grade 12	10.1%	13.6%	24.7%	75.3%
Cocaine or Crack				
All	0.4%	0.4%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.0%	0.4%	1.2%	98.8%
Grade 12	0.6%	0.6%	4.6%	95.4%
Cocaine				
All	0.4%	0.4%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.0%	0.4%	0.8%	99.2%
Grade 12	0.6%	0.6%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	1.2%	2.3%	97.7%
Grade 12	0.0%	0.0%	2.2%	97.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.3%	0.7%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.9%	99.1%
Ecstasy				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.4%	1.1%	1.5%	98.5%
Grade 12	0.6%	0.6%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.0%	1.4%	2.3%	97.7%
Grade 10	0.6%	0.6%	2.9%	97.1%
Grade 11	0.4%	0.4%	1.9%	98.1%
Grade 12	0.0%	0.0%	1.6%	98.4%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 126

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.6%	25.8%	38.0%	62.0%
Grade 7	9.5%	11.1%	20.3%	79.7%
Grade 8	16.8%	19.4%	30.6%	69.4%
Grade 9	20.3%	25.9%	37.5%	62.5%
Grade 10	27.8%	33.2%	46.7%	53.3%
Grade 11	30.2%	37.5%	53.0%	47.0%
Grade 12	32.4%	36.6%	50.7%	49.3%
Any Alcohol Product				
All	31.8%	37.8%	57.6%	42.4%
Grade 7	16.4%	18.9%	40.7%	59.3%
Grade 8	24.1%	28.2%	48.4%	51.6%
Grade 9	31.7%	37.1%	59.4%	40.6%
Grade 10	41.5%	50.5%	67.2%	32.8%
Grade 11	42.4%	50.1%	70.7%	29.3%
Grade 12	44.1%	54.3%	68.8%	31.2%
Any Illicit Drug				
All	15.0%	19.5%	25.3%	74.7%
Grade 7	3.9%	5.8%	7.9%	92.1%
Grade 8	9.2%	11.4%	14.8%	85.2%
Grade 9	13.7%	18.1%	22.6%	77.4%
Grade 10	23.8%	29.0%	38.1%	61.9%
Grade 11	23.4%	29.9%	39.7%	60.3%
Grade 12	22.7%	31.9%	41.4%	58.6%
Any Prescription Drug				
All	8.9%	13.2%	22.2%	77.8%
Grade 7	8.8%	11.6%	18.9%	81.1%
Grade 8	11.0%	14.4%	22.4%	77.6%
Grade 9	8.5%	13.4%	19.9%	80.1%
Grade 10	9.9%	13.6%	27.7%	72.3%
Grade 11	6.6%	15.1%	23.2%	76.8%
Grade 12	7.6%	10.8%	22.1%	77.9%
Any Inhalant				
All	5.9%	8.2%	16.2%	83.8%
Grade 7	7.6%	8.5%	15.9%	84.1%
Grade 8	6.2%	9.0%	16.9%	83.1%
Grade 9	7.3%	9.4%	18.0%	82.0%
Grade 10	6.0%	9.6%	17.4%	82.6%
Grade 11	3.7%	5.3%	16.0%	84.0%
Grade 12	3.3%	6.4%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	19.1%	30.7%	69.3%
Grade 7	4.5%	6.8%	15.2%	84.8%
Grade 8	8.0%	11.6%	19.9%	80.1%
Grade 9	14.2%	19.8%	30.8%	69.2%
Grade 10	22.8%	28.5%	41.8%	58.2%
Grade 11	18.0%	26.0%	44.3%	55.7%
Grade 12	21.7%	29.4%	41.9%	58.1%
Marijuana				
All	14.5%	17.3%	23.6%	76.4%
Grade 7	3.2%	4.3%	6.3%	93.7%
Grade 8	8.3%	9.1%	12.6%	87.4%
Grade 9	13.8%	15.6%	20.4%	79.6%
Grade 10	23.0%	25.8%	36.6%	63.4%
Grade 11	23.1%	28.1%	39.0%	61.0%
Grade 12	22.7%	30.3%	39.3%	60.7%
Marijuana Only				
All	8.1%	10.1%	15.3%	84.7%
Grade 7	1.3%	1.8%	3.5%	96.5%
Grade 8	4.6%	5.4%	8.8%	91.2%
Grade 9	7.6%	9.3%	13.3%	86.7%
Grade 10	13.5%	15.5%	23.9%	76.1%
Grade 11	13.3%	16.1%	25.2%	74.8%
Grade 12	12.0%	17.6%	24.7%	75.3%
Cocaine or Crack				
All	0.8%	1.1%	2.4%	97.6%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.3%	1.7%	98.3%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.4%	1.6%	3.4%	96.6%
Grade 11	1.0%	1.3%	3.3%	96.7%
Grade 12	1.0%	2.2%	4.2%	95.8%
Cocaine				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.7%	1.2%	98.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.2%	1.3%	3.2%	96.8%
Grade 11	1.0%	1.3%	3.0%	97.0%
Grade 12	1.0%	2.2%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.6%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.7%	99.3%
Hallucinogens				
All	0.7%	0.9%	2.8%	97.2%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.1%	0.3%	1.5%	98.5%
Grade 9	0.0%	0.2%	1.2%	98.8%
Grade 10	3.0%	3.2%	6.7%	93.3%
Grade 11	0.7%	0.7%	4.2%	95.8%
Grade 12	0.9%	0.9%	3.0%	97.0%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.5%	1.8%	98.2%
Grade 8	0.5%	1.2%	2.7%	97.3%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	1.3%	1.3%	1.8%	98.2%
Grade 11	0.6%	1.2%	2.2%	97.8%
Grade 12	0.3%	0.3%	1.4%	98.6%
Ecstasy				
All	0.4%	0.7%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.6%	1.4%	98.6%
Grade 9	0.2%	0.2%	2.4%	97.6%
Grade 10	0.2%	0.3%	2.2%	97.8%
Grade 11	1.9%	2.1%	3.9%	96.1%
Grade 12	0.8%	1.8%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.7%	4.5%	95.5%
Grade 7	0.9%	1.5%	2.1%	97.9%
Grade 8	0.9%	1.4%	2.5%	97.5%
Grade 9	2.0%	2.0%	4.1%	95.9%
Grade 10	1.8%	1.9%	7.0%	93.0%
Grade 11	0.9%	1.9%	5.5%	94.5%
Grade 12	0.7%	1.4%	7.3%	92.7%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.7%	0.9%	99.1%
Grade 12	0.7%	1.2%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.7%	29.2%	70.8%
Grade 7	6.1%	7.1%	15.3%	84.7%
Grade 8	9.7%	11.4%	21.0%	79.0%
Grade 9	14.7%	19.9%	28.3%	71.7%
Grade 10	18.4%	22.7%	35.2%	64.8%
Grade 11	21.1%	25.7%	38.6%	61.4%
Grade 12	25.1%	31.8%	44.8%	55.2%
Any Alcohol Product				
All	25.5%	31.6%	50.7%	49.3%
Grade 7	11.4%	13.8%	35.2%	64.8%
Grade 8	16.5%	21.6%	39.3%	60.7%
Grade 9	27.0%	33.3%	54.8%	45.2%
Grade 10	30.7%	37.3%	54.3%	45.7%
Grade 11	33.9%	43.3%	61.7%	38.3%
Grade 12	41.3%	49.7%	67.5%	32.5%
Any Illicit Drug				
All	8.7%	12.4%	17.0%	83.0%
Grade 7	2.4%	3.8%	4.4%	95.6%
Grade 8	3.5%	6.5%	9.7%	90.3%
Grade 9	11.4%	13.5%	16.4%	83.6%
Grade 10	8.5%	13.6%	20.2%	79.8%
Grade 11	13.7%	19.0%	27.6%	72.4%
Grade 12	16.2%	22.8%	31.2%	68.8%
Any Prescription Drug				
All	6.6%	10.6%	18.0%	82.0%
Grade 7	5.9%	9.1%	15.4%	84.6%
Grade 8	5.8%	9.9%	18.5%	81.5%
Grade 9	9.4%	13.5%	20.3%	79.7%
Grade 10	5.9%	9.1%	17.6%	82.4%
Grade 11	6.6%	12.8%	19.1%	80.9%
Grade 12	5.8%	9.2%	17.1%	82.9%
Any Inhalant				
All	4.7%	6.2%	12.7%	87.3%
Grade 7	5.7%	6.8%	14.0%	86.0%
Grade 8	4.9%	7.7%	12.9%	87.1%
Grade 9	6.3%	7.6%	16.0%	84.0%
Grade 10	4.1%	6.1%	12.7%	87.3%
Grade 11	2.3%	2.9%	10.5%	89.5%
Grade 12	4.3%	5.4%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	14.4%	23.1%	76.9%
Grade 7	2.6%	3.8%	10.7%	89.3%
Grade 8	4.5%	7.0%	13.9%	86.1%
Grade 9	10.8%	15.8%	21.4%	78.6%
Grade 10	15.1%	19.7%	31.2%	68.8%
Grade 11	14.0%	19.2%	31.2%	68.8%
Grade 12	20.3%	27.0%	37.4%	62.6%
Marijuana				
All	8.3%	10.5%	15.7%	84.3%
Grade 7	1.9%	2.9%	3.5%	96.5%
Grade 8	2.7%	4.1%	7.3%	92.7%
Grade 9	11.4%	12.4%	15.9%	84.1%
Grade 10	7.6%	9.8%	17.7%	82.3%
Grade 11	13.5%	17.5%	26.7%	73.3%
Grade 12	16.2%	21.0%	30.0%	70.0%
Marijuana Only				
All	5.1%	6.8%	11.4%	88.6%
Grade 7	1.2%	1.6%	2.2%	97.8%
Grade 8	1.8%	3.2%	6.4%	93.6%
Grade 9	5.9%	6.6%	9.2%	90.8%
Grade 10	5.2%	6.6%	13.2%	86.8%
Grade 11	9.2%	11.5%	19.6%	80.4%
Grade 12	9.9%	14.6%	23.0%	77.0%
Cocaine or Crack				
All	0.5%	0.5%	1.4%	98.6%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.9%	1.3%	4.2%	95.8%
Cocaine				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.9%	1.3%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.3%	0.5%	1.9%	98.1%
Grade 10	1.1%	1.1%	2.7%	97.3%
Grade 11	0.0%	0.6%	2.6%	97.4%
Grade 12	0.0%	0.3%	0.6%	99.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	1.0%	99.0%
Grade 7	0.3%	0.4%	1.5%	98.5%
Grade 8	0.0%	0.2%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.7%	0.7%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.1%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.1%	0.1%	1.8%	98.2%
Grade 11	0.3%	0.8%	1.5%	98.5%
Grade 12	0.5%	0.9%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.1%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	2.4%	2.6%	4.7%	95.3%
Grade 10	1.0%	1.0%	2.3%	97.7%
Grade 11	0.5%	1.4%	4.0%	96.0%
Grade 12	0.3%	0.3%	2.9%	97.1%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.3%	27.5%	41.9%	58.1%
Grade 7	9.3%	11.2%	23.3%	76.7%
Grade 8	18.9%	20.8%	38.2%	61.8%
Grade 9	19.7%	24.8%	38.9%	61.1%
Grade 10	29.6%	34.4%	48.5%	51.5%
Grade 11	28.6%	34.7%	51.8%	48.2%
Grade 12	34.7%	40.0%	51.5%	48.5%
Any Alcohol Product				
All	34.0%	40.9%	61.8%	38.2%
Grade 7	19.7%	23.3%	45.8%	54.2%
Grade 8	25.1%	28.0%	54.0%	46.0%
Grade 9	30.8%	37.1%	58.6%	41.4%
Grade 10	44.2%	55.2%	71.2%	28.8%
Grade 11	40.5%	47.7%	73.0%	27.0%
Grade 12	44.3%	55.1%	68.7%	31.3%
Any Illicit Drug				
All	16.4%	21.0%	28.8%	71.2%
Grade 7	5.9%	7.4%	10.0%	90.0%
Grade 8	10.8%	12.5%	17.1%	82.9%
Grade 9	12.5%	17.2%	21.6%	78.4%
Grade 10	27.5%	32.1%	42.0%	58.0%
Grade 11	18.8%	25.8%	40.2%	59.8%
Grade 12	23.2%	32.0%	43.6%	56.4%
Any Prescription Drug				
All	8.9%	13.0%	22.9%	77.1%
Grade 7	10.9%	13.9%	21.8%	78.2%
Grade 8	10.0%	12.2%	22.8%	77.2%
Grade 9	9.1%	14.6%	20.9%	79.1%
Grade 10	10.0%	14.1%	27.6%	72.4%
Grade 11	5.8%	11.1%	21.7%	78.3%
Grade 12	6.9%	11.4%	22.0%	78.0%
Any Inhalant				
All	4.9%	7.3%	14.3%	85.7%
Grade 7	7.6%	9.0%	14.6%	85.4%
Grade 8	4.0%	7.2%	15.1%	84.9%
Grade 9	6.5%	8.7%	17.1%	82.9%
Grade 10	6.0%	8.4%	15.2%	84.8%
Grade 11	2.7%	5.1%	12.8%	87.2%
Grade 12	2.0%	5.0%	10.3%	89.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.3%	22.0%	35.4%	64.6%
Grade 7	5.5%	8.7%	19.2%	80.8%
Grade 8	10.8%	13.4%	27.8%	72.2%
Grade 9	14.2%	19.8%	33.5%	66.5%
Grade 10	24.4%	30.2%	44.2%	55.8%
Grade 11	19.5%	25.9%	42.2%	57.8%
Grade 12	23.8%	34.7%	46.3%	53.7%
Marijuana				
All	16.1%	19.2%	27.3%	72.7%
Grade 7	4.8%	5.4%	7.8%	92.2%
Grade 8	10.4%	12.0%	16.5%	83.5%
Grade 9	12.5%	14.5%	19.5%	80.5%
Grade 10	27.2%	31.0%	41.2%	58.8%
Grade 11	18.8%	23.0%	38.9%	61.1%
Grade 12	23.2%	30.2%	41.5%	58.5%
Marijuana Only				
All	9.2%	11.5%	18.5%	81.5%
Grade 7	2.4%	2.7%	4.7%	95.3%
Grade 8	6.3%	7.1%	10.9%	89.1%
Grade 9	7.4%	9.4%	13.7%	86.3%
Grade 10	15.8%	19.2%	27.7%	72.3%
Grade 11	10.2%	13.1%	27.5%	72.5%
Grade 12	12.9%	17.5%	27.0%	73.0%
Cocaine or Crack				
All	0.8%	1.2%	2.8%	97.2%
Grade 7	0.5%	0.5%	1.5%	98.5%
Grade 8	0.4%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.9%	98.1%
Grade 10	2.0%	2.5%	4.9%	95.1%
Grade 11	1.0%	1.6%	3.3%	96.7%
Grade 12	0.9%	1.7%	4.1%	95.9%
Cocaine				
All	0.7%	1.1%	2.6%	97.4%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	1.7%	2.2%	4.6%	95.4%
Grade 11	1.0%	1.6%	3.0%	97.0%
Grade 12	0.9%	1.7%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.4%	0.4%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.3%	3.2%	96.8%
Grade 7	0.6%	0.9%	1.6%	98.4%
Grade 8	0.4%	1.2%	1.7%	98.3%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	2.3%	2.5%	5.6%	94.4%
Grade 11	1.4%	1.4%	3.6%	96.4%
Grade 12	0.9%	0.9%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.0%	1.7%	98.3%
Grade 7	0.0%	0.8%	1.7%	98.3%
Grade 8	0.6%	1.2%	2.3%	97.7%
Grade 9	0.9%	1.0%	1.3%	98.7%
Grade 10	1.0%	1.0%	1.8%	98.2%
Grade 11	0.6%	1.2%	1.5%	98.5%
Grade 12	0.7%	0.7%	1.5%	98.5%
Ecstasy				
All	0.6%	1.0%	2.8%	97.2%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	1.1%	1.8%	98.2%
Grade 9	0.6%	0.6%	2.3%	97.7%
Grade 10	0.2%	0.4%	2.2%	97.8%
Grade 11	1.9%	2.6%	3.8%	96.2%
Grade 12	0.8%	1.4%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.6%	4.6%	95.4%
Grade 7	1.5%	1.7%	2.3%	97.7%
Grade 8	1.6%	2.2%	3.3%	96.7%
Grade 9	1.0%	1.4%	3.2%	96.8%
Grade 10	1.5%	1.9%	8.3%	91.7%
Grade 11	1.1%	1.1%	4.0%	96.0%
Grade 12	0.4%	1.1%	6.6%	93.4%
Methamphetamine				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.8%	1.0%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.5%	1.3%	98.7%
Grade 11	0.4%	0.7%	1.0%	99.0%
Grade 12	0.7%	1.2%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 79 of 126

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.1%	19.8%	32.5%	67.5%
Grade 7	6.2%	7.4%	17.1%	82.9%
Grade 8	10.8%	12.8%	26.1%	73.9%
Grade 9	14.4%	19.3%	30.2%	69.8%
Grade 10	20.6%	24.5%	39.3%	60.7%
Grade 11	20.7%	25.8%	40.8%	59.2%
Grade 12	29.4%	35.1%	48.8%	51.2%
Any Alcohol Product				
All	26.7%	32.9%	54.0%	46.0%
Grade 7	13.2%	15.4%	38.2%	61.8%
Grade 8	18.3%	22.2%	43.7%	56.3%
Grade 9	26.0%	32.1%	54.3%	45.7%
Grade 10	33.8%	42.8%	60.9%	39.1%
Grade 11	33.1%	41.0%	64.6%	35.4%
Grade 12	42.4%	52.3%	70.1%	29.9%
Any Illicit Drug				
All	9.8%	13.7%	19.5%	80.5%
Grade 7	3.0%	4.6%	6.1%	93.9%
Grade 8	4.8%	7.1%	10.9%	89.1%
Grade 9	8.3%	12.1%	15.7%	84.3%
Grade 10	14.6%	19.7%	26.7%	73.3%
Grade 11	13.0%	18.0%	29.1%	70.9%
Grade 12	18.7%	25.4%	35.8%	64.2%
Any Prescription Drug				
All	6.6%	10.6%	18.8%	81.2%
Grade 7	7.7%	10.2%	16.9%	83.1%
Grade 8	6.9%	10.1%	19.4%	80.6%
Grade 9	8.1%	13.2%	19.5%	80.5%
Grade 10	5.4%	8.5%	21.1%	78.9%
Grade 11	4.8%	10.6%	16.5%	83.5%
Grade 12	6.3%	11.0%	19.6%	80.4%
Any Inhalant				
All	4.4%	5.9%	12.9%	87.1%
Grade 7	5.3%	6.5%	13.0%	87.0%
Grade 8	4.6%	7.2%	13.9%	86.1%
Grade 9	5.8%	6.6%	15.3%	84.7%
Grade 10	4.3%	6.1%	13.5%	86.5%
Grade 11	2.5%	3.4%	11.3%	88.7%
Grade 12	2.9%	4.6%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	15.5%	26.7%	73.3%
Grade 7	2.6%	4.4%	12.7%	87.3%
Grade 8	5.6%	7.9%	18.1%	81.9%
Grade 9	10.4%	15.2%	25.2%	74.8%
Grade 10	17.0%	21.4%	35.0%	65.0%
Grade 11	14.7%	19.5%	33.2%	66.8%
Grade 12	21.6%	30.6%	43.1%	56.9%
Marijuana				
All	9.3%	11.7%	17.8%	82.2%
Grade 7	2.2%	3.1%	4.4%	95.6%
Grade 8	4.1%	5.4%	9.2%	90.8%
Grade 9	8.3%	9.7%	13.9%	86.1%
Grade 10	13.8%	16.8%	24.5%	75.5%
Grade 11	12.8%	16.4%	28.0%	72.0%
Grade 12	18.7%	23.7%	34.3%	65.7%
Marijuana Only				
All	5.8%	7.5%	13.0%	87.0%
Grade 7	1.2%	1.7%	2.8%	97.2%
Grade 8	2.6%	3.5%	7.0%	93.0%
Grade 9	5.1%	6.3%	9.8%	90.2%
Grade 10	9.3%	11.6%	18.1%	81.9%
Grade 11	8.6%	10.9%	21.7%	78.3%
Grade 12	10.4%	14.5%	24.1%	75.9%
Cocaine or Crack				
All	0.5%	0.6%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.4%	0.6%	2.3%	97.7%
Grade 11	0.6%	0.8%	2.4%	97.6%
Grade 12	0.9%	1.7%	5.0%	95.0%
Cocaine				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.2%	0.5%	2.1%	97.9%
Grade 11	0.6%	0.8%	2.0%	98.0%
Grade 12	0.9%	1.7%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
Hallucinogens				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.3%	1.0%	99.0%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.7%	0.7%	2.9%	97.1%
Grade 11	0.2%	0.6%	2.1%	97.9%
Grade 12	0.3%	0.5%	2.6%	97.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.3%	1.3%	98.7%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.1%	1.1%	2.0%	98.0%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
Ecstasy				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.2%	0.2%	2.2%	97.8%
Grade 11	1.1%	1.5%	1.9%	98.1%
Grade 12	0.8%	1.4%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.8%	2.6%	97.4%
Grade 7	0.6%	1.1%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.5%	98.5%
Grade 9	1.1%	1.3%	2.4%	97.6%
Grade 10	0.7%	0.7%	3.9%	96.1%
Grade 11	0.2%	0.8%	3.2%	96.8%
Grade 12	0.0%	0.3%	4.2%	95.8%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.3%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 83 of 126

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	34.9%	39.4%	50.6%	49.4%
Grade 7	17.7%	20.3%	34.0%	66.0%
Grade 8	35.8%	36.8%	50.0%	50.0%
Grade 9	35.8%	38.9%	49.3%	50.7%
Grade 10	39.0%	45.0%	56.3%	43.7%
Grade 11	42.4%	48.6%	62.0%	38.0%
Grade 12	35.4%	42.6%	47.9%	52.1%
Any Alcohol Product				
All	46.0%	53.1%	68.9%	31.1%
Grade 7	27.0%	34.5%	59.4%	40.6%
Grade 8	35.2%	41.8%	60.4%	39.6%
Grade 9	46.6%	49.9%	69.9%	30.1%
Grade 10	53.6%	62.5%	72.7%	27.3%
Grade 11	55.8%	67.2%	80.9%	19.1%
Grade 12	51.7%	56.5%	64.9%	35.1%
Any Illicit Drug				
All	26.8%	31.7%	37.7%	62.3%
Grade 7	8.7%	10.1%	12.5%	87.5%
Grade 8	20.1%	23.2%	27.8%	72.2%
Grade 9	29.9%	31.5%	34.3%	65.7%
Grade 10	38.4%	38.8%	47.2%	52.8%
Grade 11	32.0%	42.9%	53.1%	46.9%
Grade 12	24.8%	37.6%	44.6%	55.4%
Any Prescription Drug				
All	13.7%	18.7%	30.8%	69.2%
Grade 7	9.9%	15.9%	28.6%	71.4%
Grade 8	16.6%	22.4%	35.3%	64.7%
Grade 9	13.4%	16.8%	26.1%	73.9%
Grade 10	20.1%	25.9%	31.9%	68.1%
Grade 11	11.7%	18.9%	39.3%	60.7%
Grade 12	9.2%	10.5%	23.2%	76.8%
Any Inhalant				
All	9.8%	13.0%	19.7%	80.3%
Grade 7	16.7%	19.2%	26.1%	73.9%
Grade 8	8.4%	15.5%	23.3%	76.7%
Grade 9	13.5%	14.7%	22.2%	77.8%
Grade 10	9.8%	13.4%	19.0%	81.0%
Grade 11	3.9%	8.0%	18.0%	82.0%
Grade 12	6.7%	8.1%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	23.8%	30.5%	41.4%	58.6%
Grade 7	14.0%	17.3%	28.1%	71.9%
Grade 8	21.5%	26.3%	37.0%	63.0%
Grade 9	23.5%	27.9%	38.8%	61.2%
Grade 10	30.1%	38.8%	50.1%	49.9%
Grade 11	23.4%	33.5%	48.3%	51.7%
Grade 12	27.7%	36.0%	41.6%	58.4%
Marijuana				
All	26.8%	30.0%	36.4%	63.6%
Grade 7	8.7%	9.0%	10.2%	89.8%
Grade 8	20.1%	22.7%	26.3%	73.7%
Grade 9	29.9%	31.1%	33.9%	66.1%
Grade 10	38.4%	38.8%	47.2%	52.8%
Grade 11	32.0%	37.7%	51.8%	48.2%
Grade 12	24.8%	34.6%	41.6%	58.4%
Marijuana Only				
All	14.8%	17.5%	22.9%	77.1%
Grade 7	6.0%	6.3%	7.6%	92.4%
Grade 8	10.6%	13.1%	16.8%	83.2%
Grade 9	15.6%	16.5%	18.1%	81.9%
Grade 10	19.0%	19.4%	27.1%	72.9%
Grade 11	16.3%	21.0%	31.6%	68.4%
Grade 12	18.7%	27.2%	34.2%	65.8%
Cocaine or Crack				
All	1.1%	1.7%	3.1%	96.9%
Grade 7	0.0%	0.0%	3.4%	96.6%
Grade 8	0.7%	3.4%	3.4%	96.6%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	5.2%	5.6%	5.6%	94.4%
Grade 11	0.0%	1.1%	4.4%	95.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.0%	1.6%	3.0%	97.0%
Grade 7	0.0%	0.0%	3.4%	96.6%
Grade 8	0.0%	2.6%	2.6%	97.4%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	5.2%	5.6%	5.6%	94.4%
Grade 11	0.0%	1.1%	4.4%	95.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	3.4%	96.6%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	1.3%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	2.7%	2.9%	5.9%	94.1%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	1.4%	1.4%	2.3%	97.7%
Grade 9	1.1%	1.1%	4.4%	95.6%
Grade 10	7.5%	8.4%	11.4%	88.6%
Grade 11	3.5%	3.5%	8.7%	91.3%
Grade 12	0.0%	0.0%	4.2%	95.8%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.2%	1.8%	2.8%	97.2%
Grade 7	1.4%	2.8%	3.7%	96.3%
Grade 8	1.1%	1.1%	4.0%	96.0%
Grade 9	3.4%	3.6%	4.4%	95.6%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.0%	1.8%	1.8%	98.2%
Grade 12	1.4%	1.4%	1.4%	98.6%
Ecstasy				
All	0.2%	1.2%	4.1%	95.9%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	5.2%	6.3%	93.7%
Grade 9	0.0%	0.0%	5.6%	94.4%
Grade 10	0.0%	0.4%	1.9%	98.1%
Grade 11	1.3%	2.4%	6.3%	93.7%
Grade 12	0.0%	0.0%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	3.0%	4.0%	8.0%	92.0%
Grade 7	1.5%	1.5%	2.6%	97.4%
Grade 8	2.6%	5.4%	6.2%	93.8%
Grade 9	3.8%	5.2%	10.3%	89.7%
Grade 10	3.9%	4.7%	11.6%	88.4%
Grade 11	4.1%	4.1%	8.7%	91.3%
Grade 12	1.1%	2.3%	6.1%	93.9%
Methamphetamine				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	39,689	49.4%
Female	40,695	50.6%
Frequency Missing	427	

Hispanic or Latino

Q5a	Frequency	Percent
No	58,991	75.0%
Yes	19,692	25.0%
Frequency Missing	2,128	

Grade

Q2	Frequency	Percent
Grade 7	14,490	18.0%
Grade 8	14,034	17.4%
Grade 9	14,799	18.4%
Grade 10	13,452	16.7%
Grade 11	12,632	15.7%
Grade 12	11,163	13.9%
Frequency Missing	240	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,373	1.8%
Asian American	304	0.4%
African American	13,967	18.4%
Pacific Islander	215	0.3%
White	46,092	60.7%
Other	7,204	9.5%
More Than One Race	6,755	8.9%
Frequency Missing	4,901	

Live with Both Parents

Q3	Frequency	Percent
No	37,220	46.6%
Yes	42,723	53.4%
Frequency Missing	867	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	331	0.5%
Mostly D's	604	0.8%
Mostly C's	7,980	10.9%
Mostly B's	35,171	48.2%
Mostly A's	28,842	39.5%
Frequency Missing	7,882	

Age

Q4	Frequency	Percent
11 or younger	221	0.3%
12	5,936	7.4%
13	12,554	15.6%
14	12,902	16.0%
15	14,484	18.0%
16	13,472	16.7%
17	12,288	15.2%
18	7,976	9.9%
19 or older	784	1.0%
Frequency Missing	195	

Do You Have a Job

Q7	Frequency	Percent
No	57,840	78.8%
Yes	15,531	21.2%
Frequency Missing	7,439	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	23,820	32.7%
Yes	31,851	43.7%
Don't Know	17,230	23.6%
Frequency Missing	7,909	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	53,684	89.9%
Yes	6,052	10.1%
Frequency Missing	21,075	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	28,747	41.8%
Yes	40,085	58.2%
Frequency Missing	11,978	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	41,774	67.2%
Yes	20,366	32.8%
Frequency Missing	18,670	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	43,006	68.5%
Yes	19,789	31.5%
Frequency Missing	18,015	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	43,315	70.9%
Yes	17,804	29.1%
Frequency Missing	19,691	

Participate in School Choir

Q9c	Frequency	Percent
No	56,209	93.7%
Yes	3,792	6.3%
Frequency Missing	20,810	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	41,432	66.8%
Yes	20,571	33.2%
Frequency Missing	18,808	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	54,222	90.2%
Yes	5,895	9.8%
Frequency Missing	20,693	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	45,624	74.9%
Yes	15,278	25.1%
Frequency Missing	19,908	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	69,038	85.9%
Somewhat Safe	9,494	11.8%
Not Very Safe	684	0.9%
Not Safe At All	287	0.4%
Don't Know	863	1.1%
Frequency Missing	445	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	5,648	7.4%
Some High School	9,158	12.0%
Finished High School	16,346	21.4%
Some College	13,260	17.3%
Finished College	16,914	22.1%
Post-Secondary	7,448	9.7%
Don't Know or N/A	7,775	10.2%
Frequency Missing	4,260	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	38,211	48.4%
Somewhat Safe	32,594	41.3%
Not Very Safe	4,572	5.8%
Not Safe At All	1,229	1.6%
Don't Know	2,366	3.0%
Frequency Missing	1,839	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	46,392	63.6%
Yes	26,580	36.4%
Frequency Missing	7,839	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	28,746	36.3%
Somewhat Safe	35,540	44.8%
Not Very Safe	8,260	10.4%
Not Safe At All	4,228	5.3%
Don't Know	2,490	3.1%
Frequency Missing	1,547	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	3,312	4.2%
A Few	17,810	22.5%
Some	17,551	22.2%
Most	28,627	36.2%
All	11,687	14.8%
Frequency Missing	1,823	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	5,895	7.8%
Some High School	10,106	13.3%
Finished High School	22,918	30.1%
Some College	9,822	12.9%
Finished College	10,547	13.9%
Post-Secondary	4,377	5.8%
Don't Know or N/A	12,389	16.3%
Frequency Missing	4,757	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,392	1.8%
A Few	9,809	12.5%
Some	19,066	24.2%
Most	32,299	41.0%
All	16,122	20.5%
Frequency Missing	2,122	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	38,181	49.3%
A Few	23,131	29.9%
Some	9,147	11.8%
Most	4,331	5.6%
All	2,648	3.4%
Frequency Missing	3,373	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	75,149	95.0%
In Your Lifetime	2,581	3.3%
Since School Began	470	0.6%
In the Past Month	893	1.1%
Frequency Missing	1,718	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	52,459	67.2%
A Few	13,909	17.8%
Some	6,717	8.6%
Most	3,792	4.9%
All	1,181	1.5%
Frequency Missing	2,752	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	77,900	99.4%
In Your Lifetime	274	0.3%
Since School Began	96	0.1%
In the Past Month	133	0.2%
Frequency Missing	2,407	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	67,082	85.5%
A Few	7,474	9.5%
Some	2,212	2.8%
Most	1,094	1.4%
All	618	0.8%
Frequency Missing	2,330	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	73,272	92.8%
In Your Lifetime	3,433	4.3%
Since School Began	847	1.1%
In the Past Month	1,405	1.8%
Frequency Missing	1,853	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	77,808	98.0%
In Your Lifetime	1,120	1.4%
Since School Began	78	0.1%
In the Past Month	377	0.5%
Frequency Missing	1,427	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	78,173	99.1%
In Your Lifetime	349	0.4%
Since School Began	152	0.2%
In the Past Month	235	0.3%
Frequency Missing	1,902	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	77,942	99.2%
In Your Lifetime	321	0.4%
Since School Began	137	0.2%
In the Past Month	143	0.2%
Frequency Missing	2,267	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	69,026	88.3%
In Your Lifetime	4,095	5.2%
Since School Began	1,318	1.7%
In the Past Month	3,695	4.7%
Frequency Missing	2,676	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	77,023	97.7%
In Your Lifetime	1,014	1.3%
Since School Began	263	0.3%
In the Past Month	540	0.7%
Frequency Missing	1,971	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	48,334	62.6%
In Your Lifetime	14,555	18.9%
Since School Began	5,225	6.8%
In the Past Month	9,047	11.7%
Frequency Missing	3,649	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	51,940	66.5%
In Your Lifetime	12,437	15.9%
Since School Began	4,769	6.1%
In the Past Month	8,988	11.5%
Frequency Missing	2,677	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	77,698	98.4%
In Your Lifetime	612	0.8%
Since School Began	177	0.2%
In the Past Month	449	0.6%
Frequency Missing	1,874	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	53,360	69.2%
In Your Lifetime	13,073	17.0%
Since School Began	4,366	5.7%
In the Past Month	6,276	8.1%
Frequency Missing	3,735	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	64,315	81.5%
In Your Lifetime	7,188	9.1%
Since School Began	1,895	2.4%
In the Past Month	5,506	7.0%
Frequency Missing	1,907	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	50,717	65.6%
In Your Lifetime	11,821	15.3%
Since School Began	4,914	6.4%
In the Past Month	9,832	12.7%
Frequency Missing	3,527	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	77,723	98.3%
In Your Lifetime	884	1.1%
Since School Began	244	0.3%
In the Past Month	222	0.3%
Frequency Missing	1,736	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	75,627	96.5%
In Your Lifetime	1,756	2.2%
Since School Began	422	0.5%
In the Past Month	562	0.7%
Frequency Missing	2,444	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	78,546	99.8%
In Your Lifetime	118	0.2%
Since School Began	13	0.0%
In the Past Month	45	0.1%
Frequency Missing	2,088	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	55,972	71.1%
In Your Lifetime	8,668	11.0%
Since School Began	3,728	4.7%
In the Past Month	10,316	13.1%
Frequency Missing	2,126	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	76,955	97.7%
In Your Lifetime	1,120	1.4%
Since School Began	175	0.2%
In the Past Month	505	0.6%
Frequency Missing	2,055	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	63,689	80.4%
In Your Lifetime	6,626	8.4%
Since School Began	2,728	3.4%
In the Past Month	6,169	7.8%
Frequency Missing	1,599	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	78,605	99.7%
In Your Lifetime	124	0.2%
Since School Began	3	0.0%
In the Past Month	115	0.1%
Frequency Missing	1,963	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	78,041	98.9%
In Your Lifetime	450	0.6%
Since School Began	126	0.2%
In the Past Month	295	0.4%
Frequency Missing	1,897	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	76,075	96.8%
In Your Lifetime	1,655	2.1%
Since School Began	319	0.4%
In the Past Month	524	0.7%
Frequency Missing	2,238	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	76,943	98.3%
In Your Lifetime	930	1.2%
Since School Began	183	0.2%
In the Past Month	246	0.3%
Frequency Missing	2,507	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	66,675	85.3%
In Your Lifetime	5,640	7.2%
Since School Began	2,612	3.3%
In the Past Month	3,272	4.2%
Frequency Missing	2,612	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	78,830	99.9%
In Your Lifetime	11	0.0%
Since School Began	11	0.0%
In the Past Month	35	0.0%
Frequency Missing	1,923	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	74,851	95.7%
In Your Lifetime	1,761	2.3%
Since School Began	780	1.0%
In the Past Month	855	1.1%
Frequency Missing	2,563	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	78,559	99.5%
In Your Lifetime	225	0.3%
Since School Began	74	0.1%
In the Past Month	100	0.1%
Frequency Missing	1,852	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	73,931	94.8%
In Your Lifetime	1,928	2.5%
Since School Began	849	1.1%
In the Past Month	1,296	1.7%
Frequency Missing	2,806	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	75,076	96.4%
In Your Lifetime	1,413	1.8%
Since School Began	546	0.7%
In the Past Month	850	1.1%
Frequency Missing	2,925	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	58,369	74.9%
1-2 times	12,473	16.0%
3-10 times	5,203	6.7%
11+ times	1,913	2.5%
Frequency Missing	2,852	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	71,187	91.4%
In Your Lifetime	3,102	4.0%
Since School Began	1,133	1.5%
In the Past Month	2,424	3.1%
Frequency Missing	2,965	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	76,583	98.1%
1-2 times	1,161	1.5%
3-10 times	156	0.2%
11+ times	168	0.2%
Frequency Missing	2,743	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	75,817	97.0%
In Your Lifetime	1,131	1.4%
Since School Began	410	0.5%
In the Past Month	824	1.1%
Frequency Missing	2,628	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	69,400	89.0%
1-2 times	4,057	5.2%
3-10 times	1,695	2.2%
11+ times	2,822	3.6%
Frequency Missing	2,837	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	69,013	87.9%
1-2 times	4,190	5.3%
3-10 times	1,858	2.4%
11+ times	3,446	4.4%
Frequency Missing	2,304	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	77,629	99.5%
1-2 times	274	0.4%
3-10 times	103	0.1%
11+ times	15	0.0%
Frequency Missing	2,790	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	77,944	99.9%
1-2 times	52	0.1%
3-10 times	15	0.0%
11+ times	35	0.0%
Frequency Missing	2,765	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	46,706	60.0%
A few	15,585	20.0%
Some	7,596	9.8%
Most	6,077	7.8%
All	1,908	2.5%
Frequency Missing	2,938	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	47,251	60.3%
A few	18,182	23.2%
Some	7,462	9.5%
Most	4,298	5.5%
All	1,118	1.4%
Frequency Missing	2,499	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	61,608	79.0%
8 or younger	1,577	2.0%
9 years old	953	1.2%
10 years old	887	1.1%
11 years old	1,224	1.6%
12 years old	2,042	2.6%
13 years old	2,148	2.8%
14 years old	2,219	2.8%
15 years old	2,354	3.0%
16 years old	1,619	2.1%
17 years old	758	1.0%
18 or older	623	0.8%
Frequency Missing	2,798	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	35,649	45.8%
A few	20,800	26.7%
Some	11,078	14.2%
Most	8,265	10.6%
All	2,099	2.7%
Frequency Missing	2,918	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	41,945	54.2%
8 or younger	4,685	6.1%
9 years old	1,100	1.4%
10 years old	1,500	1.9%
11 years old	2,187	2.8%
12 years old	3,540	4.6%
13 years old	5,221	6.7%
14 years old	5,422	7.0%
15 years old	5,482	7.1%
16 years old	4,177	5.4%
17 years old	1,523	2.0%
18 or older	590	0.8%
Frequency Missing	3,438	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	71,927	92.7%
A few	3,776	4.9%
Some	1,278	1.6%
Most	364	0.5%
All	259	0.3%
Frequency Missing	3,206	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	75,073	96.7%
8 or younger	266	0.3%
9 years old	239	0.3%
10 years old	247	0.3%
11 years old	222	0.3%
12 years old	545	0.7%
13 years old	322	0.4%
14 years old	387	0.5%
15 years old	173	0.2%
16 years old	116	0.1%
17 years old	77	0.1%
18 or older	0	0.0%
Frequency Missing	3,144	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	76,478	98.5%
8 or younger	16	0.0%
9 years old	29	0.0%
10 years old	39	0.0%
11 years old	81	0.1%
12 years old	93	0.1%
13 years old	84	0.1%
14 years old	134	0.2%
15 years old	273	0.4%
16 years old	294	0.4%
17 years old	88	0.1%
18 or older	66	0.1%
Frequency Missing	3,136	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	62,670	80.7%
8 or younger	437	0.6%
9 years old	335	0.4%
10 years old	509	0.7%
11 years old	665	0.9%
12 years old	1,509	1.9%
13 years old	1,844	2.4%
14 years old	2,523	3.2%
15 years old	3,211	4.1%
16 years old	2,617	3.4%
17 years old	1,072	1.4%
18 or older	274	0.4%
Frequency Missing	3,144	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	77,655	99.8%
8 or younger	4	0.0%
9 years old	0	0.0%
10 years old	16	0.0%
11 years old	37	0.0%
12 years old	21	0.0%
13 years old	60	0.1%
14 years old	24	0.0%
15 years old	17	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,977	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	76,801	98.9%
8 or younger	109	0.1%
9 years old	143	0.2%
10 years old	62	0.1%
11 years old	41	0.1%
12 years old	148	0.2%
13 years old	58	0.1%
14 years old	86	0.1%
15 years old	108	0.1%
16 years old	96	0.1%
17 years old	41	0.1%
18 or older	0	0.0%
Frequency Missing	3,118	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	77,736	99.9%
8 or younger	9	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	26	0.0%
13 years old	11	0.0%
14 years old	0	0.0%
15 years old	16	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	3,013	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	76,073	98.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	28	0.0%
13 years old	177	0.2%
14 years old	241	0.3%
15 years old	192	0.2%
16 years old	476	0.6%
17 years old	215	0.3%
18 or older	77	0.1%
Frequency Missing	3,332	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	77,377	99.6%
8 or younger	9	0.0%
9 years old	17	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	11	0.0%
13 years old	63	0.1%
14 years old	68	0.1%
15 years old	72	0.1%
16 years old	34	0.0%
17 years old	28	0.0%
18 or older	0	0.0%
Frequency Missing	3,132	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	75,575	97.3%
8 or younger	97	0.1%
9 years old	52	0.1%
10 years old	59	0.1%
11 years old	116	0.1%
12 years old	196	0.3%
13 years old	269	0.3%
14 years old	632	0.8%
15 years old	450	0.6%
16 years old	97	0.1%
17 years old	104	0.1%
18 or older	33	0.0%
Frequency Missing	3,131	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	18,474	23.8%
Impossible	16,235	20.9%
Very Difficult	5,317	6.9%
Somewhat diff	6,755	8.7%
Somewhat easy	10,829	14.0%
Very easy	19,906	25.7%
Frequency Missing	3,293	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	14,268	18.5%
Impossible	12,079	15.6%
Very Difficult	5,611	7.3%
Somewhat diff	8,404	10.9%
Somewhat easy	15,701	20.3%
Very easy	21,154	27.4%
Frequency Missing	3,594	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	29,197	37.9%
Impossible	15,526	20.2%
Very Difficult	3,725	4.8%
Somewhat diff	3,974	5.2%
Somewhat easy	7,265	9.4%
Very easy	17,256	22.4%
Frequency Missing	3,867	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	19,666	25.6%
Impossible	20,292	26.4%
Very Difficult	6,658	8.7%
Somewhat diff	6,599	8.6%
Somewhat easy	9,617	12.5%
Very easy	14,122	18.4%
Frequency Missing	3,856	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	28,255	36.7%
Impossible	28,799	37.4%
Very Difficult	9,344	12.1%
Somewhat diff	4,897	6.4%
Somewhat easy	2,695	3.5%
Very easy	3,085	4.0%
Frequency Missing	3,735	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	29,361	38.2%
Impossible	29,089	37.9%
Very Difficult	9,272	12.1%
Somewhat diff	4,414	5.7%
Somewhat easy	2,170	2.8%
Very easy	2,521	3.3%
Frequency Missing	3,982	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	29,581	38.6%
Impossible	27,274	35.6%
Very Difficult	8,789	11.5%
Somewhat diff	4,677	6.1%
Somewhat easy	2,824	3.7%
Very easy	3,561	4.6%
Frequency Missing	4,104	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	33,843	44.0%
Impossible	24,260	31.5%
Very Difficult	7,027	9.1%
Somewhat diff	4,726	6.1%
Somewhat easy	3,122	4.1%
Very easy	4,025	5.2%
Frequency Missing	3,809	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	35,484	46.3%
Impossible	24,674	32.2%
Very Difficult	7,587	9.9%
Somewhat diff	3,751	4.9%
Somewhat easy	2,342	3.1%
Very easy	2,792	3.6%
Frequency Missing	4,181	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	2,638	3.4%
Several times/wk	1,443	1.9%
Several times/mo	1,706	2.2%
About once/month	2,527	3.3%
About once/year	2,058	2.7%
Less than once/year	4,077	5.3%
Never used	62,578	81.2%
Frequency Missing	3,783	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	33,451	43.4%
Impossible	28,529	37.0%
Very Difficult	8,360	10.8%
Somewhat diff	3,220	4.2%
Somewhat easy	1,347	1.7%
Very easy	2,147	2.8%
Frequency Missing	3,756	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	281	0.4%
Several times/wk	1,213	1.6%
Several times/mo	4,726	6.2%
About once/month	9,339	12.2%
About once/year	8,512	11.1%
Less than once/year	7,590	9.9%
Never used	45,072	58.7%
Frequency Missing	4,076	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	33,906	44.0%
Impossible	27,277	35.4%
Very Difficult	8,114	10.5%
Somewhat diff	3,379	4.4%
Somewhat easy	1,809	2.3%
Very easy	2,520	3.3%
Frequency Missing	3,806	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	45	0.1%
Several times/wk	133	0.2%
Several times/mo	194	0.3%
About once/month	420	0.5%
About once/year	644	0.8%
Less than once/year	952	1.2%
Never used	74,263	96.9%
Frequency Missing	4,158	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	10	0.0%
Several times/wk	0	0.0%
Several times/mo	17	0.0%
About once/month	0	0.0%
About once/year	55	0.1%
Less than once/year	69	0.1%
Never used	76,998	99.8%
Frequency Missing	3,661	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	1,602	2.1%
Several times/wk	1,112	1.4%
Several times/mo	2,098	2.7%
About once/month	2,771	3.6%
About once/year	2,572	3.3%
Less than once/year	2,908	3.8%
Never used	63,803	83.0%
Frequency Missing	3,944	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	122	0.2%
Several times/wk	0	0.0%
Several times/mo	23	0.0%
About once/month	95	0.1%
About once/year	174	0.2%
Less than once/year	205	0.3%
Never used	76,370	99.2%
Frequency Missing	3,822	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	10	0.0%
Several times/wk	0	0.0%
Several times/mo	58	0.1%
About once/month	110	0.1%
About once/year	218	0.3%
Less than once/year	517	0.7%
Never used	76,099	98.8%
Frequency Missing	3,799	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	19	0.0%
Several times/mo	34	0.0%
About once/month	197	0.3%
About once/year	368	0.5%
Less than once/year	595	0.8%
Never used	75,557	98.4%
Frequency Missing	4,040	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	9	0.0%
Several times/wk	0	0.0%
Several times/mo	28	0.0%
About once/month	0	0.0%
About once/year	11	0.0%
Less than once/year	16	0.0%
Never used	76,794	99.9%
Frequency Missing	3,953	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	49,792	64.0%
12+ drinks	2,132	2.7%
9-11 drinks	1,345	1.7%
5-8 drinks	2,603	3.3%
3-4 drinks	3,976	5.1%
2 drinks	3,775	4.9%
1 drink	5,356	6.9%
Less than 1 drink	8,785	11.3%
Frequency Missing	3,047	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	46	0.1%
Several times/wk	0	0.0%
Several times/mo	28	0.0%
About once/month	17	0.0%
About once/year	23	0.0%
Less than once/year	171	0.2%
Never used	76,851	99.6%
Frequency Missing	3,674	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	49,933	64.7%
12+ drinks	2,006	2.6%
9-11 drinks	1,241	1.6%
5-8 drinks	3,297	4.3%
3-4 drinks	4,706	6.1%
2 drinks	5,082	6.6%
1 drink	5,381	7.0%
Less than 1 drink	5,485	7.1%
Frequency Missing	3,680	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	0	0.0%
Several times/wk	119	0.2%
Several times/mo	202	0.3%
About once/month	194	0.3%
About once/year	324	0.4%
Less than once/year	907	1.2%
Never used	74,862	97.7%
Frequency Missing	4,200	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	53,378	69.2%
12+ drinks	873	1.1%
9-11 drinks	517	0.7%
5-8 drinks	1,402	1.8%
3-4 drinks	2,495	3.2%
2 drinks	3,378	4.4%
1 drink	5,238	6.8%
Less than 1 drink	9,839	12.8%
Frequency Missing	3,692	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	49,279	63.8%
12+ drinks	2,472	3.2%
9-11 drinks	1,669	2.2%
5-8 drinks	3,530	4.6%
3-4 drinks	4,685	6.1%
2 drinks	4,168	5.4%
1 drink	5,013	6.5%
Less than 1 drink	6,456	8.4%
Frequency Missing	3,538	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	43,524	56.3%
Never	14,039	18.2%
Seldom	9,986	12.9%
Most of the Time	7,596	9.8%
Always	2,173	2.8%
Frequency Missing	3,491	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	43,259	56.2%
0 days	24,461	31.8%
1 day	3,608	4.7%
2 days	1,682	2.2%
3 to 5 days	1,895	2.5%
6 to 9 days	712	0.9%
10 or more days	1,361	1.8%
Frequency Missing	3,832	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	45,265	58.7%
Never	25,728	33.4%
Seldom	3,247	4.2%
Most of the Time	1,958	2.5%
Always	873	1.1%
Frequency Missing	3,739	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	43,989	56.8%
Never	14,635	18.9%
Seldom	13,034	16.8%
Most of the Time	3,541	4.6%
Always	2,312	3.0%
Frequency Missing	3,299	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	42,807	55.4%
Never	14,181	18.4%
Seldom	8,097	10.5%
Most of the Time	7,375	9.5%
Always	4,764	6.2%
Frequency Missing	3,587	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	45,417	59.1%
Never	17,919	23.3%
Seldom	6,609	8.6%
Most of the Time	3,987	5.2%
Always	2,913	3.8%
Frequency Missing	3,966	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	44,414	57.7%
Somewhat	18,778	24.4%
Not very	8,352	10.9%
Not at all	2,269	2.9%
Don't know	3,130	4.1%
Frequency Missing	3,867	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	68,402	89.3%
Somewhat	3,747	4.9%
Not very	541	0.7%
Not at all	276	0.4%
Don't know	3,629	4.7%
Frequency Missing	4,216	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	40,444	52.8%
Somewhat	22,964	30.0%
Not very	8,717	11.4%
Not at all	1,888	2.5%
Don't know	2,530	3.3%
Frequency Missing	4,268	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	68,739	89.7%
Somewhat	3,490	4.6%
Not very	426	0.6%
Not at all	222	0.3%
Don't know	3,724	4.9%
Frequency Missing	4,210	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	58,852	77.2%
Somewhat	9,115	12.0%
Not very	2,439	3.2%
Not at all	894	1.2%
Don't know	4,919	6.5%
Frequency Missing	4,591	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	64,760	84.6%
Somewhat	4,819	6.3%
Not very	1,018	1.3%
Not at all	422	0.6%
Don't know	5,566	7.3%
Frequency Missing	4,226	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	45,401	59.2%
Somewhat	10,280	13.4%
Not very	8,377	10.9%
Not at all	9,257	12.1%
Don't know	3,336	4.4%
Frequency Missing	4,159	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	60,332	78.9%
Somewhat	8,250	10.8%
Not very	2,533	3.3%
Not at all	790	1.0%
Don't know	4,554	6.0%
Frequency Missing	4,350	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	68,697	89.7%
Somewhat	2,767	3.6%
Not very	329	0.4%
Not at all	290	0.4%
Don't know	4,472	5.8%
Frequency Missing	4,256	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	43,661	57.2%
Somewhat	10,087	13.2%
Not very	10,043	13.2%
Not at all	8,511	11.2%
Don't know	3,973	5.2%
Frequency Missing	4,536	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	68,407	89.4%
Somewhat	2,847	3.7%
Not very	397	0.5%
Not at all	242	0.3%
Don't know	4,603	6.0%
Frequency Missing	4,314	

Days Skipped Since September

Q28a	Frequency	Percent
None	59,489	78.2%
1-3 days	12,410	16.3%
4-9 days	2,698	3.5%
10+ days	1,493	2.0%
Frequency Missing	4,721	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	65,360	85.7%
Somewhat	4,484	5.9%
Not very	832	1.1%
Not at all	573	0.8%
Don't know	5,050	6.6%
Frequency Missing	4,510	

Days Ill Since September

Q28b	Frequency	Percent
None	25,196	33.1%
1-3 days	37,271	49.0%
4-9 days	10,615	13.9%
10+ days	3,013	4.0%
Frequency Missing	4,716	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	59,965	78.6%
Somewhat	8,964	11.8%
Not very	2,114	2.8%
Not at all	919	1.2%
Don't know	4,325	5.7%
Frequency Missing	4,521	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	29,868	39.9%
1-3 days	36,198	48.3%
4-9 days	6,660	8.9%
10+ days	2,197	2.9%
Frequency Missing	5,888	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	63,919	84.5%
1-3 days	9,070	12.0%
4-9 days	1,549	2.0%
10+ days	1,121	1.5%
Frequency Missing	5,152	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	73,197	97.0%
1-3 times	1,942	2.6%
4-9 times	229	0.3%
10+ times	110	0.1%
Frequency Missing	5,332	

Someone Called Home Since September

Q28e	Frequency	Percent
None	69,070	91.1%
1-3 days	5,486	7.2%
4-9 days	721	1.0%
10+ days	571	0.8%
Frequency Missing	4,962	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	72,201	95.6%
1-3 times	2,254	3.0%
4-9 times	359	0.5%
10+ times	727	1.0%
Frequency Missing	5,269	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	72,573	95.7%
1-3 times	2,827	3.7%
4-9 times	240	0.3%
10+ times	179	0.2%
Frequency Missing	4,992	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	72,501	95.9%
1-3 days	2,357	3.1%
4-9 days	275	0.4%
10+ days	462	0.6%
Frequency Missing	5,214	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	73,128	96.8%
1-3 times	2,012	2.7%
4-9 times	244	0.3%
10+ times	177	0.2%
Frequency Missing	5,249	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	71,226	94.4%
1-3 days	2,276	3.0%
4-9 days	647	0.9%
10+ days	1,319	1.7%
Frequency Missing	5,343	

Percentages and frequencies have been weighted to reflect proportions within the population.

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	74,412	99.1%
1-3 days	430	0.6%
4-9 days	57	0.1%
10+ days	183	0.2%
Frequency Missing	5,728	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	67,830	94.9%
Yes	3,658	5.1%
Frequency Missing	9,323	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	73,536	97.8%
1-3 days	1,054	1.4%
4-9 days	188	0.2%
10+ days	399	0.5%
Frequency Missing	5,634	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	46,207	62.7%
Yes	27,467	37.3%
Frequency Missing	7,137	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	37,353	49.5%
Seldom	5,544	7.3%
Half the time	3,404	4.5%
Most of the Time	6,152	8.1%
Always	7,491	9.9%
Don't Know	891	1.2%
Didn't attend	14,683	19.4%
Frequency Missing	5,293	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	57,157	78.5%
Yes	15,668	21.5%
Frequency Missing	7,986	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	41,152	56.6%
Yes	31,588	43.4%
Frequency Missing	8,071	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	44,869	59.7%
Seldom	3,941	5.2%
Half the time	2,614	3.5%
Most of the Time	3,837	5.1%
Always	4,205	5.6%
Don't Know	1,308	1.7%
Didn't attend	14,408	19.2%
Frequency Missing	5,629	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	19,970	27.0%
Yes	54,026	73.0%
Frequency Missing	6,814	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	31,248	42.9%
Yes	41,514	57.1%
Frequency Missing	8,048	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	45,953	63.3%
Yes	26,674	36.7%
Frequency Missing	8,183	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	26,502	36.3%
Yes	46,502	63.7%
Frequency Missing	7,807	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	40,428	56.0%
Yes	31,825	44.0%
Frequency Missing	8,557	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	27,682	37.8%
Yes	45,465	62.2%
Frequency Missing	7,664	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	55,145	76.8%
Yes	16,696	23.2%
Frequency Missing	8,969	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	42,831	58.7%
Yes	30,100	41.3%
Frequency Missing	7,880	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	60,559	84.6%
Yes	11,039	15.4%
Frequency Missing	9,212	

Would Not Seek Help

Q33i	Frequency	Percent
No	58,637	82.8%
Yes	12,186	17.2%
Frequency Missing	9,987	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	52,871	73.9%
Yes	18,672	26.1%
Frequency Missing	9,268	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	61,956	86.6%
Yes	9,617	13.4%
Frequency Missing	9,237	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	50,671	70.5%
Yes	21,200	29.5%
Frequency Missing	8,939	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	51,620	72.3%
Yes	19,778	27.7%
Frequency Missing	9,412	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	54,388	71.5%
Mild disapprove	7,444	9.8%
Neither	6,559	8.6%
Mildly approve	1,549	2.0%
Strongly approve	588	0.8%
Don't know	5,493	7.2%
Frequency Missing	4,789	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	46,356	61.1%
Mild disapprove	10,760	14.2%
Neither	9,895	13.0%
Mildly approve	3,140	4.1%
Strongly approve	655	0.9%
Don't know	5,060	6.7%
Frequency Missing	4,944	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	57,691	76.3%
Mild disapprove	4,575	6.0%
Neither	5,167	6.8%
Mildly approve	1,838	2.4%
Strongly approve	1,223	1.6%
Don't know	5,155	6.8%
Frequency Missing	5,161	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

