
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 5 AND 6 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5 and 6. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	15.6%	19.9%	32.7%	67.3%
Grade 7	6.2%	8.3%	16.6%	83.4%
Grade 8	11.5%	14.0%	26.2%	73.8%
Grade 9	13.3%	18.2%	29.1%	70.9%
Grade 10	15.6%	19.3%	34.3%	65.7%
Grade 11	21.0%	26.3%	43.1%	56.9%
Grade 12	28.7%	37.0%	51.5%	48.5%
Cigarettes?				
All	5.1%	7.3%	16.6%	83.4%
Grade 7	2.0%	3.0%	7.1%	92.9%
Grade 8	2.8%	4.8%	14.4%	85.6%
Grade 9	4.3%	5.4%	13.2%	86.8%
Grade 10	6.0%	7.7%	15.7%	84.3%
Grade 11	6.2%	8.9%	22.4%	77.6%
Grade 12	10.2%	15.9%	29.4%	70.6%
Smokeless Tobacco?				
All	3.1%	4.3%	8.4%	91.6%
Grade 7	1.0%	1.4%	3.8%	96.2%
Grade 8	2.2%	3.0%	5.7%	94.3%
Grade 9	2.8%	3.6%	7.6%	92.4%
Grade 10	2.4%	3.8%	7.7%	92.3%
Grade 11	5.0%	6.4%	12.6%	87.4%
Grade 12	6.0%	8.8%	14.2%	85.8%
Electronic Vapor Products?				
All	9.2%	14.5%	26.7%	73.3%
Grade 7	3.7%	5.9%	13.4%	86.6%
Grade 8	6.2%	9.6%	20.3%	79.7%
Grade 9	8.5%	14.1%	24.5%	75.5%
Grade 10	8.2%	12.4%	28.1%	71.9%
Grade 11	13.9%	19.9%	35.4%	64.6%
Grade 12	16.4%	28.4%	42.1%	57.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	85.2%	1.9%	1.3%	1.6%	3.0%	2.4%	4.4%
Grade 7	95.2%	0.3%	0.6%	0.5%	1.1%	0.6%	1.7%
Grade 8	90.0%	0.7%	1.0%	1.3%	2.2%	1.5%	3.3%
Grade 9	86.3%	1.1%	0.7%	2.5%	2.4%	2.8%	4.1%
Grade 10	83.1%	1.7%	1.6%	1.6%	4.1%	3.2%	4.7%
Grade 11	79.5%	3.6%	1.4%	1.6%	3.5%	3.4%	6.9%
Grade 12	74.9%	4.9%	3.0%	2.3%	5.3%	3.3%	6.3%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.1%	20.3%	5.7%	8.7%	13.8%	22.3%
Grade 7	38.3%	32.9%	7.9%	5.8%	7.8%	7.3%
Grade 8	33.2%	24.5%	6.9%	10.3%	11.5%	13.7%
Grade 9	33.0%	19.8%	6.5%	10.5%	13.6%	16.6%
Grade 10	28.5%	19.7%	5.3%	10.0%	15.8%	20.7%
Grade 11	20.8%	13.2%	3.8%	10.0%	21.2%	30.9%
Grade 12	18.3%	8.9%	3.6%	5.0%	13.8%	50.4%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	66.0%	20.2%	8.4%	4.2%	1.2%
Grade 7	86.2%	9.9%	2.4%	0.9%	0.6%
Grade 8	74.2%	16.0%	6.4%	2.2%	1.2%
Grade 9	67.8%	21.1%	7.3%	3.2%	0.6%
Grade 10	63.0%	21.7%	9.6%	4.4%	1.3%
Grade 11	55.0%	26.7%	11.8%	5.6%	0.9%
Grade 12	45.8%	27.6%	13.9%	9.7%	3.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.8%	7.5%	6.5%	1.1%	0.9%	8.1%
Grade 7	81.8%	3.4%	2.9%	0.2%	0.5%	11.1%
Grade 8	79.9%	6.5%	3.4%	1.0%	1.2%	8.0%
Grade 9	77.4%	6.6%	4.2%	0.6%	0.2%	11.1%
Grade 10	74.9%	8.1%	7.1%	1.2%	1.2%	7.6%
Grade 11	75.9%	8.5%	8.8%	1.7%	0.9%	4.3%
Grade 12	62.7%	13.0%	14.6%	2.0%	1.9%	5.7%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	62.4%	21.6%	8.8%	2.5%	4.6%
Grade 7	78.2%	13.7%	3.1%	1.1%	3.9%
Grade 8	68.0%	18.0%	7.6%	1.9%	4.4%
Grade 9	62.2%	22.4%	8.7%	1.6%	5.1%
Grade 10	60.2%	23.2%	7.8%	2.6%	6.2%
Grade 11	55.1%	26.2%	11.6%	2.8%	4.3%
Grade 12	47.3%	27.9%	15.5%	5.7%	3.6%
Electronic Vapor Products?					
All	52.4%	12.5%	15.2%	13.1%	6.7%
Grade 7	69.1%	11.1%	6.9%	7.3%	5.6%
Grade 8	61.5%	10.7%	12.5%	9.8%	5.5%
Grade 9	52.9%	11.5%	14.3%	12.5%	8.7%
Grade 10	46.0%	14.4%	17.4%	15.6%	6.6%
Grade 11	42.0%	14.4%	20.3%	15.4%	7.9%
Grade 12	39.9%	13.3%	21.3%	19.7%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.7%	37.4%	56.7%	43.3%
Grade 7	15.7%	19.3%	39.5%	60.5%
Grade 8	25.3%	30.1%	49.8%	50.2%
Grade 9	29.1%	33.7%	51.7%	48.3%
Grade 10	32.9%	38.9%	59.8%	40.2%
Grade 11	39.7%	48.2%	68.0%	32.0%
Grade 12	51.7%	59.2%	76.0%	24.0%
Beer?				
All	12.0%	18.1%	41.9%	58.1%
Grade 7	4.1%	7.2%	27.0%	73.0%
Grade 8	7.8%	11.6%	36.5%	63.5%
Grade 9	10.5%	16.4%	38.6%	61.4%
Grade 10	10.3%	16.2%	42.4%	57.6%
Grade 11	16.7%	24.3%	50.5%	49.5%
Grade 12	25.5%	36.6%	60.6%	39.4%
Wine Coolers?				
All	11.6%	17.7%	38.2%	61.8%
Grade 7	4.2%	6.1%	21.0%	79.0%
Grade 8	7.2%	10.1%	28.9%	71.1%
Grade 9	9.8%	15.0%	35.0%	65.0%
Grade 10	12.7%	18.0%	39.9%	60.1%
Grade 11	15.1%	26.6%	50.8%	49.2%
Grade 12	22.7%	33.9%	58.3%	41.7%
Wine?				
All	8.8%	13.0%	35.4%	64.6%
Grade 7	5.3%	7.1%	22.8%	77.2%
Grade 8	6.7%	10.2%	30.5%	69.5%
Grade 9	6.9%	10.4%	31.7%	68.3%
Grade 10	8.4%	11.6%	35.7%	64.3%
Grade 11	10.1%	17.1%	44.9%	55.1%
Grade 12	16.8%	24.1%	50.2%	49.8%
Liquor?				
All	13.1%	19.7%	39.3%	60.7%
Grade 7	3.4%	5.7%	17.7%	82.3%
Grade 8	7.5%	11.9%	30.1%	69.9%
Grade 9	10.3%	14.7%	33.5%	66.5%
Grade 10	14.0%	20.7%	43.5%	56.5%
Grade 11	19.3%	30.0%	54.2%	45.8%
Grade 12	27.1%	40.1%	62.8%	37.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.8%	0.3%	1.9%	6.9%	12.0%	10.4%	7.7%
Grade 7	82.6%	0.3%	1.0%	1.7%	4.4%	4.4%	5.5%
Grade 8	71.2%	0.4%	1.2%	4.4%	5.9%	8.4%	8.5%
Grade 9	64.3%	0.6%	1.7%	3.7%	12.1%	9.0%	8.5%
Grade 10	55.2%	0.0%	2.1%	7.2%	12.4%	15.0%	8.0%
Grade 11	48.0%	0.4%	1.2%	12.4%	14.9%	15.2%	7.9%
Grade 12	37.8%	0.2%	4.4%	13.7%	24.6%	11.4%	7.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	62.9%	37.1%	7.2%	17.4%	12.5%
	Grade 7	77.4%	22.6%	2.5%	8.9%	11.2%
	Grade 8	69.3%	30.7%	3.4%	13.9%	13.3%
	Grade 9	64.5%	35.5%	5.9%	15.1%	14.4%
	Grade 10	60.8%	39.2%	7.2%	17.0%	15.1%
	Grade 11	55.1%	44.9%	11.1%	23.2%	10.7%
	Grade 12	47.0%	53.0%	14.7%	28.9%	9.4%
Wine Coolers						
	All	65.2%	34.8%	7.2%	19.7%	7.9%
	Grade 7	82.0%	18.0%	2.3%	8.8%	6.8%
	Grade 8	75.0%	25.0%	4.2%	12.0%	8.8%
	Grade 9	68.6%	31.4%	5.4%	18.7%	7.3%
	Grade 10	62.5%	37.5%	7.2%	21.7%	8.7%
	Grade 11	52.8%	47.2%	10.4%	27.5%	9.4%
	Grade 12	45.5%	54.5%	15.4%	32.4%	6.7%
Wine						
	All	68.8%	31.2%	2.2%	16.3%	12.8%
	Grade 7	81.2%	18.8%	1.4%	7.1%	10.3%
	Grade 8	72.5%	27.5%	2.4%	12.1%	13.0%
	Grade 9	71.1%	28.9%	1.9%	13.9%	13.1%
	Grade 10	68.3%	31.7%	1.6%	18.0%	12.1%
	Grade 11	60.7%	39.3%	2.1%	21.7%	15.4%
	Grade 12	55.8%	44.2%	4.1%	27.0%	13.2%
Liquor						
	All	64.0%	36.0%	8.9%	17.9%	9.2%
	Grade 7	84.5%	15.5%	2.2%	5.9%	7.5%
	Grade 8	74.5%	25.5%	4.6%	11.9%	9.0%
	Grade 9	68.3%	31.7%	6.8%	14.6%	10.4%
	Grade 10	59.7%	40.3%	9.9%	19.7%	10.8%
	Grade 11	49.0%	51.0%	14.1%	27.6%	9.3%
	Grade 12	42.7%	57.3%	18.1%	31.3%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.1%	5.0%	2.9%	2.4%	0.8%	1.8%
Grade 7	94.6%	2.5%	0.9%	0.8%	0.3%	0.8%
Grade 8	91.6%	3.3%	2.5%	1.1%	0.5%	1.0%
Grade 9	89.8%	4.5%	2.0%	2.8%	0.1%	0.9%
Grade 10	85.7%	5.0%	2.9%	2.7%	1.3%	2.3%
Grade 11	82.9%	6.5%	4.0%	3.8%	1.4%	1.4%
Grade 12	75.7%	8.7%	5.8%	3.7%	1.4%	4.7%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.1%	13.4%	5.4%	10.2%	16.0%	30.8%
Grade 7	33.1%	25.4%	8.9%	9.4%	8.6%	14.6%
Grade 8	28.7%	16.9%	7.3%	10.7%	12.9%	23.4%
Grade 9	28.5%	12.7%	5.0%	12.2%	15.6%	26.1%
Grade 10	22.3%	12.0%	4.5%	10.5%	17.3%	33.5%
Grade 11	14.7%	6.9%	3.0%	9.6%	24.7%	41.1%
Grade 12	14.5%	4.7%	3.3%	8.8%	18.4%	50.3%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.9%	3.0%	0.6%	0.6%
Grade 7	97.5%	2.0%	0.0%	0.4%
Grade 8	95.7%	3.3%	0.5%	0.6%
Grade 9	96.9%	2.2%	0.3%	0.7%
Grade 10	95.6%	3.6%	0.3%	0.5%
Grade 11	95.7%	3.5%	0.4%	0.5%
Grade 12	93.6%	3.5%	2.1%	0.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.1
Alcohol Non-Users	3.2
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.8

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.5%	3.6%	0.4%	0.5%
Grade 9	98.8%	1.1%	0.1%	0.0%
Grade 10	96.5%	3.1%	0.0%	0.4%
Grade 11	95.8%	3.1%	0.5%	0.6%
Grade 12	90.3%	7.6%	0.9%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.3%	3.1%	0.3%	0.3%
Grade 7	97.3%	2.2%	0.2%	0.3%
Grade 8	97.1%	2.4%	0.4%	0.0%
Grade 9	96.6%	3.2%	0.1%	0.1%
Grade 10	95.9%	3.3%	0.3%	0.5%
Grade 11	95.8%	3.6%	0.1%	0.5%
Grade 12	94.6%	4.3%	0.8%	0.3%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	47.7%	23.2%	13.7%	11.5%	4.0%
Grade 7	74.1%	16.7%	5.8%	2.6%	0.9%
Grade 8	62.4%	19.3%	11.2%	4.9%	2.2%
Grade 9	51.9%	24.0%	13.4%	8.4%	2.2%
Grade 10	37.6%	26.5%	18.6%	13.9%	3.5%
Grade 11	30.5%	27.8%	17.4%	18.5%	5.8%
Grade 12	24.4%	25.6%	16.5%	22.7%	10.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	49.1%	7.9%	6.3%	7.9%	10.9%	2.1%	15.8%
Grade 7	73.3%	6.9%	3.8%	2.7%	1.2%	2.1%	9.8%
Grade 8	64.8%	8.9%	6.0%	3.7%	3.0%	2.7%	10.9%
Grade 9	48.5%	8.3%	8.5%	6.9%	6.4%	2.9%	18.4%
Grade 10	41.4%	9.7%	7.7%	10.3%	11.2%	2.3%	17.3%
Grade 11	33.2%	7.9%	7.0%	12.3%	18.8%	0.3%	20.5%
Grade 12	28.6%	5.5%	4.4%	12.4%	28.5%	1.8%	18.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	56.3%	19.3%	16.4%	5.8%	2.1%
	Grade 7	69.8%	17.8%	8.7%	2.2%	1.4%
	Grade 8	63.5%	17.5%	13.0%	4.4%	1.5%
	Grade 9	56.2%	19.0%	16.9%	5.2%	2.8%
	Grade 10	54.3%	17.4%	19.3%	6.3%	2.6%
	Grade 11	47.9%	21.8%	20.0%	8.8%	1.4%
	Grade 12	43.3%	23.2%	21.7%	8.7%	3.1%
Friends?						
	All	54.6%	19.5%	12.1%	9.8%	4.1%
	Grade 7	71.8%	19.9%	5.5%	2.3%	0.6%
	Grade 8	66.1%	21.1%	7.5%	3.7%	1.7%
	Grade 9	56.7%	21.8%	13.4%	6.3%	1.8%
	Grade 10	50.8%	20.7%	13.9%	9.7%	4.9%
	Grade 11	41.8%	17.8%	15.9%	17.2%	7.3%
	Grade 12	36.4%	14.6%	17.4%	22.0%	9.6%
A Store?						
	All	56.5%	34.4%	4.3%	3.0%	1.8%
	Grade 7	72.2%	25.1%	1.1%	1.0%	0.5%
	Grade 8	67.4%	30.1%	1.4%	0.9%	0.2%
	Grade 9	57.8%	35.0%	4.2%	2.3%	0.7%
	Grade 10	53.2%	37.4%	3.7%	3.0%	2.6%
	Grade 11	45.0%	43.2%	5.7%	4.0%	2.1%
	Grade 12	39.7%	36.6%	10.9%	7.7%	5.2%
Parties?						
	All	52.0%	17.3%	10.3%	9.8%	10.5%
	Grade 7	67.7%	19.8%	7.2%	3.7%	1.7%
	Grade 8	63.5%	19.3%	9.3%	4.3%	3.6%
	Grade 9	54.7%	19.6%	10.3%	9.0%	6.4%
	Grade 10	48.6%	17.1%	11.5%	10.9%	11.8%
	Grade 11	39.2%	16.3%	9.9%	16.3%	18.2%
	Grade 12	34.9%	10.7%	14.2%	15.9%	24.3%
Other Sources?						
	All	58.4%	24.3%	8.3%	4.6%	4.4%
	Grade 7	70.7%	21.2%	3.9%	2.9%	1.4%
	Grade 8	67.2%	20.3%	5.7%	3.2%	3.5%
	Grade 9	61.3%	23.2%	9.1%	4.2%	2.2%
	Grade 10	56.2%	26.2%	8.7%	4.4%	4.5%
	Grade 11	46.9%	28.3%	12.3%	5.4%	7.1%
	Grade 12	44.3%	27.7%	10.8%	8.1%	9.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.4%	13.4%	12.0%	4.0%	1.2%	8.0%
Grade 7	75.0%	7.1%	5.1%	1.1%	0.6%	11.1%
Grade 8	68.1%	10.4%	8.1%	2.9%	1.4%	9.1%
Grade 9	62.1%	13.1%	10.9%	2.6%	0.9%	10.5%
Grade 10	54.4%	18.6%	12.6%	6.0%	1.5%	6.9%
Grade 11	56.0%	15.7%	16.4%	6.5%	1.1%	4.3%
Grade 12	50.7%	16.3%	20.6%	5.1%	2.0%	5.3%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	54.2%	27.1%	11.8%	3.0%	3.9%
Grade 7	68.5%	18.9%	6.5%	2.6%	3.6%
Grade 8	57.6%	23.1%	12.5%	3.4%	3.4%
Grade 9	54.3%	27.4%	10.7%	1.9%	5.7%
Grade 10	50.4%	29.3%	12.8%	2.8%	4.6%
Grade 11	45.1%	35.9%	11.9%	3.6%	3.5%
Grade 12	46.9%	29.1%	17.9%	3.7%	2.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.9%	17.2%	23.4%	76.6%
Grade 7	4.2%	6.5%	8.8%	91.2%
Grade 8	8.9%	13.1%	16.7%	83.3%
Grade 9	9.7%	12.9%	17.0%	83.0%
Grade 10	15.0%	18.2%	24.9%	75.1%
Grade 11	19.3%	24.9%	35.7%	64.3%
Grade 12	22.8%	30.7%	42.3%	57.7%
Marijuana?				
All	12.3%	14.9%	21.5%	78.5%
Grade 7	3.6%	4.6%	6.7%	93.3%
Grade 8	8.2%	10.9%	14.8%	85.2%
Grade 9	9.3%	10.8%	14.9%	85.1%
Grade 10	14.0%	15.5%	22.4%	77.6%
Grade 11	19.2%	22.8%	34.5%	65.5%
Grade 12	22.0%	27.9%	40.2%	59.8%
Cocaine?				
All	1.5%	1.7%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	1.3%	1.3%	1.5%	98.5%
Grade 9	1.3%	1.3%	1.6%	98.4%
Grade 10	1.2%	1.6%	2.4%	97.6%
Grade 11	1.8%	2.1%	3.7%	96.3%
Grade 12	2.4%	2.9%	5.3%	94.7%
Crack?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.9%	1.2%	98.8%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.8%	0.8%	2.1%	97.9%
Hallucinogens?				
All	0.7%	1.1%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	1.3%	1.9%	3.1%	96.9%
Grade 11	0.9%	1.9%	5.3%	94.7%
Grade 12	1.6%	2.1%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.1%	98.9%
Steroids?				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.9%	98.1%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.2%	0.5%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.2%	98.8%
Grade 12	1.0%	1.3%	3.3%	96.7%
Ecstasy?				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.4%	1.0%	1.9%	98.1%
Grade 11	1.1%	2.0%	4.2%	95.8%
Grade 12	2.2%	2.6%	5.2%	94.8%
Heroin?				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.9%	99.1%
Methamphetamine?				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.1%	1.7%	98.3%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.8%	99.2%
Grade 12	0.5%	1.0%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.7%	5.4%	94.6%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	1.3%	2.4%	4.5%	95.5%
Grade 9	0.3%	1.0%	3.6%	96.4%
Grade 10	1.0%	1.8%	6.2%	93.8%
Grade 11	0.9%	2.0%	8.5%	91.5%
Grade 12	0.9%	2.4%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	82.5%	1.4%	1.7%	2.8%	3.8%	4.1%	3.7%
	Grade 7	94.7%	0.3%	0.5%	0.7%	1.2%	1.4%	1.2%
	Grade 8	88.6%	1.0%	1.5%	1.5%	2.5%	2.3%	2.7%
	Grade 9	87.7%	0.4%	0.5%	2.3%	3.8%	2.7%	2.7%
	Grade 10	81.9%	1.6%	2.8%	3.4%	3.2%	4.2%	2.9%
	Grade 11	72.3%	2.7%	2.2%	4.3%	6.1%	5.7%	6.6%
	Grade 12	66.1%	2.6%	3.2%	5.6%	6.4%	9.4%	6.7%
Cocaine?								
	All	98.2%	0.1%	0.1%	0.3%	0.3%	0.4%	0.7%
	Grade 7	98.8%	0.0%	0.0%	0.2%	0.1%	0.0%	0.8%
	Grade 8	99.0%	0.3%	0.4%	0.0%	0.0%	0.2%	0.1%
	Grade 9	99.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.5%
	Grade 10	98.2%	0.0%	0.2%	0.4%	0.3%	0.1%	0.8%
	Grade 11	97.6%	0.0%	0.0%	0.0%	0.5%	1.2%	0.7%
	Grade 12	95.8%	0.0%	0.0%	1.2%	0.5%	1.0%	1.5%
Crack?								
	All	99.3%	0.1%	0.1%	0.0%	0.1%	0.1%	0.4%
	Grade 7	99.3%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 8	99.3%	0.3%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
	Grade 10	99.2%	0.0%	0.0%	0.0%	0.4%	0.0%	0.3%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.8%	0.0%	0.3%	0.0%	0.0%	0.2%	0.7%
Steroids?								
	All	99.1%	0.1%	0.0%	0.1%	0.0%	0.2%	0.5%
	Grade 7	99.5%	0.0%	0.2%	0.1%	0.1%	0.0%	0.2%
	Grade 8	99.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.6%
	Grade 9	99.3%	0.0%	0.0%	0.4%	0.2%	0.1%	0.0%
	Grade 10	98.9%	0.2%	0.0%	0.0%	0.0%	0.0%	1.0%
	Grade 11	99.3%	0.0%	0.0%	0.1%	0.0%	0.3%	0.4%
	Grade 12	98.4%	0.2%	0.0%	0.0%	0.0%	0.3%	1.1%
Ecstasy?								
	All	98.1%	0.1%	0.1%	0.1%	0.3%	0.6%	0.7%
	Grade 7	99.5%	0.2%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	98.9%	0.2%	0.0%	0.0%	0.3%	0.4%	0.3%
	Grade 9	98.9%	0.2%	0.0%	0.0%	0.0%	0.5%	0.4%
	Grade 10	98.4%	0.0%	0.0%	0.1%	0.4%	0.4%	0.7%
	Grade 11	96.5%	0.0%	0.2%	0.3%	0.6%	1.2%	1.2%
	Grade 12	95.8%	0.2%	0.6%	0.1%	0.4%	1.0%	2.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.5%	0.0%	0.1%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.2%	0.1%	0.2%	0.1%	0.0%	0.4%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.1%	0.2%	0.0%	0.2%	0.0%	0.0%	0.5%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.5%	0.0%	0.3%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.4%	0.1%	0.1%	0.1%	0.0%	0.1%	0.3%
	Grade 7	99.7%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%
	Grade 8	98.8%	0.2%	0.0%	0.2%	0.1%	0.1%	0.6%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.1%	0.0%	0.3%	0.1%	0.0%	0.2%	0.3%
Synthetic Marijuana?								
	All	96.5%	0.1%	0.1%	0.1%	0.6%	0.5%	2.1%
	Grade 7	99.0%	0.0%	0.2%	0.2%	0.1%	0.2%	0.4%
	Grade 8	97.2%	0.2%	0.1%	0.2%	0.7%	0.3%	1.3%
	Grade 9	97.8%	0.2%	0.0%	0.0%	0.3%	0.1%	1.5%
	Grade 10	95.6%	0.1%	0.1%	0.2%	0.8%	0.8%	2.4%
	Grade 11	94.5%	0.1%	0.0%	0.1%	1.1%	0.7%	3.5%
	Grade 12	94.3%	0.0%	0.1%	0.0%	0.5%	1.2%	3.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						
All	28.9%	22.8%	7.0%	9.0%	12.0%	20.2%
Grade 7	40.3%	36.8%	7.8%	5.9%	4.5%	4.7%
Grade 8	33.6%	27.5%	7.6%	8.8%	8.4%	14.1%
Grade 9	32.0%	23.4%	9.4%	9.9%	12.2%	13.0%
Grade 10	26.0%	20.8%	5.8%	9.7%	13.6%	24.0%
Grade 11	19.0%	15.4%	5.5%	10.1%	16.5%	33.5%
Grade 12	20.0%	10.1%	5.4%	9.7%	18.6%	36.3%
Cocaine?						
All	37.9%	33.5%	11.0%	8.1%	4.1%	5.4%
Grade 7	43.2%	40.7%	8.3%	4.3%	1.5%	2.0%
Grade 8	42.6%	34.9%	9.8%	6.8%	2.8%	3.1%
Grade 9	39.2%	36.0%	11.5%	6.2%	2.6%	4.6%
Grade 10	37.7%	33.2%	9.6%	8.0%	5.1%	6.4%
Grade 11	31.4%	31.2%	12.8%	12.0%	5.6%	7.0%
Grade 12	31.6%	23.1%	14.8%	12.3%	7.9%	10.4%
Crack?						
All	39.5%	34.4%	11.6%	7.3%	2.9%	4.3%
Grade 7	44.2%	40.3%	7.7%	4.5%	1.3%	2.0%
Grade 8	43.5%	35.4%	9.7%	6.0%	2.2%	3.3%
Grade 9	40.0%	37.2%	11.8%	5.5%	1.6%	3.9%
Grade 10	39.4%	34.3%	10.4%	7.7%	3.5%	4.7%
Grade 11	34.4%	33.3%	13.3%	11.0%	3.5%	4.5%
Grade 12	34.1%	23.8%	17.9%	10.2%	5.7%	8.2%
Steroids?						
All	41.4%	32.9%	10.8%	7.5%	3.1%	4.2%
Grade 7	46.2%	37.3%	8.9%	5.0%	1.3%	1.3%
Grade 8	47.1%	33.8%	9.2%	5.1%	2.1%	2.7%
Grade 9	40.9%	35.6%	10.8%	5.6%	2.6%	4.3%
Grade 10	42.1%	32.6%	9.0%	7.9%	3.3%	5.2%
Grade 11	35.1%	31.3%	13.9%	10.8%	4.8%	4.2%
Grade 12	35.6%	25.2%	13.8%	11.9%	5.2%	8.3%
Ecstasy?						
All	48.2%	27.8%	8.9%	6.0%	3.9%	5.1%
Grade 7	58.6%	30.9%	6.0%	2.8%	0.4%	1.2%
Grade 8	57.5%	27.3%	6.9%	4.1%	1.6%	2.7%
Grade 9	50.0%	30.4%	9.6%	3.7%	2.2%	4.2%
Grade 10	48.5%	27.3%	8.1%	6.3%	3.6%	6.3%
Grade 11	35.3%	28.1%	11.9%	10.2%	8.2%	6.3%
Grade 12	36.0%	22.2%	11.8%	10.1%	8.9%	11.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	46.1%	34.2%	10.2%	4.3%	2.0%	3.3%
	Grade 7	54.5%	34.2%	6.8%	2.7%	0.5%	1.2%
	Grade 8	52.8%	31.8%	7.9%	3.7%	1.5%	2.4%
	Grade 9	46.0%	37.2%	9.1%	3.2%	1.4%	3.1%
	Grade 10	44.8%	35.1%	9.7%	4.5%	2.0%	3.9%
	Grade 11	37.0%	37.7%	13.0%	5.2%	3.3%	3.9%
	Grade 12	39.6%	28.4%	16.1%	6.8%	3.6%	5.6%
Methamphetamine?							
	All	47.9%	32.6%	9.2%	4.2%	2.6%	3.6%
	Grade 7	55.4%	32.9%	6.5%	2.9%	0.8%	1.5%
	Grade 8	55.1%	30.7%	7.8%	2.6%	1.2%	2.6%
	Grade 9	49.2%	35.4%	7.6%	2.9%	2.0%	3.0%
	Grade 10	47.9%	32.7%	8.2%	4.2%	3.0%	3.9%
	Grade 11	38.1%	35.9%	11.6%	6.7%	3.3%	4.5%
	Grade 12	39.1%	27.3%	14.5%	6.8%	5.9%	6.4%
Synthetic Marijuana?							
	All	45.2%	25.5%	7.9%	5.8%	6.3%	9.3%
	Grade 7	55.8%	31.1%	5.9%	3.1%	1.9%	2.3%
	Grade 8	51.6%	26.9%	6.7%	4.6%	3.5%	6.6%
	Grade 9	48.5%	27.5%	8.2%	6.0%	3.3%	6.5%
	Grade 10	43.3%	23.9%	6.9%	5.7%	7.0%	13.2%
	Grade 11	34.0%	24.4%	10.4%	7.4%	11.0%	12.8%
	Grade 12	35.1%	17.7%	9.9%	8.9%	12.5%	15.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.5%	3.1%	1.0%	1.4%
Grade 7	97.3%	2.0%	0.2%	0.5%
Grade 8	94.8%	3.3%	0.6%	1.2%
Grade 9	96.9%	1.4%	1.3%	0.4%
Grade 10	93.9%	3.3%	1.2%	1.7%
Grade 11	91.5%	4.4%	1.8%	2.3%
Grade 12	92.1%	4.7%	0.8%	2.4%
Attended Class While High from Use of Some Other Drug?				
All	97.1%	1.6%	0.6%	0.6%
Grade 7	97.7%	1.7%	0.2%	0.4%
Grade 8	97.0%	1.7%	0.7%	0.6%
Grade 9	97.0%	2.5%	0.4%	0.0%
Grade 10	97.6%	0.8%	0.8%	0.8%
Grade 11	96.4%	1.9%	1.0%	0.6%
Grade 12	96.8%	1.0%	0.8%	1.4%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.4
Average Days Conduct Problems Reported	
Marijuana Users	3.2
Marijuana Non-Users	1.2

Percentages have been weighted to reflect proportions within the population.

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.0%	3.4%	0.5%	1.1%
Grade 9	98.8%	1.1%	0.0%	0.0%
Grade 10	96.4%	2.9%	0.3%	0.5%
Grade 11	93.1%	4.4%	0.4%	2.1%
Grade 12	91.1%	5.4%	1.4%	2.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.9%	0.2%	0.3%
Grade 7	97.4%	1.9%	0.2%	0.5%
Grade 8	96.7%	3.0%	0.2%	0.0%
Grade 9	97.3%	2.5%	0.1%	0.1%
Grade 10	95.8%	3.6%	0.1%	0.4%
Grade 11	96.1%	3.1%	0.3%	0.5%
Grade 12	96.1%	3.5%	0.2%	0.3%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	58.8%	20.0%	10.6%	7.6%	2.9%
Grade 7	81.7%	12.1%	4.0%	1.4%	0.8%
Grade 8	68.6%	14.7%	8.5%	5.6%	2.6%
Grade 9	63.4%	20.0%	10.9%	4.5%	1.2%
Grade 10	53.0%	20.9%	12.6%	9.7%	3.9%
Grade 11	42.3%	27.2%	15.7%	11.8%	3.0%
Grade 12	38.9%	27.3%	12.7%	14.3%	6.7%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.9%	6.4%	4.5%	5.2%	5.3%	1.9%	15.9%
Grade 7	83.6%	2.8%	1.0%	1.0%	0.9%	1.0%	9.8%
Grade 8	76.5%	3.4%	3.0%	1.7%	2.1%	2.6%	10.7%
Grade 9	62.5%	8.5%	3.3%	2.7%	1.7%	2.6%	18.6%
Grade 10	54.6%	8.1%	3.7%	7.2%	6.4%	2.2%	17.9%
Grade 11	43.8%	8.1%	7.4%	9.2%	9.8%	1.0%	20.7%
Grade 12	38.4%	7.6%	10.0%	10.4%	12.7%	2.2%	18.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	5.8%	5.4%	1.3%	1.8%	7.6%
Grade 7	83.1%	2.0%	2.9%	0.5%	0.8%	10.7%
Grade 8	78.3%	5.6%	5.4%	1.4%	1.6%	7.8%
Grade 9	79.1%	6.1%	2.9%	0.1%	1.4%	10.3%
Grade 10	77.3%	6.7%	5.8%	1.3%	2.8%	6.2%
Grade 11	76.1%	6.7%	8.7%	2.3%	1.3%	4.9%
Grade 12	73.6%	8.1%	7.6%	2.7%	2.9%	5.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	59.5%	12.0%	12.3%	11.7%	4.5%
	Grade 7	80.7%	8.3%	4.0%	3.1%	3.9%
	Grade 8	68.0%	11.0%	7.8%	9.2%	3.8%
	Grade 9	64.8%	11.4%	9.9%	8.2%	5.7%
	Grade 10	51.3%	15.6%	16.0%	12.3%	4.8%
	Grade 11	45.9%	14.1%	16.4%	18.1%	5.5%
	Grade 12	42.1%	12.2%	21.2%	21.5%	3.0%
Cocaine?						
	All	88.2%	5.2%	1.0%	0.5%	5.0%
	Grade 7	91.0%	4.3%	0.5%	0.3%	3.9%
	Grade 8	89.1%	5.0%	0.8%	0.5%	4.7%
	Grade 9	88.2%	4.8%	0.8%	0.2%	6.0%
	Grade 10	86.6%	5.7%	1.1%	0.5%	6.2%
	Grade 11	88.1%	5.0%	1.2%	0.7%	5.1%
	Grade 12	86.1%	7.0%	1.8%	1.0%	4.1%
Crack?						
	All	89.1%	4.7%	0.6%	0.5%	5.1%
	Grade 7	90.5%	4.9%	0.3%	0.3%	4.0%
	Grade 8	89.2%	5.2%	0.5%	0.5%	4.6%
	Grade 9	89.4%	4.0%	0.5%	0.2%	5.8%
	Grade 10	87.3%	5.0%	0.8%	0.5%	6.3%
	Grade 11	89.2%	4.0%	0.6%	0.5%	5.6%
	Grade 12	88.7%	5.2%	0.8%	0.7%	4.6%
Ecstasy?						
	All	82.0%	6.7%	2.1%	0.7%	8.4%
	Grade 7	86.7%	3.7%	0.6%	0.4%	8.6%
	Grade 8	83.8%	5.5%	1.6%	0.5%	8.5%
	Grade 9	82.2%	6.4%	1.5%	0.3%	9.6%
	Grade 10	80.6%	7.7%	1.7%	0.8%	9.2%
	Grade 11	79.1%	8.1%	3.8%	1.1%	7.9%
	Grade 12	78.7%	9.5%	4.0%	1.3%	6.5%
Steroids?						
	All	78.2%	10.5%	3.3%	1.1%	6.9%
	Grade 7	83.4%	7.4%	1.9%	0.6%	6.7%
	Grade 8	80.1%	9.5%	3.2%	1.1%	6.1%
	Grade 9	78.8%	10.0%	3.5%	0.6%	7.1%
	Grade 10	74.0%	13.3%	3.6%	1.2%	8.0%
	Grade 11	77.1%	9.2%	4.7%	1.4%	7.6%
	Grade 12	75.0%	13.9%	3.2%	2.1%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.0%	3.6%	0.5%	0.5%	6.5%
	Grade 7	89.0%	3.6%	0.5%	0.2%	6.7%
	Grade 8	88.7%	4.4%	0.2%	0.7%	6.0%
	Grade 9	88.3%	3.5%	0.0%	0.3%	7.9%
	Grade 10	87.5%	3.2%	0.9%	0.7%	7.7%
	Grade 11	91.0%	2.8%	0.8%	0.6%	4.8%
	Grade 12	89.6%	4.0%	0.8%	0.3%	5.2%
Methamphetamine?						
	All	89.1%	3.2%	0.5%	0.4%	6.8%
	Grade 7	89.1%	3.2%	0.5%	0.3%	7.0%
	Grade 8	89.0%	3.4%	0.4%	0.6%	6.6%
	Grade 9	88.9%	2.4%	0.0%	0.3%	8.4%
	Grade 10	87.4%	3.5%	0.7%	0.5%	7.9%
	Grade 11	91.4%	2.5%	0.7%	0.5%	4.9%
	Grade 12	89.0%	4.6%	0.5%	0.3%	5.6%
Synthetic Marijuana?						
	All	82.4%	6.3%	2.8%	1.1%	7.5%
	Grade 7	87.2%	3.6%	1.4%	0.7%	7.1%
	Grade 8	84.1%	5.9%	1.9%	1.0%	7.1%
	Grade 9	80.6%	6.3%	2.3%	1.9%	8.9%
	Grade 10	78.7%	8.6%	2.6%	1.3%	8.8%
	Grade 11	82.5%	6.2%	3.8%	1.1%	6.4%
	Grade 12	80.9%	7.3%	5.0%	0.3%	6.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	11.6%	15.0%	20.0%	80.0%
Grade 7	8.4%	10.6%	14.4%	85.6%
Grade 8	10.2%	12.8%	17.7%	82.3%
Grade 9	11.5%	14.6%	19.7%	80.3%
Grade 10	12.3%	15.9%	20.6%	79.4%
Grade 11	14.1%	18.4%	23.3%	76.7%
Grade 12	13.8%	19.1%	25.8%	74.2%
Codeine Cough Syrup?				
All	7.4%	10.2%	14.8%	85.2%
Grade 7	5.4%	7.3%	10.8%	89.2%
Grade 8	6.7%	9.0%	13.3%	86.7%
Grade 9	7.4%	10.2%	15.3%	84.7%
Grade 10	7.9%	10.0%	14.2%	85.8%
Grade 11	7.9%	10.8%	15.9%	84.1%
Grade 12	9.5%	14.6%	20.6%	79.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.6%	3.7%	4.9%	95.1%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	0.8%	1.3%	2.3%	97.7%
Grade 9	1.4%	1.6%	2.5%	97.5%
Grade 10	3.3%	5.1%	6.2%	93.8%
Grade 11	4.3%	6.0%	8.6%	91.4%
Grade 12	5.4%	8.2%	9.9%	90.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	2.3%	3.2%	96.8%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	0.8%	1.2%	1.8%	98.2%
Grade 9	1.2%	1.6%	1.7%	98.3%
Grade 10	2.0%	2.6%	4.4%	95.6%
Grade 11	3.4%	4.4%	5.4%	94.6%
Grade 12	2.9%	3.5%	5.3%	94.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.4%	3.6%	96.4%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	1.2%	1.7%	2.5%	97.5%
Grade 9	1.1%	1.4%	2.2%	97.8%
Grade 10	2.5%	3.3%	5.0%	95.0%
Grade 11	3.0%	3.8%	5.7%	94.3%
Grade 12	2.6%	3.9%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.3%	5.8%	8.7%	91.3%
Grade 7	3.4%	4.3%	7.0%	93.0%
Grade 8	5.2%	6.8%	9.4%	90.6%
Grade 9	4.3%	6.5%	10.0%	90.0%
Grade 10	4.0%	5.6%	9.5%	90.5%
Grade 11	4.3%	5.6%	7.6%	92.4%
Grade 12	4.5%	6.0%	8.4%	91.6%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.1%	3.7%	96.3%
Grade 7	1.2%	1.6%	2.7%	97.3%
Grade 8	2.5%	3.0%	5.6%	94.4%
Grade 9	2.5%	3.1%	5.2%	94.8%
Grade 10	1.2%	1.4%	2.6%	97.4%
Grade 11	1.2%	1.5%	3.7%	96.3%
Grade 12	0.9%	1.7%	2.3%	97.7%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.1%	12.5%	4.6%	1.2%	6.5%
Grade 7	82.4%	7.5%	2.6%	1.1%	6.4%
Grade 8	76.0%	12.1%	4.8%	1.3%	5.8%
Grade 9	74.7%	12.0%	4.7%	0.9%	7.7%
Grade 10	73.6%	12.9%	4.7%	1.5%	7.3%
Grade 11	70.5%	15.9%	5.7%	1.5%	6.4%
Grade 12	72.4%	15.6%	5.4%	1.3%	5.3%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.2%	5.8%	13.1%	86.9%
Grade 7	4.9%	6.8%	14.3%	85.7%
Grade 8	5.5%	6.6%	15.1%	84.9%
Grade 9	5.7%	6.4%	13.3%	86.7%
Grade 10	3.9%	5.5%	11.9%	88.1%
Grade 11	3.2%	6.1%	12.6%	87.4%
Grade 12	1.3%	3.2%	11.1%	88.9%
Spray Paint?				
All	0.5%	0.7%	2.3%	97.7%
Grade 7	0.0%	0.1%	1.2%	98.8%
Grade 8	0.9%	1.1%	3.4%	96.6%
Grade 9	0.7%	1.1%	3.3%	96.7%
Grade 10	0.7%	1.1%	2.7%	97.3%
Grade 11	0.4%	0.4%	2.1%	97.9%
Grade 12	0.0%	0.2%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.4%	5.8%	94.2%
Grade 7	1.3%	2.0%	6.2%	93.8%
Grade 8	1.1%	1.5%	6.4%	93.6%
Grade 9	1.4%	1.9%	7.4%	92.6%
Grade 10	0.9%	1.5%	5.5%	94.5%
Grade 11	0.7%	0.9%	6.2%	93.8%
Grade 12	0.2%	0.3%	2.6%	97.4%
Computer Dusting Sprays?				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.8%	98.2%
Grade 11	0.3%	0.4%	1.6%	98.4%
Grade 12	0.0%	0.0%	2.4%	97.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.3%	2.0%	6.8%	93.2%
Grade 7	1.6%	2.1%	7.1%	92.9%
Grade 8	1.9%	2.5%	7.8%	92.2%
Grade 9	1.4%	1.7%	7.1%	92.9%
Grade 10	1.2%	2.3%	6.2%	93.8%
Grade 11	1.0%	2.5%	6.3%	93.7%
Grade 12	0.5%	1.0%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.7%	0.9%	1.8%	98.2%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.4%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.2%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.5%	0.6%	1.6%	98.4%
Grade 10	0.0%	0.3%	1.1%	98.9%
Grade 11	0.4%	0.6%	1.6%	98.4%
Grade 12	0.0%	0.3%	0.8%	99.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.5%	0.8%	2.3%	97.7%
Grade 7	0.3%	0.6%	1.8%	98.2%
Grade 8	0.5%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.9%	3.0%	97.0%
Grade 10	0.6%	1.1%	2.9%	97.1%
Grade 11	0.7%	1.2%	2.9%	97.1%
Grade 12	0.0%	0.2%	1.5%	98.5%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.4%	0.7%	2.2%	97.8%
Grade 8	0.5%	0.6%	1.8%	98.2%
Grade 9	0.6%	1.0%	2.4%	97.6%
Grade 10	0.2%	0.3%	1.6%	98.4%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.2%	0.2%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.2%	0.2%	0.6%	0.6%	1.3%
Grade 7	96.8%	0.0%	0.2%	0.2%	0.7%	0.7%	1.3%
Grade 8	97.3%	0.2%	0.1%	0.3%	0.6%	0.5%	1.0%
Grade 9	96.4%	0.4%	0.3%	0.0%	0.3%	1.0%	1.6%
Grade 10	96.2%	0.0%	0.3%	0.2%	0.7%	0.9%	1.7%
Grade 11	97.3%	0.1%	0.1%	0.3%	0.5%	0.5%	1.3%
Grade 12	98.1%	0.1%	0.0%	0.0%	0.6%	0.2%	1.0%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.6%	6.6%	3.4%	1.5%
Grade 7	87.9%	7.1%	4.4%	0.5%
Grade 8	86.5%	8.7%	3.3%	1.5%
Grade 9	88.0%	6.3%	3.5%	2.2%
Grade 10	89.4%	5.8%	2.7%	2.1%
Grade 11	88.8%	6.3%	3.3%	1.6%
Grade 12	91.2%	5.2%	2.8%	0.9%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.7%	0.1%	0.2%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	99.1%	0.5%	0.0%	0.4%
Grade 9	99.6%	0.4%	0.0%	0.0%
Grade 10	98.6%	0.8%	0.5%	0.0%
Grade 11	98.9%	0.6%	0.0%	0.4%
Grade 12	99.1%	0.8%	0.0%	0.2%

Percentages have been weighted to reflect proportions within the population.

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.0
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.3

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.3%	4.3%	1.5%	0.6%	0.3%
Grade 7	92.1%	5.8%	1.3%	0.6%	0.2%
Grade 8	91.7%	5.2%	2.1%	1.0%	0.0%
Grade 9	93.5%	3.6%	1.6%	1.1%	0.3%
Grade 10	92.1%	4.7%	2.2%	0.1%	0.9%
Grade 11	95.3%	3.3%	0.8%	0.5%	0.1%
Grade 12	95.9%	3.0%	0.7%	0.0%	0.4%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.0%	11.2%	3.2%	1.3%	7.4%
Grade 7	81.5%	10.1%	2.8%	0.7%	4.9%
Grade 8	75.9%	12.5%	3.3%	1.9%	6.4%
Grade 9	75.4%	11.2%	2.5%	0.6%	10.2%
Grade 10	73.4%	12.9%	3.6%	1.3%	8.8%
Grade 11	77.6%	9.8%	3.9%	1.4%	7.3%
Grade 12	78.3%	10.3%	2.8%	2.0%	6.5%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.1%	16.0%	4.3%	6.1%	8.8%	22.7%
Grade 7	46.8%	23.9%	6.4%	4.2%	6.7%	12.0%
Grade 8	45.1%	18.6%	3.5%	6.6%	8.3%	17.9%
Grade 9	43.5%	15.8%	4.1%	6.4%	8.0%	22.2%
Grade 10	42.3%	13.5%	3.9%	5.3%	9.1%	25.8%
Grade 11	35.8%	14.1%	3.4%	7.7%	11.2%	27.8%
Grade 12	37.5%	8.5%	4.6%	6.7%	9.8%	32.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	44.7%
	Grade 7	52.6%
	Grade 8	47.1%
	Grade 9	46.5%
	Grade 10	39.6%
	Grade 11	42.1%
	Grade 12	38.8%
An Assembly Program		
	All	34.9%
	Grade 7	45.0%
	Grade 8	44.4%
	Grade 9	30.6%
	Grade 10	29.1%
	Grade 11	30.6%
	Grade 12	27.5%
Guidance Counselor		
	All	21.3%
	Grade 7	28.4%
	Grade 8	23.4%
	Grade 9	20.6%
	Grade 10	18.7%
	Grade 11	17.0%
	Grade 12	18.5%
School Nurse		
	All	14.3%
	Grade 7	23.4%
	Grade 8	18.8%
	Grade 9	13.0%
	Grade 10	11.0%
	Grade 11	9.1%
	Grade 12	8.8%
Science or Social Studies Class		
	All	23.0%
	Grade 7	28.6%
	Grade 8	23.0%
	Grade 9	24.7%
	Grade 10	21.8%
	Grade 11	19.3%
	Grade 12	19.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	13.4%
	Grade 7	15.8%
	Grade 8	15.0%
	Grade 9	11.8%
	Grade 10	11.6%
	Grade 11	13.9%
	Grade 12	11.9%
An Invited School Guest		
	All	22.2%
	Grade 7	30.4%
	Grade 8	29.6%
	Grade 9	16.3%
	Grade 10	19.0%
	Grade 11	18.0%
	Grade 12	18.3%
Another Source at School		
	All	26.0%
	Grade 7	34.8%
	Grade 8	29.5%
	Grade 9	23.1%
	Grade 10	23.1%
	Grade 11	22.7%
	Grade 12	21.0%
Any School Source		
	All	63.2%
	Grade 7	68.6%
	Grade 8	65.7%
	Grade 9	62.6%
	Grade 10	60.9%
	Grade 11	61.5%
	Grade 12	59.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	38.2%
	Grade 7	52.2%
	Grade 8	41.4%
	Grade 9	37.4%
	Grade 10	34.4%
	Grade 11	31.0%
	Grade 12	30.7%
School Nurse		
	All	22.6%
	Grade 7	34.6%
	Grade 8	27.9%
	Grade 9	20.7%
	Grade 10	18.4%
	Grade 11	15.8%
	Grade 12	16.3%
Another Adult In School		
	All	39.4%
	Grade 7	49.8%
	Grade 8	40.9%
	Grade 9	36.7%
	Grade 10	37.2%
	Grade 11	37.5%
	Grade 12	32.7%
Counselor/Program Outside-School		
	All	39.2%
	Grade 7	49.1%
	Grade 8	43.2%
	Grade 9	38.4%
	Grade 10	35.1%
	Grade 11	35.0%
	Grade 12	33.1%
Your Parents		
	All	68.2%
	Grade 7	77.2%
	Grade 8	70.2%
	Grade 9	68.2%
	Grade 10	67.4%
	Grade 11	65.6%
	Grade 12	58.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	54.8%
	Grade 7	67.6%
	Grade 8	58.0%
	Grade 9	51.6%
	Grade 10	53.5%
	Grade 11	49.4%
	Grade 12	46.6%
Your Friends		
	All	62.8%
	Grade 7	56.2%
	Grade 8	59.3%
	Grade 9	61.4%
	Grade 10	63.0%
	Grade 11	69.0%
	Grade 12	69.3%
Another Adult		
	All	61.4%
	Grade 7	66.9%
	Grade 8	61.7%
	Grade 9	62.8%
	Grade 10	61.2%
	Grade 11	59.6%
	Grade 12	54.6%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.4%
	Grade 7	6.7%
	Grade 8	6.3%
	Grade 9	5.7%
	Grade 10	7.8%
	Grade 11	6.7%
	Grade 12	4.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.2%	21.7%	24.1%	34.3%	14.7%
Grade 7	5.6%	17.6%	22.2%	36.3%	18.2%
Grade 8	6.0%	23.9%	22.2%	33.1%	14.8%
Grade 9	5.8%	20.6%	23.2%	36.0%	14.5%
Grade 10	5.5%	20.0%	24.0%	35.7%	14.8%
Grade 11	4.1%	23.2%	25.7%	35.7%	11.4%
Grade 12	4.0%	25.8%	28.4%	28.1%	13.8%
Sometimes Carry Weapons?					
All	73.7%	14.8%	6.2%	3.3%	2.0%
Grade 7	84.2%	10.5%	2.5%	1.5%	1.3%
Grade 8	75.9%	15.1%	5.0%	2.6%	1.4%
Grade 9	74.8%	14.6%	5.0%	3.7%	1.9%
Grade 10	70.0%	16.3%	8.2%	4.1%	1.3%
Grade 11	68.1%	16.9%	8.4%	4.0%	2.5%
Grade 12	67.3%	16.1%	8.6%	4.4%	3.7%
Care About Making Good Grades?					
All	2.2%	10.8%	23.1%	41.1%	22.9%
Grade 7	1.6%	11.6%	23.5%	38.0%	25.3%
Grade 8	2.0%	12.8%	22.8%	42.0%	20.3%
Grade 9	3.3%	9.9%	23.6%	38.6%	24.7%
Grade 10	1.9%	11.3%	24.1%	43.1%	19.6%
Grade 11	2.1%	7.7%	22.8%	43.3%	23.9%
Grade 12	2.3%	11.3%	21.3%	41.7%	23.4%
Belong/Want to Belong to a Gang?					
All	84.8%	9.2%	3.5%	1.2%	1.3%
Grade 7	86.4%	9.2%	2.7%	1.2%	0.5%
Grade 8	78.1%	13.1%	4.8%	1.9%	2.1%
Grade 9	85.4%	9.3%	3.5%	0.5%	1.3%
Grade 10	86.0%	8.5%	3.6%	1.4%	0.6%
Grade 11	87.9%	5.9%	3.2%	1.0%	2.0%
Grade 12	85.6%	9.0%	2.8%	1.2%	1.4%
Wish They Could Drop Out of School?					
All	54.1%	28.0%	10.7%	4.8%	2.3%
Grade 7	64.4%	23.1%	6.4%	4.5%	1.6%
Grade 8	56.5%	27.1%	9.7%	4.6%	2.1%
Grade 9	51.3%	29.9%	11.8%	4.5%	2.4%
Grade 10	50.0%	30.7%	11.8%	5.3%	2.2%
Grade 11	51.5%	27.9%	11.5%	5.6%	3.5%
Grade 12	50.2%	29.6%	13.7%	4.4%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.9%	12.1%	0.8%	0.3%	1.0%
Grade 7	85.4%	12.8%	0.7%	0.2%	0.8%
Grade 8	81.3%	15.2%	2.0%	0.3%	1.1%
Grade 9	87.5%	10.8%	0.4%	0.2%	1.0%
Grade 10	86.7%	11.6%	0.7%	0.1%	0.9%
Grade 11	87.4%	11.1%	0.5%	0.3%	0.8%
Grade 12	87.2%	10.5%	0.4%	0.7%	1.1%
Out In Your Neighborhood?					
All	43.0%	45.4%	7.3%	2.0%	2.3%
Grade 7	39.8%	46.7%	7.5%	2.3%	3.6%
Grade 8	36.1%	49.6%	9.4%	2.8%	2.1%
Grade 9	45.5%	43.9%	6.0%	1.9%	2.6%
Grade 10	41.6%	48.3%	7.0%	1.2%	2.0%
Grade 11	47.5%	42.0%	7.1%	1.7%	1.7%
Grade 12	48.3%	41.3%	6.8%	2.0%	1.5%
At School?					
All	39.4%	44.4%	8.0%	4.2%	3.9%
Grade 7	46.9%	39.2%	6.6%	3.9%	3.4%
Grade 8	36.8%	44.2%	9.1%	5.4%	4.4%
Grade 9	38.0%	44.0%	9.3%	4.5%	4.2%
Grade 10	34.7%	49.3%	8.2%	3.6%	4.2%
Grade 11	42.0%	43.4%	6.9%	3.7%	4.0%
Grade 12	38.1%	46.9%	7.8%	4.2%	2.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 120

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.6%	19.9%	32.7%	67.3%
Grade 7	6.2%	8.3%	16.6%	83.4%
Grade 8	11.5%	14.0%	26.2%	73.8%
Grade 9	13.3%	18.2%	29.1%	70.9%
Grade 10	15.6%	19.3%	34.3%	65.7%
Grade 11	21.0%	26.3%	43.1%	56.9%
Grade 12	28.7%	37.0%	51.5%	48.5%
Any Alcohol Product				
All	31.7%	37.4%	56.7%	43.3%
Grade 7	15.7%	19.3%	39.5%	60.5%
Grade 8	25.3%	30.1%	49.8%	50.2%
Grade 9	29.1%	33.7%	51.7%	48.3%
Grade 10	32.9%	38.9%	59.8%	40.2%
Grade 11	39.7%	48.2%	68.0%	32.0%
Grade 12	51.7%	59.2%	76.0%	24.0%
Any Illicit Drug				
All	12.9%	17.2%	23.4%	76.6%
Grade 7	4.2%	6.5%	8.8%	91.2%
Grade 8	8.9%	13.1%	16.7%	83.3%
Grade 9	9.7%	12.9%	17.0%	83.0%
Grade 10	15.0%	18.2%	24.9%	75.1%
Grade 11	19.3%	24.9%	35.7%	64.3%
Grade 12	22.8%	30.7%	42.3%	57.7%
Any Prescription Drug				
All	11.6%	15.0%	20.0%	80.0%
Grade 7	8.4%	10.6%	14.4%	85.6%
Grade 8	10.2%	12.8%	17.7%	82.3%
Grade 9	11.5%	14.6%	19.7%	80.3%
Grade 10	12.3%	15.9%	20.6%	79.4%
Grade 11	14.1%	18.4%	23.3%	76.7%
Grade 12	13.8%	19.1%	25.8%	74.2%
Any Inhalant				
All	4.2%	5.8%	13.1%	86.9%
Grade 7	4.9%	6.8%	14.3%	85.7%
Grade 8	5.5%	6.6%	15.1%	84.9%
Grade 9	5.7%	6.4%	13.3%	86.7%
Grade 10	3.9%	5.5%	11.9%	88.1%
Grade 11	3.2%	6.1%	12.6%	87.4%
Grade 12	1.3%	3.2%	11.1%	88.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	14.5%	26.7%	73.3%
Grade 7	3.7%	5.9%	13.4%	86.6%
Grade 8	6.2%	9.6%	20.3%	79.7%
Grade 9	8.5%	14.1%	24.5%	75.5%
Grade 10	8.2%	12.4%	28.1%	71.9%
Grade 11	13.9%	19.9%	35.4%	64.6%
Grade 12	16.4%	28.4%	42.1%	57.9%
Marijuana				
All	12.3%	14.9%	21.5%	78.5%
Grade 7	3.6%	4.6%	6.7%	93.3%
Grade 8	8.2%	10.9%	14.8%	85.2%
Grade 9	9.3%	10.8%	14.9%	85.1%
Grade 10	14.0%	15.5%	22.4%	77.6%
Grade 11	19.2%	22.8%	34.5%	65.5%
Grade 12	22.0%	27.9%	40.2%	59.8%
Marijuana Only				
All	6.7%	8.4%	13.4%	86.6%
Grade 7	1.6%	2.5%	4.3%	95.7%
Grade 8	3.5%	5.6%	9.0%	91.0%
Grade 9	5.2%	6.0%	9.2%	90.8%
Grade 10	8.2%	9.0%	14.0%	86.0%
Grade 11	10.5%	12.7%	21.2%	78.8%
Grade 12	12.4%	16.5%	25.5%	74.5%
Cocaine or Crack				
All	1.6%	1.8%	2.8%	97.2%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	1.6%	1.6%	1.9%	98.1%
Grade 9	1.3%	1.3%	1.6%	98.4%
Grade 10	1.3%	1.7%	2.5%	97.5%
Grade 11	1.8%	2.1%	3.9%	96.1%
Grade 12	2.5%	3.0%	5.6%	94.4%
Cocaine				
All	1.5%	1.7%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	1.3%	1.3%	1.5%	98.5%
Grade 9	1.3%	1.3%	1.6%	98.4%
Grade 10	1.2%	1.6%	2.4%	97.6%
Grade 11	1.8%	2.1%	3.7%	96.3%
Grade 12	2.4%	2.9%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.9%	1.2%	98.8%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.8%	0.8%	2.1%	97.9%
Hallucinogens				
All	0.7%	1.1%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	1.3%	1.9%	3.1%	96.9%
Grade 11	0.9%	1.9%	5.3%	94.7%
Grade 12	1.6%	2.1%	6.2%	93.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.3%	1.1%	98.9%
Steroids				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.9%	98.1%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.2%	0.5%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.2%	98.8%
Grade 12	1.0%	1.3%	3.3%	96.7%
Ecstasy				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.4%	1.0%	1.9%	98.1%
Grade 11	1.1%	2.0%	4.2%	95.8%
Grade 12	2.2%	2.6%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.9%	99.1%
Synthetic Marijuana				
All	0.9%	1.7%	5.4%	94.6%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	1.3%	2.4%	4.5%	95.5%
Grade 9	0.3%	1.0%	3.6%	96.4%
Grade 10	1.0%	1.8%	6.2%	93.8%
Grade 11	0.9%	2.0%	8.5%	91.5%
Grade 12	0.9%	2.4%	9.1%	90.9%
Methamphetamine				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.1%	1.7%	98.3%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.8%	99.2%
Grade 12	0.5%	1.0%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.4%	21.1%	33.4%	66.6%
Grade 7	6.3%	8.7%	17.2%	82.8%
Grade 8	11.7%	14.7%	26.9%	73.1%
Grade 9	14.1%	18.0%	28.7%	71.3%
Grade 10	16.8%	19.2%	33.8%	66.2%
Grade 11	27.3%	33.4%	46.5%	53.5%
Grade 12	34.4%	39.1%	55.0%	45.0%
Any Alcohol Product				
All	30.7%	35.5%	54.5%	45.5%
Grade 7	16.2%	20.0%	40.1%	59.9%
Grade 8	23.7%	27.8%	48.6%	51.4%
Grade 9	27.3%	30.7%	49.3%	50.7%
Grade 10	31.6%	37.5%	57.0%	43.0%
Grade 11	36.9%	42.7%	62.8%	37.2%
Grade 12	55.9%	62.1%	75.9%	24.1%
Any Illicit Drug				
All	12.6%	16.8%	23.2%	76.8%
Grade 7	4.4%	6.5%	9.6%	90.4%
Grade 8	9.1%	12.4%	16.1%	83.9%
Grade 9	8.4%	11.7%	14.8%	85.2%
Grade 10	15.7%	19.2%	26.4%	73.6%
Grade 11	18.5%	23.1%	36.9%	63.1%
Grade 12	23.4%	33.2%	43.3%	56.7%
Any Prescription Drug				
All	11.9%	15.6%	20.6%	79.4%
Grade 7	6.9%	9.5%	12.1%	87.9%
Grade 8	8.8%	11.3%	16.0%	84.0%
Grade 9	12.0%	14.5%	19.3%	80.7%
Grade 10	12.2%	15.8%	20.9%	79.1%
Grade 11	16.4%	21.4%	27.0%	73.0%
Grade 12	16.8%	23.7%	31.7%	68.3%
Any Inhalant				
All	3.7%	5.6%	11.7%	88.3%
Grade 7	4.4%	6.5%	12.6%	87.4%
Grade 8	4.3%	5.1%	11.5%	88.5%
Grade 9	4.4%	5.3%	10.9%	89.1%
Grade 10	3.3%	5.3%	11.0%	89.0%
Grade 11	3.4%	6.4%	11.5%	88.5%
Grade 12	2.1%	4.8%	12.8%	87.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	15.2%	26.5%	73.5%
Grade 7	4.4%	6.3%	13.9%	86.1%
Grade 8	4.9%	9.3%	19.9%	80.1%
Grade 9	9.5%	14.2%	23.9%	76.1%
Grade 10	8.2%	12.2%	26.9%	73.1%
Grade 11	17.6%	25.1%	38.0%	62.0%
Grade 12	18.9%	28.8%	42.7%	57.3%
Marijuana				
All	11.7%	14.0%	20.7%	79.3%
Grade 7	3.6%	4.8%	7.4%	92.6%
Grade 8	8.1%	9.7%	13.3%	86.7%
Grade 9	8.3%	9.9%	13.1%	86.9%
Grade 10	14.1%	15.8%	23.3%	76.7%
Grade 11	18.2%	21.0%	35.2%	64.8%
Grade 12	21.7%	27.5%	39.1%	60.9%
Marijuana Only				
All	6.6%	8.0%	13.2%	86.8%
Grade 7	1.9%	2.9%	5.2%	94.8%
Grade 8	4.2%	4.9%	8.2%	91.8%
Grade 9	5.3%	5.8%	8.4%	91.6%
Grade 10	10.2%	11.3%	17.2%	82.8%
Grade 11	8.7%	10.6%	20.9%	79.1%
Grade 12	10.8%	14.8%	23.2%	76.8%
Cocaine or Crack				
All	2.0%	2.3%	3.2%	96.8%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	2.1%	2.1%	2.2%	97.8%
Grade 9	1.0%	1.1%	1.1%	98.9%
Grade 10	2.2%	2.5%	3.2%	96.8%
Grade 11	2.3%	2.9%	4.3%	95.7%
Grade 12	4.1%	5.2%	9.1%	90.9%
Cocaine				
All	1.8%	2.1%	3.0%	97.0%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	1.7%	1.7%	1.8%	98.2%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	2.2%	2.5%	3.2%	96.8%
Grade 11	2.3%	2.8%	3.9%	96.1%
Grade 12	3.9%	4.9%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	1.1%	1.2%	1.3%	98.7%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.5%	1.4%	1.6%	98.4%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	1.7%	1.8%	3.3%	96.7%
Hallucinogens				
All	0.9%	1.3%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.5%	98.5%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	1.2%	1.6%	2.1%	97.9%
Grade 11	1.1%	2.2%	6.5%	93.5%
Grade 12	2.9%	3.6%	7.3%	92.7%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.0%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.7%	0.7%	1.8%	98.2%
Steroids				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.9%	98.1%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.4%	0.9%	2.6%	97.4%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	1.5%	2.1%	4.8%	95.2%
Ecstasy				
All	1.0%	1.3%	2.7%	97.3%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.3%	2.3%	97.7%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.1%	0.8%	1.4%	98.6%
Grade 11	1.7%	2.0%	5.2%	94.8%
Grade 12	4.2%	4.3%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.1%	1.1%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.8%	0.8%	1.1%	98.9%
Synthetic Marijuana				
All	0.9%	2.0%	5.2%	94.8%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	1.2%	2.8%	3.4%	96.6%
Grade 9	0.0%	0.9%	3.1%	96.9%
Grade 10	0.7%	1.3%	4.5%	95.5%
Grade 11	1.6%	2.9%	9.4%	90.6%
Grade 12	1.4%	4.2%	11.6%	88.4%
Methamphetamine				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.6%	1.8%	2.3%	97.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.1%	0.6%	1.0%	99.0%
Grade 12	0.9%	1.2%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 120

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	18.7%	32.0%	68.0%
Grade 7	6.1%	7.8%	15.6%	84.4%
Grade 8	11.3%	13.5%	25.9%	74.1%
Grade 9	12.2%	18.0%	29.2%	70.8%
Grade 10	14.4%	19.4%	34.8%	65.2%
Grade 11	15.4%	20.1%	40.0%	60.0%
Grade 12	24.2%	35.4%	48.6%	51.4%
Any Alcohol Product				
All	32.7%	39.4%	59.0%	41.0%
Grade 7	15.3%	18.8%	39.0%	61.0%
Grade 8	27.1%	32.6%	51.4%	48.6%
Grade 9	31.3%	37.5%	54.7%	45.3%
Grade 10	34.2%	40.4%	62.7%	37.3%
Grade 11	42.1%	52.9%	72.6%	27.4%
Grade 12	48.3%	56.9%	76.2%	23.8%
Any Illicit Drug				
All	13.2%	17.7%	23.7%	76.3%
Grade 7	4.2%	6.6%	8.2%	91.8%
Grade 8	8.9%	14.1%	17.4%	82.6%
Grade 9	10.7%	14.0%	19.2%	80.8%
Grade 10	14.4%	17.2%	23.3%	76.7%
Grade 11	20.0%	26.6%	34.6%	65.4%
Grade 12	22.3%	28.7%	41.5%	58.5%
Any Prescription Drug				
All	11.3%	14.5%	19.5%	80.5%
Grade 7	9.9%	11.5%	16.6%	83.4%
Grade 8	11.8%	14.5%	19.6%	80.4%
Grade 9	10.5%	14.3%	20.0%	80.0%
Grade 10	12.4%	15.9%	20.2%	79.8%
Grade 11	12.0%	15.7%	20.0%	80.0%
Grade 12	11.3%	15.3%	21.0%	79.0%
Any Inhalant				
All	4.6%	6.0%	14.6%	85.4%
Grade 7	5.5%	7.2%	16.0%	84.0%
Grade 8	6.8%	8.0%	18.9%	81.1%
Grade 9	6.8%	7.3%	15.8%	84.2%
Grade 10	4.6%	5.7%	12.9%	87.1%
Grade 11	3.0%	5.9%	13.6%	86.4%
Grade 12	0.7%	1.8%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.4%	13.9%	26.8%	73.2%
Grade 7	3.2%	5.5%	13.0%	87.0%
Grade 8	7.4%	9.7%	20.8%	79.2%
Grade 9	7.3%	13.5%	24.8%	75.2%
Grade 10	8.2%	12.6%	29.4%	70.6%
Grade 11	10.7%	15.4%	33.0%	67.0%
Grade 12	14.5%	28.1%	41.7%	58.3%
Marijuana				
All	12.9%	15.8%	22.3%	77.7%
Grade 7	3.6%	4.5%	6.2%	93.8%
Grade 8	8.5%	12.3%	16.4%	83.6%
Grade 9	9.9%	11.5%	16.7%	83.3%
Grade 10	13.9%	15.2%	21.4%	78.6%
Grade 11	20.0%	24.3%	33.7%	66.3%
Grade 12	22.3%	28.3%	41.1%	58.9%
Marijuana Only				
All	6.7%	8.8%	13.6%	86.4%
Grade 7	1.4%	2.2%	3.5%	96.5%
Grade 8	2.9%	6.3%	9.9%	90.1%
Grade 9	5.0%	6.1%	10.1%	89.9%
Grade 10	6.1%	6.6%	10.5%	89.5%
Grade 11	12.2%	14.6%	21.4%	78.6%
Grade 12	13.7%	18.0%	27.5%	72.5%
Cocaine or Crack				
All	1.2%	1.3%	2.3%	97.7%
Grade 7	1.6%	1.6%	2.2%	97.8%
Grade 8	1.2%	1.3%	1.6%	98.4%
Grade 9	1.6%	1.6%	2.3%	97.7%
Grade 10	0.4%	0.8%	1.7%	98.3%
Grade 11	1.3%	1.5%	3.5%	96.5%
Grade 12	1.2%	1.3%	2.8%	97.2%
Cocaine				
All	1.1%	1.2%	2.2%	97.8%
Grade 7	1.4%	1.4%	2.1%	97.9%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	1.6%	1.6%	2.2%	97.8%
Grade 10	0.2%	0.6%	1.5%	98.5%
Grade 11	1.3%	1.5%	3.5%	96.5%
Grade 12	1.2%	1.3%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.5%	0.6%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.1%	98.9%
Hallucinogens				
All	0.5%	1.0%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.5%	1.0%	99.0%
Grade 10	1.3%	2.2%	4.2%	95.8%
Grade 11	0.7%	1.7%	4.3%	95.7%
Grade 12	0.5%	0.8%	5.3%	94.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.3%	1.8%	98.2%
Grade 9	1.3%	1.4%	1.6%	98.4%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.5%	0.6%	2.1%	97.9%
Ecstasy				
All	0.7%	1.2%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	2.0%	2.0%	2.1%	97.9%
Grade 10	0.8%	1.2%	2.4%	97.6%
Grade 11	0.6%	2.0%	3.3%	96.7%
Grade 12	0.5%	1.2%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.8%	99.2%
Synthetic Marijuana				
All	0.9%	1.5%	5.6%	94.4%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	1.3%	2.1%	5.6%	94.4%
Grade 9	0.6%	1.1%	3.9%	96.1%
Grade 10	1.3%	2.3%	8.0%	92.0%
Grade 11	0.3%	1.3%	7.7%	92.3%
Grade 12	0.5%	0.9%	7.0%	93.0%
Methamphetamine				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	0.4%	0.8%	1.7%	98.3%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.2%	0.8%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.7%	23.1%	36.8%	63.2%
Grade 7	6.6%	8.7%	16.4%	83.6%
Grade 8	12.8%	15.1%	29.0%	71.0%
Grade 9	15.5%	19.8%	33.0%	67.0%
Grade 10	18.0%	22.4%	38.8%	61.2%
Grade 11	27.5%	31.8%	48.5%	51.5%
Grade 12	33.0%	42.8%	57.2%	42.8%
Any Alcohol Product				
All	34.8%	41.0%	61.1%	38.9%
Grade 7	16.7%	20.9%	41.9%	58.1%
Grade 8	25.7%	28.7%	50.7%	49.3%
Grade 9	33.0%	37.2%	55.8%	44.2%
Grade 10	37.5%	45.5%	67.2%	32.8%
Grade 11	43.5%	51.7%	72.8%	27.2%
Grade 12	54.0%	63.8%	79.7%	20.3%
Any Illicit Drug				
All	11.2%	15.4%	21.6%	78.4%
Grade 7	4.2%	5.8%	8.0%	92.0%
Grade 8	8.0%	11.1%	13.4%	86.6%
Grade 9	8.4%	11.5%	15.6%	84.4%
Grade 10	13.9%	17.8%	25.0%	75.0%
Grade 11	14.0%	18.9%	28.6%	71.4%
Grade 12	19.7%	28.3%	40.6%	59.4%
Any Prescription Drug				
All	12.7%	16.7%	20.4%	79.6%
Grade 7	7.7%	9.9%	13.9%	86.1%
Grade 8	10.7%	13.0%	17.1%	82.9%
Grade 9	12.5%	16.9%	20.4%	79.6%
Grade 10	14.7%	18.7%	22.5%	77.5%
Grade 11	12.6%	17.6%	21.1%	78.9%
Grade 12	18.3%	24.4%	28.0%	72.0%
Any Inhalant				
All	3.6%	4.9%	12.5%	87.5%
Grade 7	4.4%	4.9%	12.2%	87.8%
Grade 8	3.8%	6.6%	14.5%	85.5%
Grade 9	4.2%	4.8%	12.2%	87.8%
Grade 10	5.0%	7.1%	16.5%	83.5%
Grade 11	2.4%	3.1%	9.5%	90.5%
Grade 12	1.5%	2.8%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	16.9%	29.5%	70.5%
Grade 7	4.5%	6.5%	13.0%	87.0%
Grade 8	6.8%	9.9%	21.7%	78.3%
Grade 9	9.6%	14.3%	24.9%	75.1%
Grade 10	10.2%	15.2%	31.5%	68.5%
Grade 11	18.4%	25.3%	40.5%	59.5%
Grade 12	19.7%	31.9%	47.7%	52.3%
Marijuana				
All	10.9%	13.5%	19.8%	80.2%
Grade 7	3.8%	4.2%	6.5%	93.5%
Grade 8	7.4%	8.9%	11.6%	88.4%
Grade 9	8.2%	9.5%	13.7%	86.3%
Grade 10	13.5%	15.3%	22.2%	77.8%
Grade 11	13.8%	17.3%	27.4%	72.6%
Grade 12	19.6%	26.9%	39.4%	60.6%
Marijuana Only				
All	5.1%	6.8%	11.6%	88.4%
Grade 7	2.0%	2.3%	4.3%	95.7%
Grade 8	3.6%	4.3%	6.5%	93.5%
Grade 9	4.1%	4.6%	7.5%	92.5%
Grade 10	5.3%	6.6%	11.1%	88.9%
Grade 11	7.9%	10.2%	16.8%	83.2%
Grade 12	8.4%	13.7%	24.7%	75.3%
Cocaine or Crack				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	1.3%	1.3%	1.8%	98.2%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.5%	1.0%	2.1%	97.9%
Grade 11	0.5%	1.0%	2.5%	97.5%
Grade 12	1.8%	2.0%	4.5%	95.5%
Cocaine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.3%	0.8%	1.9%	98.1%
Grade 11	0.5%	1.0%	2.5%	97.5%
Grade 12	1.8%	2.0%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.7%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.7%	0.8%	1.9%	98.1%
Hallucinogens				
All	0.8%	1.5%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	1.1%	2.0%	98.0%
Grade 10	1.6%	2.7%	5.2%	94.8%
Grade 11	0.7%	1.5%	4.5%	95.5%
Grade 12	2.1%	3.2%	9.1%	90.9%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.3%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.4%	1.7%	98.3%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.1%	0.1%	1.0%	99.0%
Grade 9	0.5%	0.8%	1.0%	99.0%
Grade 10	0.1%	0.1%	2.2%	97.8%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.7%	1.0%	3.5%	96.5%
Ecstasy				
All	0.8%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.6%	98.4%
Grade 9	0.8%	0.9%	1.1%	98.9%
Grade 10	1.2%	2.4%	4.1%	95.9%
Grade 11	0.2%	0.8%	4.3%	95.7%
Grade 12	2.0%	2.7%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.3%	0.4%	0.9%	99.1%
Synthetic Marijuana				
All	1.0%	1.8%	5.7%	94.3%
Grade 7	1.1%	1.3%	1.6%	98.4%
Grade 8	1.1%	2.1%	3.6%	96.4%
Grade 9	0.7%	1.1%	5.1%	94.9%
Grade 10	1.3%	2.5%	8.2%	91.8%
Grade 11	0.8%	1.9%	6.7%	93.3%
Grade 12	1.0%	1.9%	9.5%	90.5%
Methamphetamine				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.7%	1.1%	1.4%	98.6%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.1%	0.8%	2.2%	97.8%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.6%	1.0%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	17.2%	29.7%	70.3%
Grade 7	5.6%	5.6%	11.2%	88.8%
Grade 8	9.0%	11.6%	22.1%	77.9%
Grade 9	3.6%	10.6%	16.6%	83.4%
Grade 10	13.8%	16.1%	31.8%	68.2%
Grade 11	19.5%	23.3%	45.2%	54.8%
Grade 12	37.7%	40.1%	55.2%	44.8%
Any Alcohol Product				
All	31.3%	38.3%	55.3%	44.7%
Grade 7	11.6%	17.4%	35.8%	64.2%
Grade 8	22.2%	26.9%	43.1%	56.9%
Grade 9	24.6%	30.0%	48.8%	51.2%
Grade 10	37.2%	45.2%	60.5%	39.5%
Grade 11	38.9%	52.4%	73.0%	27.0%
Grade 12	58.0%	62.3%	75.1%	24.9%
Any Illicit Drug				
All	14.6%	19.6%	25.4%	74.6%
Grade 7	4.8%	5.4%	8.9%	91.1%
Grade 8	8.8%	16.3%	19.2%	80.8%
Grade 9	5.4%	8.4%	12.0%	88.0%
Grade 10	17.5%	19.0%	23.5%	76.5%
Grade 11	24.7%	31.4%	42.3%	57.7%
Grade 12	28.4%	41.0%	51.5%	48.5%
Any Prescription Drug				
All	11.0%	14.4%	20.7%	79.3%
Grade 7	8.5%	10.7%	15.4%	84.6%
Grade 8	8.4%	12.2%	17.1%	82.9%
Grade 9	6.6%	10.2%	13.3%	86.7%
Grade 10	16.4%	19.0%	24.2%	75.8%
Grade 11	17.3%	21.0%	31.8%	68.2%
Grade 12	8.6%	13.3%	23.0%	77.0%
Any Inhalant				
All	4.6%	6.1%	11.7%	88.3%
Grade 7	5.6%	6.7%	13.1%	86.9%
Grade 8	5.9%	5.9%	10.2%	89.8%
Grade 9	6.2%	6.2%	9.7%	90.3%
Grade 10	4.9%	6.2%	10.3%	89.7%
Grade 11	4.3%	9.8%	13.3%	86.7%
Grade 12	0.4%	1.6%	14.0%	86.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.7%	12.6%	23.3%	76.7%
Grade 7	2.4%	3.1%	7.0%	93.0%
Grade 8	3.6%	7.1%	14.6%	85.4%
Grade 9	2.9%	7.6%	13.6%	86.4%
Grade 10	5.9%	8.7%	23.9%	76.1%
Grade 11	13.5%	17.4%	37.3%	62.7%
Grade 12	27.0%	36.3%	48.4%	51.6%
Marijuana				
All	14.0%	17.7%	23.8%	76.2%
Grade 7	4.0%	4.0%	6.9%	93.1%
Grade 8	8.2%	13.5%	16.4%	83.6%
Grade 9	5.4%	7.7%	11.4%	88.6%
Grade 10	15.9%	15.9%	21.0%	79.0%
Grade 11	24.7%	27.9%	40.6%	59.4%
Grade 12	28.4%	41.0%	51.5%	48.5%
Marijuana Only				
All	11.2%	13.8%	19.4%	80.6%
Grade 7	2.4%	2.4%	5.2%	94.8%
Grade 8	4.4%	7.8%	10.7%	89.3%
Grade 9	3.6%	5.9%	9.6%	90.4%
Grade 10	14.4%	14.4%	19.4%	80.6%
Grade 11	20.9%	23.9%	33.8%	66.2%
Grade 12	23.7%	31.3%	41.7%	58.3%
Cocaine or Crack				
All	1.3%	1.3%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	3.1%	3.1%	3.1%	96.9%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.3%	1.3%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	3.1%	3.1%	3.1%	96.9%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 56 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.7%	0.7%	99.3%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.7%	2.6%	97.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	1.6%	2.5%	97.5%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy				
All	0.3%	0.7%	1.2%	98.8%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.9%	3.2%	4.4%	95.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	1.4%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	3.1%	3.1%	96.9%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	2.1%	3.5%	96.5%
Grade 12	2.9%	3.3%	9.3%	90.7%
Methamphetamine				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.3%	18.0%	29.8%	70.2%
Grade 7	5.7%	8.2%	17.1%	82.9%
Grade 8	11.8%	14.8%	25.3%	74.7%
Grade 9	14.8%	19.7%	29.2%	70.8%
Grade 10	12.6%	16.6%	30.7%	69.3%
Grade 11	16.2%	21.5%	35.7%	64.3%
Grade 12	20.7%	30.9%	45.8%	54.2%
Any Alcohol Product				
All	28.7%	33.6%	53.0%	47.0%
Grade 7	15.8%	17.7%	38.3%	61.7%
Grade 8	25.6%	31.1%	50.0%	50.0%
Grade 9	26.7%	30.4%	46.7%	53.3%
Grade 10	27.0%	31.7%	54.6%	45.4%
Grade 11	37.4%	43.8%	62.1%	37.9%
Grade 12	44.6%	53.1%	73.2%	26.8%
Any Illicit Drug				
All	13.2%	17.2%	22.9%	77.1%
Grade 7	4.1%	6.6%	8.1%	91.9%
Grade 8	10.1%	13.0%	16.6%	83.4%
Grade 9	12.8%	15.9%	20.0%	80.0%
Grade 10	13.9%	17.0%	23.3%	76.7%
Grade 11	20.2%	27.0%	37.2%	62.8%
Grade 12	21.2%	27.6%	38.3%	61.7%
Any Prescription Drug				
All	10.5%	13.4%	18.7%	81.3%
Grade 7	7.7%	9.5%	13.0%	87.0%
Grade 8	11.0%	13.2%	18.5%	81.5%
Grade 9	11.4%	13.6%	19.3%	80.7%
Grade 10	8.7%	12.0%	17.1%	82.9%
Grade 11	12.3%	16.1%	20.1%	79.9%
Grade 12	12.6%	17.3%	25.8%	74.2%
Any Inhalant				
All	4.3%	6.1%	12.8%	87.2%
Grade 7	4.7%	7.5%	15.2%	84.8%
Grade 8	5.7%	6.0%	15.4%	84.6%
Grade 9	6.6%	7.6%	13.0%	87.0%
Grade 10	2.9%	4.3%	8.8%	91.2%
Grade 11	3.0%	6.3%	13.5%	86.5%
Grade 12	1.7%	4.1%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	13.3%	24.7%	75.3%
Grade 7	3.9%	5.9%	14.3%	85.7%
Grade 8	6.6%	10.2%	20.5%	79.5%
Grade 9	9.3%	15.8%	26.1%	73.9%
Grade 10	6.8%	11.4%	25.7%	74.3%
Grade 11	10.3%	16.4%	29.7%	70.3%
Grade 12	8.8%	22.6%	35.4%	64.6%
Marijuana				
All	12.5%	14.7%	20.9%	79.1%
Grade 7	3.2%	4.3%	5.8%	94.2%
Grade 8	9.3%	11.3%	15.6%	84.4%
Grade 9	12.1%	13.8%	18.0%	82.0%
Grade 10	13.3%	14.6%	20.9%	79.1%
Grade 11	20.2%	24.7%	36.0%	64.0%
Grade 12	19.7%	23.0%	35.1%	64.9%
Marijuana Only				
All	6.0%	7.5%	12.0%	88.0%
Grade 7	1.2%	2.4%	3.6%	96.4%
Grade 8	3.3%	5.2%	8.8%	91.2%
Grade 9	6.8%	7.3%	10.8%	89.2%
Grade 10	7.1%	7.9%	12.6%	87.4%
Grade 11	8.8%	11.0%	18.9%	81.1%
Grade 12	10.4%	13.1%	20.5%	79.5%
Cocaine or Crack				
All	2.2%	2.5%	3.5%	96.5%
Grade 7	1.6%	1.6%	2.0%	98.0%
Grade 8	1.3%	1.4%	1.4%	98.6%
Grade 9	2.1%	2.1%	2.5%	97.5%
Grade 10	1.4%	2.0%	2.9%	97.1%
Grade 11	3.1%	3.5%	5.7%	94.3%
Grade 12	4.3%	5.4%	7.7%	92.3%
Cocaine				
All	2.1%	2.4%	3.4%	96.6%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	1.3%	1.3%	1.4%	98.6%
Grade 9	2.0%	2.0%	2.4%	97.6%
Grade 10	1.4%	2.0%	2.9%	97.1%
Grade 11	3.1%	3.5%	5.3%	94.7%
Grade 12	4.3%	5.4%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.9%	0.9%	1.6%	98.4%
Grade 10	0.5%	1.0%	1.4%	98.6%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	1.0%	1.0%	2.3%	97.7%
Hallucinogens				
All	0.7%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	1.1%	1.8%	2.2%	97.8%
Grade 11	0.4%	1.8%	6.4%	93.6%
Grade 12	2.1%	2.5%	5.7%	94.3%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.7%	0.7%	1.4%	98.6%
Steroids				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	1.0%	1.0%	2.9%	97.1%
Grade 9	1.2%	1.2%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.5%	1.9%	3.4%	96.6%
Ecstasy				
All	1.1%	1.3%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.5%	1.9%	98.1%
Grade 9	1.5%	1.5%	1.7%	98.3%
Grade 10	0.0%	0.5%	1.4%	98.6%
Grade 11	1.6%	1.6%	3.3%	96.7%
Grade 12	2.7%	3.1%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.5%	98.5%
Synthetic Marijuana				
All	0.9%	2.0%	6.0%	94.0%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	1.5%	2.5%	6.1%	93.9%
Grade 9	0.1%	1.3%	3.5%	96.5%
Grade 10	1.4%	2.4%	6.9%	93.1%
Grade 11	1.2%	2.1%	11.5%	88.5%
Grade 12	0.2%	2.9%	7.9%	92.1%
Methamphetamine				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	1.4%	1.5%	2.3%	97.7%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.7%	1.5%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.8%	16.3%	26.7%	73.3%
Grade 7	3.8%	5.0%	11.4%	88.6%
Grade 8	6.8%	8.5%	17.5%	82.5%
Grade 9	8.8%	11.2%	19.9%	80.1%
Grade 10	11.8%	14.9%	28.2%	71.8%
Grade 11	16.5%	23.3%	39.0%	61.0%
Grade 12	28.9%	34.3%	43.9%	56.1%
Any Alcohol Product				
All	26.6%	32.9%	53.0%	47.0%
Grade 7	12.8%	15.5%	33.9%	66.1%
Grade 8	19.9%	25.6%	47.2%	52.8%
Grade 9	21.0%	27.4%	47.1%	52.9%
Grade 10	24.1%	27.3%	54.1%	45.9%
Grade 11	36.8%	46.6%	65.1%	34.9%
Grade 12	44.3%	54.1%	70.6%	29.4%
Any Illicit Drug				
All	8.9%	13.4%	17.8%	82.2%
Grade 7	2.5%	4.4%	6.1%	93.9%
Grade 8	4.6%	7.7%	8.7%	91.3%
Grade 9	3.5%	6.5%	9.9%	90.1%
Grade 10	8.5%	10.7%	15.6%	84.4%
Grade 11	16.0%	23.3%	31.2%	68.8%
Grade 12	17.4%	26.8%	33.9%	66.1%
Any Prescription Drug				
All	10.8%	14.0%	17.6%	82.4%
Grade 7	8.6%	10.9%	13.3%	86.7%
Grade 8	10.8%	12.8%	16.2%	83.8%
Grade 9	12.9%	17.8%	21.1%	78.9%
Grade 10	9.0%	13.6%	18.5%	81.5%
Grade 11	12.9%	15.9%	19.5%	80.5%
Grade 12	10.9%	13.1%	17.4%	82.6%
Any Inhalant				
All	3.5%	5.0%	11.1%	88.9%
Grade 7	4.9%	6.6%	11.1%	88.9%
Grade 8	4.3%	5.7%	13.0%	87.0%
Grade 9	5.9%	6.2%	12.9%	87.1%
Grade 10	3.9%	4.8%	12.6%	87.4%
Grade 11	1.2%	4.2%	9.5%	90.5%
Grade 12	1.0%	2.4%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	12.6%	22.3%	77.7%
Grade 7	1.5%	3.5%	8.6%	91.4%
Grade 8	4.6%	5.7%	13.1%	86.9%
Grade 9	5.3%	8.3%	17.3%	82.7%
Grade 10	6.4%	9.8%	21.7%	78.3%
Grade 11	13.1%	20.2%	33.9%	66.1%
Grade 12	16.6%	26.9%	38.3%	61.7%
Marijuana				
All	8.4%	11.1%	16.0%	84.0%
Grade 7	2.4%	2.9%	4.3%	95.7%
Grade 8	4.6%	6.3%	7.5%	92.5%
Grade 9	3.4%	4.8%	8.1%	91.9%
Grade 10	7.4%	8.2%	13.4%	86.6%
Grade 11	15.7%	19.5%	29.4%	70.6%
Grade 12	16.4%	23.9%	32.0%	68.0%
Marijuana Only				
All	4.5%	6.1%	9.9%	90.1%
Grade 7	1.8%	2.0%	3.4%	96.6%
Grade 8	1.0%	2.8%	3.7%	96.3%
Grade 9	1.1%	1.5%	4.7%	95.3%
Grade 10	2.9%	3.5%	7.1%	92.9%
Grade 11	9.1%	11.1%	17.5%	82.5%
Grade 12	10.5%	15.2%	22.2%	77.8%
Cocaine or Crack				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	1.6%	1.9%	2.9%	97.1%
Grade 12	2.4%	2.5%	3.8%	96.2%
Cocaine				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	1.6%	1.9%	2.9%	97.1%
Grade 12	2.4%	2.5%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.9%	1.0%	1.9%	98.1%
Hallucinogens				
All	0.4%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.1%	1.0%	99.0%
Grade 10	1.0%	1.6%	2.4%	97.6%
Grade 11	0.5%	2.0%	5.3%	94.7%
Grade 12	1.0%	1.3%	3.2%	96.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.9%	0.9%	1.9%	98.1%
Steroids				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	1.5%	1.5%	2.4%	97.6%
Ecstasy				
All	0.4%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.6%	1.5%	2.2%	97.8%
Grade 11	0.6%	2.0%	4.4%	95.6%
Grade 12	1.0%	1.7%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	1.0%	1.1%	1.6%	98.4%
Synthetic Marijuana				
All	0.3%	1.0%	4.2%	95.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.9%	3.0%	97.0%
Grade 9	0.0%	0.9%	3.1%	96.9%
Grade 10	0.1%	1.8%	4.1%	95.9%
Grade 11	0.7%	1.2%	6.3%	93.7%
Grade 12	0.1%	1.1%	8.2%	91.8%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.9%	1.6%	2.1%	97.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	1.2%	1.2%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 120

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.7%	21.3%	34.5%	65.5%
Grade 7	6.6%	9.0%	17.9%	82.1%
Grade 8	13.4%	15.9%	28.8%	71.2%
Grade 9	14.4%	20.0%	31.1%	68.9%
Grade 10	18.8%	21.9%	38.5%	61.5%
Grade 11	23.6%	28.4%	46.4%	53.6%
Grade 12	31.1%	42.7%	56.4%	43.6%
Any Alcohol Product				
All	33.6%	39.1%	57.4%	42.6%
Grade 7	16.8%	21.0%	41.8%	58.2%
Grade 8	27.7%	31.7%	50.0%	50.0%
Grade 9	33.4%	37.3%	54.2%	45.8%
Grade 10	38.6%	46.3%	62.6%	37.4%
Grade 11	41.1%	49.0%	69.3%	30.7%
Grade 12	55.0%	61.7%	78.2%	21.8%
Any Illicit Drug				
All	15.1%	19.1%	25.9%	74.1%
Grade 7	4.8%	7.4%	10.1%	89.9%
Grade 8	10.7%	15.1%	19.5%	80.5%
Grade 9	12.5%	15.9%	20.2%	79.8%
Grade 10	20.8%	24.1%	31.4%	68.6%
Grade 11	22.1%	27.1%	40.3%	59.7%
Grade 12	27.1%	33.5%	46.7%	53.3%
Any Prescription Drug				
All	12.1%	15.5%	20.8%	79.2%
Grade 7	7.5%	9.4%	14.1%	85.9%
Grade 8	10.1%	12.1%	17.6%	82.4%
Grade 9	11.3%	13.6%	19.0%	81.0%
Grade 10	14.5%	18.5%	22.8%	77.2%
Grade 11	15.4%	20.2%	26.1%	73.9%
Grade 12	16.6%	24.3%	30.9%	69.1%
Any Inhalant				
All	4.8%	6.6%	14.4%	85.6%
Grade 7	4.7%	6.7%	15.2%	84.8%
Grade 8	5.8%	6.6%	15.9%	84.1%
Grade 9	6.2%	6.8%	13.3%	86.7%
Grade 10	4.2%	6.6%	13.4%	86.6%
Grade 11	5.1%	8.2%	16.0%	84.0%
Grade 12	1.2%	3.8%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.5%	15.1%	28.0%	72.0%
Grade 7	4.0%	6.1%	14.6%	85.4%
Grade 8	6.7%	10.3%	22.2%	77.8%
Grade 9	8.4%	14.7%	25.6%	74.4%
Grade 10	10.1%	14.5%	32.6%	67.4%
Grade 11	14.9%	19.9%	36.4%	63.6%
Grade 12	17.6%	33.1%	46.8%	53.2%
Marijuana				
All	14.3%	16.9%	23.9%	76.1%
Grade 7	3.9%	5.4%	7.9%	92.1%
Grade 8	9.6%	12.3%	17.5%	82.5%
Grade 9	11.8%	13.5%	17.9%	82.1%
Grade 10	19.5%	21.4%	29.0%	71.0%
Grade 11	22.0%	25.8%	38.9%	61.1%
Grade 12	26.9%	31.5%	45.1%	54.9%
Marijuana Only				
All	7.9%	9.7%	15.1%	84.9%
Grade 7	1.7%	3.0%	5.0%	95.0%
Grade 8	4.4%	6.8%	11.3%	88.7%
Grade 9	6.9%	7.9%	11.2%	88.8%
Grade 10	12.4%	13.1%	19.0%	81.0%
Grade 11	11.8%	14.0%	23.4%	76.6%
Grade 12	14.3%	18.1%	28.2%	71.8%
Cocaine or Crack				
All	2.0%	2.2%	3.2%	96.8%
Grade 7	1.4%	1.4%	2.1%	97.9%
Grade 8	1.9%	2.0%	2.0%	98.0%
Grade 9	2.1%	2.2%	2.6%	97.4%
Grade 10	2.4%	2.6%	3.5%	96.5%
Grade 11	1.8%	2.3%	4.6%	95.4%
Grade 12	2.4%	3.4%	5.5%	94.5%
Cocaine				
All	1.8%	2.1%	2.9%	97.1%
Grade 7	1.2%	1.2%	1.9%	98.1%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	2.1%	2.2%	2.6%	97.4%
Grade 10	2.3%	2.5%	3.3%	96.7%
Grade 11	1.8%	2.3%	4.2%	95.8%
Grade 12	2.1%	3.2%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.6%	1.4%	1.5%	98.5%
Grade 11	0.1%	0.1%	1.5%	98.5%
Grade 12	1.0%	1.0%	2.4%	97.6%
Hallucinogens				
All	0.9%	1.2%	2.9%	97.1%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.5%	98.5%
Grade 9	0.2%	0.6%	1.4%	98.6%
Grade 10	1.6%	2.2%	4.1%	95.9%
Grade 11	1.2%	1.6%	5.4%	94.6%
Grade 12	2.4%	3.3%	7.1%	92.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.6%	1.0%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.8%	0.8%	2.0%	98.0%
Grade 9	1.2%	1.2%	1.4%	98.6%
Grade 10	0.4%	1.0%	2.1%	97.9%
Grade 11	0.1%	0.1%	1.6%	98.4%
Grade 12	1.0%	1.5%	3.2%	96.8%
Ecstasy				
All	1.1%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.0%	2.0%	98.0%
Grade 9	1.7%	1.7%	1.8%	98.2%
Grade 10	0.3%	0.9%	2.0%	98.0%
Grade 11	1.8%	2.4%	4.3%	95.7%
Grade 12	2.0%	2.4%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.1%	1.9%	5.9%	94.1%
Grade 7	1.2%	1.3%	1.8%	98.2%
Grade 8	1.3%	2.1%	4.4%	95.6%
Grade 9	0.4%	0.6%	3.5%	96.5%
Grade 10	1.5%	2.1%	7.2%	92.8%
Grade 11	0.7%	2.2%	10.9%	89.1%
Grade 12	1.8%	4.3%	10.8%	89.2%
Methamphetamine				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	1.5%	1.7%	2.4%	97.6%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	1.2%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.2%	17.0%	28.4%	71.6%
Grade 7	5.1%	7.3%	14.3%	85.7%
Grade 8	9.3%	11.5%	20.0%	80.0%
Grade 9	13.8%	17.0%	26.6%	73.4%
Grade 10	11.4%	14.7%	28.2%	71.8%
Grade 11	16.5%	21.0%	38.2%	61.8%
Grade 12	26.5%	34.7%	48.4%	51.6%
Any Alcohol Product				
All	28.4%	33.9%	52.2%	47.8%
Grade 7	15.9%	19.0%	36.4%	63.6%
Grade 8	19.9%	25.5%	44.3%	55.7%
Grade 9	27.5%	31.9%	49.7%	50.3%
Grade 10	28.5%	32.5%	53.9%	46.1%
Grade 11	35.9%	44.3%	62.8%	37.2%
Grade 12	47.6%	56.3%	71.8%	28.2%
Any Illicit Drug				
All	9.6%	13.5%	17.9%	82.1%
Grade 7	3.2%	4.7%	7.0%	93.0%
Grade 8	6.2%	10.0%	12.1%	87.9%
Grade 9	7.3%	9.4%	12.1%	87.9%
Grade 10	9.3%	13.3%	18.8%	81.2%
Grade 11	14.9%	19.8%	27.9%	72.1%
Grade 12	19.8%	27.6%	34.8%	65.2%
Any Prescription Drug				
All	9.5%	13.1%	17.5%	82.5%
Grade 7	5.4%	7.6%	10.7%	89.3%
Grade 8	8.8%	11.2%	16.0%	84.0%
Grade 9	10.6%	14.2%	21.0%	79.0%
Grade 10	9.5%	12.4%	15.1%	84.9%
Grade 11	11.4%	15.9%	19.5%	80.5%
Grade 12	12.4%	18.9%	24.2%	75.8%
Any Inhalant				
All	3.8%	5.1%	12.6%	87.4%
Grade 7	4.2%	5.8%	14.0%	86.0%
Grade 8	4.6%	5.5%	13.6%	86.4%
Grade 9	6.6%	7.2%	14.7%	85.3%
Grade 10	3.3%	4.6%	10.6%	89.4%
Grade 11	2.3%	3.7%	11.7%	88.3%
Grade 12	1.1%	3.1%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	12.4%	23.6%	76.4%
Grade 7	3.4%	5.3%	11.6%	88.4%
Grade 8	3.5%	6.9%	15.4%	84.6%
Grade 9	8.9%	13.2%	23.5%	76.5%
Grade 10	5.2%	9.1%	23.4%	76.6%
Grade 11	12.0%	17.4%	32.5%	67.5%
Grade 12	17.0%	25.8%	40.2%	59.8%
Marijuana				
All	9.2%	11.5%	16.1%	83.9%
Grade 7	2.4%	3.2%	4.9%	95.1%
Grade 8	5.7%	8.6%	10.8%	89.2%
Grade 9	7.3%	7.7%	10.4%	89.6%
Grade 10	8.8%	10.6%	15.9%	84.1%
Grade 11	14.7%	17.7%	26.8%	73.2%
Grade 12	19.2%	24.8%	32.9%	67.1%
Marijuana Only				
All	4.4%	5.9%	9.2%	90.8%
Grade 7	1.1%	1.7%	3.1%	96.9%
Grade 8	2.4%	5.1%	6.9%	93.1%
Grade 9	4.2%	4.3%	6.3%	93.7%
Grade 10	4.5%	5.6%	9.1%	90.9%
Grade 11	6.8%	8.2%	15.1%	84.9%
Grade 12	8.8%	12.3%	17.3%	82.7%
Cocaine or Crack				
All	1.3%	1.5%	2.5%	97.5%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.9%	1.0%	2.0%	98.0%
Grade 11	1.6%	1.9%	3.6%	96.4%
Grade 12	2.8%	3.5%	6.5%	93.5%
Cocaine				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.8%	0.9%	1.9%	98.1%
Grade 11	1.6%	1.9%	3.5%	96.5%
Grade 12	2.8%	3.5%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.8%	0.8%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.9%	99.1%
Hallucinogens				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	1.2%	1.6%	2.8%	97.2%
Grade 11	1.1%	2.5%	5.7%	94.3%
Grade 12	1.2%	1.5%	4.3%	95.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.7%	2.5%	97.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.1%	0.2%	1.7%	98.3%
Grade 12	0.6%	0.8%	2.3%	97.7%
Ecstasy				
All	0.8%	1.2%	2.2%	97.8%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.5%	98.5%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	0.4%	1.3%	2.0%	98.0%
Grade 11	1.3%	2.1%	3.7%	96.3%
Grade 12	1.9%	2.2%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.8%	0.8%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	0.8%	1.4%	4.3%	95.7%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	1.0%	1.9%	3.4%	96.6%
Grade 9	0.0%	0.1%	2.0%	98.0%
Grade 10	0.8%	1.7%	4.8%	95.2%
Grade 11	1.5%	1.9%	6.1%	93.9%
Grade 12	1.0%	2.2%	9.7%	90.3%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.8%	1.2%	98.8%
Grade 11	0.3%	0.7%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 120

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.7%	23.8%	38.6%	61.4%
Grade 7	7.3%	9.5%	19.9%	80.1%
Grade 8	14.3%	16.8%	33.9%	66.1%
Grade 9	12.6%	19.9%	32.5%	67.5%
Grade 10	21.1%	25.2%	42.4%	57.6%
Grade 11	26.9%	33.3%	49.6%	50.4%
Grade 12	31.7%	40.0%	55.1%	44.9%
Any Alcohol Product				
All	36.1%	42.2%	62.6%	37.4%
Grade 7	15.2%	19.3%	44.0%	56.0%
Grade 8	32.1%	35.8%	56.9%	43.1%
Grade 9	31.4%	36.5%	54.6%	45.4%
Grade 10	38.3%	47.1%	66.9%	33.1%
Grade 11	44.9%	53.7%	74.6%	25.4%
Grade 12	56.6%	62.6%	81.1%	18.9%
Any Illicit Drug				
All	17.4%	22.3%	30.8%	69.2%
Grade 7	5.8%	9.2%	11.2%	88.8%
Grade 8	12.7%	17.4%	22.8%	77.2%
Grade 9	12.7%	17.7%	23.2%	76.8%
Grade 10	22.6%	24.6%	33.0%	67.0%
Grade 11	25.2%	31.9%	46.0%	54.0%
Grade 12	26.6%	34.7%	51.3%	48.7%
Any Prescription Drug				
All	14.3%	17.6%	23.5%	76.5%
Grade 7	12.5%	14.8%	19.8%	80.2%
Grade 8	12.0%	14.9%	19.8%	80.2%
Grade 9	12.1%	14.7%	17.9%	82.1%
Grade 10	16.1%	20.3%	27.8%	72.2%
Grade 11	17.9%	21.9%	28.3%	71.7%
Grade 12	15.7%	19.4%	28.0%	72.0%
Any Inhalant				
All	4.8%	6.9%	14.0%	86.0%
Grade 7	5.8%	8.2%	14.6%	85.4%
Grade 8	6.9%	8.1%	17.4%	82.6%
Grade 9	4.9%	5.7%	12.1%	87.9%
Grade 10	4.7%	6.6%	13.7%	86.3%
Grade 11	4.4%	9.4%	13.9%	86.1%
Grade 12	1.6%	3.3%	12.2%	87.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.0%	17.5%	30.9%	69.1%
Grade 7	4.2%	7.0%	16.3%	83.7%
Grade 8	9.9%	12.7%	26.2%	73.8%
Grade 9	8.0%	15.4%	26.0%	74.0%
Grade 10	12.3%	16.8%	34.7%	65.3%
Grade 11	16.6%	23.3%	39.5%	60.5%
Grade 12	15.9%	31.9%	44.2%	55.8%
Marijuana				
All	16.6%	19.5%	28.6%	71.4%
Grade 7	5.3%	6.7%	9.3%	90.7%
Grade 8	11.6%	14.1%	20.2%	79.8%
Grade 9	11.8%	14.9%	20.7%	79.3%
Grade 10	20.9%	21.7%	30.9%	69.1%
Grade 11	25.2%	29.6%	44.3%	55.7%
Grade 12	25.6%	31.8%	48.9%	51.1%
Marijuana Only				
All	9.7%	11.8%	18.8%	81.2%
Grade 7	2.5%	3.8%	6.0%	94.0%
Grade 8	4.9%	6.3%	11.7%	88.3%
Grade 9	6.4%	8.1%	12.8%	87.2%
Grade 10	13.1%	13.4%	20.3%	79.7%
Grade 11	15.4%	18.6%	28.8%	71.2%
Grade 12	16.9%	21.9%	35.4%	64.6%
Cocaine or Crack				
All	1.9%	2.1%	3.1%	96.9%
Grade 7	1.1%	1.1%	2.0%	98.0%
Grade 8	2.2%	2.4%	2.7%	97.3%
Grade 9	2.1%	2.1%	2.7%	97.3%
Grade 10	1.8%	2.5%	3.0%	97.0%
Grade 11	2.1%	2.4%	4.2%	95.8%
Grade 12	2.1%	2.4%	4.5%	95.5%
Cocaine				
All	1.8%	2.0%	2.9%	97.1%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	2.0%	2.0%	2.3%	97.7%
Grade 9	2.0%	2.0%	2.5%	97.5%
Grade 10	1.8%	2.5%	3.0%	97.0%
Grade 11	2.1%	2.4%	4.0%	96.0%
Grade 12	1.8%	2.1%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.3%	98.7%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.0%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	1.6%	1.7%	3.6%	96.4%
Hallucinogens				
All	0.8%	1.3%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.9%	2.8%	97.2%
Grade 9	0.1%	0.6%	1.2%	98.8%
Grade 10	1.4%	2.2%	3.5%	96.5%
Grade 11	0.7%	1.2%	4.9%	95.1%
Grade 12	2.0%	2.9%	8.5%	91.5%
Synthetic Cathinones				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.7%	0.9%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.7%	0.7%	1.7%	98.3%
Steroids				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.6%	1.6%	2.0%	98.0%
Grade 10	0.5%	1.2%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.4%	1.9%	4.2%	95.8%
Ecstasy				
All	1.0%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.9%	2.1%	97.9%
Grade 9	1.4%	1.4%	1.5%	98.5%
Grade 10	0.5%	0.6%	1.8%	98.2%
Grade 11	0.9%	1.8%	4.8%	95.2%
Grade 12	2.6%	3.0%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.8%	0.9%	2.0%	98.0%
Synthetic Marijuana				
All	1.0%	2.2%	6.9%	93.1%
Grade 7	1.1%	1.2%	1.8%	98.2%
Grade 8	1.6%	3.2%	6.1%	93.9%
Grade 9	0.7%	2.2%	5.9%	94.1%
Grade 10	1.3%	2.0%	8.1%	91.9%
Grade 11	0.2%	2.2%	11.7%	88.3%
Grade 12	0.8%	2.6%	8.3%	91.7%
Methamphetamine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.4%	1.7%	2.5%	97.5%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.9%	1.9%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 78 of 120

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	18.4%	31.3%	68.7%
Grade 7	4.5%	6.4%	13.8%	86.2%
Grade 8	9.0%	11.4%	23.3%	76.7%
Grade 9	13.1%	18.8%	30.5%	69.5%
Grade 10	15.0%	18.1%	33.1%	66.9%
Grade 11	20.1%	25.0%	42.8%	57.2%
Grade 12	27.6%	35.4%	49.4%	50.6%
Any Alcohol Product				
All	30.1%	36.0%	56.5%	43.5%
Grade 7	13.0%	16.3%	36.7%	63.3%
Grade 8	22.6%	27.5%	47.8%	52.2%
Grade 9	28.6%	33.3%	53.7%	46.3%
Grade 10	31.7%	38.2%	60.8%	39.2%
Grade 11	39.4%	48.5%	68.8%	31.2%
Grade 12	51.2%	58.9%	77.2%	22.8%
Any Illicit Drug				
All	11.1%	15.2%	21.3%	78.7%
Grade 7	2.3%	4.4%	6.5%	93.5%
Grade 8	6.7%	10.8%	14.2%	85.8%
Grade 9	9.0%	11.6%	15.1%	84.9%
Grade 10	12.8%	15.7%	22.9%	77.1%
Grade 11	18.6%	24.0%	34.8%	65.2%
Grade 12	19.8%	28.2%	39.3%	60.7%
Any Prescription Drug				
All	11.2%	14.4%	18.8%	81.2%
Grade 7	8.0%	10.1%	13.4%	86.6%
Grade 8	10.1%	12.3%	16.6%	83.4%
Grade 9	10.8%	14.6%	18.9%	81.1%
Grade 10	11.6%	14.2%	18.4%	81.6%
Grade 11	13.2%	17.8%	21.9%	78.1%
Grade 12	14.5%	18.8%	25.1%	74.9%
Any Inhalant				
All	3.6%	4.9%	11.6%	88.4%
Grade 7	3.6%	5.2%	12.5%	87.5%
Grade 8	4.6%	5.7%	13.2%	86.8%
Grade 9	5.5%	5.8%	12.2%	87.8%
Grade 10	3.6%	4.9%	11.0%	89.0%
Grade 11	2.7%	5.1%	11.3%	88.7%
Grade 12	0.8%	2.5%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.4%	13.2%	25.2%	74.8%
Grade 7	2.7%	4.5%	11.1%	88.9%
Grade 8	5.0%	7.8%	17.5%	82.5%
Grade 9	8.1%	14.0%	24.8%	75.2%
Grade 10	7.5%	11.3%	26.9%	73.1%
Grade 11	13.1%	18.7%	34.9%	65.1%
Grade 12	16.3%	26.3%	40.4%	59.6%
Marijuana				
All	10.6%	13.0%	19.4%	80.6%
Grade 7	1.8%	2.8%	4.6%	95.4%
Grade 8	6.2%	8.8%	12.5%	87.5%
Grade 9	8.5%	9.5%	13.0%	87.0%
Grade 10	12.2%	13.3%	20.8%	79.2%
Grade 11	18.5%	22.0%	33.5%	66.5%
Grade 12	18.7%	25.0%	37.2%	62.8%
Marijuana Only				
All	6.2%	7.9%	12.9%	87.1%
Grade 7	0.9%	1.8%	3.3%	96.7%
Grade 8	3.3%	5.6%	8.9%	91.1%
Grade 9	5.4%	6.0%	9.0%	91.0%
Grade 10	7.9%	8.5%	14.4%	85.6%
Grade 11	10.7%	13.0%	21.6%	78.4%
Grade 12	10.2%	14.6%	23.5%	76.5%
Cocaine or Crack				
All	1.1%	1.2%	2.0%	98.0%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	1.3%	1.3%	1.7%	98.3%
Grade 10	0.4%	0.5%	1.1%	98.9%
Grade 11	1.5%	1.9%	3.6%	96.4%
Grade 12	2.2%	2.5%	4.1%	95.9%
Cocaine				
All	1.0%	1.1%	1.9%	98.1%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	1.2%	1.3%	1.6%	98.4%
Grade 10	0.3%	0.4%	1.1%	98.9%
Grade 11	1.5%	1.9%	3.4%	96.6%
Grade 12	2.0%	2.3%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.6%	0.6%	1.2%	98.8%
Hallucinogens				
All	0.5%	0.9%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.7%	0.9%	99.1%
Grade 10	0.7%	1.3%	2.5%	97.5%
Grade 11	0.5%	1.5%	5.2%	94.8%
Grade 12	1.0%	1.5%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	1.0%	99.0%
Steroids				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.5%	1.7%	98.3%
Grade 9	1.1%	1.2%	1.5%	98.5%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.8%	1.0%	3.2%	96.8%
Ecstasy				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	1.0%	1.3%	3.3%	96.7%
Grade 12	1.8%	2.2%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.6%	0.6%	0.8%	99.2%
Synthetic Marijuana				
All	0.5%	1.0%	4.3%	95.7%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	1.2%	2.5%	97.5%
Grade 9	0.3%	0.4%	2.5%	97.5%
Grade 10	0.3%	1.0%	4.6%	95.4%
Grade 11	1.0%	1.2%	7.8%	92.2%
Grade 12	1.0%	2.1%	8.9%	91.1%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.1%	0.4%	0.6%	99.4%
Grade 12	0.7%	0.7%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.6%	27.0%	39.6%	60.4%
Grade 7	10.6%	13.5%	24.5%	75.5%
Grade 8	20.9%	22.3%	33.6%	66.4%
Grade 9	19.9%	22.4%	30.7%	69.3%
Grade 10	19.3%	26.0%	41.3%	58.7%
Grade 11	26.2%	34.1%	47.8%	52.2%
Grade 12	37.3%	42.3%	58.8%	41.2%
Any Alcohol Product				
All	39.7%	45.8%	59.8%	40.2%
Grade 7	26.9%	32.0%	50.7%	49.3%
Grade 8	35.1%	38.3%	54.0%	46.0%
Grade 9	34.9%	42.0%	51.3%	48.7%
Grade 10	40.3%	46.6%	59.7%	40.3%
Grade 11	46.0%	54.4%	71.1%	28.9%
Grade 12	54.1%	60.8%	72.1%	27.9%
Any Illicit Drug				
All	20.6%	26.3%	33.3%	66.7%
Grade 7	11.6%	14.6%	17.3%	82.7%
Grade 8	15.2%	18.7%	22.5%	77.5%
Grade 9	16.3%	23.8%	27.2%	72.8%
Grade 10	28.6%	34.1%	39.1%	60.9%
Grade 11	23.6%	31.3%	43.3%	56.7%
Grade 12	27.7%	34.3%	49.4%	50.6%
Any Prescription Drug				
All	13.5%	17.1%	24.6%	75.4%
Grade 7	8.1%	10.3%	16.6%	83.4%
Grade 8	10.9%	13.7%	19.8%	80.2%
Grade 9	15.4%	15.9%	26.5%	73.5%
Grade 10	16.9%	24.8%	31.3%	68.7%
Grade 11	18.0%	21.6%	29.3%	70.7%
Grade 12	11.6%	16.6%	23.8%	76.2%
Any Inhalant				
All	6.7%	9.8%	19.1%	80.9%
Grade 7	6.8%	10.1%	21.0%	79.0%
Grade 8	8.2%	9.6%	21.0%	79.0%
Grade 9	11.2%	13.0%	23.3%	76.7%
Grade 10	5.8%	8.1%	14.7%	85.3%
Grade 11	5.0%	12.4%	19.5%	80.5%
Grade 12	2.5%	5.6%	15.0%	85.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.1%	20.3%	32.9%	67.1%
Grade 7	6.2%	8.5%	18.7%	81.3%
Grade 8	12.9%	16.3%	26.8%	73.2%
Grade 9	14.0%	19.4%	28.2%	71.8%
Grade 10	12.9%	18.0%	34.6%	65.4%
Grade 11	19.6%	27.4%	39.8%	60.2%
Grade 12	18.8%	32.1%	48.7%	51.3%
Marijuana				
All	19.7%	22.6%	30.4%	69.6%
Grade 7	10.6%	12.0%	16.3%	83.7%
Grade 8	13.7%	14.4%	19.5%	80.5%
Grade 9	16.2%	20.4%	24.0%	76.0%
Grade 10	26.2%	29.0%	34.2%	65.8%
Grade 11	23.6%	27.5%	41.6%	58.4%
Grade 12	27.7%	31.6%	46.2%	53.8%
Marijuana Only				
All	9.0%	10.4%	15.8%	84.2%
Grade 7	4.7%	5.8%	9.4%	90.6%
Grade 8	4.4%	4.9%	9.1%	90.9%
Grade 9	5.8%	6.3%	8.4%	91.6%
Grade 10	13.9%	16.4%	17.5%	82.5%
Grade 11	10.8%	12.8%	22.1%	77.9%
Grade 12	14.1%	16.4%	28.4%	71.6%
Cocaine or Crack				
All	3.4%	3.5%	5.0%	95.0%
Grade 7	2.4%	2.4%	2.7%	97.3%
Grade 8	3.6%	3.6%	4.2%	95.8%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	3.7%	4.4%	6.4%	93.6%
Grade 11	3.2%	3.4%	5.8%	94.2%
Grade 12	4.9%	4.9%	8.6%	91.4%
Cocaine				
All	3.2%	3.3%	4.8%	95.2%
Grade 7	1.7%	1.7%	2.7%	97.3%
Grade 8	3.0%	3.0%	3.9%	96.1%
Grade 9	2.4%	2.4%	2.4%	97.6%
Grade 10	3.7%	4.4%	6.4%	93.6%
Grade 11	3.2%	3.3%	5.8%	94.2%
Grade 12	4.9%	4.9%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.4%	1.9%	3.4%	96.6%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	2.9%	2.9%	2.9%	97.1%
Grade 9	0.0%	0.0%	2.2%	97.8%
Grade 10	1.6%	4.2%	5.6%	94.4%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	1.6%	1.8%	4.9%	95.1%
Hallucinogens				
All	2.0%	2.6%	5.1%	94.9%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.7%	98.3%
Grade 9	0.1%	0.3%	3.7%	96.3%
Grade 10	4.7%	5.6%	7.3%	92.7%
Grade 11	2.7%	4.3%	7.1%	92.9%
Grade 12	3.1%	4.0%	9.7%	90.3%
Synthetic Cathinones				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.9%	3.5%	3.7%	96.3%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	2.2%	97.8%
Steroids				
All	0.3%	0.9%	2.5%	97.5%
Grade 7	0.0%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.1%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	1.9%	4.0%	96.0%
Grade 11	0.0%	0.0%	3.1%	96.9%
Grade 12	2.0%	2.9%	3.6%	96.4%
Ecstasy				
All	1.7%	3.1%	5.5%	94.5%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.5%	1.4%	2.1%	97.9%
Grade 9	2.5%	2.5%	4.2%	95.8%
Grade 10	0.6%	3.7%	6.5%	93.5%
Grade 11	1.5%	5.5%	9.5%	90.5%
Grade 12	4.6%	5.2%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	1.7%	1.7%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.9%	4.2%	10.6%	89.4%
Grade 7	2.9%	3.3%	4.4%	95.6%
Grade 8	3.4%	5.2%	10.0%	90.0%
Grade 9	0.4%	4.1%	10.8%	89.2%
Grade 10	3.7%	5.5%	14.4%	85.6%
Grade 11	0.2%	4.6%	12.5%	87.5%
Grade 12	1.0%	2.2%	11.0%	89.0%
Methamphetamine				
All	0.8%	1.4%	2.2%	97.8%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	1.3%	2.1%	3.1%	96.9%
Grade 9	2.2%	2.2%	2.4%	97.6%
Grade 10	0.1%	1.1%	2.6%	97.4%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	0.1%	2.0%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	314,770	49.8%
Female	317,634	50.2%
Frequency Missing	2,801	

Hispanic or Latino

Q5a	Frequency	Percent
No	325,932	53.4%
Yes	284,585	46.6%
Frequency Missing	24,687	

Grade

Q2	Frequency	Percent
Grade 7	111,196	17.6%
Grade 8	108,798	17.2%
Grade 9	114,718	18.1%
Grade 10	108,699	17.2%
Grade 11	98,988	15.6%
Grade 12	90,746	14.3%
Frequency Missing	2,059	

Ethnicity

Q5b	Frequency	Percent
American Indian	12,722	2.3%
Asian American	5,851	1.1%
African American	112,251	20.2%
Pacific Islander	1,564	0.3%
White	237,126	42.6%
Other	98,945	17.8%
More Than One Race	88,510	15.9%
Frequency Missing	78,236	

Live with Both Parents

Q3	Frequency	Percent
No	269,989	43.0%
Yes	358,572	57.0%
Frequency Missing	6,644	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,073	0.4%
Mostly D's	8,082	1.5%
Mostly C's	72,120	13.5%
Mostly B's	266,797	49.9%
Mostly A's	185,411	34.7%
Frequency Missing	100,722	

Age

Q4	Frequency	Percent
11 Or Younger	366	0.1%
12	34,970	5.5%
13	102,012	16.1%
14	110,523	17.5%
15	111,151	17.6%
16	114,896	18.2%
17	96,401	15.2%
18	55,017	8.7%
19 Or Older	7,082	1.1%
Frequency Missing	2,787	

Do You Have a Job

Q7	Frequency	Percent
No	435,451	80.5%
Yes	105,389	19.5%
Frequency Missing	94,365	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	175,393	32.9%
Yes	248,167	46.5%
Don't Know	109,698	20.6%
Frequency Missing	101,947	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	417,587	91.9%
Yes	36,712	8.1%
Frequency Missing	180,905	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	232,062	46.1%
Yes	271,581	53.9%
Frequency Missing	131,562	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	353,905	77.0%
Yes	105,778	23.0%
Frequency Missing	175,521	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	357,455	76.7%
Yes	108,407	23.3%
Frequency Missing	169,342	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	336,164	73.1%
Yes	123,775	26.9%
Frequency Missing	175,266	

Participate in School Choir

Q9c	Frequency	Percent
No	407,921	89.9%
Yes	45,837	10.1%
Frequency Missing	181,447	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	313,652	67.1%
Yes	153,990	32.9%
Frequency Missing	167,563	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	415,138	90.8%
Yes	42,058	9.2%
Frequency Missing	178,008	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	351,008	76.7%
Yes	106,455	23.3%
Frequency Missing	177,742	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	541,525	85.9%
Somewhat Safe	76,049	12.1%
Not Very Safe	5,014	0.8%
Not Safe At All	1,857	0.3%
Don't Know	6,082	1.0%
Frequency Missing	4,677	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	57,309	9.7%
Some High School	72,779	12.4%
Finished High School	121,926	20.7%
Some College	88,516	15.0%
Finished College	120,585	20.5%
Post-Secondary	53,474	9.1%
Don't Know Or N/A	73,571	12.5%
Frequency Missing	47,045	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	269,299	43.0%
Somewhat Safe	284,853	45.4%
Not Very Safe	45,808	7.3%
Not Safe At All	12,442	2.0%
Don't Know	14,418	2.3%
Frequency Missing	8,385	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	340,628	64.9%
Yes	184,008	35.1%
Frequency Missing	110,569	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	247,211	39.4%
Somewhat Safe	278,695	44.4%
Not Very Safe	50,184	8.0%
Not Safe At All	26,568	4.2%
Don't Know	24,403	3.9%
Frequency Missing	8,144	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	32,461	5.2%
A Few	134,675	21.7%
Some	149,825	24.1%
Most	213,064	34.3%
All	91,007	14.7%
Frequency Missing	14,172	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	60,256	10.3%
Some High School	81,501	13.9%
Finished High School	140,360	24.0%
Some College	72,061	12.3%
Finished College	85,961	14.7%
Post-Secondary	38,810	6.6%
Don't Know Or N/A	106,001	18.1%
Frequency Missing	50,254	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	13,733	2.2%
A Few	67,155	10.8%
Some	143,498	23.1%
Most	255,304	41.1%
All	142,190	22.9%
Frequency Missing	13,325	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	329,458	54.1%
A Few	170,379	28.0%
Some	65,408	10.7%
Most	29,438	4.8%
All	14,004	2.3%
Frequency Missing	26,517	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	585,124	94.2%
In Your Lifetime	27,613	4.4%
Since School Began	2,592	0.4%
In The Past Month	5,995	1.0%
Frequency Missing	13,880	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	453,929	73.7%
A Few	91,318	14.8%
Some	38,036	6.2%
Most	20,619	3.3%
All	12,135	2.0%
Frequency Missing	19,168	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	607,669	98.7%
In Your Lifetime	6,317	1.0%
Since School Began	432	0.1%
In The Past Month	1,494	0.2%
Frequency Missing	19,293	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	524,917	84.8%
A Few	57,175	9.2%
Some	21,350	3.5%
Most	7,336	1.2%
All	8,013	1.3%
Frequency Missing	16,413	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	579,774	93.2%
In Your Lifetime	29,270	4.7%
Since School Began	4,674	0.8%
In The Past Month	8,046	1.3%
Frequency Missing	13,440	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	608,436	97.7%
In Your Lifetime	10,444	1.7%
Since School Began	1,122	0.2%
In The Past Month	2,969	0.5%
Frequency Missing	12,234	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	610,745	98.8%
In Your Lifetime	5,076	0.8%
Since School Began	717	0.1%
In The Past Month	1,713	0.3%
Frequency Missing	16,955	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	611,634	98.9%
In Your Lifetime	4,674	0.8%
Since School Began	854	0.1%
In The Past Month	1,362	0.2%
Frequency Missing	16,682	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	563,228	91.6%
In Your Lifetime	24,869	4.0%
Since School Began	7,365	1.2%
In The Past Month	19,124	3.1%
Frequency Missing	20,619	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	604,646	97.7%
In Your Lifetime	9,453	1.5%
Since School Began	2,007	0.3%
In The Past Month	2,819	0.5%
Frequency Missing	16,280	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	381,117	63.0%
In Your Lifetime	110,584	18.3%
Since School Began	37,981	6.3%
In The Past Month	75,073	12.4%
Frequency Missing	30,451	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	414,813	67.6%
In Your Lifetime	88,596	14.4%
Since School Began	37,973	6.2%
In The Past Month	72,314	11.8%
Frequency Missing	21,509	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	609,048	98.2%
In Your Lifetime	7,561	1.2%
Since School Began	1,115	0.2%
In The Past Month	2,450	0.4%
Frequency Missing	15,031	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	416,130	69.0%
In Your Lifetime	105,955	17.6%
Since School Began	26,424	4.4%
In The Past Month	54,800	9.1%
Frequency Missing	31,897	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	517,177	83.4%
In Your Lifetime	57,200	9.2%
Since School Began	14,072	2.3%
In The Past Month	31,361	5.1%
Frequency Missing	15,395	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	395,707	64.5%
In Your Lifetime	94,367	15.4%
Since School Began	41,562	6.8%
In The Past Month	81,676	13.3%
Frequency Missing	21,893	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	605,010	97.8%
In Your Lifetime	6,996	1.1%
Since School Began	2,015	0.3%
In The Past Month	4,905	0.8%
Frequency Missing	16,278	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	596,600	96.5%
In Your Lifetime	14,261	2.3%
Since School Began	2,752	0.4%
In The Past Month	4,450	0.7%
Frequency Missing	17,142	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	610,820	99.1%
In Your Lifetime	3,001	0.5%
Since School Began	886	0.1%
In The Past Month	1,424	0.2%
Frequency Missing	19,074	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	452,798	73.3%
In Your Lifetime	75,141	12.2%
Since School Began	32,896	5.3%
In The Past Month	56,959	9.2%
Frequency Missing	17,410	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	599,255	97.2%
In Your Lifetime	9,969	1.6%
Since School Began	2,537	0.4%
In The Past Month	4,523	0.7%
Frequency Missing	18,921	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	492,553	79.7%
In Your Lifetime	58,458	9.5%
Since School Began	22,705	3.7%
In The Past Month	43,988	7.1%
Frequency Missing	17,502	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	613,355	99.5%
In Your Lifetime	1,558	0.3%
Since School Began	366	0.1%
In The Past Month	1,114	0.2%
Frequency Missing	18,811	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	608,851	98.6%
In Your Lifetime	4,829	0.8%
Since School Began	912	0.1%
In The Past Month	2,612	0.4%
Frequency Missing	18,000	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	587,427	95.2%
In Your Lifetime	20,808	3.4%
Since School Began	3,804	0.6%
In The Past Month	4,814	0.8%
Frequency Missing	18,352	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	602,830	97.9%
In Your Lifetime	6,869	1.1%
Since School Began	1,361	0.2%
In The Past Month	4,488	0.7%
Frequency Missing	19,657	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	521,631	85.2%
In Your Lifetime	28,565	4.7%
Since School Began	16,988	2.8%
In The Past Month	45,356	7.4%
Frequency Missing	22,664	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	613,375	99.4%
In Your Lifetime	2,047	0.3%
Since School Began	36	0.0%
In The Past Month	1,550	0.3%
Frequency Missing	18,197	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	582,049	95.1%
In Your Lifetime	7,602	1.2%
Since School Began	7,073	1.2%
In The Past Month	15,615	2.6%
Frequency Missing	22,865	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	612,896	99.2%
In Your Lifetime	2,131	0.3%
Since School Began	987	0.2%
In The Past Month	1,947	0.3%
Frequency Missing	17,244	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	590,709	96.8%
In Your Lifetime	5,500	0.9%
Since School Began	3,354	0.5%
In The Past Month	10,576	1.7%
Frequency Missing	25,066	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	587,918	96.4%
In Your Lifetime	7,709	1.3%
Since School Began	3,835	0.6%
In The Past Month	10,718	1.8%
Frequency Missing	25,024	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	448,267	74.1%
1-2 Times	93,780	15.5%
3-10 Times	43,545	7.2%
11+ Times	19,497	3.2%
Frequency Missing	30,116	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	555,776	91.3%
In Your Lifetime	17,531	2.9%
Since School Began	9,190	1.5%
In The Past Month	26,043	4.3%
Frequency Missing	26,665	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	599,601	98.4%
1-2 Times	7,291	1.2%
3-10 Times	2,141	0.4%
11+ Times	481	0.1%
Frequency Missing	25,690	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	583,040	96.3%
In Your Lifetime	10,023	1.7%
Since School Began	2,814	0.5%
In The Past Month	9,700	1.6%
Frequency Missing	29,628	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	541,218	88.8%
1-2 Times	32,266	5.3%
3-10 Times	15,953	2.6%
11+ Times	20,353	3.3%
Frequency Missing	25,415	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	552,546	90.9%
1-2 Times	28,222	4.6%
3-10 Times	11,914	2.0%
11+ Times	15,344	2.5%
Frequency Missing	27,178	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	603,545	98.8%
1-2 Times	4,853	0.8%
3-10 Times	951	0.2%
11+ Times	1,326	0.2%
Frequency Missing	24,531	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	606,554	99.6%
1-2 Times	1,859	0.3%
3-10 Times	247	0.0%
11+ Times	558	0.1%
Frequency Missing	25,986	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	354,922	58.8%
A Few	120,943	20.0%
Some	63,854	10.6%
Most	46,070	7.6%
All	17,709	2.9%
Frequency Missing	31,706	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	400,862	66.0%
A Few	122,580	20.2%
Some	50,865	8.4%
Most	25,280	4.2%
All	7,405	1.2%
Frequency Missing	28,214	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	173,756	29.1%
Impossible	121,135	20.3%
Very Difficult	34,253	5.7%
Somewhat Diff	51,691	8.7%
Somewhat Easy	82,402	13.8%
Very Easy	132,911	22.3%
Frequency Missing	39,057	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	288,973	47.7%
A Few	140,511	23.2%
Some	82,868	13.7%
Most	69,467	11.5%
All	24,265	4.0%
Frequency Missing	29,121	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	143,329	24.1%
Impossible	79,980	13.4%
Very Difficult	32,348	5.4%
Somewhat Diff	60,969	10.2%
Somewhat Easy	95,319	16.0%
Very Easy	182,970	30.8%
Frequency Missing	40,289	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	563,934	93.3%
A Few	26,101	4.3%
Some	8,903	1.5%
Most	3,388	0.6%
All	1,941	0.3%
Frequency Missing	30,938	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	248,733	42.1%
Impossible	94,523	16.0%
Very Difficult	25,676	4.3%
Somewhat Diff	36,050	6.1%
Somewhat Easy	51,987	8.8%
Very Easy	134,258	22.7%
Frequency Missing	43,977	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	172,091	28.9%
Impossible	135,829	22.8%
Very Difficult	41,562	7.0%
Somewhat Diff	53,300	9.0%
Somewhat Easy	71,423	12.0%
Very Easy	120,237	20.2%
Frequency Missing	40,763	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	284,795	48.2%
Impossible	164,654	27.8%
Very Difficult	52,713	8.9%
Somewhat Diff	35,596	6.0%
Somewhat Easy	23,329	3.9%
Very Easy	30,175	5.1%
Frequency Missing	43,943	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	225,529	37.9%
Impossible	199,403	33.5%
Very Difficult	65,473	11.0%
Somewhat Diff	48,188	8.1%
Somewhat Easy	24,386	4.1%
Very Easy	32,272	5.4%
Frequency Missing	39,954	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	274,818	46.1%
Impossible	203,708	34.2%
Very Difficult	60,843	10.2%
Somewhat Diff	25,434	4.3%
Somewhat Easy	11,705	2.0%
Very Easy	19,545	3.3%
Frequency Missing	39,153	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	234,359	39.5%
Impossible	203,810	34.4%
Very Difficult	68,723	11.6%
Somewhat Diff	43,549	7.3%
Somewhat Easy	17,117	2.9%
Very Easy	25,584	4.3%
Frequency Missing	42,062	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	285,316	47.9%
Impossible	194,184	32.6%
Very Difficult	54,804	9.2%
Somewhat Diff	25,273	4.2%
Somewhat Easy	15,471	2.6%
Very Easy	21,219	3.6%
Frequency Missing	38,937	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	244,828	41.4%
Impossible	194,340	32.9%
Very Difficult	63,956	10.8%
Somewhat Diff	44,558	7.5%
Somewhat Easy	18,368	3.1%
Very Easy	24,800	4.2%
Frequency Missing	44,355	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	268,910	45.2%
Impossible	151,645	25.5%
Very Difficult	47,079	7.9%
Somewhat Diff	34,663	5.8%
Somewhat Easy	37,389	6.3%
Very Easy	55,377	9.3%
Frequency Missing	40,142	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	11,623	1.9%
Several Times/Wk	7,952	1.3%
Several Times/Mo	9,769	1.6%
About Once/Month	18,270	3.0%
About Once/Year	14,699	2.4%
Less than Once/Year	26,473	4.4%
Never Used	511,906	85.2%
Frequency Missing	34,513	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	8,283	1.4%
Several Times/Wk	10,326	1.7%
Several Times/Mo	17,105	2.8%
About Once/Month	22,596	3.8%
About Once/Year	24,789	4.1%
Less than Once/Year	22,135	3.7%
Never Used	495,963	82.5%
Frequency Missing	34,008	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	1,969	0.3%
Several Times/Wk	11,301	1.9%
Several Times/Mo	41,256	6.9%
About Once/Month	71,872	12.0%
About Once/Year	62,557	10.4%
Less than Once/Year	46,037	7.7%
Never Used	363,962	60.8%
Frequency Missing	36,250	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	308	0.1%
Several Times/Wk	684	0.1%
Several Times/Mo	1,752	0.3%
About Once/Month	1,731	0.3%
About Once/Year	2,258	0.4%
Less than Once/Year	4,340	0.7%
Never Used	591,320	98.2%
Frequency Missing	32,811	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	781	0.1%
Several Times/Wk	1,105	0.2%
Several Times/Mo	1,007	0.2%
About Once/Month	3,368	0.6%
About Once/Year	3,893	0.6%
Less than Once/Year	7,984	1.3%
Never Used	581,391	97.0%
Frequency Missing	35,674	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	432	0.1%
Several Times/Wk	372	0.1%
Several Times/Mo	56	0.0%
About Once/Month	610	0.1%
About Once/Year	386	0.1%
Less than Once/Year	2,605	0.4%
Never Used	597,405	99.3%
Frequency Missing	33,338	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	380	0.1%
Several Times/Wk	160	0.0%
Several Times/Mo	567	0.1%
About Once/Month	257	0.0%
About Once/Year	1,114	0.2%
Less than Once/Year	3,111	0.5%
Never Used	593,447	99.1%
Frequency Missing	36,170	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	596	0.1%
Several Times/Wk	395	0.1%
Several Times/Mo	413	0.1%
About Once/Month	206	0.0%
About Once/Year	317	0.1%
Less than Once/Year	1,824	0.3%
Never Used	597,273	99.4%
Frequency Missing	34,180	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	706	0.1%
Several Times/Wk	817	0.1%
Several Times/Mo	485	0.1%
About Once/Month	1,746	0.3%
About Once/Year	3,364	0.6%
Less than Once/Year	4,297	0.7%
Never Used	587,500	98.1%
Frequency Missing	36,289	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	546	0.1%
Several Times/Wk	526	0.1%
Several Times/Mo	828	0.1%
About Once/Month	3,326	0.6%
About Once/Year	3,118	0.5%
Less than Once/Year	12,638	2.1%
Never Used	577,790	96.5%
Frequency Missing	36,435	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	254	0.0%
Several Times/Wk	456	0.1%
Several Times/Mo	304	0.1%
About Once/Month	0	0.0%
About Once/Year	451	0.1%
Less than Once/Year	1,247	0.2%
Never Used	598,155	99.5%
Frequency Missing	34,338	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	373,396	62.9%
12+ Drinks	17,993	3.0%
9-11 Drinks	7,600	1.3%
5-8 Drinks	17,262	2.9%
3-4 Drinks	36,868	6.2%
2 Drinks	29,900	5.0%
1 Drink	36,730	6.2%
Less than 1 Drink	73,937	12.5%
Frequency Missing	41,519	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	388,326	65.2%
12+ Drinks	14,946	2.5%
9-11 Drinks	7,808	1.3%
5-8 Drinks	20,096	3.4%
3-4 Drinks	36,799	6.2%
2 Drinks	37,053	6.2%
1 Drink	43,638	7.3%
Less than 1 Drink	47,359	7.9%
Frequency Missing	39,180	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	334,660	57.4%
0 Days	173,326	29.7%
1 Day	29,027	5.0%
2 Days	16,893	2.9%
3 To 5 Days	14,263	2.4%
6 To 9 Days	4,756	0.8%
10 Or More Days	10,417	1.8%
Frequency Missing	51,862	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	407,025	68.8%
12+ Drinks	5,851	1.0%
9-11 Drinks	1,958	0.3%
5-8 Drinks	5,262	0.9%
3-4 Drinks	17,795	3.0%
2 Drinks	29,579	5.0%
1 Drink	48,824	8.2%
Less than 1 Drink	75,639	12.8%
Frequency Missing	43,273	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	332,755	56.3%
Never	114,161	19.3%
Seldom	96,956	16.4%
Most Of The Time	34,373	5.8%
Always	12,596	2.1%
Frequency Missing	44,364	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	381,682	64.0%
12+ Drinks	18,606	3.1%
9-11 Drinks	9,153	1.5%
5-8 Drinks	25,580	4.3%
3-4 Drinks	37,704	6.3%
2 Drinks	34,000	5.7%
1 Drink	35,297	5.9%
Less than 1 Drink	54,665	9.2%
Frequency Missing	38,517	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	322,077	54.6%
Never	114,872	19.5%
Seldom	71,302	12.1%
Most Of The Time	57,699	9.8%
Always	24,243	4.1%
Frequency Missing	45,013	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	332,321	56.5%
Never	202,254	34.4%
Seldom	25,354	4.3%
Most Of The Time	17,787	3.0%
Always	10,562	1.8%
Frequency Missing	46,926	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	307,663	52.0%
Never	102,413	17.3%
Seldom	60,910	10.3%
Most Of The Time	57,775	9.8%
Always	62,341	10.5%
Frequency Missing	44,102	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	455,446	77.0%
Somewhat	66,059	11.2%
Not Very	18,639	3.2%
Not At All	7,689	1.3%
Don't Know	43,651	7.4%
Frequency Missing	43,720	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	338,797	58.4%
Never	140,917	24.3%
Seldom	47,881	8.3%
Most Of The Time	26,595	4.6%
Always	25,753	4.4%
Frequency Missing	55,262	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	351,765	59.5%
Somewhat	71,141	12.0%
Not Very	72,448	12.3%
Not At All	69,061	11.7%
Don't Know	26,379	4.5%
Frequency Missing	44,411	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	370,267	62.4%
Somewhat	128,252	21.6%
Not Very	52,065	8.8%
Not At All	14,939	2.5%
Don't Know	27,395	4.6%
Frequency Missing	42,286	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	522,573	88.2%
Somewhat	31,059	5.2%
Not Very	5,792	1.0%
Not At All	3,050	0.5%
Don't Know	29,715	5.0%
Frequency Missing	43,016	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	319,627	54.2%
Somewhat	159,788	27.1%
Not Very	69,887	11.8%
Not At All	17,488	3.0%
Don't Know	23,153	3.9%
Frequency Missing	45,261	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	526,905	89.1%
Somewhat	27,929	4.7%
Not Very	3,560	0.6%
Not At All	2,712	0.5%
Don't Know	30,457	5.1%
Frequency Missing	43,641	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	484,693	82.0%
Somewhat	39,658	6.7%
Not Very	12,518	2.1%
Not At All	4,426	0.7%
Don't Know	49,831	8.4%
Frequency Missing	44,079	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	484,813	82.4%
Somewhat	37,042	6.3%
Not Very	16,218	2.8%
Not At All	6,267	1.1%
Don't Know	44,166	7.5%
Frequency Missing	46,699	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	462,642	78.2%
Somewhat	61,909	10.5%
Not Very	19,731	3.3%
Not At All	6,617	1.1%
Don't Know	40,828	6.9%
Frequency Missing	43,478	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	444,175	75.1%
Somewhat	74,159	12.5%
Not Very	27,250	4.6%
Not At All	7,360	1.2%
Don't Know	38,456	6.5%
Frequency Missing	43,804	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	527,954	89.0%
Somewhat	21,319	3.6%
Not Very	3,074	0.5%
Not At All	2,739	0.5%
Don't Know	38,333	6.5%
Frequency Missing	41,786	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	309,667	52.4%
Somewhat	73,921	12.5%
Not Very	89,704	15.2%
Not At All	77,596	13.1%
Don't Know	39,594	6.7%
Frequency Missing	44,723	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	527,510	89.1%
Somewhat	19,196	3.2%
Not Very	2,700	0.5%
Not At All	2,496	0.4%
Don't Know	40,099	6.8%
Frequency Missing	43,203	

Days Skipped Since September

Q27a	Frequency	Percent
None	468,276	79.7%
1-3 Days	91,971	15.6%
4-9 Days	17,199	2.9%
10+ Days	10,308	1.8%
Frequency Missing	47,451	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	205,130	35.0%
1-3 Days	288,891	49.3%
4-9 Days	74,530	12.7%
10+ Days	17,363	3.0%
Frequency Missing	49,290	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	563,976	96.3%
1-3 Times	18,345	3.1%
4-9 Times	1,876	0.3%
10+ Times	1,609	0.3%
Frequency Missing	49,400	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	247,712	42.7%
1-3 Days	276,070	47.6%
4-9 Days	42,117	7.3%
10+ Days	13,710	2.4%
Frequency Missing	55,596	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	564,635	96.6%
1-3 Times	15,294	2.6%
4-9 Times	1,726	0.3%
10+ Times	2,581	0.4%
Frequency Missing	50,969	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	508,011	86.5%
1-3 Days	59,945	10.2%
4-9 Days	10,924	1.9%
10+ Days	8,136	1.4%
Frequency Missing	48,188	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	564,957	96.6%
1-3 Times	17,171	2.9%
4-9 Times	1,018	0.2%
10+ Times	1,750	0.3%
Frequency Missing	50,309	

Someone Called Home Since September

Q27e	Frequency	Percent
None	527,526	89.9%
1-3 Days	46,850	8.0%
4-9 Days	6,091	1.0%
10+ Days	6,082	1.0%
Frequency Missing	48,656	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	558,910	96.2%
1-3 Times	14,692	2.5%
4-9 Times	2,316	0.4%
10+ Times	5,069	0.9%
Frequency Missing	54,218	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	560,100	95.9%
1-3 Days	17,382	3.0%
4-9 Days	3,268	0.6%
10+ Days	3,327	0.6%
Frequency Missing	51,128	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	285,227	49.1%
Seldom	46,135	7.9%
Half The Time	36,472	6.3%
Most Of The Time	45,662	7.9%
Always	63,290	10.9%
Don't Know	11,971	2.1%
Didn't Attend	91,862	15.8%
Frequency Missing	54,586	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	550,063	94.5%
1-3 Days	18,102	3.1%
4-9 Days	5,610	1.0%
10+ Days	8,105	1.4%
Frequency Missing	53,325	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	353,421	60.9%
Seldom	36,941	6.4%
Half The Time	26,181	4.5%
Most Of The Time	29,914	5.2%
Always	30,739	5.3%
Don't Know	11,200	1.9%
Didn't Attend	92,409	15.9%
Frequency Missing	54,401	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	575,252	99.0%
1-3 Days	3,938	0.7%
4-9 Days	598	0.1%
10+ Days	1,085	0.2%
Frequency Missing	54,331	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	477,151	93.6%
Yes	32,361	6.4%
Frequency Missing	125,693	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	563,014	97.1%
1-3 Days	9,384	1.6%
4-9 Days	3,715	0.6%
10+ Days	3,558	0.6%
Frequency Missing	55,533	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	353,974	61.8%
Yes	218,606	38.2%
Frequency Missing	62,625	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	440,938	77.4%
Yes	128,519	22.6%
Frequency Missing	65,748	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	219,851	38.6%
Yes	349,058	61.4%
Frequency Missing	66,296	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	344,622	60.6%
Yes	223,831	39.4%
Frequency Missing	66,752	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	345,001	60.8%
Yes	222,635	39.2%
Frequency Missing	67,568	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	181,030	31.8%
Yes	389,030	68.2%
Frequency Missing	65,144	

Would Not Seek Help

Q32i	Frequency	Percent
No	453,211	81.2%
Yes	104,839	18.8%
Frequency Missing	77,154	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	255,505	45.2%
Yes	309,908	54.8%
Frequency Missing	69,792	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	298,310	55.3%
Yes	241,026	44.7%
Frequency Missing	95,869	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	210,286	37.2%
Yes	354,554	62.8%
Frequency Missing	70,365	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	350,455	65.1%
Yes	187,932	34.9%
Frequency Missing	96,818	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	422,019	78.7%
Yes	114,050	21.3%
Frequency Missing	99,136	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	394,790	74.0%
Yes	138,447	26.0%
Frequency Missing	101,968	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	458,504	85.7%
Yes	76,446	14.3%
Frequency Missing	100,256	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	437,788	75.8%
Mild Disapprove	43,261	7.5%
Neither	37,780	6.5%
Mildly Approve	6,316	1.1%
Strongly Approve	5,463	0.9%
Don't Know	46,812	8.1%
Frequency Missing	57,784	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	410,215	77.0%
Yes	122,538	23.0%
Frequency Missing	102,452	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	354,170	61.4%
Mild Disapprove	77,371	13.4%
Neither	68,910	12.0%
Mildly Approve	22,843	4.0%
Strongly Approve	7,162	1.2%
Don't Know	46,073	8.0%
Frequency Missing	58,676	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	461,606	86.6%
Yes	71,461	13.4%
Frequency Missing	102,139	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	450,470	78.1%
Mild Disapprove	33,181	5.8%
Neither	31,416	5.4%
Mildly Approve	7,712	1.3%
Strongly Approve	10,293	1.8%
Don't Know	43,838	7.6%
Frequency Missing	58,294	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	416,372	77.8%
Yes	118,822	22.2%
Frequency Missing	100,011	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

