

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**HHSC REGION 6 AND 8 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 8. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	15.2%	19.7%	32.8%	67.2%
Grade 7	5.7%	7.9%	17.0%	83.0%
Grade 8	11.5%	14.3%	26.9%	73.1%
Grade 9	12.2%	17.3%	29.2%	70.8%
Grade 10	16.0%	19.8%	33.3%	66.7%
Grade 11	21.0%	26.4%	43.3%	56.7%
Grade 12	28.0%	37.3%	52.9%	47.1%
<b>Cigarettes?</b>				
All	4.7%	6.8%	15.8%	84.2%
Grade 7	2.0%	2.8%	7.5%	92.5%
Grade 8	3.5%	4.9%	14.4%	85.6%
Grade 9	3.6%	4.3%	12.0%	88.0%
Grade 10	5.7%	7.2%	14.6%	85.4%
Grade 11	6.1%	9.1%	21.5%	78.5%
Grade 12	8.6%	14.2%	28.7%	71.3%
<b>Smokeless Tobacco?</b>				
All	2.8%	3.9%	7.6%	92.4%
Grade 7	1.0%	1.3%	3.4%	96.6%
Grade 8	2.1%	2.9%	5.7%	94.3%
Grade 9	2.2%	2.7%	6.8%	93.2%
Grade 10	2.0%	3.4%	6.5%	93.5%
Grade 11	4.5%	5.9%	11.2%	88.8%
Grade 12	5.8%	8.7%	13.8%	86.2%
<b>Electronic Vapor Products?</b>				
All	9.3%	14.9%	27.1%	72.9%
Grade 7	3.5%	5.5%	13.6%	86.4%
Grade 8	6.0%	9.4%	20.8%	79.2%
Grade 9	8.2%	13.4%	24.3%	75.7%
Grade 10	9.4%	14.1%	28.7%	71.3%
Grade 11	14.7%	20.9%	36.4%	63.6%
Grade 12	16.3%	29.6%	43.7%	56.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.0%	1.7%	1.1%	1.5%	3.0%	2.4%	4.3%
Grade 7	95.3%	0.2%	0.3%	0.3%	1.2%	0.8%	1.9%
Grade 8	90.5%	0.4%	1.1%	1.3%	1.7%	1.4%	3.6%
Grade 9	87.7%	0.8%	0.7%	2.4%	2.1%	2.8%	3.5%
Grade 10	83.5%	1.5%	1.7%	1.6%	4.4%	2.7%	4.7%
Grade 11	79.9%	3.8%	1.1%	1.4%	4.1%	3.1%	6.7%
Grade 12	76.3%	4.4%	2.3%	1.9%	5.5%	3.7%	5.9%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.4%	21.2%	6.2%	9.0%	13.8%	21.4%
Grade 7	37.2%	34.1%	8.4%	5.7%	8.0%	6.5%
Grade 8	34.2%	26.0%	6.7%	9.8%	11.9%	11.3%
Grade 9	32.9%	20.5%	6.9%	11.8%	12.4%	15.4%
Grade 10	26.4%	20.6%	5.8%	10.1%	16.1%	21.0%
Grade 11	19.5%	14.2%	4.1%	10.7%	21.7%	29.9%
Grade 12	16.3%	8.2%	4.5%	4.9%	13.9%	52.1%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	66.8%	20.7%	7.5%	3.8%	1.3%
Grade 7	86.6%	10.1%	1.8%	0.7%	0.8%
Grade 8	75.6%	15.5%	5.5%	2.2%	1.2%
Grade 9	69.7%	20.8%	6.0%	3.0%	0.5%
Grade 10	63.2%	23.0%	8.6%	3.7%	1.5%
Grade 11	55.1%	27.6%	11.0%	5.3%	0.9%
Grade 12	44.8%	29.2%	13.6%	9.0%	3.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.8%	7.2%	6.1%	0.9%	0.9%	7.0%
Grade 7	84.0%	3.0%	2.6%	0.2%	0.7%	9.4%
Grade 8	81.7%	5.8%	3.3%	0.4%	1.0%	7.8%
Grade 9	79.2%	6.9%	3.7%	0.5%	0.4%	9.3%
Grade 10	75.9%	7.8%	6.7%	1.2%	1.3%	7.2%
Grade 11	79.5%	8.0%	8.1%	1.6%	0.7%	2.1%
Grade 12	63.7%	13.1%	14.7%	1.9%	1.4%	5.1%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	62.7%	21.8%	8.6%	2.3%	4.5%
	Grade 7	78.0%	14.0%	3.4%	0.8%	3.9%
	Grade 8	69.6%	18.6%	6.4%	1.3%	4.0%
	Grade 9	64.6%	20.6%	8.3%	1.4%	5.1%
	Grade 10	59.8%	23.8%	7.5%	2.8%	6.1%
	Grade 11	54.2%	27.4%	12.2%	2.4%	3.8%
	Grade 12	45.4%	28.6%	16.2%	6.2%	3.7%
Electronic Vapor Products?						
	All	50.9%	12.8%	15.7%	14.2%	6.4%
	Grade 7	68.2%	11.7%	7.3%	7.3%	5.5%
	Grade 8	61.1%	11.8%	11.7%	10.2%	5.2%
	Grade 9	52.7%	11.6%	15.2%	12.4%	8.0%
	Grade 10	43.9%	13.0%	18.7%	18.5%	5.9%
	Grade 11	39.1%	15.7%	21.0%	16.0%	8.2%
	Grade 12	35.5%	13.8%	22.2%	23.0%	5.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.2%	36.8%	56.3%	43.7%
Grade 7	16.4%	20.1%	41.1%	58.9%
Grade 8	24.7%	28.7%	48.7%	51.3%
Grade 9	29.6%	34.3%	51.9%	48.1%
Grade 10	31.3%	37.4%	58.8%	41.2%
Grade 11	38.3%	46.4%	66.6%	33.4%
Grade 12	52.0%	59.9%	76.3%	23.7%
Beer?				
All	12.4%	18.4%	42.6%	57.4%
Grade 7	4.9%	7.4%	29.0%	71.0%
Grade 8	8.1%	11.7%	38.1%	61.9%
Grade 9	11.2%	16.9%	38.3%	61.7%
Grade 10	9.8%	16.2%	42.3%	57.7%
Grade 11	17.2%	25.0%	50.6%	49.4%
Grade 12	26.5%	37.7%	62.4%	37.6%
Wine Coolers?				
All	11.5%	17.2%	36.9%	63.1%
Grade 7	4.3%	5.9%	20.9%	79.1%
Grade 8	7.6%	10.1%	28.5%	71.5%
Grade 9	10.9%	15.3%	34.7%	65.3%
Grade 10	11.8%	16.5%	37.6%	62.4%
Grade 11	15.2%	27.5%	49.4%	50.6%
Grade 12	21.4%	32.2%	55.9%	44.1%
Wine?				
All	8.7%	12.8%	35.6%	64.4%
Grade 7	4.5%	6.6%	23.9%	76.1%
Grade 8	7.1%	9.6%	29.3%	70.7%
Grade 9	7.4%	10.7%	31.8%	68.2%
Grade 10	7.3%	10.6%	36.3%	63.7%
Grade 11	10.3%	17.3%	45.9%	54.1%
Grade 12	17.2%	24.9%	51.4%	48.6%
Liquor?				
All	12.7%	19.0%	38.9%	61.1%
Grade 7	3.4%	5.2%	19.2%	80.8%
Grade 8	7.4%	10.9%	29.3%	70.7%
Grade 9	11.5%	15.7%	34.1%	65.9%
Grade 10	12.3%	19.0%	42.6%	57.4%
Grade 11	17.8%	29.1%	52.7%	47.3%
Grade 12	27.1%	39.9%	62.7%	37.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.6%	0.2%	1.8%	7.3%	11.7%	11.0%	7.5%
Grade 7	80.5%	0.2%	1.0%	1.5%	4.8%	6.2%	5.7%
Grade 8	70.9%	0.1%	1.3%	3.9%	7.1%	8.0%	8.7%
Grade 9	64.3%	0.4%	1.2%	5.2%	11.2%	9.8%	7.9%
Grade 10	55.3%	0.0%	2.3%	7.0%	11.4%	15.7%	8.2%
Grade 11	49.4%	0.2%	1.1%	13.4%	13.6%	15.6%	6.7%
Grade 12	37.3%	0.2%	4.1%	14.8%	24.8%	11.4%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	62.0%	38.0%	7.2%	18.0%	12.8%
	Grade 7	75.5%	24.5%	2.1%	10.5%	11.9%
	Grade 8	66.8%	33.2%	3.4%	15.0%	14.8%
	Grade 9	65.0%	35.0%	6.8%	14.9%	13.3%
	Grade 10	60.4%	39.6%	6.2%	18.0%	15.4%
	Grade 11	54.7%	45.3%	11.7%	23.4%	10.2%
	Grade 12	45.4%	54.6%	15.1%	28.8%	10.7%
<b>Wine Coolers</b>						
	All	66.4%	33.6%	6.5%	19.0%	8.1%
	Grade 7	82.4%	17.6%	1.9%	8.6%	7.1%
	Grade 8	75.4%	24.6%	3.4%	12.4%	8.8%
	Grade 9	69.0%	31.0%	4.8%	18.3%	7.9%
	Grade 10	64.2%	35.8%	6.4%	20.7%	8.7%
	Grade 11	53.8%	46.2%	10.9%	26.1%	9.2%
	Grade 12	48.4%	51.6%	13.8%	31.0%	6.7%
<b>Wine</b>						
	All	68.6%	31.4%	2.0%	16.8%	12.6%
	Grade 7	80.6%	19.4%	1.1%	8.3%	10.0%
	Grade 8	74.0%	26.0%	2.2%	12.1%	11.7%
	Grade 9	70.9%	29.1%	2.0%	14.0%	13.1%
	Grade 10	67.5%	32.5%	1.3%	19.7%	11.6%
	Grade 11	59.9%	40.1%	2.0%	22.1%	16.1%
	Grade 12	54.6%	45.4%	4.2%	27.6%	13.5%
<b>Liquor</b>						
	All	63.9%	36.1%	8.6%	18.1%	9.4%
	Grade 7	83.4%	16.6%	1.5%	6.9%	8.3%
	Grade 8	74.0%	26.0%	4.9%	12.1%	9.0%
	Grade 9	67.4%	32.6%	6.6%	14.2%	11.7%
	Grade 10	59.8%	40.2%	8.8%	20.3%	11.2%
	Grade 11	49.9%	50.1%	14.6%	26.5%	8.9%
	Grade 12	42.6%	57.4%	17.8%	32.7%	7.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.4%	5.0%	2.8%	2.2%	0.8%	1.8%
Grade 7	94.2%	2.8%	1.1%	1.0%	0.2%	0.7%
Grade 8	91.2%	3.8%	2.2%	1.3%	0.5%	0.9%
Grade 9	91.0%	3.8%	1.8%	2.3%	0.1%	1.0%
Grade 10	86.3%	4.6%	2.5%	2.3%	1.7%	2.6%
Grade 11	82.6%	6.9%	4.2%	3.7%	1.5%	1.2%
Grade 12	76.3%	9.2%	5.6%	2.9%	1.2%	4.8%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.1%	13.5%	5.4%	10.6%	17.0%	30.4%
Grade 7	31.0%	24.8%	9.1%	9.7%	9.7%	15.7%
Grade 8	29.2%	17.2%	7.1%	11.1%	14.3%	21.1%
Grade 9	27.8%	12.3%	5.2%	12.5%	17.5%	24.7%
Grade 10	19.5%	13.3%	4.5%	10.2%	17.1%	35.4%
Grade 11	14.8%	6.5%	2.8%	10.2%	25.5%	40.2%
Grade 12	13.0%	4.1%	3.1%	9.5%	19.5%	50.8%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.1%	0.6%	0.4%
Grade 7	96.9%	2.7%	0.1%	0.3%
Grade 8	95.5%	3.7%	0.2%	0.5%
Grade 9	96.7%	2.4%	0.3%	0.6%
Grade 10	96.3%	3.0%	0.3%	0.5%
Grade 11	96.0%	3.6%	0.3%	0.0%
Grade 12	92.7%	3.7%	3.0%	0.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.1
Alcohol Non-Users	3.2
Average Days Conduct Problems Reported	
Alcohol Users	2.1
Alcohol Non-Users	0.8

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.0%	3.3%	0.3%	0.4%
Grade 9	98.5%	1.5%	0.0%	0.0%
Grade 10	97.1%	2.5%	0.0%	0.4%
Grade 11	96.3%	2.8%	0.6%	0.3%
Grade 12	91.1%	7.1%	0.6%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.6%	3.0%	0.3%	0.2%
Grade 7	97.6%	2.1%	0.2%	0.2%
Grade 8	97.4%	2.4%	0.1%	0.0%
Grade 9	96.6%	3.2%	0.2%	0.0%
Grade 10	96.1%	3.0%	0.4%	0.4%
Grade 11	95.9%	3.9%	0.1%	0.2%
Grade 12	95.5%	3.4%	1.0%	0.1%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	46.3%	24.0%	14.3%	11.3%	4.1%
Grade 7	71.7%	18.9%	6.7%	2.2%	0.5%
Grade 8	61.1%	21.1%	11.2%	4.4%	2.2%
Grade 9	49.2%	24.6%	14.8%	9.4%	2.1%
Grade 10	38.2%	25.5%	18.9%	13.4%	4.0%
Grade 11	29.7%	27.7%	17.9%	18.6%	6.1%
Grade 12	21.7%	27.3%	17.0%	22.9%	11.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	47.1%	8.2%	6.4%	8.4%	11.2%	2.4%	16.2%
Grade 7	70.6%	7.6%	4.2%	3.3%	1.4%	3.0%	9.9%
Grade 8	62.9%	9.1%	5.7%	4.8%	3.4%	2.5%	11.5%
Grade 9	44.1%	9.7%	9.1%	9.6%	6.9%	3.4%	17.2%
Grade 10	40.5%	9.6%	7.7%	9.1%	11.7%	2.7%	18.7%
Grade 11	31.3%	7.4%	7.0%	12.0%	19.9%	0.2%	22.2%
Grade 12	26.8%	5.2%	3.8%	13.3%	29.5%	2.3%	18.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	56.3%	19.7%	16.3%	5.8%	1.9%
	Grade 7	67.9%	18.7%	10.0%	2.2%	1.2%
	Grade 8	63.8%	17.8%	12.8%	4.0%	1.6%
	Grade 9	57.4%	18.9%	16.5%	5.2%	2.0%
	Grade 10	53.8%	18.1%	19.6%	6.1%	2.4%
	Grade 11	49.1%	21.0%	19.5%	9.2%	1.2%
	Grade 12	42.2%	25.1%	20.7%	9.0%	2.9%
<b>Friends?</b>						
	All	54.3%	19.2%	12.2%	10.1%	4.2%
	Grade 7	69.5%	21.3%	5.9%	2.8%	0.6%
	Grade 8	65.1%	20.7%	8.1%	4.3%	1.8%
	Grade 9	57.0%	20.6%	13.4%	7.3%	1.8%
	Grade 10	51.9%	19.7%	14.1%	8.9%	5.3%
	Grade 11	41.5%	17.5%	15.9%	17.5%	7.6%
	Grade 12	35.7%	14.2%	17.3%	23.6%	9.2%
<b>A Store?</b>						
	All	56.3%	34.4%	4.5%	3.0%	1.8%
	Grade 7	70.3%	27.3%	0.9%	1.0%	0.5%
	Grade 8	66.4%	30.0%	2.0%	1.3%	0.3%
	Grade 9	58.3%	34.8%	3.6%	2.5%	0.8%
	Grade 10	54.2%	36.7%	3.6%	2.6%	2.9%
	Grade 11	44.9%	42.3%	6.3%	4.4%	2.1%
	Grade 12	39.0%	36.7%	12.5%	7.1%	4.7%
<b>Parties?</b>						
	All	51.6%	17.3%	10.1%	10.2%	10.8%
	Grade 7	65.3%	20.7%	7.5%	4.3%	2.1%
	Grade 8	62.1%	19.1%	9.2%	5.7%	3.9%
	Grade 9	53.1%	18.2%	11.0%	10.7%	7.1%
	Grade 10	49.8%	17.1%	10.5%	10.5%	12.1%
	Grade 11	39.1%	16.8%	9.0%	16.4%	18.6%
	Grade 12	35.4%	10.4%	14.0%	15.5%	24.7%
<b>Other Sources?</b>						
	All	57.8%	24.7%	8.7%	4.5%	4.3%
	Grade 7	68.3%	22.9%	4.6%	2.8%	1.4%
	Grade 8	65.8%	21.4%	6.0%	3.7%	3.1%
	Grade 9	61.0%	23.0%	9.3%	4.5%	2.3%
	Grade 10	56.8%	25.5%	8.6%	4.0%	5.1%
	Grade 11	46.9%	28.0%	13.5%	5.1%	6.5%
	Grade 12	43.3%	28.8%	11.3%	8.0%	8.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	62.3%	14.0%	11.6%	3.9%	1.1%	7.0%
Grade 7	75.1%	7.8%	4.9%	1.4%	0.9%	9.9%
Grade 8	70.1%	10.7%	7.6%	2.2%	1.1%	8.3%
Grade 9	62.6%	15.0%	9.9%	3.2%	0.9%	8.5%
Grade 10	54.8%	19.2%	12.2%	5.6%	1.6%	6.6%
Grade 11	56.9%	16.1%	16.9%	7.2%	0.8%	2.2%
Grade 12	51.2%	16.3%	21.3%	4.5%	1.3%	5.4%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.4%	28.4%	11.7%	2.8%	3.6%
Grade 7	65.2%	20.9%	7.6%	2.9%	3.4%
Grade 8	58.9%	24.2%	11.3%	2.5%	3.1%
Grade 9	53.7%	28.0%	10.8%	2.1%	5.4%
Grade 10	50.7%	30.1%	11.9%	3.3%	4.0%
Grade 11	44.0%	38.6%	11.3%	2.7%	3.3%
Grade 12	45.2%	30.4%	18.6%	3.6%	2.2%

*Percentages have been weighted to reflect proportions within the population.*



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	12.7%	17.0%	23.2%	76.8%
Grade 7	4.5%	6.4%	8.9%	91.1%
Grade 8	10.3%	14.1%	18.1%	81.9%
Grade 9	8.8%	12.3%	15.7%	84.3%
Grade 10	14.2%	17.4%	24.2%	75.8%
Grade 11	19.0%	25.0%	35.1%	64.9%
Grade 12	22.3%	30.8%	43.1%	56.9%
<b>Marijuana?</b>				
All	11.9%	14.4%	21.1%	78.9%
Grade 7	3.9%	4.8%	7.4%	92.6%
Grade 8	9.3%	11.7%	15.6%	84.4%
Grade 9	8.3%	10.1%	13.7%	86.3%
Grade 10	12.8%	14.3%	21.5%	78.5%
Grade 11	18.9%	22.2%	33.7%	66.3%
Grade 12	21.3%	27.2%	40.4%	59.6%
<b>Cocaine?</b>				
All	1.4%	1.7%	2.7%	97.3%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.6%	1.8%	2.0%	98.0%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	1.6%	2.0%	2.8%	97.2%
Grade 11	1.8%	2.2%	3.9%	96.1%
Grade 12	2.3%	2.9%	5.9%	94.1%
<b>Crack?</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.7%	98.3%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.3%	1.2%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.8%	0.8%	2.4%	97.6%
<b>Hallucinogens?</b>				
All	0.8%	1.3%	3.0%	97.0%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.5%	0.7%	1.4%	98.6%
Grade 10	1.5%	2.2%	3.4%	96.6%
Grade 11	0.8%	2.1%	5.9%	94.1%
Grade 12	1.7%	2.1%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.5%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	1.4%	98.6%
Steroids?				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.6%	0.8%	1.0%	99.0%
Grade 10	0.3%	0.8%	1.9%	98.1%
Grade 11	0.1%	0.1%	1.5%	98.5%
Grade 12	1.2%	1.3%	3.2%	96.8%
Ecstasy?				
All	0.8%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	2.1%	97.9%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.3%	0.9%	1.7%	98.3%
Grade 11	0.8%	1.8%	4.2%	95.8%
Grade 12	2.3%	2.7%	5.1%	94.9%
Heroin?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.5%	0.5%	1.2%	98.8%
Methamphetamine?				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.6%	1.2%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.8%	5.5%	94.5%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	1.5%	2.8%	4.8%	95.2%
Grade 9	0.6%	1.2%	3.8%	96.2%
Grade 10	1.0%	1.8%	6.1%	93.9%
Grade 11	0.7%	2.0%	9.3%	90.7%
Grade 12	1.0%	2.3%	8.7%	91.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
<b>Marijuana?</b>							
All	82.7%	1.4%	1.7%	2.9%	3.6%	4.4%	3.4%
Grade 7	94.4%	0.3%	0.5%	0.8%	1.0%	1.4%	1.6%
Grade 8	88.0%	1.1%	1.6%	1.6%	2.2%	2.8%	2.6%
Grade 9	88.5%	0.3%	0.6%	2.2%	3.2%	3.0%	2.2%
Grade 10	82.8%	1.7%	3.0%	3.0%	3.5%	3.7%	2.4%
Grade 11	72.2%	2.5%	2.0%	4.5%	6.4%	6.5%	6.0%
Grade 12	65.4%	2.8%	3.0%	5.9%	6.2%	10.2%	6.5%
<b>Cocaine?</b>							
All	97.9%	0.0%	0.1%	0.3%	0.3%	0.5%	0.7%
Grade 7	99.1%	0.1%	0.0%	0.1%	0.1%	0.1%	0.5%
Grade 8	98.6%	0.1%	0.4%	0.2%	0.2%	0.2%	0.4%
Grade 9	99.0%	0.0%	0.0%	0.0%	0.3%	0.2%	0.4%
Grade 10	97.7%	0.0%	0.3%	0.6%	0.3%	0.1%	1.0%
Grade 11	97.2%	0.0%	0.0%	0.0%	0.6%	1.5%	0.7%
Grade 12	95.4%	0.0%	0.0%	1.4%	0.6%	1.0%	1.5%
<b>Crack?</b>							
All	99.2%	0.0%	0.1%	0.0%	0.2%	0.1%	0.4%
Grade 7	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 8	99.1%	0.1%	0.0%	0.1%	0.3%	0.1%	0.3%
Grade 9	99.3%	0.0%	0.0%	0.0%	0.1%	0.1%	0.6%
Grade 10	99.1%	0.0%	0.0%	0.0%	0.6%	0.0%	0.4%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 12	98.6%	0.0%	0.4%	0.0%	0.0%	0.3%	0.6%
<b>Steroids?</b>							
All	99.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.5%
Grade 7	99.1%	0.0%	0.2%	0.2%	0.1%	0.0%	0.4%
Grade 8	99.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.5%
Grade 9	99.4%	0.0%	0.0%	0.3%	0.3%	0.1%	0.0%
Grade 10	98.8%	0.2%	0.0%	0.0%	0.0%	0.0%	1.0%
Grade 11	99.0%	0.0%	0.0%	0.1%	0.0%	0.5%	0.4%
Grade 12	98.7%	0.2%	0.0%	0.0%	0.0%	0.2%	0.9%
<b>Ecstasy?</b>							
All	98.1%	0.1%	0.1%	0.1%	0.3%	0.6%	0.7%
Grade 7	99.5%	0.2%	0.0%	0.0%	0.1%	0.0%	0.2%
Grade 8	98.7%	0.1%	0.0%	0.0%	0.3%	0.6%	0.4%
Grade 9	98.9%	0.2%	0.0%	0.0%	0.1%	0.5%	0.3%
Grade 10	98.4%	0.0%	0.0%	0.1%	0.4%	0.4%	0.6%
Grade 11	96.2%	0.0%	0.2%	0.2%	0.6%	1.5%	1.2%
Grade 12	96.0%	0.2%	0.7%	0.1%	0.2%	1.1%	1.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.1%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.2%	0.0%	0.1%	0.0%	0.1%	0.4%	0.2%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.0%	0.2%	0.0%	0.3%	0.0%	0.0%	0.5%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.4%	0.0%	0.4%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.4%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.7%	0.0%	0.1%	0.2%	0.0%	0.0%	0.1%
	Grade 8	98.8%	0.1%	0.0%	0.2%	0.2%	0.2%	0.4%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 10	99.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.1%	0.0%	0.4%	0.1%	0.0%	0.2%	0.3%
Synthetic Marijuana?								
	All	96.4%	0.1%	0.1%	0.1%	0.7%	0.6%	2.0%
	Grade 7	99.1%	0.0%	0.1%	0.2%	0.1%	0.2%	0.4%
	Grade 8	96.6%	0.1%	0.1%	0.3%	1.2%	0.4%	1.2%
	Grade 9	97.8%	0.2%	0.0%	0.1%	0.3%	0.4%	1.1%
	Grade 10	95.6%	0.1%	0.1%	0.3%	0.9%	0.8%	2.2%
	Grade 11	94.3%	0.0%	0.0%	0.0%	1.1%	0.7%	3.9%
	Grade 12	94.3%	0.0%	0.0%	0.0%	0.5%	1.2%	4.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	28.2%	23.0%	7.0%	9.2%	12.1%	20.4%
	Grade 7	38.5%	38.1%	8.5%	6.3%	4.2%	4.3%
	Grade 8	34.0%	27.6%	7.2%	8.9%	9.0%	13.3%
	Grade 9	31.4%	21.7%	9.6%	9.6%	12.9%	14.7%
	Grade 10	23.5%	22.9%	5.4%	10.0%	13.5%	24.6%
	Grade 11	18.9%	15.4%	4.9%	10.8%	16.7%	33.3%
	Grade 12	19.9%	8.6%	5.7%	9.9%	18.2%	37.7%
Cocaine?							
	All	36.6%	34.1%	11.2%	8.5%	4.3%	5.3%
	Grade 7	41.7%	42.4%	9.0%	3.9%	1.4%	1.7%
	Grade 8	42.1%	36.4%	9.7%	5.8%	3.3%	2.7%
	Grade 9	39.7%	34.5%	11.1%	7.0%	3.1%	4.5%
	Grade 10	34.4%	34.6%	9.3%	9.2%	5.9%	6.6%
	Grade 11	29.5%	31.3%	13.5%	12.8%	5.7%	7.2%
	Grade 12	29.6%	22.6%	15.9%	13.9%	7.2%	10.7%
Crack?							
	All	38.4%	35.2%	12.0%	7.4%	2.9%	4.1%
	Grade 7	42.8%	42.2%	8.1%	4.0%	1.3%	1.7%
	Grade 8	43.1%	37.3%	9.9%	4.7%	2.3%	2.6%
	Grade 9	40.7%	35.8%	11.5%	6.4%	1.9%	3.8%
	Grade 10	36.4%	36.6%	10.3%	8.2%	3.7%	4.9%
	Grade 11	33.2%	33.8%	13.9%	11.8%	3.7%	3.6%
	Grade 12	32.0%	23.1%	19.9%	10.5%	5.4%	9.1%
Steroids?							
	All	39.9%	34.1%	10.6%	7.9%	3.3%	4.1%
	Grade 7	44.8%	39.2%	8.4%	4.8%	1.4%	1.5%
	Grade 8	45.7%	36.2%	9.0%	4.7%	2.3%	2.1%
	Grade 9	41.6%	34.7%	10.1%	6.0%	3.7%	3.8%
	Grade 10	38.1%	35.3%	9.2%	8.4%	3.4%	5.6%
	Grade 11	33.6%	31.8%	13.6%	12.7%	4.8%	3.5%
	Grade 12	33.1%	25.8%	14.5%	12.5%	4.9%	9.2%
Ecstasy?							
	All	47.3%	28.3%	8.9%	6.2%	4.3%	5.0%
	Grade 7	59.8%	30.2%	6.0%	2.3%	0.7%	0.9%
	Grade 8	57.9%	27.0%	6.8%	4.5%	1.7%	2.2%
	Grade 9	50.0%	29.8%	9.0%	3.9%	3.5%	3.7%
	Grade 10	45.3%	30.0%	7.8%	6.2%	4.0%	6.7%
	Grade 11	33.1%	29.4%	11.9%	11.2%	8.6%	5.8%
	Grade 12	33.3%	22.2%	12.8%	11.0%	8.7%	11.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	45.1%	35.0%	10.3%	4.4%	2.1%	3.1%
	Grade 7	54.2%	34.3%	6.8%	2.9%	0.7%	1.0%
	Grade 8	52.5%	32.8%	8.0%	3.2%	1.3%	2.3%
	Grade 9	47.1%	35.8%	8.7%	3.9%	1.9%	2.6%
	Grade 10	41.2%	38.1%	9.9%	4.8%	2.2%	3.9%
	Grade 11	35.0%	39.6%	13.0%	5.1%	3.9%	3.4%
	Grade 12	37.8%	28.6%	16.8%	7.3%	3.2%	6.3%
<b>Methamphetamine?</b>							
	All	47.2%	33.2%	9.0%	4.5%	2.8%	3.4%
	Grade 7	56.4%	32.6%	6.4%	2.4%	1.0%	1.3%
	Grade 8	55.0%	31.0%	7.4%	3.1%	1.3%	2.2%
	Grade 9	49.7%	34.0%	7.5%	3.8%	2.3%	2.7%
	Grade 10	45.3%	35.3%	7.9%	4.5%	3.4%	3.6%
	Grade 11	36.3%	37.5%	11.7%	7.0%	3.4%	4.1%
	Grade 12	36.7%	28.2%	14.8%	6.8%	6.2%	7.3%
<b>Synthetic Marijuana?</b>							
	All	45.1%	25.5%	8.1%	6.0%	6.2%	9.1%
	Grade 7	57.3%	29.7%	5.9%	3.3%	1.8%	2.0%
	Grade 8	53.1%	26.4%	7.3%	4.6%	3.1%	5.6%
	Grade 9	48.6%	27.8%	8.0%	6.0%	3.2%	6.3%
	Grade 10	41.1%	25.6%	6.8%	5.7%	6.7%	14.2%
	Grade 11	32.5%	24.8%	10.8%	8.1%	11.2%	12.6%
	Grade 12	34.2%	17.0%	10.4%	9.0%	13.4%	16.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.7%	3.0%	1.0%	1.3%
Grade 7	97.7%	1.5%	0.4%	0.5%
Grade 8	94.1%	3.8%	0.6%	1.4%
Grade 9	96.1%	1.9%	1.4%	0.6%
Grade 10	94.2%	3.1%	1.1%	1.6%
Grade 11	92.7%	3.5%	2.1%	1.8%
Grade 12	92.7%	4.4%	0.7%	2.3%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	97.1%	1.6%	0.7%	0.6%
Grade 7	98.1%	1.3%	0.2%	0.4%
Grade 8	97.1%	1.8%	0.5%	0.6%
Grade 9	96.3%	3.0%	0.5%	0.2%
Grade 10	97.7%	0.5%	1.0%	0.7%
Grade 11	96.3%	2.1%	1.4%	0.2%
Grade 12	97.2%	0.6%	0.8%	1.4%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.4
Marijuana Non-Users	3.5
Average Days Conduct Problems Reported	
Marijuana Users	3.1
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.4%	3.1%	0.5%	1.0%
Grade 9	98.8%	1.1%	0.0%	0.1%
Grade 10	97.0%	2.3%	0.3%	0.4%
Grade 11	93.0%	4.8%	0.4%	1.7%
Grade 12	91.5%	4.9%	1.7%	1.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.8%	2.9%	0.1%	0.2%
Grade 7	98.1%	1.5%	0.1%	0.3%
Grade 8	97.3%	2.5%	0.1%	0.0%
Grade 9	97.4%	2.5%	0.1%	0.0%
Grade 10	95.5%	4.0%	0.0%	0.5%
Grade 11	96.0%	3.6%	0.3%	0.1%
Grade 12	96.5%	3.4%	0.1%	0.0%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	58.2%	20.4%	10.7%	7.7%	3.1%
Grade 7	81.4%	12.3%	3.9%	1.7%	0.8%
Grade 8	66.5%	17.5%	8.1%	5.2%	2.7%
Grade 9	62.6%	19.4%	11.2%	4.9%	1.8%
Grade 10	54.2%	20.9%	11.8%	8.9%	4.1%
Grade 11	41.3%	26.7%	17.0%	12.6%	2.4%
Grade 12	36.4%	27.6%	13.4%	14.9%	7.6%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.9%	6.6%	4.6%	5.7%	5.4%	2.3%	16.4%
Grade 7	81.6%	3.8%	1.0%	1.0%	1.0%	1.7%	9.9%
Grade 8	74.3%	3.5%	3.3%	2.7%	2.1%	2.6%	11.4%
Grade 9	59.5%	9.5%	4.6%	3.6%	1.7%	3.5%	17.4%
Grade 10	52.6%	7.8%	3.7%	6.9%	6.4%	3.0%	19.7%
Grade 11	40.8%	7.8%	7.4%	9.9%	10.6%	0.6%	22.7%
Grade 12	37.3%	7.4%	9.1%	11.8%	13.3%	2.4%	18.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.1%	5.6%	5.5%	1.4%	1.6%	6.7%
Grade 7	84.4%	1.9%	2.8%	0.6%	1.0%	9.4%
Grade 8	79.6%	4.9%	5.1%	1.5%	1.3%	7.6%
Grade 9	81.0%	6.3%	3.0%	0.4%	1.3%	8.1%
Grade 10	77.2%	6.8%	5.5%	1.4%	3.1%	6.1%
Grade 11	77.9%	6.1%	9.2%	2.5%	1.0%	3.2%
Grade 12	72.8%	8.2%	8.7%	2.7%	2.3%	5.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.1%	12.5%	13.2%	11.8%	4.4%
	Grade 7	80.3%	8.1%	4.3%	3.4%	3.9%
	Grade 8	68.1%	11.5%	7.7%	9.0%	3.7%
	Grade 9	62.1%	12.9%	10.5%	8.7%	5.8%
	Grade 10	48.6%	16.3%	17.9%	12.5%	4.7%
	Grade 11	44.9%	14.1%	18.0%	17.5%	5.6%
	Grade 12	38.9%	12.3%	23.4%	22.7%	2.7%
Cocaine?						
	All	88.1%	5.5%	1.1%	0.5%	4.7%
	Grade 7	90.8%	4.8%	0.6%	0.4%	3.4%
	Grade 8	89.6%	5.2%	0.7%	0.4%	4.0%
	Grade 9	87.7%	5.1%	1.1%	0.6%	5.5%
	Grade 10	86.6%	4.9%	1.5%	0.4%	6.6%
	Grade 11	88.1%	5.4%	1.2%	0.3%	5.0%
	Grade 12	85.5%	8.1%	1.4%	1.1%	3.8%
Crack?						
	All	88.9%	5.1%	0.6%	0.4%	5.0%
	Grade 7	90.3%	5.2%	0.5%	0.4%	3.6%
	Grade 8	89.7%	5.2%	0.3%	0.6%	4.2%
	Grade 9	88.5%	4.6%	0.8%	0.5%	5.7%
	Grade 10	87.0%	4.7%	1.2%	0.4%	6.7%
	Grade 11	89.6%	4.5%	0.4%	0.1%	5.4%
	Grade 12	88.1%	6.6%	0.5%	0.7%	4.1%
Ecstasy?						
	All	82.0%	7.1%	2.1%	0.7%	8.1%
	Grade 7	86.2%	4.0%	0.8%	0.5%	8.5%
	Grade 8	84.4%	5.5%	1.3%	0.7%	8.2%
	Grade 9	82.6%	6.3%	2.2%	0.6%	8.4%
	Grade 10	80.9%	8.0%	1.4%	0.9%	8.8%
	Grade 11	78.5%	9.2%	3.9%	0.4%	8.0%
	Grade 12	78.1%	10.5%	3.6%	1.5%	6.3%
Steroids?						
	All	77.6%	11.0%	3.4%	1.3%	6.7%
	Grade 7	82.4%	8.0%	2.3%	1.0%	6.2%
	Grade 8	79.3%	10.2%	3.4%	0.9%	6.2%
	Grade 9	80.0%	9.3%	3.2%	1.0%	6.5%
	Grade 10	73.7%	13.4%	3.6%	1.2%	8.1%
	Grade 11	76.0%	9.9%	5.0%	1.1%	8.1%
	Grade 12	73.3%	15.8%	2.9%	2.6%	5.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	89.2%	3.7%	0.6%	0.3%	6.2%
	Grade 7	88.5%	4.0%	0.7%	0.1%	6.6%
	Grade 8	89.1%	4.5%	0.2%	0.5%	5.6%
	Grade 9	88.5%	3.7%	0.2%	0.4%	7.2%
	Grade 10	87.8%	2.3%	1.0%	0.7%	8.1%
	Grade 11	91.6%	3.1%	0.8%	0.1%	4.5%
	Grade 12	89.9%	4.6%	0.6%	0.2%	4.7%
<b>Methamphetamine?</b>						
	All	89.1%	3.7%	0.4%	0.3%	6.4%
	Grade 7	88.5%	3.9%	0.6%	0.3%	6.8%
	Grade 8	89.2%	4.1%	0.3%	0.5%	5.9%
	Grade 9	89.0%	3.0%	0.1%	0.4%	7.4%
	Grade 10	87.7%	3.3%	0.7%	0.4%	7.9%
	Grade 11	91.8%	2.8%	0.6%	0.1%	4.7%
	Grade 12	88.8%	5.7%	0.1%	0.2%	5.3%
<b>Synthetic Marijuana?</b>						
	All	81.5%	7.0%	2.9%	1.1%	7.5%
	Grade 7	86.9%	4.4%	1.2%	0.9%	6.7%
	Grade 8	84.0%	6.2%	1.5%	1.2%	7.2%
	Grade 9	81.4%	6.4%	2.3%	1.9%	7.9%
	Grade 10	76.9%	9.3%	2.8%	1.4%	9.5%
	Grade 11	80.4%	7.4%	4.4%	1.2%	6.6%
	Grade 12	78.9%	8.6%	5.8%	0.2%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	11.0%	14.4%	19.2%	80.8%
Grade 7	8.3%	10.0%	13.9%	86.1%
Grade 8	8.9%	11.0%	15.3%	84.7%
Grade 9	10.6%	14.1%	19.2%	80.8%
Grade 10	12.0%	16.1%	20.9%	79.1%
Grade 11	13.1%	17.7%	21.7%	78.3%
Grade 12	14.0%	19.0%	25.8%	74.2%
<b>Codeine Cough Syrup?</b>				
All	6.7%	9.3%	13.7%	86.3%
Grade 7	5.6%	7.0%	10.5%	89.5%
Grade 8	5.6%	7.2%	11.0%	89.0%
Grade 9	6.6%	9.3%	14.2%	85.8%
Grade 10	6.9%	9.0%	13.1%	86.9%
Grade 11	6.4%	9.6%	13.9%	86.1%
Grade 12	9.8%	14.7%	20.5%	79.5%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.6%	3.9%	5.2%	94.8%
Grade 7	0.8%	1.0%	1.5%	98.5%
Grade 8	0.8%	1.3%	2.0%	98.0%
Grade 9	1.2%	1.7%	2.7%	97.3%
Grade 10	3.7%	5.7%	6.7%	93.3%
Grade 11	4.1%	6.1%	9.3%	90.7%
Grade 12	5.9%	9.1%	10.9%	89.1%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.9%	2.4%	3.3%	96.7%
Grade 7	0.9%	1.1%	1.5%	98.5%
Grade 8	0.8%	1.2%	1.7%	98.3%
Grade 9	1.5%	1.7%	2.2%	97.8%
Grade 10	2.3%	3.0%	5.1%	94.9%
Grade 11	3.6%	4.6%	5.1%	94.9%
Grade 12	2.9%	3.4%	5.2%	94.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.9%	2.6%	4.0%	96.0%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	1.0%	1.4%	2.0%	98.0%
Grade 9	1.1%	1.4%	2.7%	97.3%
Grade 10	3.2%	3.9%	5.8%	94.2%
Grade 11	3.6%	4.4%	6.6%	93.4%
Grade 12	2.6%	4.3%	6.6%	93.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.2%	5.7%	8.6%	91.4%
Grade 7	3.6%	4.5%	7.1%	92.9%
Grade 8	4.2%	5.7%	8.1%	91.9%
Grade 9	4.8%	7.1%	10.8%	89.2%
Grade 10	3.8%	5.5%	10.0%	90.0%
Grade 11	4.1%	5.2%	6.6%	93.4%
Grade 12	4.6%	6.1%	8.9%	91.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.5%	1.9%	3.5%	96.5%
Grade 7	1.2%	1.5%	2.6%	97.4%
Grade 8	1.6%	2.2%	4.2%	95.8%
Grade 9	2.6%	3.1%	5.0%	95.0%
Grade 10	1.2%	1.4%	2.8%	97.2%
Grade 11	1.1%	1.5%	3.6%	96.4%
Grade 12	1.0%	1.8%	2.2%	97.8%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.5%	13.2%	4.6%	1.2%	6.5%
Grade 7	81.4%	8.0%	3.0%	1.0%	6.7%
Grade 8	77.2%	12.1%	3.6%	1.3%	5.7%
Grade 9	73.9%	13.1%	4.5%	0.9%	7.6%
Grade 10	73.6%	12.6%	4.6%	1.8%	7.4%
Grade 11	68.9%	17.1%	6.4%	1.1%	6.6%
Grade 12	70.5%	17.8%	5.8%	1.2%	4.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.1%	5.7%	12.6%	87.4%
Grade 7	5.0%	6.4%	14.0%	86.0%
Grade 8	6.1%	7.2%	15.5%	84.5%
Grade 9	5.6%	6.6%	12.9%	87.1%
Grade 10	3.3%	4.8%	11.0%	89.0%
Grade 11	2.7%	6.0%	12.2%	87.8%
Grade 12	1.0%	2.7%	9.0%	91.0%
Spray Paint?				
All	0.4%	0.5%	2.2%	97.8%
Grade 7	0.3%	0.3%	1.5%	98.5%
Grade 8	0.6%	0.8%	3.0%	97.0%
Grade 9	0.7%	0.9%	3.3%	96.7%
Grade 10	0.6%	0.6%	2.3%	97.7%
Grade 11	0.3%	0.3%	1.8%	98.2%
Grade 12	0.1%	0.2%	0.8%	99.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.4%	5.6%	94.4%
Grade 7	1.1%	1.7%	5.7%	94.3%
Grade 8	1.8%	2.2%	6.4%	93.6%
Grade 9	1.2%	1.8%	6.7%	93.3%
Grade 10	0.8%	1.1%	5.3%	94.7%
Grade 11	0.6%	0.8%	6.6%	93.4%
Grade 12	0.1%	0.3%	2.2%	97.8%
Computer Dusting Sprays?				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.3%	0.3%	1.7%	98.3%
Grade 12	0.1%	0.1%	2.2%	97.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.3%	2.1%	6.6%	93.4%
Grade 7	1.7%	2.2%	7.3%	92.7%
Grade 8	2.3%	2.9%	7.5%	92.5%
Grade 9	1.0%	1.6%	7.1%	92.9%
Grade 10	1.1%	2.1%	6.0%	94.0%
Grade 11	1.2%	3.2%	7.1%	92.9%
Grade 12	0.4%	0.6%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.8%	0.8%	1.5%	98.5%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.3%	0.3%	1.8%	98.2%
Grade 12	0.1%	0.1%	0.8%	99.2%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.3%	0.5%	1.5%	98.5%
Grade 12	0.1%	0.2%	0.7%	99.3%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.4%	0.7%	2.2%	97.8%
Grade 7	0.6%	0.7%	2.0%	98.0%
Grade 8	0.6%	0.8%	2.0%	98.0%
Grade 9	0.7%	1.2%	2.7%	97.3%
Grade 10	0.2%	0.3%	2.2%	97.8%
Grade 11	0.4%	1.1%	3.2%	96.8%
Grade 12	0.1%	0.2%	0.7%	99.3%
<b>Other Aerosols/Sprays?</b>				
All	0.4%	0.5%	1.9%	98.1%
Grade 7	0.5%	0.8%	2.5%	97.5%
Grade 8	0.6%	0.8%	2.3%	97.7%
Grade 9	0.5%	0.9%	2.4%	97.6%
Grade 10	0.0%	0.1%	1.3%	98.7%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.1%	0.1%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.1%	0.3%	0.5%	0.6%	1.4%
Grade 7	96.9%	0.1%	0.2%	0.3%	0.5%	0.5%	1.5%
Grade 8	97.1%	0.1%	0.2%	0.4%	0.5%	0.4%	1.3%
Grade 9	96.9%	0.5%	0.2%	0.1%	0.2%	0.7%	1.5%
Grade 10	95.8%	0.0%	0.1%	0.3%	0.7%	1.1%	1.9%
Grade 11	97.1%	0.0%	0.0%	0.4%	0.7%	0.5%	1.2%
Grade 12	98.2%	0.1%	0.0%	0.0%	0.5%	0.2%	1.0%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.0%	6.3%	3.3%	1.4%
Grade 7	87.8%	7.4%	4.0%	0.8%
Grade 8	86.8%	8.4%	3.3%	1.5%
Grade 9	88.6%	5.7%	3.6%	2.1%
Grade 10	90.2%	5.6%	2.7%	1.6%
Grade 11	88.2%	6.9%	3.1%	1.7%
Grade 12	93.2%	3.2%	2.8%	0.8%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.7%	0.1%	0.1%
Grade 7	99.0%	0.8%	0.0%	0.1%
Grade 8	99.0%	0.7%	0.1%	0.1%
Grade 9	99.4%	0.4%	0.1%	0.1%
Grade 10	98.8%	0.6%	0.6%	0.0%
Grade 11	99.1%	0.7%	0.0%	0.1%
Grade 12	99.0%	1.0%	0.0%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.6
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	5.2
Inhalant Non-Users	1.2

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.0%	4.6%	1.4%	0.5%	0.4%
Grade 7	91.7%	6.2%	1.4%	0.5%	0.2%
Grade 8	90.9%	6.1%	2.0%	0.9%	0.2%
Grade 9	93.1%	4.2%	1.6%	1.0%	0.2%
Grade 10	91.5%	5.3%	1.8%	0.1%	1.3%
Grade 11	96.3%	2.4%	0.7%	0.7%	0.0%
Grade 12	95.5%	3.3%	0.7%	0.0%	0.5%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.8%	11.7%	3.2%	1.4%	6.9%
Grade 7	80.2%	10.6%	3.2%	0.9%	5.1%
Grade 8	77.1%	12.2%	3.7%	1.4%	5.6%
Grade 9	76.5%	11.6%	2.6%	0.7%	8.6%
Grade 10	72.5%	14.0%	3.2%	1.5%	8.8%
Grade 11	77.1%	10.4%	4.2%	1.5%	6.9%
Grade 12	77.2%	11.3%	2.7%	2.4%	6.4%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.1%	16.8%	4.4%	6.5%	8.5%	22.8%
Grade 7	44.7%	25.3%	6.6%	4.7%	6.7%	12.1%
Grade 8	46.0%	20.3%	3.7%	6.3%	7.8%	15.9%
Grade 9	43.5%	17.7%	4.2%	6.5%	7.4%	20.8%
Grade 10	39.5%	13.8%	4.3%	5.7%	9.2%	27.5%
Grade 11	35.2%	14.0%	3.3%	8.9%	10.5%	28.2%
Grade 12	35.6%	7.3%	4.4%	7.3%	9.7%	35.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	43.7%
	Grade 7	44.8%
	Grade 8	42.3%
	Grade 9	47.8%
	Grade 10	41.6%
	Grade 11	45.1%
	Grade 12	40.0%
An Assembly Program		
	All	32.3%
	Grade 7	41.5%
	Grade 8	41.3%
	Grade 9	32.1%
	Grade 10	26.5%
	Grade 11	26.6%
	Grade 12	23.1%
Guidance Counselor		
	All	21.9%
	Grade 7	25.1%
	Grade 8	24.3%
	Grade 9	24.8%
	Grade 10	19.8%
	Grade 11	17.8%
	Grade 12	18.5%
School Nurse		
	All	13.4%
	Grade 7	20.6%
	Grade 8	18.7%
	Grade 9	13.9%
	Grade 10	9.9%
	Grade 11	8.1%
	Grade 12	6.8%
Science or Social Studies Class		
	All	23.7%
	Grade 7	28.1%
	Grade 8	25.2%
	Grade 9	25.6%
	Grade 10	22.7%
	Grade 11	19.9%
	Grade 12	19.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
<b>Student Group or Club Meeting at School</b>	
All	13.2%
Grade 7	13.4%
Grade 8	14.6%
Grade 9	14.6%
Grade 10	11.7%
Grade 11	13.4%
Grade 12	11.1%
<b>An Invited School Guest</b>	
All	20.2%
Grade 7	27.9%
Grade 8	27.0%
Grade 9	19.5%
Grade 10	15.4%
Grade 11	14.3%
Grade 12	15.1%
<b>Another Source at School</b>	
All	26.1%
Grade 7	31.2%
Grade 8	28.3%
Grade 9	27.3%
Grade 10	24.4%
Grade 11	22.2%
Grade 12	21.3%
<b>Any School Source</b>	
All	63.4%
Grade 7	65.9%
Grade 8	64.5%
Grade 9	65.3%
Grade 10	61.6%
Grade 11	62.4%
Grade 12	59.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	38.5%
	Grade 7	52.3%
	Grade 8	45.6%
	Grade 9	36.0%
	Grade 10	34.4%
	Grade 11	31.5%
	Grade 12	28.4%
<b>School Nurse</b>		
	All	22.2%
	Grade 7	34.0%
	Grade 8	30.3%
	Grade 9	18.2%
	Grade 10	19.6%
	Grade 11	13.9%
	Grade 12	14.8%
<b>Another Adult In School</b>		
	All	39.0%
	Grade 7	48.1%
	Grade 8	42.7%
	Grade 9	36.8%
	Grade 10	37.4%
	Grade 11	36.5%
	Grade 12	30.3%
<b>Counselor/Program Outside-School</b>		
	All	39.0%
	Grade 7	47.6%
	Grade 8	44.4%
	Grade 9	37.8%
	Grade 10	35.1%
	Grade 11	34.9%
	Grade 12	32.3%
<b>Your Parents</b>		
	All	69.5%
	Grade 7	76.1%
	Grade 8	72.5%
	Grade 9	68.8%
	Grade 10	70.2%
	Grade 11	67.7%
	Grade 12	59.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	56.0%
	Grade 7	66.5%
	Grade 8	60.5%
	Grade 9	53.8%
	Grade 10	54.5%
	Grade 11	50.6%
	Grade 12	47.8%
<b>Your Friends</b>		
	All	63.2%
	Grade 7	53.2%
	Grade 8	60.8%
	Grade 9	62.3%
	Grade 10	64.1%
	Grade 11	70.2%
	Grade 12	71.0%
<b>Another Adult</b>		
	All	62.4%
	Grade 7	65.0%
	Grade 8	62.8%
	Grade 9	66.2%
	Grade 10	63.3%
	Grade 11	60.0%
	Grade 12	55.1%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.8%
	Grade 7	7.0%
	Grade 8	6.9%
	Grade 9	6.3%
	Grade 10	9.0%
	Grade 11	6.9%
	Grade 12	4.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 35 of 120

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.9%	21.6%	24.8%	34.5%	14.1%
Grade 7	5.6%	18.0%	21.9%	36.9%	17.6%
Grade 8	5.7%	23.3%	23.9%	31.3%	15.8%
Grade 9	5.6%	21.9%	22.2%	36.6%	13.7%
Grade 10	4.5%	19.5%	26.1%	36.7%	13.2%
Grade 11	4.4%	21.4%	26.6%	35.6%	12.0%
Grade 12	3.4%	26.6%	29.4%	28.7%	12.0%
<b>Sometimes Carry Weapons?</b>					
All	75.6%	14.3%	5.8%	2.7%	1.6%
Grade 7	86.4%	9.4%	2.1%	1.2%	1.0%
Grade 8	78.5%	14.1%	4.6%	1.9%	1.0%
Grade 9	76.3%	14.3%	4.9%	2.5%	2.0%
Grade 10	69.8%	17.1%	8.0%	3.9%	1.2%
Grade 11	71.0%	15.5%	8.1%	3.3%	2.1%
Grade 12	69.9%	16.0%	7.7%	3.6%	2.8%
<b>Care About Making Good Grades?</b>					
All	2.1%	11.0%	22.7%	42.1%	22.0%
Grade 7	1.8%	12.6%	23.0%	38.3%	24.3%
Grade 8	2.2%	12.1%	24.0%	40.8%	20.8%
Grade 9	2.9%	10.0%	21.8%	42.2%	23.2%
Grade 10	1.6%	11.8%	22.9%	45.1%	18.6%
Grade 11	2.3%	7.1%	22.5%	44.8%	23.3%
Grade 12	1.9%	12.2%	22.3%	41.6%	22.0%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.6%	9.1%	3.3%	1.0%	1.0%
Grade 7	86.7%	9.0%	2.5%	1.3%	0.4%
Grade 8	81.2%	12.2%	4.0%	1.4%	1.2%
Grade 9	84.0%	10.6%	3.6%	0.9%	1.0%
Grade 10	86.1%	8.1%	4.1%	0.9%	0.7%
Grade 11	90.5%	4.7%	3.3%	0.3%	1.2%
Grade 12	85.8%	9.6%	2.2%	1.1%	1.3%
<b>Wish They Could Drop Out of School?</b>					
All	54.3%	28.6%	10.5%	4.7%	1.9%
Grade 7	63.2%	23.8%	7.3%	4.3%	1.4%
Grade 8	56.7%	28.8%	9.0%	4.0%	1.6%
Grade 9	52.0%	29.6%	11.5%	4.5%	2.5%
Grade 10	49.3%	31.8%	11.4%	5.9%	1.6%
Grade 11	54.5%	26.9%	11.2%	4.8%	2.7%
Grade 12	49.4%	31.3%	13.1%	4.7%	1.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 36 of 120

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.9%	11.2%	0.7%	0.3%	0.9%
Grade 7	85.5%	12.8%	0.4%	0.2%	1.0%
Grade 8	83.8%	13.2%	1.6%	0.5%	0.8%
Grade 9	87.9%	10.1%	0.7%	0.2%	1.1%
Grade 10	89.1%	9.6%	0.5%	0.0%	0.8%
Grade 11	88.1%	10.7%	0.5%	0.2%	0.5%
Grade 12	87.5%	10.4%	0.4%	0.6%	1.1%
<b>Out In Your Neighborhood?</b>					
All	43.5%	45.9%	7.2%	1.4%	1.9%
Grade 7	37.7%	47.1%	9.2%	1.9%	4.1%
Grade 8	38.2%	49.2%	8.7%	1.9%	2.0%
Grade 9	45.0%	45.8%	5.6%	1.6%	2.0%
Grade 10	44.0%	47.5%	6.3%	1.0%	1.3%
Grade 11	48.6%	42.3%	7.4%	1.1%	0.6%
Grade 12	49.2%	42.4%	6.3%	0.9%	1.1%
<b>At School?</b>					
All	39.4%	45.4%	7.8%	3.9%	3.5%
Grade 7	45.0%	40.9%	6.4%	4.3%	3.3%
Grade 8	38.1%	45.1%	8.6%	4.7%	3.6%
Grade 9	33.3%	47.5%	10.4%	4.2%	4.6%
Grade 10	37.7%	47.8%	8.0%	3.4%	3.1%
Grade 11	43.8%	44.0%	5.9%	2.9%	3.4%
Grade 12	39.3%	47.4%	6.8%	3.8%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.2%	19.7%	32.8%	67.2%
Grade 7	5.7%	7.9%	17.0%	83.0%
Grade 8	11.5%	14.3%	26.9%	73.1%
Grade 9	12.2%	17.3%	29.2%	70.8%
Grade 10	16.0%	19.8%	33.3%	66.7%
Grade 11	21.0%	26.4%	43.3%	56.7%
Grade 12	28.0%	37.3%	52.9%	47.1%
<b>Any Alcohol Product</b>				
All	31.2%	36.8%	56.3%	43.7%
Grade 7	16.4%	20.1%	41.1%	58.9%
Grade 8	24.7%	28.7%	48.7%	51.3%
Grade 9	29.6%	34.3%	51.9%	48.1%
Grade 10	31.3%	37.4%	58.8%	41.2%
Grade 11	38.3%	46.4%	66.6%	33.4%
Grade 12	52.0%	59.9%	76.3%	23.7%
<b>Any Illicit Drug</b>				
All	12.7%	17.0%	23.2%	76.8%
Grade 7	4.5%	6.4%	8.9%	91.1%
Grade 8	10.3%	14.1%	18.1%	81.9%
Grade 9	8.8%	12.3%	15.7%	84.3%
Grade 10	14.2%	17.4%	24.2%	75.8%
Grade 11	19.0%	25.0%	35.1%	64.9%
Grade 12	22.3%	30.8%	43.1%	56.9%
<b>Any Prescription Drug</b>				
All	11.0%	14.4%	19.2%	80.8%
Grade 7	8.3%	10.0%	13.9%	86.1%
Grade 8	8.9%	11.0%	15.3%	84.7%
Grade 9	10.6%	14.1%	19.2%	80.8%
Grade 10	12.0%	16.1%	20.9%	79.1%
Grade 11	13.1%	17.7%	21.7%	78.3%
Grade 12	14.0%	19.0%	25.8%	74.2%
<b>Any Inhalant</b>				
All	4.1%	5.7%	12.6%	87.4%
Grade 7	5.0%	6.4%	14.0%	86.0%
Grade 8	6.1%	7.2%	15.5%	84.5%
Grade 9	5.6%	6.6%	12.9%	87.1%
Grade 10	3.3%	4.8%	11.0%	89.0%
Grade 11	2.7%	6.0%	12.2%	87.8%
Grade 12	1.0%	2.7%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.3%	14.9%	27.1%	72.9%
Grade 7	3.5%	5.5%	13.6%	86.4%
Grade 8	6.0%	9.4%	20.8%	79.2%
Grade 9	8.2%	13.4%	24.3%	75.7%
Grade 10	9.4%	14.1%	28.7%	71.3%
Grade 11	14.7%	20.9%	36.4%	63.6%
Grade 12	16.3%	29.6%	43.7%	56.3%
<b>Marijuana</b>				
All	11.9%	14.4%	21.1%	78.9%
Grade 7	3.9%	4.8%	7.4%	92.6%
Grade 8	9.3%	11.7%	15.6%	84.4%
Grade 9	8.3%	10.1%	13.7%	86.3%
Grade 10	12.8%	14.3%	21.5%	78.5%
Grade 11	18.9%	22.2%	33.7%	66.3%
Grade 12	21.3%	27.2%	40.4%	59.6%
<b>Marijuana Only</b>				
All	6.3%	7.9%	12.9%	87.1%
Grade 7	1.9%	2.7%	5.0%	95.0%
Grade 8	4.4%	5.9%	9.4%	90.6%
Grade 9	4.6%	5.7%	8.3%	91.7%
Grade 10	7.3%	8.2%	13.5%	86.5%
Grade 11	9.6%	11.3%	19.4%	80.6%
Grade 12	11.6%	16.0%	25.6%	74.4%
<b>Cocaine or Crack</b>				
All	1.5%	1.8%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	1.9%	2.2%	2.8%	97.2%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	1.6%	2.0%	2.8%	97.2%
Grade 11	1.8%	2.2%	4.0%	96.0%
Grade 12	2.5%	3.1%	6.2%	93.8%
<b>Cocaine</b>				
All	1.4%	1.7%	2.7%	97.3%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.6%	1.8%	2.0%	98.0%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	1.6%	2.0%	2.8%	97.2%
Grade 11	1.8%	2.2%	3.9%	96.1%
Grade 12	2.3%	2.9%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.7%	98.3%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.3%	1.2%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.8%	0.8%	2.4%	97.6%
<b>Hallucinogens</b>				
All	0.8%	1.3%	3.0%	97.0%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.5%	0.7%	1.4%	98.6%
Grade 10	1.5%	2.2%	3.4%	96.6%
Grade 11	0.8%	2.1%	5.9%	94.1%
Grade 12	1.7%	2.1%	6.8%	93.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.5%	0.9%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	1.4%	98.6%
<b>Steroids</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.6%	0.8%	1.0%	99.0%
Grade 10	0.3%	0.8%	1.9%	98.1%
Grade 11	0.1%	0.1%	1.5%	98.5%
Grade 12	1.2%	1.3%	3.2%	96.8%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	2.1%	97.9%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.3%	0.9%	1.7%	98.3%
Grade 11	0.8%	1.8%	4.2%	95.8%
Grade 12	2.3%	2.7%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.5%	0.5%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	0.9%	1.8%	5.5%	94.5%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	1.5%	2.8%	4.8%	95.2%
Grade 9	0.6%	1.2%	3.8%	96.2%
Grade 10	1.0%	1.8%	6.1%	93.9%
Grade 11	0.7%	2.0%	9.3%	90.7%
Grade 12	1.0%	2.3%	8.7%	91.3%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.6%	1.2%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.0%	20.7%	33.0%	67.0%
Grade 7	6.9%	9.8%	19.4%	80.6%
Grade 8	11.1%	14.5%	28.0%	72.0%
Grade 9	12.4%	15.9%	27.6%	72.4%
Grade 10	18.7%	20.9%	32.6%	67.4%
Grade 11	27.6%	33.1%	45.6%	54.4%
Grade 12	31.6%	36.5%	52.5%	47.5%
<b>Any Alcohol Product</b>				
All	30.2%	34.8%	53.8%	46.2%
Grade 7	18.1%	21.8%	43.3%	56.7%
Grade 8	23.3%	27.0%	47.8%	52.2%
Grade 9	25.9%	29.7%	47.2%	52.8%
Grade 10	31.6%	36.8%	56.1%	43.9%
Grade 11	34.0%	39.3%	59.8%	40.2%
Grade 12	55.5%	62.0%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	12.6%	16.7%	22.9%	77.1%
Grade 7	5.4%	7.3%	10.6%	89.4%
Grade 8	10.6%	13.9%	18.7%	81.3%
Grade 9	6.2%	9.3%	11.6%	88.4%
Grade 10	16.3%	20.0%	27.2%	72.8%
Grade 11	18.3%	23.1%	35.8%	64.2%
Grade 12	23.2%	32.7%	42.2%	57.8%
<b>Any Prescription Drug</b>				
All	11.4%	15.0%	19.7%	80.3%
Grade 7	6.5%	8.8%	11.5%	88.5%
Grade 8	8.7%	11.2%	15.1%	84.9%
Grade 9	10.1%	12.9%	17.3%	82.7%
Grade 10	12.5%	16.3%	21.6%	78.4%
Grade 11	14.7%	20.3%	25.6%	74.4%
Grade 12	18.4%	23.5%	30.8%	69.2%
<b>Any Inhalant</b>				
All	3.3%	5.2%	11.0%	89.0%
Grade 7	4.6%	6.4%	12.7%	87.3%
Grade 8	3.8%	4.9%	12.9%	87.1%
Grade 9	3.9%	4.7%	9.4%	90.6%
Grade 10	3.1%	5.2%	10.7%	89.3%
Grade 11	2.1%	5.7%	10.5%	89.5%
Grade 12	1.6%	4.2%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.2%	15.2%	26.5%	73.5%
Grade 7	4.4%	6.4%	15.2%	84.8%
Grade 8	4.6%	9.2%	21.2%	78.8%
Grade 9	8.9%	12.6%	22.7%	77.3%
Grade 10	10.5%	15.2%	27.2%	72.8%
Grade 11	18.6%	25.8%	38.3%	61.7%
Grade 12	17.5%	27.7%	40.4%	59.6%
<b>Marijuana</b>				
All	11.6%	13.6%	20.2%	79.8%
Grade 7	4.6%	5.8%	8.8%	91.2%
Grade 8	10.0%	11.9%	16.0%	84.0%
Grade 9	6.0%	7.5%	10.1%	89.9%
Grade 10	14.2%	15.8%	23.5%	76.5%
Grade 11	18.1%	20.3%	34.0%	66.0%
Grade 12	21.0%	25.5%	36.8%	63.2%
<b>Marijuana Only</b>				
All	6.3%	7.6%	12.7%	87.3%
Grade 7	2.0%	2.9%	5.6%	94.4%
Grade 8	5.2%	6.0%	9.8%	90.2%
Grade 9	4.1%	4.6%	6.5%	93.5%
Grade 10	10.1%	11.2%	17.5%	82.5%
Grade 11	8.5%	9.9%	19.9%	80.1%
Grade 12	9.7%	13.2%	21.6%	78.4%
<b>Cocaine or Crack</b>				
All	2.0%	2.4%	3.5%	96.5%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	2.3%	2.5%	3.4%	96.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	3.0%	3.5%	4.1%	95.9%
Grade 11	2.4%	3.0%	4.2%	95.8%
Grade 12	4.2%	5.3%	9.7%	90.3%
<b>Cocaine</b>				
All	1.9%	2.3%	3.1%	96.9%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	1.9%	2.1%	2.2%	97.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	3.0%	3.5%	4.1%	95.9%
Grade 11	2.4%	3.0%	3.9%	96.1%
Grade 12	3.9%	5.0%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	1.0%	1.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	2.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.8%	1.8%	3.5%	96.5%
<b>Hallucinogens</b>				
All	1.2%	1.5%	3.2%	96.8%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.8%	98.2%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	1.8%	2.2%	2.6%	97.4%
Grade 11	1.0%	2.3%	7.3%	92.7%
Grade 12	3.3%	3.9%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.6%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	2.2%	97.8%
<b>Steroids</b>				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.4%	1.4%	3.1%	96.9%
Grade 11	0.1%	0.1%	2.0%	98.0%
Grade 12	1.9%	2.2%	5.3%	94.7%
<b>Ecstasy</b>				
All	1.0%	1.3%	2.7%	97.3%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.5%	1.0%	2.8%	97.2%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.1%	0.9%	1.5%	98.5%
Grade 11	1.2%	1.2%	4.6%	95.4%
Grade 12	4.8%	4.8%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.9%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	0.9%	2.0%	5.0%	95.0%
Grade 7	0.7%	0.9%	1.7%	98.3%
Grade 8	0.9%	2.6%	3.9%	96.1%
Grade 9	0.2%	0.8%	2.3%	97.7%
Grade 10	0.8%	1.5%	4.6%	95.4%
Grade 11	1.4%	2.4%	9.5%	90.5%
Grade 12	1.8%	4.6%	10.6%	89.4%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	1.0%	1.3%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.6%	0.9%	99.1%
Grade 12	1.0%	1.4%	2.5%	97.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.3%	18.8%	32.6%	67.4%
Grade 7	4.5%	5.9%	14.4%	85.6%
Grade 8	12.1%	14.1%	26.1%	73.9%
Grade 9	11.7%	18.3%	30.5%	69.5%
Grade 10	13.1%	18.5%	34.0%	66.0%
Grade 11	15.3%	20.5%	41.2%	58.8%
Grade 12	25.1%	38.1%	53.3%	46.7%
<b>Any Alcohol Product</b>				
All	32.2%	38.8%	58.8%	41.2%
Grade 7	14.9%	18.3%	38.9%	61.1%
Grade 8	26.0%	30.4%	49.7%	50.3%
Grade 9	33.6%	39.4%	57.2%	42.8%
Grade 10	30.8%	37.9%	61.6%	38.4%
Grade 11	42.1%	52.5%	72.5%	27.5%
Grade 12	49.2%	58.1%	76.7%	23.3%
<b>Any Illicit Drug</b>				
All	12.7%	17.2%	23.4%	76.6%
Grade 7	3.8%	5.6%	7.3%	92.7%
Grade 8	10.1%	14.4%	17.6%	82.4%
Grade 9	11.2%	15.1%	19.8%	80.2%
Grade 10	11.8%	14.5%	21.1%	78.9%
Grade 11	19.7%	26.6%	34.4%	65.6%
Grade 12	21.5%	29.3%	43.9%	56.1%
<b>Any Prescription Drug</b>				
All	10.5%	13.9%	18.7%	81.3%
Grade 7	10.1%	11.2%	16.3%	83.7%
Grade 8	9.1%	10.8%	15.6%	84.4%
Grade 9	10.8%	15.1%	20.9%	79.1%
Grade 10	11.5%	15.8%	20.1%	79.9%
Grade 11	11.6%	15.5%	18.4%	81.6%
Grade 12	10.2%	15.1%	21.5%	78.5%
<b>Any Inhalant</b>				
All	4.8%	6.1%	14.0%	86.0%
Grade 7	5.1%	6.2%	15.1%	84.9%
Grade 8	8.2%	9.4%	18.2%	81.8%
Grade 9	7.3%	8.3%	16.4%	83.6%
Grade 10	3.6%	4.2%	11.3%	88.7%
Grade 11	3.2%	6.2%	13.8%	86.2%
Grade 12	0.4%	1.4%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	14.5%	27.7%	72.3%
Grade 7	2.7%	4.4%	12.0%	88.0%
Grade 8	7.4%	9.8%	20.7%	79.3%
Grade 9	7.5%	14.2%	25.7%	74.3%
Grade 10	8.1%	12.9%	30.1%	69.9%
Grade 11	11.4%	16.7%	34.7%	65.3%
Grade 12	15.2%	31.3%	46.5%	53.5%
<b>Marijuana</b>				
All	12.2%	15.2%	21.9%	78.1%
Grade 7	3.3%	3.9%	6.1%	93.9%
Grade 8	8.7%	11.6%	15.4%	84.6%
Grade 9	10.7%	12.6%	17.4%	82.6%
Grade 10	11.3%	12.7%	19.2%	80.8%
Grade 11	19.7%	23.9%	33.5%	66.5%
Grade 12	21.5%	28.7%	43.4%	56.6%
<b>Marijuana Only</b>				
All	6.3%	8.2%	13.1%	86.9%
Grade 7	1.9%	2.5%	4.4%	95.6%
Grade 8	3.6%	6.0%	9.2%	90.8%
Grade 9	5.1%	6.7%	10.1%	89.9%
Grade 10	4.4%	5.0%	9.3%	90.7%
Grade 11	10.5%	12.5%	19.2%	80.8%
Grade 12	13.2%	18.4%	29.0%	71.0%
<b>Cocaine or Crack</b>				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	1.6%	1.9%	2.3%	97.7%
Grade 9	1.4%	1.6%	2.5%	97.5%
Grade 10	0.0%	0.4%	1.5%	98.5%
Grade 11	1.4%	1.6%	3.9%	96.1%
Grade 12	1.0%	1.2%	3.2%	96.8%
<b>Cocaine</b>				
All	1.0%	1.2%	2.3%	97.7%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.3%	1.5%	1.8%	98.2%
Grade 9	1.2%	1.4%	2.3%	97.7%
Grade 10	0.0%	0.4%	1.5%	98.5%
Grade 11	1.4%	1.6%	3.9%	96.1%
Grade 12	1.0%	1.2%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.5%	1.0%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.8%	1.6%	98.4%
Grade 10	1.3%	2.2%	4.2%	95.8%
Grade 11	0.5%	1.9%	4.7%	95.3%
Grade 12	0.3%	0.7%	6.0%	94.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.8%	99.2%
<b>Steroids</b>				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	0.2%	0.2%	1.7%	98.3%
Grade 9	0.8%	1.4%	1.6%	98.4%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.6%	0.6%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.5%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	1.7%	1.9%	2.6%	97.4%
Grade 10	0.6%	0.9%	1.9%	98.1%
Grade 11	0.4%	2.3%	3.8%	96.2%
Grade 12	0.1%	0.9%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	1.0%	1.7%	5.9%	94.1%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	2.1%	3.1%	5.8%	94.2%
Grade 9	1.2%	1.7%	5.1%	94.9%
Grade 10	1.2%	2.2%	7.5%	92.5%
Grade 11	0.1%	1.6%	9.1%	90.9%
Grade 12	0.4%	0.4%	7.2%	92.8%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.9%	1.1%	1.8%	98.2%
Grade 10	0.4%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	1.1%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.7%	22.2%	35.9%	64.1%
Grade 7	6.1%	8.0%	15.3%	84.7%
Grade 8	11.0%	13.6%	26.0%	74.0%
Grade 9	13.2%	17.9%	31.1%	68.9%
Grade 10	16.7%	20.8%	38.4%	61.6%
Grade 11	28.1%	32.4%	49.5%	50.5%
Grade 12	32.8%	42.7%	56.9%	43.1%
<b>Any Alcohol Product</b>				
All	34.9%	41.2%	61.3%	38.7%
Grade 7	16.5%	20.4%	42.3%	57.7%
Grade 8	22.7%	25.5%	47.3%	52.7%
Grade 9	32.1%	37.1%	55.9%	44.1%
Grade 10	38.6%	46.8%	68.8%	31.2%
Grade 11	45.7%	53.9%	74.9%	25.1%
Grade 12	55.4%	65.5%	80.4%	19.6%
<b>Any Illicit Drug</b>				
All	11.4%	15.6%	21.5%	78.5%
Grade 7	3.9%	5.6%	7.7%	92.3%
Grade 8	6.7%	9.9%	11.8%	88.2%
Grade 9	8.4%	11.1%	14.8%	85.2%
Grade 10	14.5%	18.2%	24.7%	75.3%
Grade 11	14.6%	19.6%	29.4%	70.6%
Grade 12	20.9%	30.3%	42.7%	57.3%
<b>Any Prescription Drug</b>				
All	13.1%	17.3%	21.1%	78.9%
Grade 7	9.4%	11.5%	15.7%	84.3%
Grade 8	9.7%	11.8%	15.6%	84.4%
Grade 9	12.7%	17.5%	20.6%	79.4%
Grade 10	15.4%	19.6%	23.4%	76.6%
Grade 11	12.5%	17.6%	21.6%	78.4%
Grade 12	19.0%	26.2%	30.2%	69.8%
<b>Any Inhalant</b>				
All	3.3%	4.6%	11.9%	88.1%
Grade 7	3.8%	4.4%	10.7%	89.3%
Grade 8	2.8%	5.2%	12.1%	87.9%
Grade 9	4.1%	4.4%	11.4%	88.6%
Grade 10	5.0%	7.3%	18.0%	82.0%
Grade 11	2.1%	2.7%	9.1%	90.9%
Grade 12	1.9%	3.0%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.6%	17.1%	29.6%	70.4%
Grade 7	4.6%	6.2%	12.7%	87.3%
Grade 8	5.7%	9.0%	20.0%	80.0%
Grade 9	8.4%	13.1%	22.8%	77.2%
Grade 10	10.8%	15.5%	32.5%	67.5%
Grade 11	20.4%	27.3%	42.3%	57.7%
Grade 12	20.7%	33.1%	49.4%	50.6%
<b>Marijuana</b>				
All	11.1%	13.7%	19.7%	80.3%
Grade 7	3.4%	3.9%	6.3%	93.7%
Grade 8	6.2%	7.8%	10.1%	89.9%
Grade 9	8.2%	9.3%	13.1%	86.9%
Grade 10	14.2%	15.6%	21.7%	78.3%
Grade 11	14.6%	18.2%	28.3%	71.7%
Grade 12	20.9%	28.7%	41.2%	58.8%
<b>Marijuana Only</b>				
All	5.3%	7.0%	11.5%	88.5%
Grade 7	1.8%	2.1%	4.2%	95.8%
Grade 8	3.0%	3.9%	5.8%	94.2%
Grade 9	4.5%	4.8%	7.1%	92.9%
Grade 10	6.0%	7.2%	10.8%	89.2%
Grade 11	8.3%	10.8%	17.6%	82.4%
Grade 12	8.3%	14.0%	25.4%	74.6%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.6%	1.8%	98.2%
Grade 11	0.6%	1.1%	2.6%	97.4%
Grade 12	1.9%	1.9%	4.8%	95.2%
<b>Cocaine</b>				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.6%	1.8%	98.2%
Grade 11	0.6%	1.1%	2.6%	97.4%
Grade 12	1.9%	1.9%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.9%	0.9%	2.2%	97.8%
<b>Hallucinogens</b>				
All	0.9%	1.5%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.9%	1.8%	98.2%
Grade 10	1.4%	2.5%	5.0%	95.0%
Grade 11	0.8%	1.7%	4.8%	95.2%
Grade 12	2.6%	3.5%	10.0%	90.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.4%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.4%	1.7%	98.3%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.6%	0.8%	1.0%	99.0%
Grade 10	0.2%	0.2%	2.2%	97.8%
Grade 11	0.2%	0.2%	2.0%	98.0%
Grade 12	0.7%	1.1%	3.5%	96.5%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.5%	1.4%	98.6%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.2%	2.2%	3.7%	96.3%
Grade 11	0.2%	0.6%	4.2%	95.8%
Grade 12	2.3%	3.0%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	0.9%	1.7%	5.8%	94.2%
Grade 7	0.9%	1.0%	1.4%	98.6%
Grade 8	0.8%	1.7%	2.9%	97.1%
Grade 9	0.8%	0.8%	5.1%	94.9%
Grade 10	1.3%	2.7%	8.8%	91.2%
Grade 11	0.7%	1.9%	6.5%	93.5%
Grade 12	1.1%	2.0%	10.1%	89.9%
<b>Methamphetamine</b>				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.0%	0.6%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	1.1%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.5%	22.2%	34.8%	65.2%
Grade 7	2.2%	3.8%	13.8%	86.2%
Grade 8	13.6%	16.1%	24.0%	76.0%
Grade 9	3.3%	13.3%	18.8%	81.2%
Grade 10	21.4%	24.9%	37.0%	63.0%
Grade 11	28.3%	33.6%	64.0%	36.0%
Grade 12	50.6%	55.7%	73.5%	26.5%
<b>Any Alcohol Product</b>				
All	29.9%	35.7%	52.7%	47.3%
Grade 7	11.9%	18.6%	42.3%	57.7%
Grade 8	19.6%	22.0%	36.2%	63.8%
Grade 9	23.0%	26.3%	43.4%	56.6%
Grade 10	37.0%	44.0%	61.8%	38.2%
Grade 11	29.4%	45.2%	68.2%	31.8%
Grade 12	71.4%	73.2%	77.2%	22.8%
<b>Any Illicit Drug</b>				
All	11.5%	16.9%	22.4%	77.6%
Grade 7	2.2%	2.2%	5.1%	94.9%
Grade 8	8.1%	15.3%	19.6%	80.4%
Grade 9	3.3%	6.6%	6.6%	93.4%
Grade 10	14.2%	15.6%	22.8%	77.2%
Grade 11	23.0%	32.5%	37.8%	62.2%
Grade 12	27.6%	42.7%	59.5%	40.5%
<b>Any Prescription Drug</b>				
All	8.1%	10.6%	16.3%	83.7%
Grade 7	6.4%	6.4%	10.9%	89.1%
Grade 8	2.3%	4.9%	7.5%	92.5%
Grade 9	0.9%	4.4%	7.8%	92.2%
Grade 10	18.5%	22.2%	27.3%	72.7%
Grade 11	13.5%	18.8%	28.3%	71.7%
Grade 12	9.9%	9.9%	21.8%	78.2%
<b>Any Inhalant</b>				
All	4.7%	5.8%	9.7%	90.3%
Grade 7	3.2%	3.2%	11.2%	88.8%
Grade 8	10.2%	10.2%	15.9%	84.1%
Grade 9	7.6%	7.6%	10.9%	89.1%
Grade 10	1.4%	1.4%	5.0%	95.0%
Grade 11	4.0%	13.5%	13.5%	86.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.4%	19.0%	30.3%	69.7%
Grade 7	2.2%	3.9%	9.8%	90.2%
Grade 8	3.6%	8.1%	15.2%	84.8%
Grade 9	3.3%	10.0%	15.5%	84.5%
Grade 10	14.2%	21.4%	37.0%	63.0%
Grade 11	24.1%	29.4%	59.8%	40.2%
Grade 12	39.0%	55.7%	64.7%	35.3%
<b>Marijuana</b>				
All	10.1%	13.8%	19.8%	80.2%
Grade 7	1.1%	1.1%	4.1%	95.9%
Grade 8	4.9%	10.9%	12.8%	87.2%
Grade 9	3.3%	6.6%	6.6%	93.4%
Grade 10	10.7%	10.7%	19.2%	80.8%
Grade 11	23.0%	23.0%	33.6%	66.4%
Grade 12	27.6%	42.7%	59.5%	40.5%
<b>Marijuana Only</b>				
All	8.4%	11.0%	16.3%	83.7%
Grade 7	1.1%	1.1%	3.9%	96.1%
Grade 8	2.4%	5.9%	7.9%	92.1%
Grade 9	3.3%	6.6%	6.6%	93.4%
Grade 10	10.7%	10.7%	19.2%	80.8%
Grade 11	18.8%	18.8%	24.1%	75.9%
Grade 12	22.6%	32.6%	49.4%	50.6%
<b>Cocaine or Crack</b>				
All	1.1%	1.1%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.5%	2.5%	4.9%	95.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.6%	3.6%	3.6%	96.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	1.1%	1.1%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.6%	3.6%	3.6%	96.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.6%	3.6%	96.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.9%	0.9%	1.3%	98.7%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.7%	3.7%	3.7%	96.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.7%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.7%	3.7%	3.7%	96.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.6%	5.0%	95.0%
Grade 11	0.0%	0.0%	4.2%	95.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.2%	0.9%	1.8%	98.2%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	5.3%	9.5%	90.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	2.2%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.2%	5.7%	5.7%	94.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.2%	4.2%	95.8%
Grade 12	5.0%	5.0%	10.1%	89.9%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.7%	17.3%	29.8%	70.2%
Grade 7	6.2%	8.5%	17.6%	82.4%
Grade 8	11.7%	14.8%	27.8%	72.2%
Grade 9	14.1%	18.4%	30.1%	69.9%
Grade 10	12.4%	16.5%	28.8%	71.2%
Grade 11	14.5%	19.2%	33.3%	66.7%
Grade 12	18.7%	29.2%	45.5%	54.5%
<b>Any Alcohol Product</b>				
All	29.0%	34.2%	53.9%	46.1%
Grade 7	17.2%	19.5%	39.9%	60.1%
Grade 8	27.2%	31.8%	51.6%	48.4%
Grade 9	29.0%	33.5%	49.9%	50.1%
Grade 10	25.7%	30.9%	53.6%	46.4%
Grade 11	36.3%	42.4%	60.9%	39.1%
Grade 12	43.1%	52.3%	73.2%	26.8%
<b>Any Illicit Drug</b>				
All	13.3%	17.2%	23.3%	76.7%
Grade 7	5.7%	7.5%	9.9%	90.1%
Grade 8	13.1%	15.9%	20.1%	79.9%
Grade 9	11.0%	14.4%	18.6%	81.4%
Grade 10	12.6%	15.9%	22.5%	77.5%
Grade 11	20.1%	26.6%	36.9%	63.1%
Grade 12	19.8%	26.9%	37.9%	62.1%
<b>Any Prescription Drug</b>				
All	10.3%	13.5%	18.5%	81.5%
Grade 7	7.8%	9.6%	13.1%	86.9%
Grade 8	10.3%	12.4%	17.3%	82.7%
Grade 9	11.4%	14.8%	20.4%	79.6%
Grade 10	8.9%	12.5%	18.0%	82.0%
Grade 11	12.1%	16.0%	19.2%	80.8%
Grade 12	11.9%	16.3%	23.9%	76.1%
<b>Any Inhalant</b>				
All	4.3%	6.2%	12.9%	87.1%
Grade 7	5.9%	8.1%	15.8%	84.2%
Grade 8	6.3%	6.9%	16.0%	84.0%
Grade 9	6.0%	7.7%	13.2%	86.8%
Grade 10	3.0%	4.5%	8.7%	91.3%
Grade 11	2.6%	5.9%	13.0%	87.0%
Grade 12	0.8%	3.5%	9.9%	90.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	12.5%	24.2%	75.8%
Grade 7	3.4%	5.1%	13.6%	86.4%
Grade 8	6.8%	10.3%	22.4%	77.6%
Grade 9	9.1%	14.5%	26.2%	73.8%
Grade 10	6.3%	11.0%	23.5%	76.5%
Grade 11	8.8%	14.5%	26.8%	73.2%
Grade 12	7.4%	21.5%	35.4%	64.6%
<b>Marijuana</b>				
All	12.5%	14.7%	21.5%	78.5%
Grade 7	4.9%	5.8%	8.4%	91.6%
Grade 8	12.5%	14.1%	18.8%	81.2%
Grade 9	10.3%	12.3%	16.9%	83.1%
Grade 10	12.0%	13.5%	20.1%	79.9%
Grade 11	20.1%	24.4%	35.8%	64.2%
Grade 12	18.0%	21.6%	34.3%	65.7%
<b>Marijuana Only</b>				
All	6.2%	7.6%	12.5%	87.5%
Grade 7	2.4%	3.2%	5.6%	94.4%
Grade 8	5.9%	6.9%	10.9%	89.1%
Grade 9	5.2%	6.3%	9.6%	90.4%
Grade 10	6.1%	7.1%	12.4%	87.6%
Grade 11	9.1%	10.9%	19.2%	80.8%
Grade 12	10.1%	13.1%	20.6%	79.4%
<b>Cocaine or Crack</b>				
All	2.1%	2.6%	3.6%	96.4%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	2.3%	2.8%	3.0%	97.0%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	1.5%	2.2%	3.2%	96.8%
Grade 11	2.6%	3.1%	5.1%	94.9%
Grade 12	3.5%	4.7%	7.3%	92.7%
<b>Cocaine</b>				
All	2.0%	2.4%	3.5%	96.5%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	2.1%	2.4%	2.6%	97.4%
Grade 9	1.6%	1.8%	2.6%	97.4%
Grade 10	1.5%	2.2%	3.2%	96.8%
Grade 11	2.6%	3.1%	4.8%	95.2%
Grade 12	3.5%	4.7%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	1.2%	1.4%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.6%	1.1%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.8%	0.8%	2.3%	97.7%
<b>Hallucinogens</b>				
All	0.8%	1.2%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.9%	0.9%	1.7%	98.3%
Grade 10	1.2%	2.0%	2.3%	97.7%
Grade 11	0.0%	1.5%	6.2%	93.8%
Grade 12	1.8%	2.2%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.8%	0.8%	1.7%	98.3%
<b>Steroids</b>				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.9%	1.1%	1.9%	98.1%
Grade 8	0.6%	0.8%	2.4%	97.6%
Grade 9	0.9%	1.2%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	1.8%	1.8%	3.2%	96.8%
<b>Ecstasy</b>				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	1.3%	2.4%	97.6%
Grade 9	1.1%	1.2%	2.2%	97.8%
Grade 10	0.0%	0.6%	1.4%	98.6%
Grade 11	1.0%	1.0%	2.6%	97.4%
Grade 12	2.2%	2.7%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	1.8%	98.2%
<b>Synthetic Marijuana</b>				
All	0.9%	1.9%	5.9%	94.1%
Grade 7	0.8%	1.0%	1.6%	98.4%
Grade 8	1.5%	2.6%	5.8%	94.2%
Grade 9	0.9%	1.9%	4.5%	95.5%
Grade 10	1.2%	2.2%	6.3%	93.7%
Grade 11	0.8%	1.6%	11.5%	88.5%
Grade 12	0.2%	2.2%	7.1%	92.9%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.8%	1.8%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.0%	16.6%	27.1%	72.9%
Grade 7	2.8%	4.5%	11.3%	88.7%
Grade 8	5.3%	6.7%	15.1%	84.9%
Grade 9	8.4%	10.9%	17.8%	82.2%
Grade 10	12.3%	15.4%	29.1%	70.9%
Grade 11	17.7%	25.3%	42.7%	57.3%
Grade 12	30.4%	35.5%	44.9%	55.1%
<b>Any Alcohol Product</b>				
All	25.7%	31.6%	52.5%	47.5%
Grade 7	12.8%	15.3%	33.7%	66.3%
Grade 8	15.8%	20.0%	42.8%	57.2%
Grade 9	20.9%	26.0%	46.0%	54.0%
Grade 10	20.0%	23.3%	53.3%	46.7%
Grade 11	37.5%	47.6%	67.0%	33.0%
Grade 12	45.9%	55.8%	71.2%	28.8%
<b>Any Illicit Drug</b>				
All	9.0%	13.4%	17.1%	82.9%
Grade 7	1.8%	3.1%	4.5%	95.5%
Grade 8	3.2%	6.0%	7.3%	92.7%
Grade 9	3.7%	5.9%	6.8%	93.2%
Grade 10	6.5%	8.6%	13.8%	86.2%
Grade 11	18.6%	26.5%	32.4%	67.6%
Grade 12	18.9%	29.2%	36.0%	64.0%
<b>Any Prescription Drug</b>				
All	10.2%	13.5%	17.4%	82.6%
Grade 7	9.1%	11.3%	13.8%	86.2%
Grade 8	9.6%	11.0%	13.2%	86.8%
Grade 9	11.2%	16.3%	19.4%	80.6%
Grade 10	8.5%	14.2%	19.9%	80.1%
Grade 11	12.1%	15.3%	19.3%	80.7%
Grade 12	10.6%	12.8%	18.3%	81.7%
<b>Any Inhalant</b>				
All	2.9%	4.4%	9.8%	90.2%
Grade 7	3.5%	4.7%	8.8%	91.2%
Grade 8	3.9%	5.1%	12.4%	87.6%
Grade 9	4.1%	4.2%	9.7%	90.3%
Grade 10	4.5%	5.5%	13.5%	86.5%
Grade 11	0.9%	4.0%	8.8%	91.2%
Grade 12	0.9%	2.7%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	13.5%	23.1%	76.9%
Grade 7	1.5%	3.3%	9.2%	90.8%
Grade 8	3.4%	4.3%	10.9%	89.1%
Grade 9	5.9%	8.9%	15.9%	84.1%
Grade 10	8.1%	11.5%	22.8%	77.2%
Grade 11	14.7%	22.9%	38.0%	62.0%
Grade 12	16.7%	28.7%	40.1%	59.9%
<b>Marijuana</b>				
All	8.3%	10.7%	15.3%	84.7%
Grade 7	1.7%	2.1%	3.8%	96.2%
Grade 8	3.2%	4.6%	5.9%	94.1%
Grade 9	3.2%	3.8%	5.3%	94.7%
Grade 10	5.2%	5.7%	11.6%	88.4%
Grade 11	18.3%	22.0%	30.5%	69.5%
Grade 12	17.6%	25.3%	33.4%	66.6%
<b>Marijuana Only</b>				
All	4.5%	5.9%	9.2%	90.8%
Grade 7	1.5%	1.7%	3.2%	96.8%
Grade 8	1.0%	1.9%	3.3%	96.7%
Grade 9	1.1%	1.1%	2.0%	98.0%
Grade 10	1.1%	1.5%	5.6%	94.4%
Grade 11	9.9%	11.2%	16.3%	83.7%
Grade 12	12.0%	17.4%	24.6%	75.4%
<b>Cocaine or Crack</b>				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	1.0%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	2.3%	2.5%	3.7%	96.3%
Grade 12	3.1%	3.1%	4.7%	95.3%
<b>Cocaine</b>				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	1.0%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	2.3%	2.5%	3.7%	96.3%
Grade 12	3.1%	3.1%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.3%	1.3%	2.5%	97.5%
<b>Hallucinogens</b>				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	1.5%	98.5%
Grade 10	0.8%	1.4%	2.1%	97.9%
Grade 11	0.7%	2.7%	6.6%	93.4%
Grade 12	1.4%	1.4%	3.4%	96.6%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	1.3%	1.3%	2.7%	97.3%
<b>Steroids</b>				
All	0.4%	0.4%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	1.9%	1.9%	2.2%	97.8%
<b>Ecstasy</b>				
All	0.5%	1.1%	2.0%	98.0%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.6%	1.2%	1.6%	98.4%
Grade 11	0.7%	2.7%	5.4%	94.6%
Grade 12	1.4%	2.0%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	2.0%	98.0%
<b>Synthetic Marijuana</b>				
All	0.2%	0.9%	4.0%	96.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	1.7%	98.3%
Grade 9	0.0%	0.6%	2.5%	97.5%
Grade 10	0.0%	1.8%	4.2%	95.8%
Grade 11	0.5%	1.3%	7.0%	93.0%
Grade 12	0.2%	1.4%	7.9%	92.1%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.3%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.1%	1.7%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.2%	21.1%	34.3%	65.7%
Grade 7	6.4%	8.7%	18.4%	81.6%
Grade 8	13.8%	16.7%	29.9%	70.1%
Grade 9	13.4%	19.2%	32.6%	67.4%
Grade 10	19.1%	22.3%	35.4%	64.6%
Grade 11	23.4%	28.0%	45.5%	54.5%
Grade 12	29.6%	42.8%	56.9%	43.1%
<b>Any Alcohol Product</b>				
All	33.1%	38.3%	57.1%	42.9%
Grade 7	17.9%	22.1%	44.0%	56.0%
Grade 8	26.4%	30.0%	49.2%	50.8%
Grade 9	34.3%	38.7%	55.3%	44.7%
Grade 10	37.7%	44.8%	61.6%	38.4%
Grade 11	39.5%	46.1%	67.1%	32.9%
Grade 12	54.2%	61.6%	77.8%	22.2%
<b>Any Illicit Drug</b>				
All	14.7%	18.8%	25.8%	74.2%
Grade 7	5.2%	7.3%	10.5%	89.5%
Grade 8	12.3%	16.3%	21.2%	78.8%
Grade 9	11.0%	15.0%	19.3%	80.7%
Grade 10	21.4%	24.9%	32.4%	67.6%
Grade 11	20.9%	26.5%	39.9%	60.1%
Grade 12	25.5%	32.0%	45.5%	54.5%
<b>Any Prescription Drug</b>				
All	11.3%	14.8%	19.8%	80.2%
Grade 7	7.5%	9.1%	13.6%	86.4%
Grade 8	8.4%	10.2%	15.1%	84.9%
Grade 9	10.6%	13.7%	19.4%	80.6%
Grade 10	14.3%	19.0%	23.5%	76.5%
Grade 11	14.4%	19.6%	24.3%	75.7%
Grade 12	16.3%	22.9%	28.7%	71.3%
<b>Any Inhalant</b>				
All	4.8%	6.6%	14.0%	86.0%
Grade 7	5.2%	6.8%	15.4%	84.6%
Grade 8	6.2%	7.0%	15.3%	84.7%
Grade 9	6.6%	8.0%	14.2%	85.8%
Grade 10	3.2%	5.3%	11.4%	88.6%
Grade 11	4.6%	8.2%	16.3%	83.7%
Grade 12	0.7%	3.1%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.8%	15.5%	28.1%	71.9%
Grade 7	3.8%	5.8%	14.4%	85.6%
Grade 8	7.3%	11.1%	24.0%	76.0%
Grade 9	8.2%	14.0%	26.4%	73.6%
Grade 10	11.5%	16.4%	31.2%	68.8%
Grade 11	15.6%	20.6%	36.2%	63.8%
Grade 12	17.9%	34.5%	47.9%	52.1%
<b>Marijuana</b>				
All	14.0%	16.6%	23.8%	76.2%
Grade 7	4.5%	5.7%	8.9%	91.1%
Grade 8	11.6%	13.9%	18.9%	81.1%
Grade 9	10.5%	12.9%	17.3%	82.7%
Grade 10	19.5%	21.8%	29.6%	70.4%
Grade 11	20.9%	24.8%	38.5%	61.5%
Grade 12	25.2%	29.5%	43.6%	56.4%
<b>Marijuana Only</b>				
All	7.5%	9.3%	14.9%	85.1%
Grade 7	2.2%	3.2%	6.1%	93.9%
Grade 8	5.5%	7.3%	11.8%	88.2%
Grade 9	6.1%	7.9%	10.9%	89.1%
Grade 10	12.0%	13.1%	19.4%	80.6%
Grade 11	10.7%	12.9%	22.7%	77.3%
Grade 12	12.6%	16.2%	26.5%	73.5%
<b>Cocaine or Crack</b>				
All	1.8%	2.2%	3.2%	96.8%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	2.4%	2.6%	3.4%	96.6%
Grade 9	1.4%	1.6%	2.3%	97.7%
Grade 10	3.1%	3.4%	4.3%	95.7%
Grade 11	1.6%	2.2%	4.4%	95.6%
Grade 12	2.0%	3.3%	5.5%	94.5%
<b>Cocaine</b>				
All	1.6%	2.0%	2.8%	97.2%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.9%	2.1%	2.2%	97.8%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	3.1%	3.4%	4.3%	95.7%
Grade 11	1.6%	2.2%	4.1%	95.9%
Grade 12	1.8%	3.0%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.9%	1.1%	2.0%	98.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.6%	1.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.8%	0.8%	2.3%	97.7%
Hallucinogens				
All	1.1%	1.4%	3.3%	96.7%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.9%	98.1%
Grade 9	0.3%	0.7%	1.4%	98.6%
Grade 10	2.3%	3.1%	5.1%	94.9%
Grade 11	1.0%	1.5%	5.6%	94.4%
Grade 12	2.5%	3.5%	8.0%	92.0%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	1.0%	1.7%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
Steroids				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.8%	1.1%	1.2%	98.8%
Grade 10	0.5%	1.5%	2.4%	97.6%
Grade 11	0.1%	0.1%	1.9%	98.1%
Grade 12	1.2%	1.5%	3.3%	96.7%
Ecstasy				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	1.1%	2.6%	97.4%
Grade 9	1.2%	1.4%	1.9%	98.1%
Grade 10	0.1%	0.9%	1.9%	98.1%
Grade 11	1.1%	1.8%	4.0%	96.0%
Grade 12	1.8%	2.3%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 69 of 120



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.7%	98.3%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.2%	2.1%	6.0%	94.0%
Grade 7	1.1%	1.1%	1.6%	98.4%
Grade 8	1.3%	2.5%	4.7%	95.3%
Grade 9	1.1%	1.3%	4.1%	95.9%
Grade 10	1.5%	2.3%	7.4%	92.6%
Grade 11	0.5%	2.2%	11.6%	88.4%
Grade 12	2.1%	3.8%	10.5%	89.5%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.3%	2.0%	98.0%
Grade 9	0.7%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	1.5%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.5%	16.2%	27.4%	72.6%
Grade 7	4.7%	6.6%	13.4%	86.6%
Grade 8	9.6%	11.8%	21.0%	79.0%
Grade 9	12.5%	15.8%	26.2%	73.8%
Grade 10	11.3%	14.7%	26.3%	73.7%
Grade 11	16.0%	20.0%	36.8%	63.2%
Grade 12	24.6%	33.2%	47.4%	52.6%
<b>Any Alcohol Product</b>				
All	28.0%	33.1%	51.9%	48.1%
Grade 7	16.3%	19.6%	38.2%	61.8%
Grade 8	21.2%	24.9%	44.7%	55.3%
Grade 9	27.9%	32.2%	50.0%	50.0%
Grade 10	26.0%	30.5%	52.1%	47.9%
Grade 11	35.9%	43.2%	61.7%	38.3%
Grade 12	46.8%	55.9%	71.2%	28.8%
<b>Any Illicit Drug</b>				
All	9.2%	13.1%	17.4%	82.6%
Grade 7	3.1%	4.4%	6.8%	93.2%
Grade 8	6.7%	10.3%	13.4%	86.6%
Grade 9	6.8%	9.2%	11.4%	88.6%
Grade 10	8.4%	12.6%	17.8%	82.2%
Grade 11	15.0%	19.9%	27.5%	72.5%
Grade 12	18.7%	26.9%	33.8%	66.2%
<b>Any Prescription Drug</b>				
All	9.3%	12.9%	16.9%	83.1%
Grade 7	6.5%	8.1%	11.5%	88.5%
Grade 8	8.1%	9.8%	13.6%	86.4%
Grade 9	10.2%	13.9%	19.9%	80.1%
Grade 10	8.7%	11.9%	14.7%	85.3%
Grade 11	11.6%	16.5%	19.2%	80.8%
Grade 12	11.9%	19.1%	24.3%	75.7%
<b>Any Inhalant</b>				
All	3.5%	4.8%	12.0%	88.0%
Grade 7	4.5%	5.6%	12.8%	87.2%
Grade 8	4.6%	5.5%	13.9%	86.1%
Grade 9	5.5%	6.6%	13.2%	86.8%
Grade 10	2.9%	4.2%	10.8%	89.2%
Grade 11	1.8%	2.7%	11.3%	88.7%
Grade 12	0.9%	3.2%	9.2%	90.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.7%	12.0%	23.1%	76.9%
Grade 7	2.6%	4.1%	10.4%	89.6%
Grade 8	4.4%	7.6%	16.9%	83.1%
Grade 9	8.7%	12.9%	22.8%	77.2%
Grade 10	5.6%	9.6%	22.6%	77.4%
Grade 11	11.8%	17.0%	31.4%	68.6%
Grade 12	15.5%	24.5%	39.8%	60.2%
<b>Marijuana</b>				
All	8.7%	10.8%	15.5%	84.5%
Grade 7	2.3%	3.0%	5.2%	94.8%
Grade 8	6.3%	8.6%	11.3%	88.7%
Grade 9	6.6%	7.5%	9.9%	90.1%
Grade 10	7.9%	9.6%	14.6%	85.4%
Grade 11	14.8%	17.6%	26.6%	73.4%
Grade 12	18.0%	23.2%	31.2%	68.8%
<b>Marijuana Only</b>				
All	4.1%	5.5%	8.7%	91.3%
Grade 7	1.2%	1.7%	3.6%	96.4%
Grade 8	3.1%	5.3%	7.7%	92.3%
Grade 9	3.6%	4.2%	5.5%	94.5%
Grade 10	3.6%	4.8%	8.4%	91.6%
Grade 11	6.5%	7.5%	14.0%	86.0%
Grade 12	8.0%	11.5%	16.2%	83.8%
<b>Cocaine or Crack</b>				
All	1.3%	1.5%	2.7%	97.3%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.3%	1.3%	2.0%	98.0%
Grade 9	0.8%	1.0%	1.3%	98.7%
Grade 10	1.0%	1.1%	2.1%	97.9%
Grade 11	1.2%	1.7%	3.4%	96.6%
Grade 12	2.8%	3.6%	7.2%	92.8%
<b>Cocaine</b>				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	1.0%	1.1%	2.1%	97.9%
Grade 11	1.2%	1.7%	3.4%	96.6%
Grade 12	2.8%	3.6%	6.9%	93.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.7%	1.1%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.4%	1.8%	3.0%	97.0%
Grade 11	0.8%	2.6%	6.3%	93.7%
Grade 12	1.2%	1.3%	4.6%	95.4%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Steroids</b>				
All	0.4%	0.5%	1.5%	98.5%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	0.4%	0.4%	1.8%	98.2%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	0.8%	1.0%	2.4%	97.6%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.0%	98.0%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.7%	1.6%	98.4%
Grade 9	0.4%	0.4%	1.5%	98.5%
Grade 10	0.3%	1.3%	1.9%	98.1%
Grade 11	1.0%	1.9%	3.5%	96.5%
Grade 12	1.7%	2.1%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.7%	1.2%	4.1%	95.9%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.9%	1.5%	2.8%	97.2%
Grade 9	0.3%	0.3%	2.4%	97.6%
Grade 10	0.6%	1.6%	4.5%	95.5%
Grade 11	1.2%	1.6%	6.6%	93.4%
Grade 12	1.2%	2.1%	8.9%	91.1%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.5%	0.8%	1.1%	98.9%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	0.2%	0.2%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.0%	25.0%	40.6%	59.4%
Grade 7	7.2%	10.1%	22.8%	77.2%
Grade 8	14.3%	17.7%	35.2%	64.8%
Grade 9	11.5%	19.2%	33.4%	66.6%
Grade 10	22.7%	27.0%	43.0%	57.0%
Grade 11	28.5%	35.9%	53.0%	47.0%
Grade 12	32.5%	42.7%	59.5%	40.5%
<b>Any Alcohol Product</b>				
All	35.7%	42.0%	62.6%	37.4%
Grade 7	16.4%	20.6%	45.8%	54.2%
Grade 8	29.3%	33.8%	54.3%	45.7%
Grade 9	32.3%	37.6%	54.8%	45.2%
Grade 10	37.9%	46.4%	67.6%	32.4%
Grade 11	42.3%	51.5%	73.6%	26.4%
Grade 12	58.2%	64.6%	82.6%	17.4%
<b>Any Illicit Drug</b>				
All	17.7%	22.6%	31.4%	68.6%
Grade 7	6.9%	9.4%	12.4%	87.6%
Grade 8	15.4%	19.6%	24.8%	75.2%
Grade 9	11.4%	16.6%	21.5%	78.5%
Grade 10	22.1%	23.9%	33.1%	66.9%
Grade 11	25.2%	32.7%	46.6%	53.4%
Grade 12	26.8%	35.9%	54.3%	45.7%
<b>Any Prescription Drug</b>				
All	13.3%	16.6%	22.6%	77.4%
Grade 7	11.1%	13.1%	17.9%	82.1%
Grade 8	9.7%	12.5%	17.7%	82.3%
Grade 9	10.9%	14.1%	18.1%	81.9%
Grade 10	16.6%	21.6%	29.3%	70.7%
Grade 11	15.3%	19.7%	25.7%	74.3%
Grade 12	16.7%	18.9%	27.8%	72.2%
<b>Any Inhalant</b>				
All	4.9%	7.1%	13.5%	86.5%
Grade 7	5.8%	8.0%	16.1%	83.9%
Grade 8	8.2%	9.5%	17.9%	82.1%
Grade 9	6.0%	6.9%	13.1%	86.9%
Grade 10	3.9%	5.5%	11.3%	88.7%
Grade 11	4.0%	10.8%	13.8%	86.2%
Grade 12	1.0%	2.0%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.7%	19.2%	33.1%	66.9%
Grade 7	4.9%	7.8%	18.6%	81.4%
Grade 8	8.4%	12.1%	26.5%	73.5%
Grade 9	7.5%	14.3%	26.6%	73.4%
Grade 10	14.6%	20.5%	37.4%	62.6%
Grade 11	19.1%	26.8%	43.7%	56.3%
Grade 12	17.3%	36.3%	48.3%	51.7%
<b>Marijuana</b>				
All	16.5%	19.6%	29.1%	70.9%
Grade 7	6.4%	7.6%	11.0%	89.0%
Grade 8	13.6%	16.1%	21.8%	78.2%
Grade 9	10.7%	13.8%	19.0%	81.0%
Grade 10	19.7%	20.7%	30.8%	69.2%
Grade 11	25.2%	29.3%	44.5%	55.5%
Grade 12	25.5%	32.3%	51.4%	48.6%
<b>Marijuana Only</b>				
All	9.5%	11.5%	18.9%	81.1%
Grade 7	3.3%	4.3%	7.4%	92.6%
Grade 8	6.2%	7.0%	12.0%	88.0%
Grade 9	5.8%	7.7%	11.8%	88.2%
Grade 10	12.6%	12.8%	20.6%	79.4%
Grade 11	14.2%	16.9%	27.6%	72.4%
Grade 12	16.1%	21.7%	36.8%	63.2%
<b>Cocaine or Crack</b>				
All	1.9%	2.3%	3.4%	96.6%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	2.7%	3.3%	3.8%	96.2%
Grade 9	1.3%	1.3%	1.8%	98.2%
Grade 10	2.4%	3.3%	3.9%	96.1%
Grade 11	2.8%	3.1%	5.0%	95.0%
Grade 12	2.1%	2.4%	4.9%	95.1%
<b>Cocaine</b>				
All	1.8%	2.1%	3.1%	96.9%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	2.1%	2.6%	3.0%	97.0%
Grade 9	1.3%	1.3%	1.8%	98.2%
Grade 10	2.4%	3.3%	3.9%	96.1%
Grade 11	2.8%	3.1%	4.7%	95.3%
Grade 12	1.8%	2.1%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	1.1%	1.8%	98.2%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.9%	1.3%	1.8%	98.2%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.0%	2.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	1.7%	1.7%	4.1%	95.9%
<b>Hallucinogens</b>				
All	1.0%	1.6%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	0.9%	3.0%	97.0%
Grade 9	0.5%	1.0%	1.6%	98.4%
Grade 10	1.7%	2.7%	4.0%	96.0%
Grade 11	0.7%	1.3%	5.5%	94.5%
Grade 12	2.2%	3.2%	9.7%	90.3%
<b>Synthetic Cathinones</b>				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	1.2%	1.5%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	2.1%	97.9%
<b>Steroids</b>				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.4%	0.5%	1.7%	98.3%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	1.0%	1.2%	1.3%	98.7%
Grade 10	0.6%	1.8%	2.6%	97.4%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	1.7%	1.8%	3.9%	96.1%
<b>Ecstasy</b>				
All	1.0%	1.4%	3.1%	96.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	1.0%	2.7%	97.3%
Grade 9	1.3%	1.5%	1.9%	98.1%
Grade 10	0.4%	0.4%	1.6%	98.4%
Grade 11	0.6%	1.5%	5.3%	94.7%
Grade 12	3.0%	3.5%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	1.1%	1.1%	2.5%	97.5%
<b>Synthetic Marijuana</b>				
All	1.2%	2.6%	7.5%	92.5%
Grade 7	1.1%	1.1%	2.0%	98.0%
Grade 8	2.6%	4.8%	7.8%	92.2%
Grade 9	1.1%	2.5%	5.9%	94.1%
Grade 10	1.5%	2.1%	8.2%	91.8%
Grade 11	0.0%	2.5%	13.3%	86.7%
Grade 12	0.8%	2.6%	8.5%	91.5%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	1.1%	2.1%	97.9%
Grade 9	0.5%	0.7%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.1%	2.5%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.9%	18.2%	31.3%	68.7%
Grade 7	4.5%	6.7%	14.2%	85.8%
Grade 8	8.6%	10.8%	23.3%	76.7%
Grade 9	11.7%	17.5%	30.4%	69.6%
Grade 10	15.4%	18.6%	32.4%	67.6%
Grade 11	20.7%	25.7%	44.2%	55.8%
Grade 12	27.1%	35.2%	50.2%	49.8%
<b>Any Alcohol Product</b>				
All	29.9%	35.7%	56.2%	43.8%
Grade 7	14.2%	17.3%	38.3%	61.7%
Grade 8	21.6%	25.8%	45.9%	54.1%
Grade 9	29.9%	34.9%	54.8%	45.2%
Grade 10	29.9%	36.6%	59.8%	40.2%
Grade 11	39.6%	48.2%	68.6%	31.4%
Grade 12	51.6%	59.2%	77.2%	22.8%
<b>Any Illicit Drug</b>				
All	11.1%	15.1%	21.0%	79.0%
Grade 7	3.1%	4.8%	7.0%	93.0%
Grade 8	8.4%	11.7%	15.4%	84.6%
Grade 9	7.5%	10.6%	13.4%	86.6%
Grade 10	12.3%	15.1%	22.3%	77.7%
Grade 11	19.4%	25.3%	35.6%	64.4%
Grade 12	18.8%	28.0%	39.4%	60.6%
<b>Any Prescription Drug</b>				
All	11.0%	14.1%	18.2%	81.8%
Grade 7	8.2%	9.8%	13.4%	86.6%
Grade 8	8.7%	10.3%	14.0%	86.0%
Grade 9	10.6%	14.7%	18.9%	81.1%
Grade 10	11.5%	14.3%	18.2%	81.8%
Grade 11	13.1%	18.0%	21.5%	78.5%
Grade 12	15.1%	19.2%	25.5%	74.5%
<b>Any Inhalant</b>				
All	3.6%	4.9%	11.3%	88.7%
Grade 7	3.9%	5.2%	12.3%	87.7%
Grade 8	5.3%	6.4%	13.8%	86.2%
Grade 9	5.4%	6.3%	12.2%	87.8%
Grade 10	2.7%	3.7%	9.6%	90.4%
Grade 11	2.5%	4.8%	11.3%	88.7%
Grade 12	0.5%	2.0%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.6%	13.5%	25.8%	74.2%
Grade 7	2.4%	4.3%	11.3%	88.7%
Grade 8	4.7%	7.5%	17.9%	82.1%
Grade 9	7.7%	13.3%	24.7%	75.3%
Grade 10	8.8%	13.3%	28.0%	72.0%
Grade 11	14.2%	20.1%	36.7%	63.3%
Grade 12	16.3%	27.1%	41.6%	58.4%
<b>Marijuana</b>				
All	10.4%	12.7%	19.1%	80.9%
Grade 7	2.5%	3.3%	5.5%	94.5%
Grade 8	7.5%	9.5%	13.4%	86.6%
Grade 9	7.1%	8.4%	11.3%	88.7%
Grade 10	11.7%	12.6%	20.2%	79.8%
Grade 11	19.3%	22.8%	34.1%	65.9%
Grade 12	17.4%	23.9%	36.7%	63.3%
<b>Marijuana Only</b>				
All	6.0%	7.6%	12.5%	87.5%
Grade 7	1.4%	2.1%	4.1%	95.9%
Grade 8	4.1%	5.8%	9.3%	90.7%
Grade 9	4.4%	5.4%	7.5%	92.5%
Grade 10	7.7%	8.2%	14.4%	85.6%
Grade 11	10.7%	12.7%	21.0%	79.0%
Grade 12	9.0%	13.8%	23.0%	77.0%
<b>Cocaine or Crack</b>				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.1%	1.2%	1.4%	98.6%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	1.1%	98.9%
Grade 11	1.8%	2.3%	4.2%	95.8%
Grade 12	2.5%	2.7%	4.7%	95.3%
<b>Cocaine</b>				
All	1.0%	1.1%	1.9%	98.1%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	1.1%	98.9%
Grade 11	1.8%	2.3%	4.0%	96.0%
Grade 12	2.3%	2.5%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.8%	0.8%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.4%	0.9%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.6%	0.8%	99.2%
Grade 10	0.7%	1.4%	2.6%	97.4%
Grade 11	0.4%	1.6%	5.9%	94.1%
Grade 12	0.9%	1.3%	5.5%	94.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.3%	98.7%
<b>Steroids</b>				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.8%	1.1%	1.4%	98.6%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	1.0%	1.1%	3.4%	96.6%
<b>Ecstasy</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	1.0%	1.1%	3.0%	97.0%
Grade 12	1.9%	2.4%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.7%	0.7%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	4.4%	95.6%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	1.2%	2.0%	3.4%	96.6%
Grade 9	0.6%	0.7%	2.6%	97.4%
Grade 10	0.4%	1.1%	4.1%	95.9%
Grade 11	0.9%	1.0%	8.5%	91.5%
Grade 12	1.2%	1.9%	8.5%	91.5%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.3%	0.6%	99.4%
Grade 12	0.8%	0.8%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.1%	27.9%	41.2%	58.8%
Grade 7	10.9%	13.2%	26.6%	73.4%
Grade 8	26.2%	29.0%	41.2%	58.8%
Grade 9	19.8%	22.1%	31.5%	68.5%
Grade 10	18.8%	25.7%	39.0%	61.0%
Grade 11	26.2%	35.5%	47.7%	52.3%
Grade 12	37.0%	43.0%	62.3%	37.7%
<b>Any Alcohol Product</b>				
All	39.7%	45.4%	60.5%	39.5%
Grade 7	29.5%	36.0%	55.7%	44.3%
Grade 8	39.3%	41.7%	60.9%	39.1%
Grade 9	33.0%	38.1%	47.0%	53.0%
Grade 10	40.5%	46.2%	59.9%	40.1%
Grade 11	41.4%	48.0%	67.8%	32.2%
Grade 12	54.8%	63.0%	73.6%	26.4%
<b>Any Illicit Drug</b>				
All	20.4%	26.5%	34.7%	65.3%
Grade 7	12.2%	14.7%	18.6%	81.4%
Grade 8	17.2%	22.2%	28.4%	71.6%
Grade 9	18.3%	25.2%	29.1%	70.9%
Grade 10	25.3%	31.6%	37.9%	62.1%
Grade 11	21.4%	29.5%	40.8%	59.2%
Grade 12	27.4%	35.5%	53.4%	46.6%
<b>Any Prescription Drug</b>				
All	11.7%	15.8%	23.3%	76.7%
Grade 7	8.8%	10.6%	15.3%	84.7%
Grade 8	9.4%	12.1%	19.7%	80.3%
Grade 9	13.3%	14.5%	25.3%	74.7%
Grade 10	15.6%	26.0%	34.0%	66.0%
Grade 11	13.1%	17.5%	25.6%	74.4%
Grade 12	9.8%	13.7%	19.8%	80.2%
<b>Any Inhalant</b>				
All	6.9%	10.5%	19.7%	80.3%
Grade 7	8.0%	10.2%	22.9%	77.1%
Grade 8	10.3%	12.1%	24.5%	75.5%
Grade 9	10.2%	12.0%	21.6%	78.4%
Grade 10	6.7%	9.2%	16.2%	83.8%
Grade 11	4.2%	15.0%	20.7%	79.3%
Grade 12	1.5%	5.0%	12.5%	87.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.8%	21.2%	34.4%	65.6%
Grade 7	7.5%	9.1%	21.3%	78.7%
Grade 8	14.3%	18.6%	30.3%	69.7%
Grade 9	14.5%	19.2%	28.7%	71.3%
Grade 10	12.9%	18.5%	33.1%	66.9%
Grade 11	21.8%	30.3%	43.4%	56.6%
Grade 12	18.5%	32.7%	51.2%	48.8%
<b>Marijuana</b>				
All	19.2%	22.3%	31.1%	68.9%
Grade 7	11.2%	12.5%	17.9%	82.1%
Grade 8	15.9%	17.7%	22.2%	77.8%
Grade 9	17.7%	22.1%	26.6%	73.4%
Grade 10	21.5%	24.9%	31.2%	68.8%
Grade 11	21.4%	24.5%	39.8%	60.2%
Grade 12	27.4%	31.9%	49.1%	50.9%
<b>Marijuana Only</b>				
All	7.8%	9.6%	15.7%	84.3%
Grade 7	5.0%	5.8%	10.8%	89.2%
Grade 8	5.7%	7.0%	10.7%	89.3%
Grade 9	7.4%	9.1%	11.3%	88.7%
Grade 10	9.0%	12.4%	13.9%	86.1%
Grade 11	6.2%	7.0%	16.8%	83.2%
Grade 12	12.9%	15.7%	30.3%	69.7%
<b>Cocaine or Crack</b>				
All	3.5%	3.8%	5.8%	94.2%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	4.4%	5.1%	8.6%	91.4%
Grade 9	2.9%	2.9%	3.5%	96.5%
Grade 10	5.7%	6.6%	8.9%	91.1%
Grade 11	2.6%	2.6%	4.4%	95.6%
Grade 12	3.8%	3.8%	7.9%	92.1%
<b>Cocaine</b>				
All	3.3%	3.5%	5.1%	94.9%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	3.4%	4.1%	5.3%	94.7%
Grade 9	2.9%	2.9%	3.5%	96.5%
Grade 10	5.7%	6.6%	8.9%	91.1%
Grade 11	2.6%	2.6%	4.4%	95.6%
Grade 12	3.8%	3.8%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.2%	2.0%	3.9%	96.1%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	2.3%	2.8%	5.5%	94.5%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	2.2%	6.6%	8.1%	91.9%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	1.2%	1.2%	4.9%	95.1%
<b>Hallucinogens</b>				
All	3.1%	3.9%	6.5%	93.5%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.8%	2.1%	3.7%	96.3%
Grade 9	1.9%	1.9%	4.9%	95.1%
Grade 10	6.7%	7.9%	9.1%	90.9%
Grade 11	3.0%	5.4%	8.1%	91.9%
Grade 12	4.2%	5.2%	11.9%	88.1%
<b>Synthetic Cathinones</b>				
All	0.6%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.5%	5.7%	5.7%	94.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	2.6%	97.4%
<b>Steroids</b>				
All	0.6%	1.4%	3.2%	96.8%
Grade 7	1.0%	1.5%	2.4%	97.6%
Grade 8	0.0%	0.5%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	3.5%	5.7%	94.3%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	2.7%	3.0%	3.6%	96.4%
<b>Ecstasy</b>				
All	1.5%	3.3%	6.2%	93.8%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	0.4%	1.4%	3.5%	96.5%
Grade 9	2.3%	2.9%	5.1%	94.9%
Grade 10	0.0%	3.3%	6.0%	94.0%
Grade 11	0.0%	6.1%	12.1%	87.9%
Grade 12	5.0%	5.6%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	1.3%	4.9%	95.1%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	2.2%	2.2%	3.9%	96.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.7%	4.3%	11.1%	88.9%
Grade 7	2.0%	2.3%	4.0%	96.0%
Grade 8	2.8%	4.9%	8.9%	91.1%
Grade 9	1.2%	4.5%	11.4%	88.6%
Grade 10	2.9%	5.1%	16.1%	83.9%
Grade 11	0.0%	7.5%	15.7%	84.3%
Grade 12	1.2%	1.8%	10.9%	89.1%
<b>Methamphetamine</b>				
All	0.6%	1.6%	2.3%	97.7%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	1.0%	2.3%	3.6%	96.4%
Grade 9	1.6%	2.3%	3.1%	96.9%
Grade 10	0.0%	1.2%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	2.7%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	395,730	49.6%
Female	401,714	50.4%
Frequency Missing	3,414	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	350,177	45.4%
Yes	421,719	54.6%
Frequency Missing	28,963	

**Grade**

Q2	Frequency	Percent
Grade 7	140,408	17.6%
Grade 8	138,097	17.3%
Grade 9	150,665	18.9%
Grade 10	137,145	17.2%
Grade 11	120,036	15.0%
Grade 12	111,500	14.0%
Frequency Missing	3,007	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	17,105	2.5%
Asian American	5,935	0.9%
African American	111,470	16.0%
Pacific Islander	1,804	0.3%
White	313,311	45.0%
Other	138,623	19.9%
More Than One Race	107,661	15.5%
Frequency Missing	104,949	

**Live with Both Parents**

Q3	Frequency	Percent
No	326,100	41.1%
Yes	467,588	58.9%
Frequency Missing	7,170	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	2,527	0.4%
Mostly D's	11,134	1.6%
Mostly C's	98,959	14.6%
Mostly B's	343,215	50.6%
Mostly A's	222,724	32.8%
Frequency Missing	122,299	

**Age**

Q4	Frequency	Percent
11 Or Younger	440	0.1%
12	50,194	6.3%
13	129,358	16.2%
14	139,914	17.5%
15	141,143	17.7%
16	137,797	17.3%
17	119,683	15.0%
18	69,605	8.7%
19 Or Older	9,207	1.2%
Frequency Missing	3,515	

**Do You Have a Job**

Q7	Frequency	Percent
No	551,649	80.5%
Yes	133,345	19.5%
Frequency Missing	115,865	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	226,426	33.5%
Yes	309,108	45.7%
Don't Know	140,195	20.7%
Frequency Missing	125,129	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	530,685	92.5%
Yes	43,122	7.5%
Frequency Missing	227,051	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	294,992	46.2%
Yes	343,455	53.8%
Frequency Missing	162,411	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	451,086	77.8%
Yes	128,678	22.2%
Frequency Missing	221,094	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	445,888	75.4%
Yes	145,175	24.6%
Frequency Missing	209,795	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	427,688	73.6%
Yes	153,568	26.4%
Frequency Missing	219,602	

**Participate in School Choir**

Q9c	Frequency	Percent
No	521,189	90.8%
Yes	52,885	9.2%
Frequency Missing	226,784	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	397,101	67.0%
Yes	195,295	33.0%
Frequency Missing	208,462	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	523,804	90.5%
Yes	54,946	9.5%
Frequency Missing	222,108	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	445,315	76.9%
Yes	133,580	23.1%
Frequency Missing	221,964	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	692,214	86.9%
Somewhat Safe	88,933	11.2%
Not Very Safe	5,540	0.7%
Not Safe At All	2,235	0.3%
Don't Know	7,199	0.9%
Frequency Missing	4,736	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	72,277	9.7%
Some High School	97,415	13.1%
Finished High School	156,873	21.0%
Some College	111,961	15.0%
Finished College	153,130	20.5%
Post-Secondary	70,108	9.4%
Don't Know Or N/A	83,696	11.2%
Frequency Missing	55,399	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	344,078	43.5%
Somewhat Safe	362,830	45.9%
Not Very Safe	57,180	7.2%
Not Safe At All	11,157	1.4%
Don't Know	15,126	1.9%
Frequency Missing	10,487	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	424,374	63.4%
Yes	244,490	36.6%
Frequency Missing	131,994	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	311,528	39.4%
Somewhat Safe	359,543	45.4%
Not Very Safe	61,644	7.8%
Not Safe At All	30,867	3.9%
Don't Know	27,688	3.5%
Frequency Missing	9,588	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	38,788	4.9%
A Few	169,783	21.6%
Some	194,719	24.8%
Most	270,862	34.5%
All	111,065	14.1%
Frequency Missing	15,641	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	77,374	10.4%
Some High School	104,966	14.1%
Finished High School	175,625	23.6%
Some College	97,610	13.1%
Finished College	111,794	15.0%
Post-Secondary	49,450	6.7%
Don't Know Or N/A	126,392	17.0%
Frequency Missing	57,647	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	16,694	2.1%
A Few	86,600	11.0%
Some	179,013	22.7%
Most	331,227	42.1%
All	173,390	22.0%
Frequency Missing	13,936	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	418,425	54.3%
A Few	220,737	28.6%
Some	80,912	10.5%
Most	36,022	4.7%
All	14,666	1.9%
Frequency Missing	30,097	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	742,046	94.4%
In Your Lifetime	33,109	4.2%
Since School Began	3,126	0.4%
In The Past Month	7,592	1.0%
Frequency Missing	14,986	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	588,074	75.6%
A Few	111,163	14.3%
Some	44,707	5.8%
Most	20,786	2.7%
All	12,695	1.6%
Frequency Missing	23,433	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	769,402	98.7%
In Your Lifetime	7,887	1.0%
Since School Began	363	0.0%
In The Past Month	2,028	0.3%
Frequency Missing	21,178	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	669,726	85.6%
A Few	71,417	9.1%
Some	25,942	3.3%
Most	7,905	1.0%
All	7,445	1.0%
Frequency Missing	18,423	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	734,729	93.4%
In Your Lifetime	35,507	4.5%
Since School Began	6,133	0.8%
In The Past Month	10,397	1.3%
Frequency Missing	14,092	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	771,460	97.8%
In Your Lifetime	12,874	1.6%
Since School Began	865	0.1%
In The Past Month	3,433	0.4%
Frequency Missing	12,226	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	773,588	98.8%
In Your Lifetime	6,187	0.8%
Since School Began	565	0.1%
In The Past Month	2,537	0.3%
Frequency Missing	17,981	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	773,988	98.9%
In Your Lifetime	5,701	0.7%
Since School Began	702	0.1%
In The Past Month	2,205	0.3%
Frequency Missing	18,263	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	719,178	92.4%
In Your Lifetime	28,543	3.7%
Since School Began	8,962	1.2%
In The Past Month	21,677	2.8%
Frequency Missing	22,498	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	767,013	97.8%
In Your Lifetime	11,194	1.4%
Since School Began	2,347	0.3%
In The Past Month	3,383	0.4%
Frequency Missing	16,921	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	478,639	62.5%
In Your Lifetime	141,888	18.5%
Since School Began	47,243	6.2%
In The Past Month	98,111	12.8%
Frequency Missing	34,978	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	537,087	69.0%
In Your Lifetime	105,615	13.6%
Since School Began	45,144	5.8%
In The Past Month	90,642	11.6%
Frequency Missing	22,370	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	770,781	98.1%
In Your Lifetime	10,487	1.3%
Since School Began	1,374	0.2%
In The Past Month	2,885	0.4%
Frequency Missing	15,331	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	528,230	69.0%
In Your Lifetime	136,681	17.9%
Since School Began	32,507	4.2%
In The Past Month	68,273	8.9%
Frequency Missing	35,167	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	661,544	84.2%
In Your Lifetime	71,416	9.1%
Since School Began	15,976	2.0%
In The Past Month	37,197	4.7%
Frequency Missing	14,726	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	504,903	65.0%
In Your Lifetime	121,048	15.6%
Since School Began	50,508	6.5%
In The Past Month	100,111	12.9%
Frequency Missing	24,288	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	765,646	97.6%
In Your Lifetime	10,172	1.3%
Since School Began	3,041	0.4%
In The Past Month	5,891	0.8%
Frequency Missing	16,108	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	756,207	96.5%
In Your Lifetime	19,203	2.5%
Since School Began	3,208	0.4%
In The Past Month	5,041	0.6%
Frequency Missing	17,199	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	774,375	99.0%
In Your Lifetime	4,624	0.6%
Since School Began	1,381	0.2%
In The Past Month	1,607	0.2%
Frequency Missing	18,871	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	571,240	72.9%
In Your Lifetime	96,147	12.3%
Since School Began	43,543	5.6%
In The Past Month	73,027	9.3%
Frequency Missing	16,901	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	758,490	97.0%
In Your Lifetime	13,743	1.8%
Since School Began	3,412	0.4%
In The Past Month	6,600	0.8%
Frequency Missing	18,613	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	630,653	80.3%
In Your Lifetime	71,446	9.1%
Since School Began	28,671	3.7%
In The Past Month	54,224	6.9%
Frequency Missing	15,864	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	778,828	99.5%
In Your Lifetime	1,860	0.2%
Since School Began	619	0.1%
In The Past Month	1,545	0.2%
Frequency Missing	18,006	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	771,650	98.5%
In Your Lifetime	6,319	0.8%
Since School Began	1,521	0.2%
In The Past Month	3,521	0.4%
Frequency Missing	17,848	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	745,567	95.2%
In Your Lifetime	26,050	3.3%
Since School Began	4,897	0.6%
In The Past Month	6,613	0.8%
Frequency Missing	17,730	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	764,833	97.9%
In Your Lifetime	9,494	1.2%
Since School Began	2,090	0.3%
In The Past Month	4,959	0.6%
Frequency Missing	19,482	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	670,540	86.3%
In Your Lifetime	33,935	4.4%
Since School Began	20,079	2.6%
In The Past Month	52,169	6.7%
Frequency Missing	24,135	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	778,947	99.4%
In Your Lifetime	2,757	0.4%
Since School Began	190	0.0%
In The Past Month	1,501	0.2%
Frequency Missing	17,464	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	735,272	94.8%
In Your Lifetime	10,199	1.3%
Since School Began	10,209	1.3%
In The Past Month	20,244	2.6%
Frequency Missing	24,933	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	777,164	99.2%
In Your Lifetime	2,818	0.4%
Since School Began	1,746	0.2%
In The Past Month	1,654	0.2%
Frequency Missing	17,475	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	747,030	96.7%
In Your Lifetime	7,076	0.9%
Since School Began	3,796	0.5%
In The Past Month	14,940	1.9%
Frequency Missing	28,016	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	742,473	96.0%
In Your Lifetime	11,044	1.4%
Since School Began	5,056	0.7%
In The Past Month	14,687	1.9%
Frequency Missing	27,597	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	572,931	74.7%
1-2 Times	121,890	15.9%
3-10 Times	50,163	6.5%
11+ Times	22,015	2.9%
Frequency Missing	33,859	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	705,171	91.4%
In Your Lifetime	22,458	2.9%
Since School Began	11,830	1.5%
In The Past Month	32,263	4.2%
Frequency Missing	29,136	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	761,359	98.3%
1-2 Times	9,590	1.2%
3-10 Times	3,067	0.4%
11+ Times	215	0.0%
Frequency Missing	26,627	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	743,366	96.5%
In Your Lifetime	11,637	1.5%
Since School Began	3,612	0.5%
In The Past Month	11,344	1.5%
Frequency Missing	30,900	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	689,225	89.1%
1-2 Times	40,120	5.2%
3-10 Times	20,331	2.6%
11+ Times	23,783	3.1%
Frequency Missing	27,399	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	707,510	91.7%
1-2 Times	34,114	4.4%
3-10 Times	12,696	1.6%
11+ Times	17,624	2.3%
Frequency Missing	28,914	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	766,581	98.9%
1-2 Times	5,483	0.7%
3-10 Times	1,341	0.2%
11+ Times	1,878	0.2%
Frequency Missing	25,575	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	769,714	99.7%
1-2 Times	1,748	0.2%
3-10 Times	183	0.0%
11+ Times	728	0.1%
Frequency Missing	28,485	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	445,723	58.2%
A Few	156,141	20.4%
Some	81,909	10.7%
Most	58,993	7.7%
All	23,735	3.1%
Frequency Missing	34,357	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	514,541	66.8%
A Few	159,233	20.7%
Some	57,625	7.5%
Most	29,215	3.8%
All	10,145	1.3%
Frequency Missing	30,099	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	214,986	28.4%
Impossible	160,420	21.2%
Very Difficult	46,660	6.2%
Somewhat Diff	67,819	9.0%
Somewhat Easy	104,447	13.8%
Very Easy	162,178	21.4%
Frequency Missing	44,348	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	356,894	46.3%
A Few	184,952	24.0%
Some	109,907	14.3%
Most	87,083	11.3%
All	31,427	4.1%
Frequency Missing	30,596	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	174,843	23.1%
Impossible	102,043	13.5%
Very Difficult	41,055	5.4%
Somewhat Diff	79,999	10.6%
Somewhat Easy	128,671	17.0%
Very Easy	229,564	30.4%
Frequency Missing	44,684	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	714,503	93.0%
A Few	35,637	4.6%
Some	10,691	1.4%
Most	4,076	0.5%
All	3,002	0.4%
Frequency Missing	32,949	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	308,518	41.1%
Impossible	126,005	16.8%
Very Difficult	33,303	4.4%
Somewhat Diff	48,654	6.5%
Somewhat Easy	63,500	8.5%
Very Easy	171,420	22.8%
Frequency Missing	49,458	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	213,647	28.2%
Impossible	174,345	23.0%
Very Difficult	52,977	7.0%
Somewhat Diff	69,643	9.2%
Somewhat Easy	91,719	12.1%
Very Easy	154,402	20.4%
Frequency Missing	44,126	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	355,784	47.3%
Impossible	212,651	28.3%
Very Difficult	66,614	8.9%
Somewhat Diff	46,922	6.2%
Somewhat Easy	32,335	4.3%
Very Easy	37,288	5.0%
Frequency Missing	49,263	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	276,750	36.6%
Impossible	257,771	34.1%
Very Difficult	84,834	11.2%
Somewhat Diff	64,212	8.5%
Somewhat Easy	32,548	4.3%
Very Easy	40,431	5.3%
Frequency Missing	44,313	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	341,182	45.1%
Impossible	264,491	35.0%
Very Difficult	77,667	10.3%
Somewhat Diff	33,378	4.4%
Somewhat Easy	16,015	2.1%
Very Easy	23,751	3.1%
Frequency Missing	44,375	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	289,235	38.4%
Impossible	265,457	35.2%
Very Difficult	90,108	12.0%
Somewhat Diff	55,799	7.4%
Somewhat Easy	22,116	2.9%
Very Easy	31,179	4.1%
Frequency Missing	46,964	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	357,238	47.2%
Impossible	251,232	33.2%
Very Difficult	68,493	9.0%
Somewhat Diff	33,818	4.5%
Somewhat Easy	21,179	2.8%
Very Easy	25,685	3.4%
Frequency Missing	43,213	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	298,961	39.9%
Impossible	256,068	34.1%
Very Difficult	79,572	10.6%
Somewhat Diff	59,215	7.9%
Somewhat Easy	25,062	3.3%
Very Easy	31,120	4.1%
Frequency Missing	50,860	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	341,224	45.1%
Impossible	192,981	25.5%
Very Difficult	61,030	8.1%
Somewhat Diff	45,041	6.0%
Somewhat Easy	47,094	6.2%
Very Easy	68,963	9.1%
Frequency Missing	44,525	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	13,130	1.7%
Several Times/Wk	8,716	1.1%
Several Times/Mo	11,206	1.5%
About Once/Month	23,109	3.0%
About Once/Year	18,142	2.4%
Less than Once/Year	32,704	4.3%
Never Used	655,982	86.0%
Frequency Missing	37,868	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	10,513	1.4%
Several Times/Wk	13,064	1.7%
Several Times/Mo	21,892	2.9%
About Once/Month	27,471	3.6%
About Once/Year	33,293	4.4%
Less than Once/Year	25,910	3.4%
Never Used	631,555	82.7%
Frequency Missing	37,160	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	1,442	0.2%
Several Times/Wk	13,625	1.8%
Several Times/Mo	55,124	7.3%
About Once/Month	88,817	11.7%
About Once/Year	83,408	11.0%
Less than Once/Year	56,636	7.5%
Never Used	460,772	60.6%
Frequency Missing	41,035	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	211	0.0%
Several Times/Wk	953	0.1%
Several Times/Mo	2,623	0.3%
About Once/Month	2,666	0.3%
About Once/Year	3,706	0.5%
Less than Once/Year	5,545	0.7%
Never Used	749,567	97.9%
Frequency Missing	35,586	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	1,017	0.1%
Several Times/Wk	972	0.1%
Several Times/Mo	1,984	0.3%
About Once/Month	4,015	0.5%
About Once/Year	4,503	0.6%
Less than Once/Year	10,711	1.4%
Never Used	738,161	97.0%
Frequency Missing	39,496	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	255	0.0%
Several Times/Wk	568	0.1%
Several Times/Mo	93	0.0%
About Once/Month	1,254	0.2%
About Once/Year	566	0.1%
Less than Once/Year	3,171	0.4%
Never Used	757,926	99.2%
Frequency Missing	37,024	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	549	0.1%
Several Times/Wk	300	0.0%
Several Times/Mo	693	0.1%
About Once/Month	491	0.1%
About Once/Year	1,410	0.2%
Less than Once/Year	3,973	0.5%
Never Used	753,618	99.0%
Frequency Missing	39,824	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	575	0.1%
Several Times/Wk	668	0.1%
Several Times/Mo	505	0.1%
About Once/Month	433	0.1%
About Once/Year	492	0.1%
Less than Once/Year	2,271	0.3%
Never Used	758,042	99.4%
Frequency Missing	37,872	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	831	0.1%
Several Times/Wk	1,126	0.1%
Several Times/Mo	492	0.1%
About Once/Month	2,225	0.3%
About Once/Year	4,862	0.6%
Less than Once/Year	5,287	0.7%
Never Used	746,378	98.1%
Frequency Missing	39,657	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	598	0.1%
Several Times/Wk	495	0.1%
Several Times/Mo	1,101	0.1%
About Once/Month	5,255	0.7%
About Once/Year	4,475	0.6%
Less than Once/Year	15,410	2.0%
Never Used	732,659	96.4%
Frequency Missing	40,867	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	342	0.0%
Several Times/Wk	570	0.1%
Several Times/Mo	419	0.1%
About Once/Month	129	0.0%
About Once/Year	484	0.1%
Less than Once/Year	1,258	0.2%
Never Used	759,693	99.6%
Frequency Missing	37,963	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	469,499	62.0%
12+ Drinks	21,954	2.9%
9-11 Drinks	8,697	1.1%
5-8 Drinks	23,873	3.2%
3-4 Drinks	49,600	6.6%
2 Drinks	38,342	5.1%
1 Drink	48,101	6.4%
Less than 1 Drink	97,093	12.8%
Frequency Missing	43,700	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	503,383	66.4%
12+ Drinks	15,754	2.1%
9-11 Drinks	10,077	1.3%
5-8 Drinks	23,657	3.1%
3-4 Drinks	45,822	6.0%
2 Drinks	46,018	6.1%
1 Drink	51,991	6.9%
Less than 1 Drink	61,343	8.1%
Frequency Missing	42,814	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	427,633	57.7%
0 Days	220,577	29.7%
1 Day	37,279	5.0%
2 Days	20,558	2.8%
3 To 5 Days	16,230	2.2%
6 To 9 Days	6,290	0.8%
10 Or More Days	13,164	1.8%
Frequency Missing	59,127	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	515,913	68.6%
12+ Drinks	6,410	0.9%
9-11 Drinks	2,195	0.3%
5-8 Drinks	6,791	0.9%
3-4 Drinks	25,942	3.4%
2 Drinks	36,774	4.9%
1 Drink	63,842	8.5%
Less than 1 Drink	94,645	12.6%
Frequency Missing	48,345	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	423,153	56.3%
Never	148,312	19.7%
Seldom	122,491	16.3%
Most Of The Time	43,420	5.8%
Always	14,000	1.9%
Frequency Missing	49,483	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	484,964	63.9%
12+ Drinks	20,992	2.8%
9-11 Drinks	11,649	1.5%
5-8 Drinks	32,382	4.3%
3-4 Drinks	48,663	6.4%
2 Drinks	47,494	6.3%
1 Drink	41,025	5.4%
Less than 1 Drink	71,686	9.4%
Frequency Missing	42,004	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	407,993	54.3%
Never	144,338	19.2%
Seldom	91,948	12.2%
Most Of The Time	76,157	10.1%
Always	31,224	4.2%
Frequency Missing	49,198	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	422,219	56.3%
Never	257,826	34.4%
Seldom	33,781	4.5%
Most Of The Time	22,379	3.0%
Always	13,325	1.8%
Frequency Missing	51,327	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	388,335	51.6%
Never	130,252	17.3%
Seldom	76,061	10.1%
Most Of The Time	77,054	10.2%
Always	81,375	10.8%
Frequency Missing	47,781	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	577,858	76.8%
Somewhat	88,164	11.7%
Not Very	24,401	3.2%
Not At All	10,258	1.4%
Don't Know	52,135	6.9%
Frequency Missing	48,042	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	426,671	57.8%
Never	182,143	24.7%
Seldom	64,037	8.7%
Most Of The Time	33,537	4.5%
Always	31,654	4.3%
Frequency Missing	62,816	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	437,639	58.1%
Somewhat	93,989	12.5%
Not Very	99,282	13.2%
Not At All	88,635	11.8%
Don't Know	33,391	4.4%
Frequency Missing	47,922	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	473,781	62.7%
Somewhat	164,530	21.8%
Not Very	65,229	8.6%
Not At All	17,708	2.3%
Don't Know	33,832	4.5%
Frequency Missing	45,779	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	665,813	88.1%
Somewhat	41,569	5.5%
Not Very	8,184	1.1%
Not At All	4,024	0.5%
Don't Know	35,852	4.7%
Frequency Missing	45,416	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	401,844	53.4%
Somewhat	213,427	28.4%
Not Very	87,904	11.7%
Not At All	21,248	2.8%
Don't Know	27,423	3.6%
Frequency Missing	49,013	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	670,046	88.9%
Somewhat	38,275	5.1%
Not Very	4,632	0.6%
Not At All	3,314	0.4%
Don't Know	37,605	5.0%
Frequency Missing	46,987	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	618,154	82.0%
Somewhat	53,398	7.1%
Not Very	16,024	2.1%
Not At All	5,458	0.7%
Don't Know	60,890	8.1%
Frequency Missing	46,936	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	612,493	81.5%
Somewhat	52,405	7.0%
Not Very	21,539	2.9%
Not At All	8,580	1.1%
Don't Know	56,141	7.5%
Frequency Missing	49,701	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	585,448	77.6%
Somewhat	82,653	11.0%
Not Very	25,447	3.4%
Not At All	9,548	1.3%
Don't Know	50,870	6.7%
Frequency Missing	46,892	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	561,567	74.5%
Somewhat	99,468	13.2%
Not Very	34,535	4.6%
Not At All	9,033	1.2%
Don't Know	49,225	6.5%
Frequency Missing	47,030	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	674,353	89.2%
Somewhat	27,719	3.7%
Not Very	4,412	0.6%
Not At All	2,584	0.3%
Don't Know	47,183	6.2%
Frequency Missing	44,608	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	383,487	50.9%
Somewhat	96,760	12.8%
Not Very	118,018	15.7%
Not At All	106,937	14.2%
Don't Know	48,428	6.4%
Frequency Missing	47,229	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	672,568	89.1%
Somewhat	28,263	3.7%
Not Very	3,040	0.4%
Not At All	2,386	0.3%
Don't Know	48,485	6.4%
Frequency Missing	46,117	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	606,901	81.1%
1-3 Days	107,522	14.4%
4-9 Days	20,782	2.8%
10+ Days	13,507	1.8%
Frequency Missing	52,145	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Days Ill Since September**

Q27b	Frequency	Percent
None	253,118	33.9%
1-3 Days	379,440	50.8%
4-9 Days	93,122	12.5%
10+ Days	20,606	2.8%
Frequency Missing	54,573	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	720,844	96.6%
1-3 Times	22,185	3.0%
4-9 Times	2,305	0.3%
10+ Times	1,219	0.2%
Frequency Missing	54,305	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	304,614	41.3%
1-3 Days	362,959	49.2%
4-9 Days	52,084	7.1%
10+ Days	18,524	2.5%
Frequency Missing	62,678	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	721,382	96.9%
1-3 Times	18,674	2.5%
4-9 Times	1,726	0.2%
10+ Times	2,608	0.4%
Frequency Missing	56,468	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	651,671	87.0%
1-3 Days	76,122	10.2%
4-9 Days	12,372	1.7%
10+ Days	8,529	1.1%
Frequency Missing	52,164	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	722,364	96.8%
1-3 Times	21,423	2.9%
4-9 Times	963	0.1%
10+ Times	1,220	0.2%
Frequency Missing	54,889	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	679,237	90.8%
1-3 Days	55,415	7.4%
4-9 Days	6,797	0.9%
10+ Days	6,210	0.8%
Frequency Missing	53,200	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	715,128	96.4%
1-3 Times	17,899	2.4%
4-9 Times	3,104	0.4%
10+ Times	5,415	0.7%
Frequency Missing	59,313	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	712,565	95.8%
1-3 Days	23,420	3.1%
4-9 Days	4,737	0.6%
10+ Days	3,037	0.4%
Frequency Missing	57,099	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	348,685	47.1%
Seldom	60,919	8.2%
Half The Time	47,014	6.4%
Most Of The Time	62,513	8.4%
Always	83,244	11.2%
Don't Know	17,739	2.4%
Didn't Attend	119,870	16.2%
Frequency Missing	60,874	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	701,483	94.7%
1-3 Days	21,850	3.0%
4-9 Days	7,575	1.0%
10+ Days	9,734	1.3%
Frequency Missing	60,216	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	436,341	58.9%
Seldom	48,930	6.6%
Half The Time	34,171	4.6%
Most Of The Time	41,896	5.7%
Always	40,047	5.4%
Don't Know	17,384	2.3%
Didn't Attend	121,506	16.4%
Frequency Missing	60,582	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	732,818	99.0%
1-3 Days	5,318	0.7%
4-9 Days	1,110	0.1%
10+ Days	652	0.1%
Frequency Missing	60,961	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	610,552	93.2%
Yes	44,744	6.8%
Frequency Missing	145,562	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	716,849	97.1%
1-3 Days	11,804	1.6%
4-9 Days	5,306	0.7%
10+ Days	4,111	0.6%
Frequency Missing	62,787	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	448,970	61.5%
Yes	281,594	38.5%
Frequency Missing	70,295	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	564,481	77.8%
Yes	160,978	22.2%
Frequency Missing	75,399	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	272,543	37.6%
Yes	452,249	62.4%
Frequency Missing	76,066	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	442,094	61.0%
Yes	282,550	39.0%
Frequency Missing	76,214	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	441,822	61.0%
Yes	282,672	39.0%
Frequency Missing	76,364	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	221,366	30.5%
Yes	505,179	69.5%
Frequency Missing	74,313	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	583,497	82.2%
Yes	126,417	17.8%
Frequency Missing	90,945	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	317,395	44.0%
Yes	404,689	56.0%
Frequency Missing	78,774	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	388,730	56.3%
Yes	302,094	43.7%
Frequency Missing	110,035	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	266,606	36.8%
Yes	457,480	63.2%
Frequency Missing	76,772	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	466,527	67.7%
Yes	222,975	32.3%
Frequency Missing	111,356	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	536,430	78.1%
Yes	150,858	21.9%
Frequency Missing	113,570	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	505,740	73.9%
Yes	178,158	26.1%
Frequency Missing	116,960	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	593,356	86.6%
Yes	91,590	13.4%
Frequency Missing	115,912	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	574,513	77.8%
Mild Disapprove	53,056	7.2%
Neither	45,281	6.1%
Mildly Approve	6,848	0.9%
Strongly Approve	6,638	0.9%
Don't Know	51,696	7.0%
Frequency Missing	62,826	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	521,457	76.3%
Yes	162,044	23.7%
Frequency Missing	117,357	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	459,390	62.3%
Mild Disapprove	103,434	14.0%
Neither	85,759	11.6%
Mildly Approve	28,900	3.9%
Strongly Approve	8,151	1.1%
Don't Know	51,437	7.0%
Frequency Missing	63,787	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	592,730	86.8%
Yes	90,286	13.2%
Frequency Missing	117,842	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	583,773	79.1%
Mild Disapprove	41,320	5.6%
Neither	40,560	5.5%
Mildly Approve	10,489	1.4%
Strongly Approve	12,041	1.6%
Don't Know	49,812	6.7%
Frequency Missing	62,861	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	546,719	79.8%
Yes	138,289	20.2%
Frequency Missing	115,850	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

