

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 593 | ALFAMINO INF PWD 14.1OZ | | | | 94 |
| 593 | Infant-PBF-Age 0 | | 1 | | 94 |
| 593 | Infant-PBF-Age 1-3 | Single | 4 | | 94 |
| 593 | Infant-PBF-Age 4-5 | Single | 5 | | 94 |
| 593 | Infant-PBF-Age 6-11 | Single | 4 | | 94 |
| 593 | Infant-Formula-Age 0-3 | Single | 9 | | 94 |
| 593 | Infant-Formula-Age 4-5 | Single | 10 | | 94 |
| 593 | Infant-Formula-Age 6-11 | Single | 7 | | 94 |
| 593 | Infant-SBF Age 0-3 | Single | 9 | | 94 |
| 593 | Infant-SBF Age 4-5 | Single | 10 | | 94 |
| 593 | Infant-SBF Age 6-11 | Single | 7 | | 94 |
| 593 | More Formula (Partial) 6-11 | Single | 5 | | 94 |
| 593 | More Formula (Full) 6-11 | Single | 10 | | 94 |
| 695 | ALIMENTUM RTU 8OZ-6PK | | | | 48 |
| 695 | Infant-PBF-Age 0 | | N/A | | 48 |
| 695 | Infant-PBF-Age 1-3 | Single | 8 | | 48 |
| 695 | Infant-PBF-Age 4-5 | Average | 19 | (10,9) | 48 |
| 695 | Infant-PBF-Age 6-11 | Single | 7 | | 48 |
| 695 | Infant-Formula-Age 0-3 | Single | 17 | | 48 |
| 695 | Infant-Formula-Age 4-5 | Single | 19 | | 48 |
| 695 | Infant-Formula-Age 6-11 | Single | 13 | | 48 |
| 695 | Infant-SBF Age 0-3 | Single | 17 | | 48 |
| 695 | Infant-SBF Age 4-5 | Single | 19 | | 48 |
| 695 | Infant-SBF Age 6-11 | Single | 13 | | 48 |
| 695 | More Formula (Partial) 6-11 | Average | 56 | (10,10,9,9,9,9) | 48 |
| 695 | More Formula (Full) 6-11 | Single | 19 | | 48 |
| 598 | ALIMENTUM PWD 12.1OZ | | | | 87 |
| 598 | Infant-PBF-Age 0 | | 1 | | 87 |
| 598 | Infant-PBF-Age 1-3 | Single | 5 | | 87 |
| 598 | Infant-PBF-Age 4-5 | Single | 6 | | 87 |
| 598 | Infant-PBF-Age 6-11 | Single | 4 | | 87 |
| 598 | Infant-Formula-Age 0-3 | Single | 10 | | 87 |
| 598 | Infant-Formula-Age 4-5 | Single | 11 | | 87 |
| 598 | Infant-Formula-Age 6-11 | Single | 8 | | 87 |
| 598 | Infant-SBF Age 0-3 | Single | 10 | | 87 |
| 598 | Infant-SBF Age 4-5 | Single | 11 | | 87 |
| 598 | Infant-SBF Age 6-11 | Single | 8 | | 87 |
| 598 | More Formula (Partial) 6-11 | Single | 6 | | 87 |
| 598 | More Formula (Full) 6-11 | Single | 11 | | 87 |
| 395 | ALIMENTUM RTU 32OZ | | | | 32 |
| 395 | Infant-PBF-Age 0 | | N/A | | 32 |
| 395 | Infant-PBF-Age 0-3 | Single | 12 | | 32 |
| 395 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 395 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 395 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 395 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 395 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 395 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 395 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 395 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 395 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 395 | More Formula (Full) 6-11 | Single | 28 | | 32 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 463 | BCAD 1 PWD 16OZ | | | | 114 |
| 463 | Infant-PBF-Age 0 | | N/A | | 114 |
| 463 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 463 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 463 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 463 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 463 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 463 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 463 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 463 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 463 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 463 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 463 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 470 | CALCILO XD PWD 13.2OZ | | | | 96 |
| 470 | Infant-PBF-Age 0 | | 1 | | 96 |
| 470 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 470 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 470 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 470 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 470 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 470 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 470 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 470 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 470 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 470 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 470 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 342 | CYCLINEX 1 PWD 14.1OZ | | | | 102 |
| 342 | Infant-PBF-Age 0 | | 1 | | 102 |
| 342 | Infant-PBF-Age 1-3 | Single | 4 | | 102 |
| 342 | Infant-PBF-Age 4-5 | Single | 5 | | 102 |
| 342 | Infant-PBF-Age 6-11 | Average | 19 | (4, 3, 3, 3, 3, 3) | 102 |
| 342 | Infant-Formula-Age 0-3 | Single | 8 | | 102 |
| 342 | Infant-Formula-Age 4-5 | Single | 9 | | 102 |
| 342 | Infant-Formula-Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 342 | Infant-SBF Age 0-3 | Single | 8 | | 102 |
| 342 | Infant-SBF Age 4-5 | Single | 9 | | 102 |
| 342 | Infant-SBF Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 342 | More Formula (Partial) 6-11 | Single | 5 | | 102 |
| 342 | More Formula (Full) 6-11 | Single | 9 | | 102 |
| 238 | DUOCAL PWD 400G | | | | 66 |
| 238 | Infant-PBF-Age 0 | | 1 | | 66 |
| 238 | Infant-PBF-Age 1-3 | Single | 6 | | 66 |
| 238 | Infant-PBF-Age 4-5 | Single | 7 | | 66 |
| 238 | Infant-PBF-Age 6-11 | Single | 5 | | 66 |
| 238 | Infant-Formula-Age 0-3 | Single | 13 | | 66 |
| 238 | Infant-Formula-Age 4-5 | Single | 14 | | 66 |
| 238 | Infant-Formula-Age 6-11 | Single | 10 | | 66 |
| 238 | Infant-SBF Age 0-3 | Single | 13 | | 66 |
| 238 | Infant-SBF Age 4-5 | Single | 14 | | 66 |
| 238 | Infant-SBF Age 6-11 | Single | 10 | | 66 |
| 238 | More Formula (Partial) 6-11 | Single | 7 | | 66 |
| 238 | More Formula (Full) 6-11 | Single | 14 | | 66 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 479 | ELECARE PWD 14.1OZ | | | | 95 |
| 479 | Infant-PBF-Age 0 | | 1 | | 95 |
| 479 | Infant-PBF-Age 1-3 | Single | 4 | | 95 |
| 479 | Infant-PBF-Age 4-5 | Single | 5 | | 95 |
| 479 | Infant-PBF-Age 6-11 | Single | 4 | | 95 |
| 479 | Infant-Formula-Age 0-3 | Single | 9 | | 95 |
| 479 | Infant-Formula-Age 4-5 | Single | 10 | | 95 |
| 479 | Infant-Formula-Age 6-11 | Single | 7 | | 95 |
| 479 | Infant-SBF Age 0-3 | Single | 9 | | 95 |
| 479 | Infant-SBF Age 4-5 | Single | 10 | | 95 |
| 479 | Infant-SBF Age 6-11 | Single | 7 | | 95 |
| 479 | More Formula (Partial) 6-11 | Single | 5 | | 95 |
| 479 | More Formula (Full) 6-11 | Single | 10 | | 95 |
| 667 | ENFAMIL A.R. PWD 12.9OZ | | | | 91 |
| 667 | Infant-PBF-Age 0 | Single | 1 | | 91 |
| 667 | Infant-PBF-Age 1-3 | Single | 4 | | 91 |
| 667 | Infant-PBF-Age 4-5 | Single | 5 | | 91 |
| 667 | Infant-PBF-Age 6-11 | Single | 4 | | 91 |
| 667 | Infant-Formula-Age 0-3 | Single | 9 | | 91 |
| 667 | Infant-Formula-Age 4-5 | Single | 10 | | 91 |
| 667 | Infant-Formula-Age 6-11 | Single | 7 | | 91 |
| 667 | Infant-SBF Age 0-3 | Single | 9 | | 91 |
| 667 | Infant-SBF Age 4-5 | Single | 10 | | 91 |
| 667 | Infant-SBF Age 6-11 | Single | 7 | | 91 |
| 667 | More Formula (Partial) 6-11 | Single | 5 | | 91 |
| 667 | More Formula (Full) 6-11 | Single | 10 | | 91 |
| 668 | ENFAMIL GENTL PWD 12.4OZ | | | | 90 |
| 668 | Infant-PBF-Age 0 | | 1 | | 90 |
| 668 | Infant-PBF-Age 1-3 | Average | 14 | (5, 4, 4) | 90 |
| 668 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 668 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 668 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 668 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 668 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 668 | Infant-SBF Age 0-3 | Single | 9 | | 90 |
| 668 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 668 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 668 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 668 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 305 | ENFAMIL HMF PWD .71G | | | | 1 |
| 305 | Infant-PBF-Age 0 | | 104 | | 1 |
| 305 | Infant-PBF-Age 1-3 | Single | 364 | | 1 |
| 305 | Infant-PBF-Age 4-5 | Single | 442 | | 1 |
| 305 | Infant-PBF-Age 6-11 | Single | 312 | | 1 |
| 305 | Infant-Formula-Age 0-3 | Single | 806 | | 1 |
| 305 | Infant-Formula-Age 4-5 | Single | 884 | | 1 |
| 305 | Infant-Formula-Age 6-11 | Single | 624 | | 1 |
| 305 | Infant-SBF Age 0-3 | Single | 806 | | 1 |
| 305 | Infant-SBF Age 4-5 | Single | 884 | | 1 |
| 305 | Infant-SBF Age 6-11 | Single | 624 | | 1 |
| 305 | More Formula (Partial) 6-11 | Single | 442 | | 1 |
| 305 | More Formula (Full) 6-11 | Single | 884 | | 1 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 663 | ENFAMIL INFAN PWD 12.5OZ | | | | 90 |
| 663 | Infant-PBF-Age 0 | | 1 | | 90 |
| 663 | Infant-PBF-Age 1-3 | Average | 14 | (5, 4, 4) | 90 |
| 663 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 663 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 663 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 663 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 663 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 663 | Infant-SBF Age 0-3 | Single | 9 | | 90 |
| 663 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 663 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 663 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 663 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 664 | ENFAMIL INFANT CON 13OZ | | | | 26 |
| 664 | Infant-PBF-Age 0 | | N/A | | 26 |
| 664 | Infant-PBF-Age 1-3 | Single | 14 | | 26 |
| 664 | Infant-PBF-Age 4-5 | Single | 17 | | 26 |
| 664 | Infant-PBF-Age 6-11 | Single | 12 | | 26 |
| 664 | Infant-Formula-Age 0-3 | Single | 31 | | 26 |
| 664 | Infant-Formula-Age 4-5 | Single | 12 | | 26 |
| 664 | Infant-Formula-Age 6-11 | Single | 31 | | 26 |
| 664 | Infant-SBF Age 0-3 | Single | 34 | | 26 |
| 664 | Infant-SBF Age 4-5 | Single | 24 | | 26 |
| 664 | Infant-SBF Age 6-11 | Single | 31 | | 26 |
| 664 | More Formula (Partial) 6-11 | Single | 24 | | 26 |
| 664 | More Formula (Full) 6-11 | Single | 34 | | 26 |
| 665 | ENFAMIL INFANT RTU 32OZ | | | | 32 |
| 665 | Infant-PBF-Age 0 | | N/A | | 32 |
| 665 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 665 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 665 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 665 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 665 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 665 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 665 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 665 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 665 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 665 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 665 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 510 | ENFAMIL LIQ HMF RTU 5ML | | | | 1 |
| 510 | Infant-PBF-Age 0 | | N/A | | 1 |
| 510 | Infant-PBF-Age 1-3 | Single | 364 | | 1 |
| 510 | Infant-PBF-Age 4-5 | Single | 442 | | 1 |
| 510 | Infant-PBF-Age 6-11 | Single | 312 | | 1 |
| 510 | Infant-Formula-Age 0-3 | Single | 806 | | 1 |
| 510 | Infant-Formula-Age 4-5 | Single | 884 | | 1 |
| 510 | Infant-Formula-Age 6-11 | Single | 624 | | 1 |
| 510 | Infant-SBF Age 0-3 | Single | 806 | | 1 |
| 510 | Infant-SBF Age 4-5 | Single | 884 | | 1 |
| 510 | Infant-SBF Age 6-11 | Single | 624 | | 1 |
| 510 | More Formula (Partial) 6-11 | Single | 442 | | 1 |
| 510 | More Formula (Full) 6-11 | Single | 884 | | 1 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 670 | ENFAMIL REGUL PWD 12.4OZ | | | | 90 |
| 670 | Infant-PBF-Age 0 | | 1 | | 90 |
| 670 | Infant-PBF-Age 1-3 | Average | 14 | (5, 4, 4) | 90 |
| 670 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 670 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 670 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 670 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 670 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 670 | Infant-SBF Age 0-3 | Single | 9 | | 90 |
| 670 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 670 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 670 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 670 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 371 | ENF ENFACARE PWD 13.6OZ | | | | 87 |
| 371 | Infant-PBF-Age 0 | | 1 | | 87 |
| 371 | Infant-PBF-Age 1-3 | Single | 5 | | 87 |
| 371 | Infant-PBF-Age 4-5 | Single | 6 | | 87 |
| 371 | Infant-PBF-Age 6-11 | Single | 4 | | 87 |
| 371 | Infant-Formula-Age 0-3 | Single | 10 | | 87 |
| 371 | Infant-Formula-Age 4-5 | Single | 11 | | 87 |
| 371 | Infant-Formula-Age 6-11 | Single | 8 | | 87 |
| 371 | Infant-SBF Age 0-3 | Single | 10 | | 87 |
| 371 | Infant-SBF Age 4-5 | Single | 11 | | 87 |
| 371 | Infant-SBF Age 6-11 | Single | 8 | | 87 |
| 371 | More Formula (Partial) 6-11 | Single | 6 | | 87 |
| 371 | More Formula (Full) 6-11 | Single | 11 | | 87 |
| 623 | ENF ENFACARE RTU 2OZ | | | | 2 |
| 623 | Infant-PBF-Age 0 | | N/A | | 2 |
| 623 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 623 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 623 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 623 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 623 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 623 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 623 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 623 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 623 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 623 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 623 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 564 | ENFAPORT RTU 6OZ-6PK | | | | 36 |
| 564 | Infant-PBF-Age 0 | | N/A | | 36 |
| 564 | Infant-PBF-Age 1-3 | Average | 31 | (11, 10, 10) | 36 |
| 564 | Infant-PBF-Age 4-5 | Single | 13 | | 36 |
| 564 | Infant-PBF-Age 6-11 | Single | 9 | | 36 |
| 564 | Infant-Formula-Age 0-3 | Single | 23 | | 36 |
| 564 | Infant-Formula-Age 4-5 | Single | 25 | | 36 |
| 564 | Infant-Formula-Age 6-11 | Average | 104 | (18, 18, 17, 17, 17, 17) | 36 |
| 564 | Infant-SBF Age 0-3 | Single | 23 | | 36 |
| 564 | Infant-SBF Age 4-5 | Single | 25 | | 36 |
| 564 | Infant-SBF Age 6-11 | Average | 104 | (18, 18, 17, 17, 17, 17) | 36 |
| 564 | More Formula (Partial) 6-11 | Single | 13 | | 36 |
| 564 | More Formula (Full) 6-11 | Single | 25 | | 36 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 669 | ENF NEU GENTL RTU 32OZ | | | | 32 |
| 669 | Infant-PBF-Age 0 | | N/A | | 32 |
| 669 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 669 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 669 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 669 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 669 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 669 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 669 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 669 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 669 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 669 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 669 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 673 | ENF NEU GENT RTU 8OZ-6PK | | | | 48 |
| 673 | Infant-PBF-Age 0 | | 0 | | 48 |
| 673 | Infant-PBF-Age 1-3 | Single | 8 | | 48 |
| 673 | Infant-PBF-Age 4-5 | Average | 19 | (10,9) | 48 |
| 673 | Infant-PBF-Age 6-11 | Single | 7 | | 48 |
| 673 | Infant-Formula-Age 0-3 | Single | 17 | | 48 |
| 673 | Infant-Formula-Age 4-5 | Single | 19 | | 48 |
| 673 | Infant-Formula-Age 6-11 | Single | 13 | | 48 |
| 673 | Infant-SBF Age 0-3 | Single | 17 | | 48 |
| 673 | Infant-SBF Age 4-5 | Single | 19 | | 48 |
| 673 | Infant-SBF Age 6-11 | Single | 13 | | 48 |
| 673 | More Formula (Partial) 6-11 | Average | 56 | (10,10,9,9,9,9) | 48 |
| 673 | More Formula (Full) 6-11 | Single | 19 | | 48 |
| 672 | ENF NEU INFANT RTU 32OZ | | | | 32 |
| 672 | Infant-PBF-Age 0 | | N/A | | 32 |
| 672 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 672 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 672 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 672 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 672 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 672 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 672 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 672 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 672 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 672 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 672 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 671 | ENF NEU INF RTU 8OZ-6PK | | | | 48 |
| 671 | Infant-PBF-Age 0 | | 0 | | 48 |
| 671 | Infant-PBF-Age 1-3 | Single | 8 | | 48 |
| 671 | Infant-PBF-Age 4-5 | Single | 19 | (10,9) | 48 |
| 671 | Infant-PBF-Age 6-11 | Single | 7 | | 48 |
| 671 | Infant-Formula-Age 0-3 | Single | 17 | | 48 |
| 671 | Infant-Formula-Age 4-5 | Single | 19 | | 48 |
| 671 | Infant-Formula-Age 6-11 | Single | 13 | | 48 |
| 671 | Infant-SBF Age 0-3 | Single | 17 | | 48 |
| 671 | Infant-SBF Age 4-5 | Single | 19 | | 48 |
| 671 | Infant-SBF Age 6-11 | Single | 13 | | 48 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 671 | More Formula (Partial) 6-11 | Average | 56 | (10,10,9,9,9,9) | 48 |
| 671 | More Formula (Full) 6-11 | Single | 19 | | 48 |
| 443 | ENF PREM 24 IRN RTU 2OZ | | | | 2 |
| 443 | Infant-PBF-Age 0 | | N/A | | 2 |
| 443 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 443 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 443 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 443 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 443 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 443 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 443 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 443 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 443 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 443 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 443 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 557 | ENF PREMATURE 30 RTU 2OZ | | | | 2 |
| 557 | Infant-PBF-Age 0 | | N/A | | 2 |
| 557 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 557 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 557 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 557 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 557 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 557 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 557 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 557 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 557 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 557 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 557 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 509 | ENF PREM HI PR24 RTU 2OZ | | | | 2 |
| 509 | Infant-PBF-Age 0 | | N/A | | 2 |
| 509 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 509 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 509 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 509 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 509 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 509 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 509 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 509 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 509 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 509 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 509 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 592 | EXTENSIVE HA PWD 14.1OZ | | | | 96 |
| 592 | Infant-PBF-Age 0 | | 1 | | 96 |
| 592 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 592 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 592 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 592 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 592 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 592 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 592 | Infant-SBF Age 0-3 | Single | 9 | | 96 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 592 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 592 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 592 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 592 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 638 | FORTINI INFANT RTU 4OZ | | | | 4 |
| 638 | Infant-PBF-Age 0 | | N/A | | 4 |
| 638 | Infant-PBF-Age 1-3 | Single | 91 | | 4 |
| 638 | Infant-PBF-Age 4-5 | Single | 111 | | 4 |
| 638 | Infant-PBF-Age 6-11 | Single | 78 | | 4 |
| 638 | Infant-Formula-Age 0-3 | Single | 202 | | 4 |
| 638 | Infant-Formula-Age 4-5 | Single | 221 | | 4 |
| 638 | Infant-Formula-Age 6-11 | Single | 156 | | 4 |
| 638 | Infant-SBF Age 0-3 | Single | 202 | | 4 |
| 638 | Infant-SBF Age 4-5 | Single | 221 | | 4 |
| 638 | Infant-SBF Age 6-11 | Single | 156 | | 4 |
| 638 | More Formula (Partial) 6-11 | Single | 111 | | 4 |
| 638 | More Formula (Full) 6-11 | Single | 221 | | 4 |
| 580 | GA1 ANAMIX EARL PWD 400G | | | | 90.1 |
| 580 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 580 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 580 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 580 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 580 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 580 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 580 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 580 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 580 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 580 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 580 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 580 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 464 | GA PWD 16OZ | | | | 114 |
| 464 | Infant-PBF-Age 0 | | N/A | | 114 |
| 464 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 464 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 464 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 464 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 464 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 464 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 464 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 464 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 464 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 464 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 464 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 659 | GENERIC HA PWD 12.6OZ | | | | 89 |
| 659 | Infant-PBF-Age 0 | | 0 | | 89 |
| 659 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 89 |
| 659 | Infant-PBF-Age 4-5 | Single | 5 | | 89 |
| 659 | Infant-PBF-Age 6-11 | Single | 4 | | 89 |
| 659 | Infant-Formula-Age 0-3 | Average | 37 | (10, 9, 9, 9, 9) | 89 |
| 659 | Infant-Formula-Age 4-5 | Single | 10 | | 89 |
| 659 | Infant-Formula-Age 6-11 | Average | 43 | (8, 7, 7, 7, 7, 7) | 89 |
| 659 | Infant-SBF Age 0-3 | Average | 37 | (10, 9, 9, 9, 9) | 89 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 659 | Infant-SBF Age 4-5 | Single | 10 | | 89 |
| 659 | Infant-SBF Age 6-11 | Average | 43 | (8, 7, 7, 7, 7, 7) | 89 |
| 659 | More Formula (Partial) 6-11 | Single | 5 | | 89 |
| 659 | More Formula (Full) 6-11 | Single | 10 | | 89 |
| 660 | GENERIC HA PWD 19.8OZ | | | | 141 |
| 660 | Infant-PBF-Age 0 | | 0 | | 141 |
| 660 | Infant-PBF-Age 1-3 | Single | 3 | | 141 |
| 660 | Infant-PBF-Age 4-5 | Average | 7 | (4, 3) | 141 |
| 660 | Infant-PBF-Age 6-11 | Average | 14 | (3, 3, 2, 2, 2, 2) | 141 |
| 660 | Infant-Formula-Age 0-3 | Single | 6 | | 141 |
| 660 | Infant-Formula-Age 4-5 | Average | 13 | (7, 6) | 141 |
| 660 | Infant-Formula-Age 6-11 | Average | 27 | (5, 5, 5, 4, 4, 4) | 141 |
| 660 | Infant-SBF Age 0-3 | Single | 6 | | 141 |
| 660 | Infant-SBF Age 4-5 | Average | 13 | (7, 6) | 141 |
| 660 | Infant-SBF Age 6-11 | Average | 27 | (5, 5, 5, 4, 4, 4) | 141 |
| 660 | More Formula (Partial) 6-11 | Average | 19 | (4, 3, 3, 3, 3, 3) | 141 |
| 660 | More Formula (Full) 6-11 | Average | 38 | (7, 7, 6, 6, 6, 6) | 141 |
| 661 | GENERIC HA PWD 27.8OZ | | | | 197 |
| 661 | Infant-PBF-Age 0 | | 0 | | 197 |
| 661 | Infant-PBF-Age 1-3 | Single | 2 | | 197 |
| 661 | Infant-PBF-Age 4-5 | Average | 5 | (3, 2) | 197 |
| 661 | Infant-PBF-Age 6-11 | Average | 10 | (2, 2, 2, 2, 1, 1) | 197 |
| 661 | Infant-Formula-Age 0-3 | Average | 17 | (5, 4, 4, 4, 4) | 197 |
| 661 | Infant-Formula-Age 4-5 | Average | 9 | (5, 4) | 197 |
| 661 | Infant-Formula-Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 197 |
| 661 | Infant-SBF Age 0-3 | Average | 17 | (5, 4, 4, 4, 4) | 197 |
| 661 | Infant-SBF Age 4-5 | Average | 9 | (5, 4) | 197 |
| 661 | Infant-SBF Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 197 |
| 661 | More Formula (Partial) 6-11 | Average | 14 | (3, 3, 2, 2, 2, 2) | 197 |
| 661 | More Formula (Full) 6-11 | Average | 27 | (5, 5, 5, 4, 4, 4) | 197 |
| 344 | GLUTAREX 1 PWD 14.1OZ | | | | 96 |
| 344 | Infant-PBF-Age 0 | | 1 | | 96 |
| 344 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 344 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 344 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 344 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 344 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 344 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 344 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 344 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 344 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 344 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 344 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 576 | HCU ANAMIX EARL PWD 400G | | | | 90 |
| 576 | Infant-PBF-Age 0 | | 1 | | 90 |
| 576 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90 |
| 576 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 576 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 576 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 576 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 576 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 576 | Infant-SBF Age 0-3 | Single | 9 | | 90 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 576 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 576 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 576 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 576 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 465 | HCY 1 PWD 16OZ | | | | 114 |
| 465 | Infant-PBF-Age 0 | | N/A | | 114 |
| 465 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 465 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 465 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 465 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 465 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 465 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 465 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 465 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 465 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 465 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 465 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 346 | HOMINEX 1 PWD 14.1OZ | | | | 96 |
| 346 | Infant-PBF-Age 0 | | 1 | | 96 |
| 346 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 346 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 346 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 346 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 346 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 346 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 346 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 346 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 346 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 346 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 346 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 577 | IVA ANAMIX EARL PWD 400G | | | | 90.1 |
| 577 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 577 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 577 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 577 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 577 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 577 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 577 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 577 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 577 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 577 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 577 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 577 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 348 | I VALEX 1 PWD 14.1.OZ | | | | 96 |
| 348 | Infant-PBF-Age 0 | | 1 | | 96 |
| 348 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 348 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 348 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 348 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 348 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 348 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 348 | Infant-SBF Age 0-3 | Single | 9 | | 96 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 348 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 348 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 348 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 348 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 456 | KETOCAL 3:1 PWD 300G | | | | 105 |
| 456 | Infant-PBF-Age 0 | | N/A | | 105 |
| 456 | Infant-PBF-Age 1-3 | Single | 4 | | 105 |
| 456 | Infant-PBF-Age 4-5 | Average | 9 | (5, 4) | 105 |
| 456 | Infant-PBF-Age 6-11 | Single | 3 | | 105 |
| 456 | Infant-Formula-Age 0-3 | Single | 8 | | 105 |
| 456 | Infant-Formula-Age 4-5 | Single | 9 | | 105 |
| 456 | Infant-Formula-Age 6-11 | Single | 6 | | 105 |
| 456 | Infant-SBF Age 0-3 | Single | 8 | | 105 |
| 456 | Infant-SBF Age 4-5 | Single | 9 | | 105 |
| 456 | Infant-SBF Age 6-11 | Single | 6 | | 105 |
| 456 | More Formula (Partial) 6-11 | Average | 26 | (5, 5, 4, 4, 4, 4) | 105 |
| 456 | More Formula (Full) 6-11 | Single | 9 | | 105 |
| 364 | KETOCAL 4:1 PWD 300G | | | | 50 |
| 364 | Infant-PBF-Age 0 | | 1 | | 50 |
| 364 | Infant-PBF-Age 1-3 | Single | 8 | | 50 |
| 364 | Infant-PBF-Age 4-5 | Single | 9 | | 50 |
| 364 | Infant-PBF-Age 6-11 | Single | 7 | | 50 |
| 364 | Infant-Formula-Age 0-3 | Single | 17 | | 50 |
| 364 | Infant-Formula-Age 4-5 | Single | 18 | | 50 |
| 364 | Infant-Formula-Age 6-11 | Single | 13 | | 50 |
| 364 | Infant-SBF Age 0-3 | Single | 17 | | 50 |
| 364 | Infant-SBF Age 4-5 | Single | 18 | | 50 |
| 364 | Infant-SBF Age 6-11 | Single | 13 | | 50 |
| 364 | More Formula (Partial) 6-11 | Single | 9 | | 50 |
| 364 | More Formula (Full) 6-11 | Single | 18 | | 50 |
| 350 | KETONEX 1 PWD 14.1OZ | | | | 96 |
| 350 | Infant-PBF-Age 0 | | 1 | | 96 |
| 350 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 350 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 350 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 350 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 350 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 350 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 350 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 350 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 350 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 350 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 350 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 498 | LIPISTART PWD 400G | | | | 90 |
| 498 | Infant-PBF-Age 0 | | 1 | | 90 |
| 498 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90 |
| 498 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 498 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 498 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 498 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 498 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 498 | Infant-SBF Age 0-3 | Single | 9 | | 90 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 498 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 498 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 498 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 498 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 567 | LIQUIGEN RTU 8.5OZ | | | | 8.5 |
| 567 | Infant-PBF-Age 0 | | N/A | | 8.5 |
| 567 | Infant-PBF-Age 1-3 | Single | 43 | | 8.5 |
| 567 | Infant-PBF-Age 4-5 | Single | 52 | | 8.5 |
| 567 | Infant-PBF-Age 6-11 | Single | 37 | | 8.5 |
| 567 | Infant-Formula-Age 0-3 | Single | 95 | | 8.5 |
| 567 | Infant-Formula-Age 4-5 | Single | 104 | | 8.5 |
| 567 | Infant-Formula-Age 6-11 | Single | 74 | | 8.5 |
| 567 | Infant-SBF Age 0-3 | Single | 95 | | 8.5 |
| 567 | Infant-SBF Age 4-5 | Single | 104 | | 8.5 |
| 567 | Infant-SBF Age 6-11 | Single | 74 | | 8.5 |
| 567 | More Formula (Partial) 6-11 | Single | 52 | | 8.5 |
| 567 | More Formula (Full) 6-11 | Single | 104 | | 8.5 |
| 574 | LMD PWD 16OZ | | | | 114 |
| 574 | Infant-PBF-Age 0 | | N/A | | 114 |
| 574 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 574 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 574 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 574 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 574 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 574 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 574 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 574 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 574 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 574 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 574 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 425 | MCT OIL RTU 32OZ | | | | 32 |
| 425 | Infant-PBF-Age 0 | | N/A | | 32 |
| 425 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 425 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 425 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 425 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 425 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 425 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 425 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 425 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 425 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 425 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 425 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 579 | MMA-PA ANA EARL PWD 400G | | | | 90.1 |
| 579 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 579 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 579 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 579 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 579 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 579 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 579 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 579 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 579 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 579 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 579 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 579 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 449 | MONOGEN PWD 400G | | | | 76 |
| 449 | Infant-PBF-Age 0 | | 1 | | 76 |
| 449 | Infant-PBF-Age 1-3 | Single | 5 | | 76 |
| 449 | Infant-PBF-Age 4-5 | Single | 6 | | 76 |
| 449 | Infant-PBF-Age 6-11 | Single | 5 | | 76 |
| 449 | Infant-Formula-Age 0-3 | Single | 11 | | 76 |
| 449 | Infant-Formula-Age 4-5 | Single | 12 | | 76 |
| 449 | Infant-Formula-Age 6-11 | Single | 9 | | 76 |
| 449 | Infant-SBF Age 0-3 | Single | 11 | | 76 |
| 449 | Infant-SBF Age 4-5 | Single | 12 | | 76 |
| 449 | Infant-SBF Age 6-11 | Single | 9 | | 76 |
| 449 | More Formula (Partial) 6-11 | Single | 6 | | 76 |
| 449 | More Formula (Full) 6-11 | Single | 12 | | 76 |
| 575 | MSUD ANAMX EARL PWD 400G | | | | 90.1 |
| 575 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 575 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 575 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 575 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 575 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 575 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 575 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 575 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 575 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 575 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 575 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 575 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 440 | NEOCATE DHA/ARA PWD 400G | | | | 97 |
| 440 | Infant-PBF-Age 0 | | 1 | | 97 |
| 440 | Infant-PBF-Age 1-3 | Single | 4 | | 97 |
| 440 | Infant-PBF-Age 4-5 | Single | 5 | | 97 |
| 440 | Infant-PBF-Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 97 |
| 440 | Infant-Formula-Age 0-3 | Average | 34 | (9, 9, 8, 8) | 97 |
| 440 | Infant-Formula-Age 4-5 | Average | 19 | (10, 9) | 97 |
| 440 | Infant-Formula-Age 6-11 | Single | 7 | | 97 |
| 440 | Infant-SBF Age 0-3 | Average | 34 | (9, 9, 8, 8) | 97 |
| 440 | Infant-SBF Age 4-5 | Average | 19 | (10, 9) | 97 |
| 440 | Infant-SBF Age 6-11 | Single | 7 | | 97 |
| 440 | More Formula (Partial) 6-11 | Single | 5 | | 97 |
| 440 | More Formula (Full) 6-11 | Average | 55 | (10, 9, 9, 9, 9, 9) | 97 |
| 525 | NEOCATE NUTRA PWD 14OZ | | | | 36 |
| 525 | Infant-PBF-Age 0 | | 1 | | 36 |
| 525 | Infant-PBF-Age 1-3 | Single | 11 | | 36 |
| 525 | Infant-PBF-Age 4-5 | Single | 13 | | 36 |
| 525 | Infant-PBF-Age 6-11 | Single | 9 | | 36 |
| 525 | Infant-Formula-Age 0-3 | Single | 23 | | 36 |
| 525 | Infant-Formula-Age 4-5 | Single | 25 | | 36 |
| 525 | Infant-Formula-Age 6-11 | Single | 18 | | 36 |
| 525 | Infant-SBF Age 0-3 | Single | 23 | | 36 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 525 | Infant-SBF Age 4-5 | Single | 25 | | 36 |
| 525 | Infant-SBF Age 6-11 | Single | 18 | | 36 |
| 525 | More Formula (Partial) 6-11 | Single | 13 | | 36 |
| 525 | More Formula (Full) 6-11 | Single | 25 | | 36 |
| 601 | NEOCATE SYNEO PWD 400G | | | | 95 |
| 601 | Infant-PBF-Age 0 | | 1 | | 95 |
| 601 | Infant-PBF-Age 1-3 | Single | 4 | | 95 |
| 601 | Infant-PBF-Age 4-5 | Single | 5 | | 95 |
| 601 | Infant-PBF-Age 6-11 | Single | 4 | | 95 |
| 601 | Infant-Formula-Age 0-3 | Single | 9 | | 95 |
| 601 | Infant-Formula-Age 4-5 | Single | 10 | | 95 |
| 601 | Infant-Formula-Age 6-11 | Single | 7 | | 95 |
| 601 | Infant-SBF Age 0-3 | Single | 9 | | 95 |
| 601 | Infant-SBF Age 4-5 | Single | 10 | | 95 |
| 601 | Infant-SBF Age 6-11 | Single | 7 | | 95 |
| 601 | More Formula (Partial) 6-11 | Single | 5 | | 95 |
| 601 | More Formula (Full) 6-11 | Single | 10 | | 95 |
| 370 | NEOSURE PWD 13.1OZ | | | | 87 |
| 370 | Infant-PBF-Age 0 | | 1 | | 87 |
| 370 | Infant-PBF-Age 1-3 | Single | 5 | | 87 |
| 370 | Infant-PBF-Age 4-5 | Single | 6 | | 87 |
| 370 | Infant-PBF-Age 6-11 | Single | 4 | | 87 |
| 370 | Infant-Formula-Age 0-3 | Single | 10 | | 87 |
| 370 | Infant-Formula-Age 4-5 | Single | 11 | | 87 |
| 370 | Infant-Formula-Age 6-11 | Single | 8 | | 87 |
| 370 | Infant-SBF Age 0-3 | Single | 10 | | 87 |
| 370 | Infant-SBF Age 4-5 | Single | 11 | | 87 |
| 370 | Infant-SBF Age 6-11 | Single | 8 | | 87 |
| 370 | More Formula (Partial) 6-11 | Single | 6 | | 87 |
| 370 | More Formula (Full) 6-11 | Single | 11 | | 87 |
| 662 | NEOSURE PWD 22.8OZ | | | | 151 |
| 662 | Infant-PBF-Age 0 | | 0 | | 151 |
| 662 | Infant-PBF-Age 1-3 | Average | 8 | (3, 3, 2) | 151 |
| 662 | Infant-PBF-Age 4-5 | Single | 3 | | 151 |
| 662 | Infant-PBF-Age 6-11 | Average | 13 | (3, 2, 2, 2, 2, 2) | 151 |
| 662 | Infant-Formula-Age 0-3 | Average | 22 | (6, 6, 5, 5) | 151 |
| 662 | Infant-Formula-Age 4-5 | Single | 6 | | 151 |
| 662 | Infant-Formula-Age 6-11 | Average | 25 | (5, 4, 4, 4, 4, 4) | 151 |
| 662 | Infant-SBF Age 0-3 | Average | 22 | (6, 6, 5, 5) | 151 |
| 662 | Infant-SBF Age 4-5 | Single | 6 | | 151 |
| 662 | Infant-SBF Age 6-11 | Average | 25 | (5, 4, 4, 4, 4, 4) | 151 |
| 662 | More Formula (Partial) 6-11 | Single | 3 | | 151 |
| 662 | More Formula (Full) 6-11 | Single | 6 | | 151 |
| 430 | NEOSURE RTU 32OZ | | | | 32 |
| 430 | Infant-PBF-Age 0 | | N/A | | 32 |
| 430 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 430 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 430 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 430 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 430 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 430 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 430 | Infant-SBF Age 0-3 | Single | 26 | | 32 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 430 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 430 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 430 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 430 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 031 | NUTRAMIGEN CON 13OZ | | | | 26 |
| 031 | Infant-PBF-Age 0 | | N/A | | 26 |
| 031 | Infant-PBF-Age 1-3 | Single | 14 | | 26 |
| 031 | Infant-PBF-Age 4-5 | Single | 17 | | 26 |
| 031 | Infant-PBF-Age 6-11 | Single | 12 | | 26 |
| 031 | Infant-Formula-Age 0-3 | Single | 31 | | 26 |
| 031 | Infant-Formula-Age 4-5 | Single | 34 | | 26 |
| 031 | Infant-Formula-Age 6-11 | Single | 24 | | 26 |
| 031 | Infant-SBF Age 0-3 | Single | 31 | | 26 |
| 031 | Infant-SBF Age 4-5 | Single | 34 | | 26 |
| 031 | Infant-SBF Age 6-11 | Single | 24 | | 26 |
| 031 | More Formula (Partial) 6-11 | Single | 17 | | 26 |
| 031 | More Formula (Full) 6-11 | Single | 34 | | 26 |
| 480 | NUTRAMIGEN PWD 12.6OZ | | | | 87 |
| 480 | Infant-PBF-Age 0 | | 1 | | 87 |
| 480 | Infant-PBF-Age 1-3 | Single | 5 | | 87 |
| 480 | Infant-PBF-Age 4-5 | Single | 6 | | 87 |
| 480 | Infant-PBF-Age 6-11 | Single | 4 | | 87 |
| 480 | Infant-Formula-Age 0-3 | Single | 10 | | 87 |
| 480 | Infant-Formula-Age 4-5 | Single | 11 | | 87 |
| 480 | Infant-Formula-Age 6-11 | Single | 8 | | 87 |
| 480 | Infant-SBF Age 0-3 | Single | 10 | | 87 |
| 480 | Infant-SBF Age 4-5 | Single | 11 | | 87 |
| 480 | Infant-SBF Age 6-11 | Single | 8 | | 87 |
| 480 | More Formula (Partial) 6-11 | Single | 6 | | 87 |
| 480 | More Formula (Full) 6-11 | Single | 11 | | 87 |
| 658 | NUTRAMIGEN PWD 19.8OZ | | | | 139 |
| 658 | Infant-PBF-Age 0 | | 0 | | 139 |
| 658 | Infant-PBF-Age 1-3 | Single | 3 | | 139 |
| 658 | Infant-PBF-Age 4-5 | Average | 7 | (4, 3) | 139 |
| 658 | Infant-PBF-Age 6-11 | Average | 14 | (3, 3, 2, 2, 2, 2) | 139 |
| 658 | Infant-Formula-Age 0-3 | Single | 6 | | 139 |
| 658 | Infant-Formula-Age 4-5 | Average | 13 | (7, 6) | 139 |
| 658 | Infant-Formula-Age 6-11 | Single | 5 | | 139 |
| 658 | Infant-SBF Age 0-3 | Single | 6 | | 139 |
| 658 | Infant-SBF Age 4-5 | Average | 13 | (7, 6) | 139 |
| 658 | Infant-SBF Age 6-11 | Single | 5 | | 139 |
| 658 | More Formula (Partial) 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 139 |
| 658 | More Formula (Full) 6-11 | Average | 39 | (7, 7, 7, 6, 6, 6) | 139 |
| 657 | NUTRAMIGEN PWD 27.8OZ | | | | 192.5 |
| 657 | Infant-PBF-Age 0 | | 0 | | 192.5 |
| 657 | Infant-PBF-Age 1-3 | Single | 2 | | 192.5 |
| 657 | Infant-PBF-Age 4-5 | Average | 5 | (3, 2) | 192.5 |
| 657 | Infant-PBF-Age 6-11 | Average | 10 | (2, 2, 2, 2, 1, 1) | 192.5 |
| 657 | Infant-Formula-Age 0-3 | Average | 17 | (5, 4, 4, 4,) | 192.5 |
| 657 | Infant-Formula-Age 4-5 | Single | 5 | | 192.5 |
| 657 | Infant-Formula-Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 192.5 |
| 657 | Infant-SBF Age 0-3 | Average | 17 | (5, 4, 4, 4,) | 192.5 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 657 | Infant-SBF Age 4-5 | Single | 5 | | 192.5 |
| 657 | Infant-SBF Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 192.5 |
| 657 | More Formula (Partial) 6-11 | Average | 14 | (3, 3, 2, 2, 2, 2) | 192.5 |
| 657 | More Formula (Full) 6-11 | Single | 5 | | 192.5 |
| 024 | NUTRAMIGEN RTU 32OZ | | | | 32 |
| 024 | Infant-PBF-Age 0 | | N/A | | 32 |
| 024 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 024 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 024 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 024 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 024 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 024 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 024 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 024 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 024 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 024 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 024 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 699 | NUTRAMIGEN RTU 8OZ-6PK | | | | 48 |
| 699 | Infant-PBF-Age 0 | | N/A | | 48 |
| 699 | Infant-PBF-Age 1-3 | Single | 8 | | 48 |
| 699 | Infant-PBF-Age 4-5 | Average | 19 | (10,9) | 48 |
| 699 | Infant-PBF-Age 6-11 | Single | 7 | | 48 |
| 699 | Infant-Formula-Age 0-3 | Single | 17 | | 48 |
| 699 | Infant-Formula-Age 4-5 | Single | 19 | | 48 |
| 699 | Infant-Formula-Age 6-11 | Single | 13 | | 48 |
| 699 | Infant-SBF Age 0-3 | Single | 17 | | 48 |
| 699 | Infant-SBF Age 4-5 | Single | 19 | | 48 |
| 699 | Infant-SBF Age 6-11 | Single | 13 | | 48 |
| 699 | More Formula (Partial) 6-11 | Average | 56 | (10,10,9,9,9,9) | 48 |
| 699 | More Formula (Full) 6-11 | Single | 19 | | 48 |
| 445 | OA 1 PWD 16OZ | | | | 114 |
| 445 | Infant-PBF-Age 0 | | N/A | | 114 |
| 445 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 445 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 445 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 445 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 445 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 445 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 445 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 445 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 445 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 445 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 445 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 693 | PEPTICATE PWD 14.1OZ | | | | 98 |
| 693 | Infant-PBF-Age 0 | | 1 | | 98 |
| 693 | Infant-PBF-Age 1-3 | Single | 4 | | 98 |
| 693 | Infant-PBF-Age 4-5 | Single | 5 | | 98 |
| 693 | Infant-PBF-Age 6-11 | Average | 20 | (4,4,3,3,3,3) | 98 |
| 693 | Infant-Formula-Age 0-3 | Average | 33 | (9,8,8,8) | 98 |
| 693 | Infant-Formula-Age 4-5 | Average | 19 | (10,9) | 98 |
| 693 | Infant-Formula-Age 6-11 | Single | 7 | | 98 |
| 693 | Infant-SBF Age 0-3 | Average | 33 | (9,8,8,8) | 98 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 693 | Infant-SBF Age 4-5 | Average | 19 | (10,9) | 98 |
| 693 | Infant-SBF Age 6-11 | Single | 7 | | 98 |
| 693 | More Formula (Partial) 6-11 | Single | 5 | | 98 |
| 693 | More Formula (Full) 6-11 | Average | 55 | (10,9,9,9,9,9) | 98 |
| 352 | PHENEX 1 PWD 14.1OZ | | | | 96 |
| 352 | Infant-PBF-Age 0 | | 1 | | 96 |
| 352 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 352 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 352 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 352 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 352 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 352 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 352 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 352 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 352 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 352 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 352 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 311 | PHENYL FREE 1 PWD 16OZ | | | | 114 |
| 311 | Infant-PBF-Age 0 | | N/A | | 114 |
| 311 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 311 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 311 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 311 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 311 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 311 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 311 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 311 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 311 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 311 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 311 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 581 | PKU PERIFLXEARL PWD 400G | | | | 90.1 |
| 581 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 581 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 581 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 581 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 581 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 581 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 581 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 581 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 581 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 581 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 581 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 581 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 570 | POLYCAL PWD 400G | | | | 51 |
| 570 | Infant-PBF-Age 0 | | 1 | | 51 |
| 570 | Infant-PBF-Age 1-3 | Single | 8 | | 51 |
| 570 | Infant-PBF-Age 4-5 | Single | 9 | | 51 |
| 570 | Infant-PBF-Age 6-11 | Single | 7 | | 51 |
| 570 | Infant-Formula-Age 0-3 | Single | 16 | | 51 |
| 570 | Infant-Formula-Age 4-5 | Single | 18 | | 51 |
| 570 | Infant-Formula-Age 6-11 | Single | 13 | | 51 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 570 | Infant-SBF Age 0-3 | Single | 16 | | 51 |
| 570 | Infant-SBF Age 4-5 | Single | 18 | | 51 |
| 570 | Infant-SBF Age 6-11 | Single | 13 | | 51 |
| 570 | More Formula (Partial) 6-11 | Single | 9 | | 51 |
| 570 | More Formula (Full) 6-11 | Single | 18 | | 51 |
| 597 | PORTAGEN PWD 14.46OZ | | | | 64 |
| 597 | Infant-PBF-Age 0 | | 1 | | 64 |
| 597 | Infant-PBF-Age 1-3 | Single | 6 | | 64 |
| 597 | Infant-PBF-Age 4-5 | Single | 7 | | 64 |
| 597 | Infant-PBF-Age 6-11 | Single | 5 | | 64 |
| 597 | Infant-Formula-Age 0-3 | Single | 13 | | 64 |
| 597 | Infant-Formula-Age 4-5 | Single | 14 | | 64 |
| 597 | Infant-Formula-Age 6-11 | Single | 10 | | 64 |
| 597 | Infant-SBF Age 0-3 | Single | 13 | | 64 |
| 597 | Infant-SBF Age 4-5 | Single | 14 | | 64 |
| 597 | Infant-SBF Age 6-11 | Single | 10 | | 64 |
| 597 | More Formula (Partial) 6-11 | Single | 7 | | 64 |
| 597 | More Formula (Full) 6-11 | Single | 14 | | 64 |
| 462 | PREGESTIMIL 20 RTU 2OZ | | | | 2 |
| 462 | Infant-PBF-Age 0 | | N/A | | 2 |
| 462 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 462 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 462 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 462 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 462 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 462 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 462 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 462 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 462 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 462 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 462 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 461 | PREGESTIMIL 24 RTU 2OZ | | | | 2 |
| 461 | Infant-PBF-Age 0 | | N/A | | 2 |
| 461 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 461 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 461 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 461 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 461 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 461 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 461 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 461 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 461 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 461 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 461 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 036 | PREGESTIMIL PWD 16OZ | | | | 112 |
| 036 | Infant-PBF-Age 0 | | N/A | | 112 |
| 036 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 112 |
| 036 | Infant-PBF-Age 4-5 | Single | 4 | | 112 |
| 036 | Infant-PBF-Age 6-11 | Single | 3 | | 112 |
| 036 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 112 |
| 036 | Infant-Formula-Age 4-5 | Single | 8 | | 112 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 036 | Infant-Formula-Age 6-11 | Single | 6 | | 112 |
| 036 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 112 |
| 036 | Infant-SBF Age 4-5 | Single | 8 | | 112 |
| 036 | Infant-SBF Age 6-11 | Single | 6 | | 112 |
| 036 | More Formula (Partial) 6-11 | Single | 4 | | 112 |
| 036 | More Formula (Full) 6-11 | Single | 8 | | 112 |
| 356 | PRO PHREE PWD 14.1OZ | | | | 102 |
| 356 | Infant-PBF-Age 0 | | 1 | | 102 |
| 356 | Infant-PBF-Age 1-3 | Single | 4 | | 102 |
| 356 | Infant-PBF-Age 4-5 | Single | 5 | | 102 |
| 356 | Infant-PBF-Age 6-11 | Average | 19 | (4, 3, 3, 3, 3, 3) | 102 |
| 356 | Infant-Formula-Age 0-3 | Single | 8 | | 102 |
| 356 | Infant-Formula-Age 4-5 | Single | 9 | | 102 |
| 356 | Infant-Formula-Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 356 | Infant-SBF Age 0-3 | Single | 8 | | 102 |
| 356 | Infant-SBF Age 4-5 | Single | 9 | | 102 |
| 356 | Infant-SBF Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 356 | More Formula (Partial) 6-11 | Single | 5 | | 102 |
| 356 | More Formula (Full) 6-11 | Single | 9 | | 102 |
| 354 | PROPIMEX 1 PWD 14.1OZ | | | | 96 |
| 354 | Infant-PBF-Age 0 | | 1 | | 96 |
| 354 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 354 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 354 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 354 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 354 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 354 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 354 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 354 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 354 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 354 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 354 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 460 | PURAMINO PWD 14.1OZ | | | | 98 |
| 460 | Infant-PBF-Age 0 | | 1 | | 98 |
| 460 | Infant-PBF-Age 1-3 | Single | 4 | | 98 |
| 460 | Infant-PBF-Age 4-5 | Single | 5 | | 98 |
| 460 | Infant-PBF-Age 6-11 | Average | 20 | (4, 4, 3, 3, 3, 3) | 98 |
| 460 | Infant-Formula-Age 0-3 | Average | 33 | (9, 8, 8, 8) | 98 |
| 460 | Infant-Formula-Age 4-5 | Average | 19 | (10, 9) | 98 |
| 460 | Infant-Formula-Age 6-11 | Single | 7 | | 98 |
| 460 | Infant-SBF Age 0-3 | Average | 33 | (9, 8, 8, 8) | 98 |
| 460 | Infant-SBF Age 4-5 | Average | 19 | (10, 9) | 98 |
| 460 | Infant-SBF Age 6-11 | Single | 7 | | 98 |
| 460 | More Formula (Partial) 6-11 | Single | 5 | | 98 |
| 460 | More Formula (Full) 6-11 | Average | 55 | (10, 9, 9, 9, 9, 9) | 98 |
| 230 | RCF CON 13OZ | | | | 26 |
| 230 | Infant-PBF-Age 0 | | N/A | | 26 |
| 230 | Infant-PBF-Age 1-3 | Single | 14 | | 26 |
| 230 | Infant-PBF-Age 4-5 | Single | 17 | | 26 |
| 230 | Infant-PBF-Age 6-11 | Single | 12 | | 26 |
| 230 | Infant-Formula-Age 0-3 | Single | 31 | | 26 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 230 | Infant-Formula-Age 4-5 | Single | 34 | | 26 |
| 230 | Infant-Formula-Age 6-11 | Single | 24 | | 26 |
| 230 | Infant-SBF Age 0-3 | Single | 31 | | 26 |
| 230 | Infant-SBF Age 4-5 | Single | 34 | | 26 |
| 230 | Infant-SBF Age 6-11 | Single | 24 | | 26 |
| 230 | More Formula (Partial) 6-11 | Single | 17 | | 26 |
| 230 | More Formula (Full) 6-11 | Single | 34 | | 26 |
| 600 | RENASTART PWD 14.1OZ | | | | 70 |
| 600 | Infant-PBF-Age 0 | | 1 | | 70 |
| 600 | Infant-PBF-Age 1-3 | Single | 6 | | 70 |
| 600 | Infant-PBF-Age 4-5 | Single | 7 | | 70 |
| 600 | Infant-PBF-Age 6-11 | Single | 5 | | 70 |
| 600 | Infant-Formula-Age 0-3 | Single | 12 | | 70 |
| 600 | Infant-Formula-Age 4-5 | Single | 13 | | 70 |
| 600 | Infant-Formula-Age 6-11 | Single | 9 | | 70 |
| 600 | Infant-SBF Age 0-3 | Single | 12 | | 70 |
| 600 | Infant-SBF Age 4-5 | Single | 13 | | 70 |
| 600 | Infant-SBF Age 6-11 | Single | 9 | | 70 |
| 600 | More Formula (Partial) 6-11 | Single | 7 | | 70 |
| 600 | More Formula (Full) 6-11 | Single | 13 | | 70 |
| 640 | RENASTEP RTU (15-6.76OZ) | | | | 101 |
| 640 | Infant-PBF-Age 0 | | N/A | | 101 |
| 640 | Infant-PBF-Age 1-3 | Average | 11 | (4, 4, 3) | 101 |
| 640 | Infant-PBF-Age 4-5 | Average | 9 | (5, 4) | 101 |
| 640 | Infant-PBF-Age 6-11 | Average | 19 | (4, 3, 3, 3, 3, 3) | 101 |
| 640 | Infant-Formula-Age 0-3 | Single | 8 | | 101 |
| 640 | Infant-Formula-Age 4-5 | Single | 9 | | 101 |
| 640 | Infant-Formula-Age 6-11 | Average | 38 | (7, 7, 6, 6, 6, 6) | 101 |
| 640 | Infant-SBF Age 0-3 | Single | 8 | | 101 |
| 640 | Infant-SBF Age 4-5 | Single | 9 | | 101 |
| 640 | Infant-SBF Age 6-11 | Average | 38 | (7, 7, 6, 6, 6, 6) | 101 |
| 640 | More Formula (Partial) 6-11 | Average | 27 | (5, 5, 5, 4, 4, 4) | 101 |
| 640 | More Formula (Full) 6-11 | Single | 9 | | 101 |
| 019 | SIM DIARRHEA RTU 32OZ | | | | 32 |
| 019 | Infant-PBF-Age 0 | | N/A | | 32 |
| 019 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 019 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 019 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 019 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |
| 019 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 019 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 019 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 019 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 019 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 019 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 019 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 645 | SIM HMF HP LIQ CON24-5ML | | | | 24 |
| 645 | Infant-PBF-Age 0 | | N/A | | 24 |
| 645 | Infant-PBF-Age 1-3 | Single | 16 | | 24 |
| 645 | Infant-PBF-Age 4-5 | Single | 19 | | 24 |
| 645 | Infant-PBF-Age 6-11 | Single | 13 | | 24 |
| 645 | Infant-Formula-Age 0-3 | Single | 34 | | 24 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 645 | Infant-Formula-Age 4-5 | Single | 27 | | 24 |
| 645 | Infant-Formula-Age 6-11 | Single | 36 | | 24 |
| 645 | Infant-SBF Age 0-3 | Single | 34 | | 24 |
| 645 | Infant-SBF Age 4-5 | Single | 27 | | 24 |
| 645 | Infant-SBF Age 6-11 | Single | 36 | | 24 |
| 645 | More Formula (Partial) 6-11 | Single | 19 | | 24 |
| 645 | More Formula (Full) 6-11 | Single | 37 | | 24 |
| 644 | SIM HMF LIQUID CON 5ML | | | | 1 |
| 644 | Infant-PBF-Age 0 | | N/A | | 1 |
| 644 | Infant-PBF-Age 1-3 | Single | 364 | | 1 |
| 644 | Infant-PBF-Age 4-5 | Single | 442 | | 1 |
| 644 | Infant-PBF-Age 6-11 | Single | 312 | | 1 |
| 644 | Infant-Formula-Age 0-3 | Single | 806 | | 1 |
| 644 | Infant-Formula-Age 4-5 | Single | 884 | | 1 |
| 644 | Infant-Formula-Age 6-11 | Single | 624 | | 1 |
| 644 | Infant-SBF Age 0-3 | Single | 806 | | 1 |
| 644 | Infant-SBF Age 4-5 | Single | 884 | | 1 |
| 644 | Infant-SBF Age 6-11 | Single | 624 | | 1 |
| 644 | More Formula (Partial) 6-11 | Single | 442 | | 1 |
| 644 | More Formula (Full) 6-11 | Single | 884 | | 1 |
| 391 | SIMILAC SOY ISOML CON 13OZ | | | | 26 |
| 391 | Infant-PBF-Age 0 | | N/A | | 26 |
| 391 | Infant-PBF-Age 1-3 | Single | 14 | | 26 |
| 391 | Infant-PBF-Age 4-5 | Single | 17 | | 26 |
| 391 | Infant-PBF-Age 6-11 | Single | 12 | | 26 |
| 391 | Infant-Formula-Age 0-3 | Single | 31 | | 26 |
| 391 | Infant-Formula-Age 4-5 | Single | 34 | | 26 |
| 391 | Infant-Formula-Age 6-11 | Single | 24 | | 26 |
| 391 | Infant-SBF Age 0-3 | Single | 31 | | 26 |
| 391 | Infant-SBF Age 4-5 | Single | 34 | | 26 |
| 391 | Infant-SBF Age 6-11 | Single | 24 | | 26 |
| 391 | More Formula (Partial) 6-11 | Single | 17 | | 26 |
| 391 | More Formula (Full) 6-11 | Single | 34 | | 26 |
| 389 | SIMILAC SOY ISOML PWD 12.4OZ | | | | 90 |
| 389 | Infant-PBF-Age 0 | | 1 | | 90 |
| 389 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90 |
| 389 | Infant-PBF-Age 4-5 | Single | 5 | | 90 |
| 389 | Infant-PBF-Age 6-11 | Single | 4 | | 90 |
| 389 | Infant-Formula-Age 0-3 | Single | 9 | | 90 |
| 389 | Infant-Formula-Age 4-5 | Single | 10 | | 90 |
| 389 | Infant-Formula-Age 6-11 | Single | 7 | | 90 |
| 389 | Infant-SBF Age 0-3 | Single | 9 | | 90 |
| 389 | Infant-SBF Age 4-5 | Single | 10 | | 90 |
| 389 | Infant-SBF Age 6-11 | Single | 7 | | 90 |
| 389 | More Formula (Partial) 6-11 | Single | 5 | | 90 |
| 389 | More Formula (Full) 6-11 | Single | 10 | | 90 |
| 390 | SIMILAC SOY ISOML RTU 32OZ | | | | 32 |
| 390 | Infant-PBF-Age 0 | | N/A | | 32 |
| 390 | Infant-PBF-Age 1-3 | Single | 12 | | 32 |
| 390 | Infant-PBF-Age 4-5 | Single | 14 | | 32 |
| 390 | Infant-PBF-Age 6-11 | Single | 10 | | 32 |
| 390 | Infant-Formula-Age 0-3 | Single | 26 | | 32 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 390 | Infant-Formula-Age 4-5 | Single | 28 | | 32 |
| 390 | Infant-Formula-Age 6-11 | Single | 20 | | 32 |
| 390 | Infant-SBF Age 0-3 | Single | 26 | | 32 |
| 390 | Infant-SBF Age 4-5 | Single | 28 | | 32 |
| 390 | Infant-SBF Age 6-11 | Single | 20 | | 32 |
| 390 | More Formula (Partial) 6-11 | Single | 14 | | 32 |
| 390 | More Formula (Full) 6-11 | Single | 28 | | 32 |
| 042 | SIM PM 60/40 PWD 14.1OZ | | | | 102 |
| 042 | Infant-PBF-Age 0 | | 1 | | 102 |
| 042 | Infant-PBF-Age 1-3 | Single | 4 | | 102 |
| 042 | Infant-PBF-Age 4-5 | Single | 5 | | 102 |
| 042 | Infant-PBF-Age 6-11 | Average | 19 | (4, 3, 3, 3, 3, 3) | 102 |
| 042 | Infant-Formula-Age 0-3 | Single | 8 | | 102 |
| 042 | Infant-Formula-Age 4-5 | Single | 9 | | 102 |
| 042 | Infant-Formula-Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 042 | Infant-SBF Age 0-3 | Single | 8 | | 102 |
| 042 | Infant-SBF Age 4-5 | Single | 9 | | 102 |
| 042 | Infant-SBF Age 6-11 | Average | 37 | (7, 6, 6, 6, 6, 6) | 102 |
| 042 | More Formula (Partial) 6-11 | Single | 5 | | 102 |
| 042 | More Formula (Full) 6-11 | Single | 9 | | 102 |
| 596 | SIM SPEC 24 HP RTU 2OZ | | | | 2 |
| 596 | Infant-PBF-Age 0 | | N/A | | 2 |
| 596 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 596 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 596 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 596 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 596 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 596 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 596 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 596 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 596 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 596 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 596 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 441 | SIM SPEC 24 IRN RTU 2OZ | | | | 2 |
| 441 | Infant-PBF-Age 0 | | N/A | | 2 |
| 441 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 441 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 441 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 441 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 441 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 441 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 441 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 441 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 441 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 441 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 441 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 503 | SIM SPEC 30 RTU 2OZ | | | | 2 |
| 503 | Infant-PBF-Age 0 | | N/A | | 2 |
| 503 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 503 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 503 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 503 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 503 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 503 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 503 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 503 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 503 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 503 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 503 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 595 | SIM SPEC CARE 20 RTU 2OZ | | | | 2 |
| 595 | Infant-PBF-Age 0 | | N/A | | 2 |
| 595 | Infant-PBF-Age 1-3 | Single | 182 | | 2 |
| 595 | Infant-PBF-Age 4-5 | Single | 221 | | 2 |
| 595 | Infant-PBF-Age 6-11 | Single | 156 | | 2 |
| 595 | Infant-Formula-Age 0-3 | Single | 403 | | 2 |
| 595 | Infant-Formula-Age 4-5 | Single | 442 | | 2 |
| 595 | Infant-Formula-Age 6-11 | Single | 312 | | 2 |
| 595 | Infant-SBF Age 0-3 | Single | 403 | | 2 |
| 595 | Infant-SBF Age 4-5 | Single | 442 | | 2 |
| 595 | Infant-SBF Age 6-11 | Single | 312 | | 2 |
| 595 | More Formula (Partial) 6-11 | Single | 221 | | 2 |
| 595 | More Formula (Full) 6-11 | Single | 442 | | 2 |
| 578 | SOD ANAMIX EARL PWD 400G | | | | 90.1 |
| 578 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 578 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 578 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 578 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 578 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |
| 578 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 578 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 578 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 578 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 578 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 578 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 578 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 240 | TOLEREX PWD 2.82OZ | | | | 10 |
| 240 | Infant-PBF-Age 0 | | 1 | | 10 |
| 240 | Infant-PBF-Age 1-3 | Single | 37 | | 10 |
| 240 | Infant-PBF-Age 4-5 | Single | 45 | | 10 |
| 240 | Infant-PBF-Age 6-11 | Single | 32 | | 10 |
| 240 | Infant-Formula-Age 0-3 | Single | 81 | | 10 |
| 240 | Infant-Formula-Age 4-5 | Single | 89 | | 10 |
| 240 | Infant-Formula-Age 6-11 | Single | 63 | | 10 |
| 240 | Infant-SBF Age 0-3 | Single | 81 | | 10 |
| 240 | Infant-SBF Age 4-5 | Single | 89 | | 10 |
| 240 | Infant-SBF Age 6-11 | Single | 63 | | 10 |
| 240 | More Formula (Partial) 6-11 | Single | 45 | | 10 |
| 240 | More Formula (Full) 6-11 | Single | 89 | | 10 |
| 582 | TYR ANAMIX EARL PWD 400G | | | | 90.1 |
| 582 | Infant-PBF-Age 0 | | 1 | | 90.1 |
| 582 | Infant-PBF-Age 1-3 | Average | 13 | (5, 4, 4) | 90.1 |
| 582 | Infant-PBF-Age 4-5 | Single | 5 | | 90.1 |
| 582 | Infant-PBF-Age 6-11 | Single | 4 | | 90.1 |
| 582 | Infant-Formula-Age 0-3 | Single | 9 | | 90.1 |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE
March 2024

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/ Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|--------------------|--|--|-------------------------------|
| 582 | Infant-Formula-Age 4-5 | Single | 10 | | 90.1 |
| 582 | Infant-Formula-Age 6-11 | Single | 7 | | 90.1 |
| 582 | Infant-SBF Age 0-3 | Single | 9 | | 90.1 |
| 582 | Infant-SBF Age 4-5 | Single | 10 | | 90.1 |
| 582 | Infant-SBF Age 6-11 | Single | 7 | | 90.1 |
| 582 | More Formula (Partial) 6-11 | Single | 5 | | 90.1 |
| 582 | More Formula (Full) 6-11 | Single | 10 | | 90.1 |
| 357 | TYREX 1 PWD 14.1OZ | | | | 96 |
| 357 | Infant-PBF-Age 0 | | 1 | | 96 |
| 357 | Infant-PBF-Age 1-3 | Single | 4 | | 96 |
| 357 | Infant-PBF-Age 4-5 | Single | 5 | | 96 |
| 357 | Infant-PBF-Age 6-11 | Single | 4 | | 96 |
| 357 | Infant-Formula-Age 0-3 | Single | 9 | | 96 |
| 357 | Infant-Formula-Age 4-5 | Single | 10 | | 96 |
| 357 | Infant-Formula-Age 6-11 | Single | 7 | | 96 |
| 357 | Infant-SBF Age 0-3 | Single | 9 | | 96 |
| 357 | Infant-SBF Age 4-5 | Single | 10 | | 96 |
| 357 | Infant-SBF Age 6-11 | Single | 7 | | 96 |
| 357 | More Formula (Partial) 6-11 | Single | 5 | | 96 |
| 357 | More Formula (Full) 6-11 | Single | 10 | | 96 |
| 467 | TYROS 1 PWD 16OZ | | | | 114 |
| 467 | Infant-PBF-Age 0 | | N/A | | 114 |
| 467 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 467 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 467 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 467 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 467 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 467 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 467 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 467 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 467 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 467 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 467 | More Formula (Full) 6-11 | Single | 8 | | 114 |
| 468 | WND 1 PWD 16OZ | | | | 114 |
| 468 | Infant-PBF-Age 0 | | N/A | | 114 |
| 468 | Infant-PBF-Age 1-3 | Average | 10 | (4, 3, 3) | 114 |
| 468 | Infant-PBF-Age 4-5 | Single | 4 | | 114 |
| 468 | Infant-PBF-Age 6-11 | Single | 3 | | 114 |
| 468 | Infant-Formula-Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 468 | Infant-Formula-Age 4-5 | Single | 8 | | 114 |
| 468 | Infant-Formula-Age 6-11 | Single | 6 | | 114 |
| 468 | Infant-SBF Age 0-3 | Average | 29 | (8, 7, 7, 7) | 114 |
| 468 | Infant-SBF Age 4-5 | Single | 8 | | 114 |
| 468 | Infant-SBF Age 6-11 | Single | 6 | | 114 |
| 468 | More Formula (Partial) 6-11 | Single | 4 | | 114 |
| 468 | More Formula (Full) 6-11 | Single | 8 | | 114 |