



## Memorandum

---

#20-076

**TO:** WIC Regional Directors  
WIC Local Agency Directors

**FROM:** Amanda Hovis, Director  
Nutrition Education/Clinic Services Unit  
Nutrition Services Section

**DATE:** December 29, 2020

**SUBJECT: Formula Training and Resource Update**

---

### Formula Approval Resources

The following Formula Approval resources have been updated, effective December 18, 2020 and are attached.

- Formula Code List
- Formulary
- Nutrition Assessment Requirement Guide
- Texas WIC Maximum Quantity Table for Infants
- Texas WIC Maximum Quantity Table for Women and Children

The December updated resources will be available [here soon](#).

### Formula Training Webinar

A recorded webinar entitled "*Formula Updates Fall 2020*" is now available in the Texas WIC Training catalog. This training will discuss changes to existing products and removal of products that are occurring throughout Fall and Winter 2020. It is encouraged that everyone who works with issuing formula products complete this training.

Register in the Texas WIC Training catalog:

<https://txwictraining.adobeconnect.com/e9gzuz9ima96/event/registration.html>

The next scheduled Formula Approval Resource update is February 2021.

If you have questions, please contact the Formula Team via email at:

[FormulaTeam@hhsc.state.tx.us](mailto:FormulaTeam@hhsc.state.tx.us)

**FORMULA CODE LIST DECEMBER 2020**

Formula Level: LA = Local Agency approval. SA = State Agency approval

Note: Shaded items have packaging challenges.

| E=Exempt<br>S=Std<br>MF=WIC<br>Elig Nutr | Approval<br>Level- LA-<br>Local SA-<br>State | Formula<br>Code | Formula Description                  | Packaging/Flavors  | Smallest Available Unit/Comments<br>(If left blank, smallest available unit is 1.) |
|--|--|-----------------|--------------------------------------|--|--|
| E  | LA   | 593             | ALFAMINO INFANT PWD 14.1OZ           | 6 cans/case  |  |
| MF                                       | LA   | 594             | ALFAMINO JR PWD 14.1OZ               | 6 cans/case  |  |
| E  | LA   | 598             | ALIMENTUM PWD 12.1OZ                 | 6 cans/case  |  |
| E  | LA   | 395             | ALIMENTUM RTU 32OZ                   | 6 ctnrs/case   |  |
| E  | SA   | 463             | BCAD 1 PWD 16OZ                      | 6 cans/case  |  |
| MF                                       | SA   | 278             | BCAD 2 PWD 16OZ                      | 6 cans/case  |  |
| MF                                       | SA   | 528             | BENECALORIE RTU 1.5OZ                | 24 ctnrs/case  | 24 containers  |
| MF                                       | SA   | 571             | BETAQUIK MCT RTU 8.45OZ              | 18 ctnrs/case  | Must order in multiples of 18  |
| MF                                       | LA   | 496             | BOOST BREEZE RTU 8OZ                 | 27 ctnrs/case; orange, peach, berry,<br>variety (mixed flavors)                        |  |
| MF                                       | LA   | 274             | BOOST HP RTU 8OZ                     | 24 ctnrs/case; vanilla   |  |
| MF                                       | LA   | 492             | BOOST KID ESSENTIALS RTU 8OZ         | 4 ctnrs/case vanilla, chocolate  |  |
| MF                                       | LA   | 429             | BOOST PLS RTU 8OZ                    | 24 ctnrs/case; vanilla, chocolate,<br>strawberry                                       |  |
| MF                                       | SA   | 275             | BOOST PUDD RTU 5OZ                   | 4 cups/carton; vanilla, chocolate,<br>butterscotch                                     | 4 pack   |
| MF                                       | LA   | 428             | BOOST RTU 8OZ                        | 24 ctnrs/case; vanilla, chocolate,<br>strawberry                                       |  |
| MF                                       | LA   | 538             | BOOST VHC RTU 8OZ                    | 27 ctnrs/case; vanilla   |  |
| MF                                       | LA   | 434             | BRIGHT BEGIN SOY RTU 8OZ             | 24 cans/case; vanilla  | 6 pack   |
| E  | SA   | 470             | CALCILO XD PWD 13.2OZ                | 6 cans/case  |  |
| MF                                       | SA   | 572             | CARB ZERO LCT RTU 8.45OZ             | 18 ctnrs/case  | Must order in multiples of 18  |
| MF                                       | LA   | 539             | COMPLEAT PED RED CAL RTU 250ML       | 24 ctnrs/case  |  |
| MF                                       | LA   | 101             | COMPLEAT PEDIATRIC RTU 250ML         | 24 ctnrs/case  |  |
| MF                                       | LA   | 102             | COMPLEAT RTU 250ML                   | 24 ctnrs/case  |  |
| MF                                       | SA   | 544             | COMPLEX ESSENTIAL MSD PWD 1LB        | 4 cans/case; vanilla   |  |
| MF                                       | SA   | 542             | COMPLEX JR MSD PWD 400G              | 4 cans/case  |  |
| MF                                       | SA   | 543             | COMPLEX MSD AA BLEND PWD 1LB         | 4 cans/case  |  |
| E/MF                                     | SA   | 342             | CYCLINEX 1 PWD 14.1OZ                | 6 cans/case  |  |
| MF                                       | SA   | 343             | CYCLINEX 2 PWD 14.1OZ                | 6 cans/case  |  |
| MF                                       | LA   | 109             | DIABETISOURCE AC RTU 250ML           | 24 ctnrs/case  |  |
| MF                                       | SA   | 238             | DUOCAL PWD 400G                      | 6 cans/case  |  |
| E  | LA   | 479             | ELECARE DHA/ARA PWD 14.1OZ           | 6 cans/case  |  |
| MF                                       | LA   | 515             | ELECARE JR PWD 14.1OZ                | 6 cans/case; unflavored, vanilla, banana,<br>chocolate                                 |  |
| E  | SA   | 443             | ENF PREMATURE 24 /IRON RTU 2OZ       | 6 bottles/carton; 48 bottles/case  | 6 bottles  |
| E  | SA   | 557             | ENF PREMATURE 30 RTU 2OZ             | 6 bottles/carton; 48 bottles/case  | 6 bottles  |
| E  | SA   | 509             | ENF PREMATURE HI PRO24 RTU 2OZ       | 6 bottles/carton; 48 bottles/case  | 6 bottles  |
| MF                                       | LA   | 608             | ENFAGROW PREMIUM TODDLER PWD 24OZ    | 4 cans/case; natural milk  | After 2/1 will include vanilla   |
| MF                                       | LA   | 604             | ENFAGROW TODDLER NEXT STEP PWD 24OZ  | 4 cans/case; vanilla   | Ends 1/31/21   |
| E  | SA   | 305             | ENFAMIL HMF PWD 0.71G                | 100 packets/carton; 2 cartons/case   | 100 packets  |
| E  | SA   | 510             | ENFAMIL LIQUID HMF RTU 5ML           | 100 vials/carton; 2 cartons/case   | 100 vials  |
| E  | LA   | 371             | ENFAMIL NEUROPRO ENFACARE PWD 12.8OZ | 6 cans/case  |  |
| E  | LA   | 623             | ENFAMIL NEUROPRO ENFACARE RTU 2OZ    | 6 bottles/carton; 24 bottles/case; 48<br>bottles/case                                  | 6 bottles  |
| E  | LA   | 564             | ENFAPORT RTU 6OZ-6PACK(36OZ)         | 4-6 packs/case (24-6oz ctnrs)  |  |
| MF                                       | LA   | 606             | ENSURE CLEAR RTU 8OZ                 | 24 ctnrs/case; apple, mixed berry  |  |
| MF                                       | LA   | 279             | ENSURE HC RTU 8OZ                    | 24 ctnrs/case; vanilla, chocolate  |  |
| MF                                       | LA   | 573             | ENSURE HP TN RTU 8OZ                 | 24 ctnrs/case; vanilla, chocolate  | TN=Therapeutic nutrition; institutional version<br>only                            |
| MF                                       | LA   | 121             | ENSURE PLS RTU 32OZ                  | 6 ctnrs/case; vanilla, chocolate   |  |
| MF                                       | LA   | 120             | ENSURE PLS RTU 8OZ                   | 24 ctnrs/case; vanilla, chocolate, butter<br>pecan, strawberries & cream, coffee latte |  |
| MF                                       | SA   | 122             | ENSURE PUDD RTU 4OZ                  | 4 cups/carton; vanilla, milk chocolate,<br>butterscotch                                | 4 pack   |
| MF                                       | LA   | 075             | ENSURE RTU 8OZ                       | 24 ctnrs/case; vanilla, chocolate, coffee<br>latte, strawberry, butter pecan           |  |
| E  | LA   | 592             | EXTENSIVE HA PWD 14.1OZ              | 6 cans/case  |  |
| MF                                       | LA   | 126             | FIBERSOURCE HN RTU 250ML             | 24 ctnrs/case  |  |
| MF                                       | SA   | 580             | GA 1 ANAMIX EARLY PWD 400G           | 6 cans/case  |  |

**FORMULA CODE LIST DECEMBER 2020**

Formula Level: LA = Local Agency approval. SA = State Agency approval

Note: Shaded items have packaging challenges.

| E=Exempt<br>S=Std<br>MF=WIC<br>Elig Nutr | Approval<br>Level- LA-<br>Local SA-<br>State | Formula<br>Code | Formula Description                      | Packaging/Flavors  | Smallest Available Unit/Comments<br>(If left blank, smallest available unit is 1.) |
|--|--|-----------------|--|--|--|
| E  | SA   | 464             | GA PWD 16 OZ                             | 6 cans/case  |  |
| MF                                       | SA   | 541             | GLUTARADE AA GA 1 PWD 1LB                | 4 cans/case  |  |
| MF                                       | SA   | 540             | GLUTARADE JR GA 1 PWD 400G               | 4 cans/case  |  |
| E  | SA   | 344             | GLUTAREX 1 PWD 14.1OZ                    | 6 cans/case  |  |
| MF                                       | SA   | 345             | GLUTAREX 2 PWD 14.1OZ                    | 6 cans/case  |  |
| MF                                       | SA   | 614             | GLYCOSADE PWD 60G                        | 30 packs/case  | Must order in multiples of 30  |
| MF                                       | SA   | 132             | GLYTROL RTU 250ML                        | 24 ctnrs/case; vanilla   |  |
| MF                                       | LA   | 603             | GOOD START GROW 3 PWD 24OZ               | 4 cans/case  |  |
| MF                                       | SA   | 576             | HCU ANAMIX EARLY PWD 400G                | 6 cans/case  |  |
| MF                                       | SA   | 583             | HCU ANAMIX NEXT PWD 400G                 | 6 cans/case  |  |
| E  | SA   | 465             | HCY 1 PWD 16OZ                           | 6 cans/case  |  |
| MF                                       | SA   | 328             | HCY 2 PWD 16OZ                           | 6 cans/case  |  |
| E/MF                                     | SA   | 346             | HOMINEX 1 PWD 14.1OZ                     | 6 cans/case  |  |
| MF                                       | SA   | 347             | HOMINEX 2 PWD 14.1OZ                     | 6 cans/case  |  |
| E/MF                                     | SA   | 348             | I VALEX 1 PWD 14.1OZ                     | 6 cans/case  |  |
| MF                                       | SA   | 349             | I VALEX 2 PWD 14.1OZ                     | 6 cans/case  |  |
| E  | LA   | 140             | IMPACT RTU 250ML                         | 24 ctnrs/case  |  |
| MF                                       | LA   | 152             | ISOSOURCE 1.5 RTU 250ML                  | 24 ctnrs/case  |  |
| MF                                       | LA   | 153             | ISOSOURCE HN RTU 250ML                   | 24 ctnrs/case  |  |
| MF                                       | SA   | 577             | IVA ANAMIX EARLY PWD 400G                | 6 cans/case  |  |
| MF                                       | SA   | 584             | IVA ANAMIX NEXT PWD 400G                 | 6 cans/case  |  |
| MF                                       | LA   | 155             | JEVITY RTU 8OZ                           | 24 ctnrs/case  |  |
| MF                                       | SA   | 456             | KETOCAL 3:1 PWD 300G                     | 6 cans/case  |  |
| MF                                       | SA   | 364             | KETOCAL 4:1 PWD 300G                     | 6 cans/case  |  |
| MF                                       | SA   | 505             | KETOCAL 4:1 RTU 8OZ                      | 27 ctnrs/case; vanilla   |  |
| E/MF                                     | SA   | 350             | KETONEX 1 PWD 14.1OZ                     | 6 cans/case  |  |
| MF                                       | SA   | 351             | KETONEX 2 PWD 14.1OZ                     | 6 cans/case  |  |
| MF                                       | LA   | 610             | KFARMS PEDIATRIC PEPTIDE 1.5 RTU 8.45OZ  | 12 ctnrs/case; vanilla   |  |
| MF                                       | LA   | 611             | KFARMS PEDIATRIC STANDARD 1.2 RTU 8.45OZ | 12 ctnrs/case; vanilla   |  |
| MF                                       | LA   | 612             | KFARMS PEPTIDE 1.5 RTU 11OZ              | 12 ctnrs/case; plain   |  |
| MF                                       | LA   | 613             | KFARMS STANDARD 1.0 RTU 11OZ             | 12 ctnrs/case; chocolate, vanilla  |  |
| MF                                       | LA   | 476             | KID ESSENTIALS 1.5 FBR RTU 8OZ           | 27 ctnrs/case vanilla, chocolate,<br>strawberry                            |  |
| MF                                       | LA   | 475             | KID ESSENTIALS 1.5 RTU 8OZ               | 27 ctnrs/case vanilla, chocolate,<br>strawberry                            |  |
| MF                                       | SA   | 498             | LIPISTART PWD 400G                       | no case UPC available  |  |
| MF                                       | SA   | 567             | LIQUIGEN RTU 8.5OZ                       | 12/case  |  |
| E  | SA   | 574             | LMD PWD 16OZ                             | 6 cans/case  |  |
| MF                                       | SA   | 499             | LOPHLEX LQ PKU RTU 4.2OZ                 | 30 pouches/case; berry, tropical   | Must order in multiples of 30  |
| MF                                       | LA   | 425             | MCT OIL RTU 32OZ                         | 6 bottles/case   |  |
| MF                                       | SA   | 618             | MCT PROCAL PWD 16G                       | 30 packs/case  | Must order in multiples of 30  |
| MF                                       | SA   | 424             | MICROLIPID RTU 3OZ                       | 48 bottles/case  | 8 bottles  |
| MF                                       | SA   | 579             | MMA-PA ANAMIX EARLY PWD 400G             | 6 cans/case  |  |
| MF                                       | SA   | 585             | MMA-PA ANAMIX NEXT PWD 400G              | 6 cans/case  |  |
| MF                                       | LA   | 449             | MONOGEN PWD 400G                         | 6 cans/case  |  |
| MF                                       | SA   | 575             | MSUD ANAMIX EARLY PWD 400G               | 6 cans/case  |  |
| MF                                       | SA   | 173             | MSUD MAXAMUM PWD 454G                    | 6 cans/case  |  |
| E  | LA   | 440             | NEOCATE DHA/ARA PWD 400G                 | 4 cans/case  |  |
| MF                                       | LA   | 504             | NEOCATE JR PREBIOTICS PWD 400G           | 4 cans/case; unflavored, vanilla,<br>strawberry, chocolate, tropical fruit |  |
| MF                                       | LA   | 332             | NEOCATE JR PWD 400G                      | 4 cans/case; unflavored  |  |
| MF                                       | SA   | 525             | NEOCATE NUTRA PWD 14OZ                   | 3 cans/case  |  |
| E  | LA   | 565             | NEOCATE SPLASH RTU 8OZ                   | 27 ctnrs/case; unflavored, orange-<br>pineapple, grape, tropical fruit     |  |
| E  | LA   | 601             | NEOCATE SYNEO PWD 400G                   | 4 cans/case  |  |
| E  | LA   | 370             | NEOSURE PWD 13.1OZ                       | 6 cans/case  |  |
| E  | LA   | 430             | NEOSURE RTU 32OZ                         | 6 bottles/case   |  |

**FORMULA CODE LIST DECEMBER 2020**

Formula Level: LA = Local Agency approval. SA = State Agency approval

Note: Shaded items have packaging challenges.

| E=Exempt<br>S=Std<br>MF=WIC<br>Elig Nutr | Approval<br>Level- LA-<br>Local SA-<br>State | Formula<br>Code | Formula Description               | Packaging/Flavors   | Smallest Available Unit/Comments<br>(If left blank, smallest available unit is 1.) |
|--|--|-----------------|-----------------------------------|---|--|
| MF                                       | LA   | 174             | NEPRO RTU 8OZ                     | 24 ctnrs/cse; vanilla, butter pecan, mixed berry                    |  |
| MF                                       | LA   | 176             | NOVASOURCE RENAL RTU 8OZ          | 27 ctnrs/case; vanilla  |  |
| E  | LA   | 031             | NUTRAMIGEN CON 13OZ               | 12 cans/case  |  |
| E  | LA   | 480             | NUTRAMIGEN ENFL LGG PWD 12.6OZ    | 6 cans/case   |  |
| E  | LA   | 024             | NUTRAMIGEN RTU 32OZ               | 6 cans/case   |  |
| E  | LA   | 555             | NUTRAMIGEN TODDLER PWD 12.6OZ     | 6 cans/case   |  |
| MF                                       | LA   | 183             | NUTREN 1.0 RTU 250ML              | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 184             | NUTREN 1.0 W/FBR RTU 250ML        | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 187             | NUTREN 2.0 RTU 250ML              | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 189             | NUTREN JR RTU 250ML               | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 188             | NUTREN JR W/FBR RTU 250ML         | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 192             | NUTREN PULMONARY RTU 250ML        | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 190             | NUTRIHEP RTU 250ML                | 24 ctnrs/case   |  |
| E  | SA   | 445             | OA 1 PWD 16 OZ                    | 6 cans/case   |  |
| MF                                       | SA   | 446             | OA 2 PWD 16 OZ                    | 6 cans/case   |  |
| MF                                       | LA   | 062             | OSMOLITE 1.0 RTU 8OZ              | 24 ctnrs/case   |  |
| MF                                       | LA   | 193             | OSMOLITE 1.2 RTU 8OZ              | 24 ctnrs/case   |  |
| MF                                       | LA   | 196             | OXEPA RTU 8OZ                     | 24 ctnrs/case   |  |
| MF                                       | LA   | 607             | PED SIDEKICKS RTU 8OZ-6PK(48OZ)   | 24 ctnrs/case; vanilla, strawberry,                                 | Retail only  |
| MF                                       | LA   | 524             | PEDIASART PWD 12.7OZ              | 6 cans/case; chocolate, vanilla                                     |  |
| MF                                       | LA   | 556             | PEDIASART SOY PWD 12.7OZ          | 6 cans/case   |  |
| MF                                       | LA   | 506             | PEDIASURE 1.5 RTU 8OZ             | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 507             | PEDIASURE 1.5 W/FBR RTU 8OZ       | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 292             | PEDIASURE ENTER 1.0 RTU 8OZ       | 24 cans/case; vanilla   |  |
| MF                                       | LA   | 293             | PEDIASURE ENTER 1.0FBR RTU 8OZ    | 24 cans/case; vanilla   |  |
| MF                                       | LA   | 514             | PEDIASURE PEPTIDE 1.0 RTU 8OZ     | 24 bottles/case; vanilla, strawberry, unflavored                    |  |
| MF                                       | LA   | 529             | PEDIASURE PEPTIDE 1.5 RTU 8OZ     | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 550             | PEDIASURE REDUCED CALORIE RTU 8OZ | 24 ctnrs/case; vanilla, strawberry, chocolate                       | Institutional only (Formerly Pediasure Sidekicks)                                  |
| MF                                       | LA   | 034             | PEDIASURE RTU 8OZ                 | 24 ctnrs/case; vanilla, chocolate, strawberry, banana crème, smores | Retail - 6 pack only (except vanilla when special order)                           |
| MF                                       | LA   | 035             | PEDIASURE W/FBR RTU 8OZ           | 24 ctnrs/case   | 6 ctnrs/carton   |
| MF                                       | LA   | 199             | PEPTAMEN 1.5 RTU 250ML            | 24 ctnrs/case; unflavored, vanilla                                  |  |
| MF                                       | LA   | 478             | PEPTAMEN JR 1.5 RTU 250ML         | 24 ctnrs/case; unflavored, vanilla                                  |  |
| MF                                       | LA   | 438             | PEPTAMEN JR PREBIO RTU 250ML      | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 051             | PEPTAMEN JR RTU 250ML             | 24 ctnrs/case; unflavored, vanilla, chocolate, strawberry           |  |
| MF                                       | LA   | 469             | PEPTAMEN JR W/FBR RTU 250ML       | 24 ctnrs/case; vanilla  |  |
| MF                                       | LA   | 197             | PEPTAMEN RTU 250ML                | 24 ctnrs/case; unflavored, vanilla                                  |  |
| MF                                       | LA   | 200             | PERATIVE RTU 8OZ                  | 24 ctnrs/case   |  |
| MF                                       | SA   | 527             | PERIFLEX ADVANCE PWD 16OZ         | 6 cans/case; unflavored, orange,                                    |  |
| E  | SA   | 566             | PERIFLEX JR PLS PWD 400G          | 6 cans/case; plain, orange, berry, vanilla                          |  |
| E  | SA   | 497             | PERIFLEX LQ PKU RTU 8.5OZ         | 18 ctnrs/case; berry, orange  |  |
| MF                                       | SA   | 329             | PFD 2 PWD 16OZ                    | 6 cans/case   |  |
| E  | SA   | 352             | PHENEX 1 PWD 14.1OZ               | 6 cans/case   |  |
| MF                                       | SA   | 353             | PHENEX 2 PWD 14.1OZ               | 6 cans/case; vanilla  |  |
| E  | SA   | 311             | PHENYL FREE 1 PWD 16OZ            | 6 cans/case   |  |
| MF                                       | SA   | 297             | PHENYL FREE 2 PWD 16OZ            | 6 cans/case   |  |
| MF                                       | SA   | 298             | PHENYL FREE 2HP PWD 16OZ          | 6 cans/case   |  |
| MF                                       | SA   | 545             | PHENYLADE 60 PWD 1LB              | 4 cans/case unflavored, vanilla                                     |  |
| MF                                       | SA   | 501             | PHENYLADE ESSENTIAL PWD 454G      | 4 cans/case vanilla, strawberry, orange creme, chocolate            |  |
| MF                                       | SA   | 547             | PHENYLADE MTE AA BLEND PWD 1LB    | 4 cans/case   |  |
| MF                                       | SA   | 338             | PHENYLADE PWD 454G                | 4 cans/case vanilla, strawberry, orange crème                       |  |
| MF                                       | SA   | 439             | PHLEXY10 DRINK PWD 20G            | 30 packs/case; black currant, apple, tropical surprise              |  |

**FORMULA CODE LIST DECEMBER 2020**

Formula Level: LA = Local Agency approval. SA = State Agency approval

Note: Shaded items have packaging challenges.

| E=Exempt<br>S=Std<br>MF=WIC<br>Elig Nutr | Approval<br>Level- LA-<br>Local SA-<br>State | Formula<br>Code | Formula Description              | Packaging/Flavors   | Smallest Available Unit/Comments<br>(If left blank, smallest available unit is 1.) |
|--|--|-----------------|----------------------------------|---|--|
| MF                                       | SA   | 617             | PKU AIR20 RTU 5.88OZ             | 30 cntrs/case; green, gold, yellow                          | (must order in multiple of 30)   |
| MF                                       | SA   | 581             | PKU PERIFLEX EARLY PWD 400G      | 6 cans/case   |  |
| MF                                       | SA   | 615             | PKU SPHERE15 PWD 27G             | 30 cntrs/case; red berry, vanilla                           | Must order in multiples of 30  |
| MF                                       | SA   | 616             | PKU SPHERE20 PWD 35G             | 30 cntrs/case; red berry, vanilla, chocolate                | Must order in multiples of 30  |
| MF                                       | SA   | 570             | POLYCAL PWD 400G                 | 12 cans/case  |  |
| MF                                       | LA   | 597             | PORTAGEN PWD 14.46OZ             | 6 cans/case   |  |
| E  | LA   | 462             | PREGESTIMIL 20 RTU 2OZ           | 48 bottles/case   | 6 bottles  |
| E  | LA   | 461             | PREGESTIMIL 24 RTU 2OZ           | 48 bottles/case   | 6 bottles  |
| E  | LA   | 036             | PREGESTIMIL DHA&ARA PWD 16OZ     | 6 cans/case   |  |
| E/MF                                     | SA   | 356             | PRO PHREE PWD 14.1OZ             | 6 cans/case   |  |
| MF                                       | SA   | 213             | PROMOTE RTU 8OZ                  | 24 cntrs/case; vanilla                                      | 6 pack   |
| MF                                       | SA   | 214             | PROMOTE W/FBR RTU 8OZ            | 24 cntrs/case; vanilla                                      | 6 pack   |
| MF                                       | SA   | 354             | PROPIMEX 1 PWD 14.1OZ            | 24 cans/case  |  |
| MF                                       | SA   | 355             | PROPIMEX 2 PWD 14.1OZ            | 6 cans/case   |  |
| MF                                       | LA   | 219             | PULMOCARE RTU 8 OZ               | 24 cntrs/case; vanilla, strawberry                          | 6 pack   |
| E  | LA   | 460             | PURAMINO DHA&ARA PWD 14.1OZ      | 4 cans/case   |  |
| MF                                       | LA   | 599             | PURAMINO JR PWD 14.1OZ           | 4 cans/case; unflavored, vanilla                            |  |
| E  | SA   | 230             | RCF CON 13OZ                     | 12 cans/case  |  |
| MF                                       | LA   | 222             | RENALCAL RTU 250ML               | 24 ctnrs/case; unflavored                                   |  |
| MF                                       | LA   | 600             | RENASTART PWD 14.1OZ             |   |  |
| MF                                       | LA   | 224             | REPLETE W/FBR RTU 250ML          | 24 ctnrs/case; vanilla                                      |  |
| MF                                       | LA   | 177             | RESOURCE 2.0 RTU 8OZ             | 27 ctnrs/case   |  |
| E  | LA   | 232             | SCANDISHAKE LF PWD 12OZ          | 4 packets/box; 6 boxes/case; chocolate, vanilla             | Issued by box only   |
| MF                                       | LA   | 233             | SCANDISHAKE PWD 12OZ             | 4 packets/box; 6 boxes/case; chocolate, strawberry, vanilla | Issued by box only   |
| E  | LA   | 234             | SCANDISHAKE W/ASP PWD 18OZ       | 6 cans/case; vanilla, chocolate                             |  |
| MF                                       | LA   | 602             | SIM GO&GROW TODDLER PWD 1.5LB    | 6 cans/case   |  |
| E  | LA   | 042             | SIM PM60/40 LOWIRON PWD 14.1OZ   | 6 cans/case   |  |
| E  | SA   | 595             | SIM SPEC CARE 20 RTU 2OZ         | 48 bottles/case   |  |
| E  | SA   | 596             | SIM SPEC CARE 24 HP RTU 2OZ      | 48 bottles/case   |  |
| E  | SA   | 441             | SIM SPEC CARE24 W/IRON RTU 2OZ   | 48 bottles/case   |  |
| E  | SA   | 503             | SIM SPECIAL CARE 30 RTU 2OZ      | 48 bottles/case   |  |
| S  | LA   | 388             | SIMILAC ADVANCE CON 13OZ         | 12 cans/case  | Contract   |
| S  | LA   | 414             | SIMILAC ADVANCE PWD 12.4OZ       | 6 cans/case   | Contract   |
| S  | LA   | 365             | SIMILAC ADVANCE RTU 32OZ         | 6 ctnrs/case  | Contract   |
| E  | LA   | 019             | SIMILAC FOR DIARRHEA RTU 32OZ    | 6 cans/case   |  |
| S  | LA   | 561             | SIMILAC FOR SPIT-UP PWD 12OZ     | 6 cans/case   | Contract - RX required UNTIL 1/31/21   |
| S  | LA   | 621             | SIMILAC FOR SPIT-UP PWD 12.5OZ   | 6 cans/case   | Contract No RX on or after 2/1/21  |
| E/MF                                     | SA   | 235             | SIMILAC HMF PWD 0.9G             | .90 grams/packet; 50 pkts/carton; 3 cartons/case            | 50 packets   |
| S  | LA   | 559             | SIMILAC SENSITIVE PWD 12OZ       | 6 cans/case   | Contract - RX required UNTIL 1/31/21   |
| S  | LA   | 619             | SIMILAC SENSITIVE PWD 12.5OZ     | 6 cans/case   | Contract No RX on or after 2/1/21  |
| S  | LA   | 620             | SIMILAC SENSITIVE RTU 32OZ       | 6 ctnrs/case  | Contract - No RX on or after 2/1/21  |
| S  | LA   | 560             | SIMILAC SENSITIVE RTU 32OZS      | 6 ctnrs/case  | Contract - RX required UNTIL 1/31/21   |
| S  | LA   | 391             | SIMILAC SOY ISOMIL CON 13OZ      | 12 cans/case  | Contract   |
| S  | LA   | 389             | SIMILAC SOY ISOMIL PWD 12.4OZ    | 6 cans/case   | Contract   |
| S  | LA   | 390             | SIMILAC SOY ISOMIL RTU 32OZ      | 6 ctnrs/case  | Contract   |
| S  | LA   | 563             | SIMILAC TOTAL COMFORT PWD 12OZ   | 6 cans/case   | Contract - RX required UNTIL 1/31/21   |
| S  | LA   | 622             | SIMILAC TOTAL COMFORT PWD 12.6OZ | 6 cans/case   | Contract No RX on or after 2/1/21  |
| MF                                       | SA   | 578             | SOD ANAMIX EARLY PWD 400G        | 6 cans/case   |  |
| MF                                       | LA   | 239             | SUPLENA RTU 8OZ                  | 24 ctnrs/case; vanilla                                      |  |
| MF                                       | LA   | 240             | TOLEREX PWD 2.82OZ               | 60 packets/case   |  |
| MF                                       | LA   | 245             | TWOCAL HN RTU 8OZ                | 24 cntrs/case; vanilla, butter pecan                        |  |
| MF                                       | SA   | 582             | TYR ANAMIX EARLY PWD 400G        | 6 cans/case   |  |
| MF                                       | SA   | 568             | TYR ANAMIX NEXT PWD 400G         | 6 cans/case   |  |
| E/MF                                     | SA   | 357             | TYREX 1 PWD 14.1OZ               | 6 cans/case   |  |

**FORMULA CODE LIST DECEMBER 2020**

Formula Level: LA = Local Agency approval. SA = State Agency approval

Note: Shaded items have packaging challenges.

| <b>E=Exempt<br/>S=Std<br/>MF=WIC<br/>Elig Nutr</b> | <b>Approval<br/>Level- LA-<br/>Local SA-<br/>State</b> | <b>Formula<br/>Code</b> | <b>Formula Description</b>  | <b>Packaging/Flavors</b>         | <b>Smallest Available Unit/Comments<br/>(If left blank, smallest available unit is 1.)</b> |
|--|--|-------------------------|-----------------------------|----------------------------------|--|
| MF   | SA   | 358                     | TYREX 2 PWD 14.1OZ          | 6 cans/case                      |  |
| E  | SA   | 467                     | TYROS 1 PWD 16OZ            | 6 cans/case                      |  |
| MF   | SA   | 330                     | TYROS 2 PWD 16OZ            | 6 cans/case                      |  |
| MF   | SA   | 548                     | UCD ANAMIX JR PWD 400G      | 6 cans/case; unflavored, vanilla |  |
| MF   | LA   | 249                     | VITAL HN PWD 2.79OZ         | 6 packets/carton; vanilla        | 6 pack   |
| MF   | LA   | 250                     | VIVONEX PEDIATRIC PWD 1.7OZ | 36 packets/case                  |  |
| MF   | LA   | 251                     | VIVONEX PLS PWD 2.8OZ       | 36 packets/case                  |  |
| MF   | LA   | 252                     | VIVONEX TEN PWD 2.84OZ      | 60 packets/case                  |  |
| E  | SA   | 468                     | WND 1 PWD 16OZ              | 6 cans/case                      |  |
| MF   | SA   | 331                     | WND 2 PWD 16OZ              | 6 cans/case                      |  |
| MF   | SA   | 255                     | XLEU MAXAMUM PWD 454G       | 6 cans/case; orange              |  |
| MF   | SA   | 258                     | XLYS,XTRP MAXAMUM PWD 454G  | 6 cans/case; orange              |  |
| MF   | SA   | 261                     | XMET MAXAMUM PWD 454G       | 6 cans/case; orange              |  |
| MF   | SA   | 264                     | XMTVI MAXAMUM PWD 454G      | 6 cans/case                      |  |
| MF   | SA   | 243                     | XPHE MAXAMUM PWD 454G       | 6 cans/case; orange, unflavored  |  |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name    | Category            | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|-----------------|---------------------|--|--|---|--------------|
| Alfamino Infant | Elemental           | 20 cal/oz when mixed 1 scoop to 1 oz water; hypoallergenic amino acid based elemental. 43% of fat is MCT oil; Similar to Elecare DHA/ARA, Neocate DHA/ARA and PurAmino. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome , necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b><br>When requested for food allergy - a failed trial of a protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. | Nestle       |
| Alfamino Junior | Elemental           | 30 cal/oz, hypoallergenic amino acid based elemental. 63% of fat is MCT oil; Similar to Elecare Jr, Neocate Jr and Puramino Jr. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc.  | <b>Formula history required.</b><br>Can only be issued to women and children.   | Nestle       |
| Alimentum       | Protein Hydrolysate | 20 cal/oz, casein hydrolysate, hypoallergenic; lactose-free; 33% of fat is MCT oil. RTU contains sucrose and modified tapioca starch. PWD contains corn derivatives. Similar to Extensive HA, Pregestimil, and Nutramigen. Available in PWD and RTU. | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required.</b><br>RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.<br><b>Formula-certified WCS may approve.</b>                    | Abbott       |
| BCAD 1          | Metabolic           | Isoleucine, leucine and valine-free; nutritionally incomplete; 1 scoop (unpacked, level) = 4.5 g powder. Available in PWD.   | Maple syrup urine disease (MSUD) in infants or toddlers  | <b>No assessment required.</b> Requires State Agency approval and metabolic prescription form.  | Mead Johnson |
| BCAD 2          | Metabolic           | Isoleucine, leucine and valine-free; branched-chain amino acid-free. 24 g protein equivalents per 100 g powder. Available in PWD.  | Maple syrup urine disease (MSUD) in children or adults   | <b>No assessment required.</b> Requires State Agency approval and metabolic prescription form.<br>Can only be issued to women and children.   | Mead Johnson |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name         | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|----------------------|------------------------------|--|---|---|--------------|
| Benecalorie          | Modular                      | 220 cal/oz; 330 cal per 1.5 oz ctnr; lactose and cholesterol-free; 7 g of milk protein as calcium caseinate per 1.5 oz serving; not hypoallergenic; liquid modular intended to be added to food or beverage. Available in RTU. | 1) Increased calorie needs<br>2) Oral motor feeding issues/aversions<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles  | <b>Complete assessment required.</b> Requires State Agency approval.<br>Limited to 2 cases per month (48 containers); maximum quantity allows issuance of this product and another formula. Can only be issued to women and children. | Nestle       |
| BetaQuik MCT         | Modular                      | 18.9 cal/10 ml; Liquid emulsion of MCT oil; Enteral use only. Available in RTU.  | 1) Increased calorie needs<br>1) Ketogenic diet<br>2) Malabsorption syndrome<br>3) Defective lymphatic transport of fat<br>4) Conditions with decreased pancreatic lipase and/or decreased bile salts   | <b>Complete assessment required.</b> Requires State Agency approval.<br>Limit issuance to children 3 or more years of age and adults. Can only be issued to women and children.   | Vitaflo      |
| Boost                | Increased Calorie Supplement | 31 cal/oz, lactose-free and nutritionally complete; similar to Ensure. Available in RTU.   | 1) Increased calorie needs<br>2) Oral motor feeding issues/aversions<br>3) Tube feeding   | <b>Complete assessment required.</b><br>Normally used for adults. If prescribed for a child or for any other reason, consult with local agency RD or State Agency staff. Can only be issued to women and children.                    | Nestle       |
| Boost Breeze         | Increased Calorie Supplement | 31 cal/oz, milk-based, lactose and fat-free, clear liquid; nutritionally incomplete; 9 g whey protein/8 oz container. Available in RTU.  | 1) Malabsorption syndrome<br>2) Oral motor feeding issues/aversions<br>3) Increased calorie needs<br>4) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>5) Nutrition support for people with cancer, heart disease, pancreatitis, and hyperlipidemia | <b>Complete assessment required.</b><br>Can only be issued to women and children.   | Nestle       |
| Boost High Protein   | Increased Calorie Supplement | 30 cal/oz, high-protein, lactose-free, nutritionally complete; similar to Ensure High Protein. Available in RTU.   | 1) Increased protein needs<br>2) Cancer<br>3) Wounds<br>4) Surgery  | <b>Complete assessment required.</b><br>Can only be issued to women and children.   | Nestle       |
| Boost Kid Essentials | Increased Calorie Supplement | 30 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains MCT oil; full name is Boost Kid Essentials. Similar to Pediasure. Available in RTU.  | 1) Increased calorie needs<br>2) Inadequate growth<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions   | <b>Complete assessment required.</b><br>Can only be issued to women and children.   | Nestle       |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                          | Category                     | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---------------------------------------|------------------------------|---|---|---|--------------|
| Boost Plus                            | Increased Calorie Supplement | 46 cal/oz, lactose-free, high-calorie; nutritionally complete; similar to Ensure Plus. Available in RTU.  | <ol style="list-style-type: none"> <li>1) Increased calorie needs</li> <li>2) Fluid restriction</li> <li>3) Oral motor feeding issues/aversions</li> <li>4) Failure to Thrive (FTT) with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> </ol>   | <b>Complete assessment required.</b><br>Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children. | Nestle       |
| Boost Pudding                         | Increased Calorie Supplement | 240 cal/5 oz, lactose-free; nutritionally complete; similar to Ensure Pudding. Available in RTU.  | <ol style="list-style-type: none"> <li>1) Oral motor feeding issues/aversions</li> <li>2) Dysphagia</li> <li>3) Increased calorie needs</li> <li>4) Fluid restrictions</li> <li>5) Failure to Thrive (FTT) with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> </ol>  | <b>Complete assessment required.</b> Requires State Agency approval. Limit issuance to about 3 per day or 96 per month. Can only be issued to women and children.   | Nestle       |
| Boost Very High Calorie               | Increased Calorie Supplement | 66.25 cal/oz; lactose-free; nutritionally complete; suitable for celiac disease. Available in RTU.  | <ol style="list-style-type: none"> <li>1) Increased calorie needs</li> <li>2) Inadequate growth</li> <li>3) Failure to Thrive (FTT) with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> <li>4) Oral motor feeding issues/aversions</li> </ol>   | <b>Complete assessment required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Can only be issued to women and children.   | Nestle       |
| Bright Beginnings Soy Pediatric Drink | Increased Calorie Supplement | 30 cal/oz, lactose-free, soy-based, with DHA and prebiotics; nutritionally complete; for oral or tube feeding; contains 3 g fiber per 8 oz can. Available in RTU. | <ol style="list-style-type: none"> <li>1) Food allergies (cow's milk or intact protein)/FPIES</li> <li>2) Increased calorie needs</li> <li>3) Inadequate growth</li> <li>4) Failure to Thrive (FTT) with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> <li>5) Tube Feeding</li> <li>6) Oral motor feeding issues/aversions</li> <li>7) Galactosemia</li> </ol> | <b>Complete assessment required.</b><br>Can only be issued to women and children.   | PBM Products |
| Calcilo XD                            | Special Medical Conditions   | 20 cal/oz, lactose and vitamin D-free, low-calcium; nutritionally complete for all nutrients except calcium, phosphorus and vitamin D. Available in PWD.          | <ol style="list-style-type: none"> <li>1) Osteopetrosis</li> <li>2) William's Syndrome</li> <li>3) Hypercalcemia and hyperparathyroidism</li> </ol>   | <b>Formula history required.</b>  | Abbott       |
| Carb Zero                             | Modular                      | 18.0 cal/10 ml; Liquid emulsion of LCT oil; Enteral use only. Available in RTU.   | <ol style="list-style-type: none"> <li>1) Ketogenic diet</li> <li>2) LCT (long chain triglycerides) needs</li> </ol>  | <b>Formula history required.</b> Requires State Agency approval. Can only be issued to women and children.  | VitaFlo      |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                       | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|------------------------------------|------------------------------|--|---|---|--------------|
| Compleat                           | Increased Calorie Supplement | 32 cal/oz, blenderized, lactose-free; nutritionally complete, made from foods; 1.5 g fiber per 250 mL container. Available in RTU.   | Increased calorie needs for tube feedings only  | <b>Formula history required.</b><br>Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children. | Nestle       |
| Compleat Pediatric                 | Increased Calorie Supplement | 30 cal/oz, blenderized, lactose-free, nutritionally complete, made from foods; 1.7 g fiber per 250 mL container. Available in RTU.   | Increased calorie needs for tube feedings only  | <b>Formula history required.</b> Normally used for children. Can only be issued to women and children.  | Nestle       |
| Compleat Pediatric Reduced Calorie | Special Medical Conditions   | 17.75 cal/oz; nutritionally complete; made from food with 3.4 g/L soluble fiber and 3.4 g/L of insoluble fiber; tube feeding only. Available in RTU.   | Decreased calorie needs for tube feeding only   | <b>Formula history required.</b> Normally used for children. Can only be issued to women and children.  | Nestle       |
| Complex Essential MSD              | Metabolic                    | Isoleucine, leucine, and valine-free, nutritionally incomplete; for oral or tube feeding; 380 cal, 3.9 g fiber, and 25 g protein equivalent per 100 g powder; not for infants under 1 year of age. Available in PWD. | Maple Syrup Urine Disease (MSUD)  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.  | Nutricia     |
| Complex Junior MSD                 | Metabolic                    | Isoleucine, leucine, and valine-free; for oral and tube feeding; 496 cal and 13 g of protein equivalent per 100 g pwd. Available in PWD.   | Maple Syrup Urine Disease (MSUD) or beta-ketothiolase deficiency  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.  | Nutricia     |
| Complex MSD Amino Acid Blend       | Metabolic                    | Isoleucine, leucine, and valine-free; nutritionally incomplete; for oral or tube feeding; 323 cal and 81 g protein equivalent per 100 g of pwd; not for infants under 1 year of age. Available in PWD.               | Maple Syrup Urine Disease (MSUD)  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.  | Nutricia     |
| Cyclinex 1                         | Metabolic                    | Non-essential amino acid and lactose-free; nutritionally incomplete; for infants and children. Available in PWD.   | 1) HHH Syndrome (ornithine translocase deficiency-hyperornithinemia, hyperammonemia, homocitrullinemia)<br>2) Defects in urea cycle enzyme<br>3) Gyrate atrophy of the choroid and retina | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>  | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name     | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|------------------|------------------------------|--|---|---|--------------|
| Cyclinex 2       | Metabolic                    | Non-essential amino acid and lactose-free; nutritionally incomplete; Available in PWD.   | 1) HHH Syndrome (ornithine translocase deficiency-hyperornithinemia, hyperammonemia, homocitrullinuria)<br>2) Defects in urea cycle enzyme<br>3) Gyrate atrophy of the choroid and retina   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                              | Abbott       |
| DiabetiSource AC | Increased Calorie Supplement | 36 cal/oz, lactose-free, made from foods; does not contain sugar alcohols; 3.8 g fiber/250 mL container. Available in RTU.   | 1) Diabetes Mellitus<br>2) Glucose intolerance<br>3) Stress-induced hyperglycemia<br>4) Diabetes with wounds  | <b>Formula history required.</b> Can only be issued to women and children.  | Nestle       |
| Duocal           | Modular                      | 4.9 cal/g, 42 cal/level Tbsp, high-calorie, carbohydrate and fat with no protein, sucrose, fructose or lactose; contains 35% MCT; nutritionally incomplete, for oral and tube feedings. 1 Tbsp = 8.5 g, 1 C = 117 g, 1 scoop = 25 cal, 1 scoop = 5 g. 80 scoops/can; 48 Tbsp/can. Available in PWD.                      | 1) Protein, electrolyte, and/or fluid restriction<br>2) Increased calorie needs<br>3) Protein or amino acid metabolism disorders<br>4) Malabsorption syndrome<br>5) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles                   | <b>Complete assessment required.</b> Requires State Agency approval.  | Nutricia     |
| Elecare DHA/ARA  | Elemental                    | 20 cal/oz for infants; hypoallergenic amino acid-based; for oral or tube feeding; does not contain milk or soy protein, fructose, galactose, or lactose; contains 33% MCT oil; similar to Alfamino, Neocate DHA/ARA and PurAmino. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b><br>A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. | Abbott       |
| EleCare Jr       | Elemental                    | 30 cal/oz is the standard dilution for children over 1 year of age; nutritionally complete, hypoallergenic amino acid-based; for oral or tube feeding; does not contain milk or soy protein, fructose, galactose, lactose; contains 33% MCT oil; similar to Alfamino Jr., Neocate Jr. and Puramino Jr. Available in PWD. | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b><br>Can only be issued to women and children.   | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name  | Category                   | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---|----------------------------|--|--|---|--------------|
| EnfaCare/Enfamil Neuropro Enfacare                          | Premature/LBW              | 22 cal/oz, high protein, vitamin, and mineral milk-based, for preterm and/or low birth weight infants; 20% of fat is MCT oil; similar to NeoSure. Available in PWD and RTU.                      | 1) Prematurity (<37 weeks), regardless of birthweight, may issue up to 12 months chronological age<br>2) Low or very low birth weight (LBW/VLBW) ≤ 5lb 8oz may issue up to | <b>Complete assessment required.</b><br>Staff will need to bring back infant at 6 months of age to determine readiness to eat solids.<br>If requested outside of these parameters or for other reasons, contact Local RD or the State Agency for approval.  | Mead Johnson |
| Enfagrow Premium Toddler                                    | Special Medical Conditions | 23 cal/oz, milk-based toddler formula with prebiotics. Similar to Good Start Grow and Similac Go & Grow. Available in PWD.   | 1) Prematurity (<37 weeks)/LBW<br>2) Developmental delays (sensory & motor)<br>3) Oral motor feeding issues/aversions  | <b>Complete assessment required.</b> For children older than 1 year.<br><br><b>Formula-certified WCS may approve.</b>   | Mead Johnson |
| Enfamil Human Milk Fortifier PWD or Acidified Liquid (EHMF) | Premature/LBW              | Supplement for mother's milk collected after 2 weeks postpartum; contains milk and soy; similar to Similac HMF; nutritionally incomplete; 70% MCT oil. Available in PWD and RTU.                 | 1) Prematurity (37 weeks)<br>2) Low or very low birth weight (LBW/VLBW)  | <b>Complete assessment required.</b> Requires State Agency approval. Can only be issued 1 month at a time.<br>Used for the fortification of human breastmilk. For additional 2 cal/oz, add 1 HMF packet or vial to every 50 ml of preterm human milk. For additional 4 cal/oz, add 1 HMF packet or vial to every 25 ml of preterm human milk.<br>*Acidified Liquid: Do not add EHMF to breast milk in a ratio | Mead Johnson |
| Enfamil Premature 24 w/ Iron                                | Premature/LBW              | 24 cal/oz, high-protein and mineral formula, whey protein (60:40) dominant; 40% of fat is MCT oil; similar to Similac Special Care 24 w/ Iron. Available in RTU.                                 | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)   | <b>Complete assessment required.</b> Requires State Agency approval. Can only be issued 1 month at a time.<br>When more than 12 oz (355 mL) of 24 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive.  | Mead Johnson |
| Enfamil Premature High Protein 24 w/ Iron                   | Premature/LBW              | 24 cal/oz, high-protein and mineral formula, whey protein (60:40) dominant; 40% of fat is MCT oil; 3.5 g protein per 100 cal. Available in RTU. Similar to Similac Special Care 24 High Protein. | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)   | <b>Complete assessment required.</b> Requires State Agency approval. Can only be issued 1 month at a time.<br>When more than 12 oz (355 mL) of 24 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive.  | Mead Johnson |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                              | Category                     | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---|------------------------------|---|---|---|--------------|
| Enfamil Premature 30                      | Premature/<br>LBW            | 30 cal/oz, high protein and mineral (3 g protein/100 cal), carbohydrate blend: 60% corn syrup solids, 40% lactose; 40% of fat is MCT oil; similar to Similac Special Care 30 w/ Iron. Available in RTU. | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)  | <b>Complete assessment required.</b> Requires State Agency approval. Can only be issued 1 month at a time. When more than 12 oz (355 mL) of 24 calories/fl oz formula is used per day, which may occur in larger infants weighing over 2500 g (5.5 lb) consuming only Enfamil Premature, intake of some nutrients (e.g. fat soluble vitamins) may be excessive. | Mead Johnson |
| Enfaport                                  | Special Medical Conditions   | 30 cal/oz, lactose-free, milk-based; nutritionally complete; 84% of fat as MCT. Designed for infants. Available in RTU.   | 1) Chylolthorax<br>2) Malabsorption syndrome<br>3) Fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia Type 1, or long chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHAD)<br>4) High MCT oil needs | <b>Formula history required.</b>  | Mead Johnson |
| Ensure                                    | Increased Calorie Supplement | 31 cal/oz, lactose-free with prebiotic (scFOS) short-chain fructooligosaccharides, nutritionally complete; 3 g fiber per 8 oz container; similar to Boost. Available in RTU.                            | 1) Increased calorie needs<br>2) Oral motor feeding issues/aversions<br>3) Tube feeding   | <b>Complete assessment required.</b> Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children.  | Abbott       |
| Ensure Clear                              | Increased Calorie Supplement | 31 cal/oz, milk-based, lactose and fat-free, clear liquid; nutritionally incomplete; not for tube feeding; 8 g whey protein/8 oz container. Available   | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Abbott       |
| Ensure High Calcium                       | Increased Calorie Supplement | 28 cal/oz, lactose-free; 500mg calcium/8 oz container. Available in RTU.  | 1) Increased risk of fractures<br>2) Increased calorie needs<br>3) Increased protein, calcium, vitamin D and other nutrients  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Abbott       |
| Ensure High Protein Therapeutic Nutrition | Special Medical Conditions   | 20 cal/oz, high-protein, low fat, lactose-free, nutritionally complete; similar to Boost High Protein. Available in RTU.  | 1) Increased calorie needs<br>2) Increased protein needs  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                    | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---------------------------------|------------------------------|--|---|---|--------------|
| Ensure Plus                     | Increased Calorie Supplement | 45 cal/oz, nutritionally complete, high calorie, lactose-free; with prebiotic short-chain fructooligosaccharides (scFOS); 3 g fiber/8 oz container; similar to Boost Plus. Available in RTU.   | 1) Increased calorie needs<br>2) Fluid restriction<br>3) Oral motor feeding issues/aversions<br>4) Tube feeding   | <b>Complete assessment required.</b><br>Normally used for adults. If prescribed for a child or for any reason other than that listed above, consult with local agency RD or State Agency staff. Can only be issued to women and children. | Abbott       |
| Ensure Pudding                  | Increased Calorie Supplement | 170 cal/4 oz; nutritionally complete; lactose-free with prebiotic short-chain fructooligosaccharides (scFOS); similar to Boost Pudding. Available in RTU.  | 1) Oral motor feeding issues/aversions<br>2) Dysphagia<br>3) Increased calorie needs<br>4) Fluid restrictions<br>5) Failure to Thrive (FTT) with weight/length or height df<10% and/or downward crossing of 2 major percentiles | <b>Complete assessment required.</b> Requires State Agency approval. Limit issuance to about 3 per day or 96 per month. Can only be issued to women and children.   | Abbott       |
| Extensive HA                    | Protein Hydrolysate          | 20 cal/oz when mixed 1 scoop to 1 oz water; hypoallergenic 100% extensively hydrolyzed whey protein, 49% of fat is MCT oil; contains the probiotic Bifidobacterium lactis and DHA/ARA. Similar to Alimentum, Nutramigen and Pregestimil. Available in PWD. | 1) Malabsorption syndrome<br>2) GI impairment<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required. Formula-certified WCS may approve.</b>   | Gerber       |
| FiberSource HN                  | Increased Calorie Supplement | 36 cal/oz, high-nitrogen, 100% soy protein with fiber for tube feeding; contains 20% MCT oil; 2.5 g fiber/250 mL container. Available in RTU.  | For tube feeding with<br>GI impairment<br>1) Neurologic condition<br>2) Developmental delays (sensory & motor)<br>3) Increased calorie need<br>4)   | <b>Formula history required.</b> Can only be issued to women and children.  | Nestle       |
| GA 1 Anamix Early Years         | Metabolic                    | Lysine-free, low tryptophan; Contains iron and DHA/ARA. 12.5 g of protein equivalent per 100 g powder. Available in PWD.   | Glutaric aciduria type 1 in infants or children.  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>  | Nutricia     |
| GA                              | Metabolic                    | Lysine, tryptophan, lactose and galactose-free; 15.1 g protein equivalents/100 g powder. Available in PWD.   | Glutaric aciduria (acidemia) type I in infants or children  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>  | Mead Johnson |
| GlutarAde Amino Acid Blend GA-1 | Metabolic                    | Low in tryptophan, lysine-free; nutritionally incomplete; for oral or tube feeding; not for infants under one year old. Available in PWD.  | Glutaric aciduria (acidemia) Type I in children and adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.  | Nutricia     |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                | Category                   | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|-----------------------------|----------------------------|---|---|--|--------------|
| GlutarAde Jr GA-1 Drink Mix | Metabolic                  | Low in tryptophan, lysine-free; nutritionally incomplete; for oral or tube feeding.; not for infants under one year old. Available in PWD.  | Glutaric aciduria (acidemia) Type I in children, adults, and pregnant women   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                       | Nutricia     |
| Glutarex 1                  | Metabolic                  | Lysine, tryptophan and lactose-free. Available in PWD.  | Glutaric aciduria (acidemia) type I in infants or children  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| Glutarex 2                  | Metabolic                  | Lysine, tryptophan and lactose-free. Available in PWD.  | Glutaric aciduria (acidemia) type I in children and adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                       | Abbott       |
| Glycosade                   | Metabolic                  | Hydrothermally processed high amylopectin starch. Each 60g packet has an equivalent carbohydrate content of 55g of uncooked cornstarch. Available in PWD.                         | 1) Glycogen Storage Disease (GSD)<br>2) Hypoglycemia<br>3) Tube Feeding   | <b>No assessment required.</b><br>For children 5 years and up and adults. Requires State Agency Approval and metabolic prescription form. For WIC - only issue to women. | Vitaflo      |
| Glytrol                     | Special Medical Conditions | 30 cal/oz, lactose and sucrose-free carbohydrate blend to support glycemic control. Available in RTU.   | 1) Diabetes Mellitus<br>2) Glucose intolerance<br>3) Hyperglycemia  | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| Good Start Grow (3)         | Special Medical Conditions | 19.3 cal/oz, milk-based toddler drink with probiotics. Similar to Enfagrow Toddler and Similac Go & Grow. Available in PWD.   | 1) Prematurity (<37 weeks)/LBW<br>2) Developmental delays (sensory & motor)<br>3) Oral motor feeding issues/aversions | <b>Complete assessment required.</b> For children older than 1 year.<br><b>Formula-certified WCS may approve.</b>  | Gerber       |
| HCU Anamix Early            | Metabolic                  | Methionine and cysteine-free with iron, DHA/ARA and prebiotic fiber blend. Provides 13.5 g of protein equivalent per 100 g of powder. For oral or tube feeding. Available in PWD. | Vitamin B-6 non-responsive homocystinuria or hypermethioninemia in infants and young children.                        | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Nutricia     |
| HCU Anamix Next             | Metabolic                  | Methionine-free. Contains DHA and prebiotic fiber blend. Available in PWD.  | Vitamin B-6 non-responsive homocystinuria or hypermethioninemia in children 1 year of age and up.                     | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Nutricia     |
| HCY 1                       | Metabolic                  | Methionine, lactose and galactose-free, with cysteine and iron; nutritionally incomplete; 16.2 g protein equivalents/100 g powder. Available in PWD.                              | Homocystinuria in infants or children   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Mead Johnson |
| HCY 2                       | Metabolic                  | Methionine, lactose and galactose-free; nutritionally incomplete; 22 g protein equivalents/100 g powder. Available in PWD.  | Homocystinuria in children or adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                       | Mead Johnson |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name     | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|------------------|------------------------------|--|---|--|--------------|
| Hominex 1        | Metabolic                    | Methionine and lactose-free. Available in PWD.   | Homocystinuria (vitamin B-6 non-responsive) or hypermethioninemia in infants or toddlers              | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| Hominex 2        | Metabolic                    | Methionine and lactose-free. Available in PWD.   | Homocystinuria (vitamin B-6 non-responsive) or hypermethioninemia in children or adults               | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Abbott       |
| I Valex 1        | Metabolic                    | Leucine and lactose-free. Available in PWD.  | Isovaleric acidemia or other disorders of leucine catabolism in infants or toddlers                   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| I Valex 2        | Metabolic                    | Leucine and lactose-free. Available in PWD.  | Isovaleric acidemia or other disorders of leucine catabolism in children or adults                    | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Abbott       |
| Impact           | Special Medical Conditions   | 30 cal/oz; lactose-free enteral formula for critically ill adults. Available in RTU.   | 1) Trauma<br>2) Post-surgery<br>3) Burns or wounds<br>4) Mechanically ventilated<br>5) Critically ill | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| Isosource 1.5    | Increased Calorie Supplement | 45 cal/oz, lactose-free, high-calorie, high-nitrogen; 2 g fiber per 250 mL container; for tube feedings. Available in RTU.   | For tube feeding with<br>1) High calorie needs<br>2) Increased protein needs<br>3) Fluid restriction  | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| Isosource HN     | Increased Calorie Supplement | 36 cal/oz, lactose-free, high-protein, high-nitrogen; nutritionally complete liquid formula with fiber; 13.4 g soy protein/250 mL container; tube feedings only. Available in RTU. | For tube feeding with<br>1) High calorie needs<br>2) Increased protein needs<br>3) Fluid restriction  | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| IVA Anamix Early | Metabolic                    | Leucine-free with DHA and ARA; 13.5 g of protein equivalent per 100 g powder. For oral or tube feeding. Available in PWD.  | Isovaleric acidemia or other disorders of leucine catabolism in infants or young children.            | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Nutricia     |
| IVA Anamix Next  | Metabolic                    | Leucine-free with DHA and ARA; 13.5 g of protein equivalent per 100 g powder. Available in PWD.  | Isovaleric acidemia or other disorders of leucine catabolism in children or adults                    | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                      | Category                     | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated                    | Manufacturer |
|-----------------------------------|------------------------------|--|--|--|--------------|
| Jevity 1 Cal                      | Special Medical Conditions   | 31 cal/oz, nutritionally complete, high-protein, lactose-free, isotonic with fiber; 3.4 g fiber per 8 oz serving. Available in RTU.  | 1) Tube feeding<br>2) Tube feeding with wound healing  | <b>Formula history required.</b> Can only be issued to women and children.                     | Abbott       |
| Kate Farms Pediatric Peptide 1.5  | Special Medical Conditions   | 44 cal/oz, vegan, plant-based, lactose, soy, gluten, and corn-free. Nutritionally complete; semi-elemental formula with organic hydrolyzed pea protein and 40% fat as MCT oil. For oral or tube feeding. Available in RTU. | 1) Malabsorption syndrome<br>2) Poor GI tolerance to other formulas<br>3) Food allergies (cow's milk, soy, corn)<br>4) GI impairment with increased calorie needs, or fluid restriction<br>5) Tube feeding<br>6) FTT or malnutrition | <b>Formula history required.</b><br>For children. Can only be issued to women or children.     | Kate Farms   |
| Kate Farms Pediatric Standard 1.2 | Increased Calorie Supplement | 35 cal/oz, vegan, plant-based, lactose, soy, gluten, and corn-free. Nutritionally complete; semi-elemental formula with organic hydrolyzed pea protein and 40% fat as MCT oil. For oral or tube feeding. Available in RTU. | 1) Poor GI tolerance to other formulas<br>2) FTT or malnutrition<br>3) Food allergies (cow's milk, soy, or corn)<br>4) Tube feeding  | <b>Complete Assessment Required.</b><br>For children. Can only be issued to women or children. | Kate Farms   |
| Kate Farms Peptide 1.5            | Special Medical Conditions   | 45.5 cal/oz, lactose-free, vegan, plant-based, gluten-free. Nutritionally complete; semi-elemental formula with organic hydrolyzed pea protein and 40% fat as MCT oil. For oral or tube feeding. Available in RTU.         | 1) Malabsorption syndrome<br>2) Poor GI tolerance to other formulas<br>3) Food allergies (cow's milk, soy, corn)<br>4) GI impairment with increased calorie needs, or fluid restriction<br>5) Tube feeding<br>6) FTT or malnutrition | <b>Formula history required.</b><br>For adults. For WIC - only issue to women.                 | Kate Farms   |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name               | Category                     | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|----------------------------|------------------------------|--|--|--|--------------|
| Kate Farms Standard 1.0    | Increased Calorie Supplement | 30 cal/oz, lactose-free, vegan, plant-based, gluten-free. Nutritionally complete; semi-elemental formula with organic hydrolyzed pea protein and 30% fat as MCT oil. For oral or tube feeding. Available in RTU. | 1) Poor GI tolerance to other formulas<br>2) FTT or malnutrition<br>3) Food allergies (cow's milk, soy, or corn)<br>4) Tube feeding  | <b>Complete Assessment Required.</b><br>For adults. For WIC - only issue to women.   | Kate Farms   |
| Ketocal 3:1                | Special Medical Conditions   | High-fat, low-carbohydrate; for oral or tube feeding; 3 to 1 fat to carbohydrate and protein ratio; nutritionally complete. Available in PWD.  | Non-metabolic reason: Intractable epilepsy in children over 1 year of age<br>Metabolic reason:<br>1) Pyruvate dehydrogenase deficiency (PDH)<br>2) Glucose transporter type-1 deficiency   | <b>Formula history required.</b><br>Metabolic reasons requires State Agency approval and <b>metabolic prescription form.</b>   |              |
| Ketocal 4:1                | Special Medical Conditions   | High-fat, low-carbohydrate; for oral or tube feeding; 4 to 1 fat to carbohydrate and protein ratio; nutritionally complete. Available in PWD, RTU.   | Non-metabolic reason: Intractable epilepsy in children over 1 year of age<br>Metabolic reason:<br>1) Pyruvate dehydrogenase deficiency (PDH)<br>2) Glucose transporter type-1 deficiency   | <b>Formula history required.</b> State Agency approval required.<br>Metabolic reasons also require a <b>metabolic prescription form.</b>   | Nutricia     |
| Ketonex 1                  | Metabolic                    | Branched-chain amino acid and lactose-free. Available in PWD.  | Maple syrup urine disease (MSUD), branched-chain ketoaciduria or beta-ketothiolase deficiency in infants or toddlers   | <b>No assessment required.</b><br>Request requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| Ketonex 2                  | Metabolic                    | Branched-chain amino acid and lactose-free. Available in PWD.  | Maple syrup urine disease (MSUD), branched-chain ketoaciduria or beta-ketothiolase deficiency in children or adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                               | Abbott       |
| Kid Essentials 1.5 (Boost) | Increased Calorie Supplement | 45 cal/oz, lactose-free; nutritionally complete; contains MCT oil. Similar to Pediasure 1.5. Available in RTU.   | 1) Increased calorie needs<br>2) Inadequate growth<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Developmental delays (sensory & motor)<br>7) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Can only be issued to women and children. | Nestle       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                       | Category                     | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|------------------------------------|------------------------------|--|--|---|--------------|
| Kid Essentials 1.5 w/Fiber (Boost) | Increased Calorie Supplement | 45 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains MCT oil; 2.1 g fiber/8 oz container. Similar to Pediasure 1.5 w/Fiber. Available in RTU.   | Increased fiber needs with one or more of the following:<br>1) Increased calorie needs<br>2) Inadequate growth<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Developmental delays (sensory & motor)<br>7) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Can only be issued to women and children. | Nestle       |
| Lipistart                          | Special Medical Conditions   | Low-fat, high in medium chain triglycerides (MCT) and low in long chain triglycerides (LCT); with DHA/ARA and L-carnitine and taurine; suitable for children from 12 months of age and older. 1 scoop =5 g powder; standard dilution = 1 scoop to 30mL of water =1 fl oz approx. Available in PWD. | 1) Malabsorption syndrome<br>2) High MCT needs<br>3) Long chain fatty acid oxidation disorders<br>4) Hyperlipoproteinemia type 1<br>5) Chylothorax   | <b>Formula history required.</b> Requires State Agency approval.<br>Normally used for children.   | Vitaflo      |
| Liquigen                           | Modular                      | 45 cal/10 ml; Emulsion of 50% MCT oil & 50% water; Nutritionally incomplete; Available RTU.  | 1) Ketogenic Diet<br>2) Long-chain oxidation disorders<br>3) Malabsorption syndrome<br>4) Increased calorie needs<br>5) Conditions with decreased pancreatic lipase and/or decreased bile salts<br>6) Defective lymphatic transport of fat   | <b>Complete assessment required.</b> Requires State Agency approval.  | Nutricia     |
| LMD                                | Metabolic                    | Leucine, lactose and galactose-free; 16.2 g protein equivalents/100 g powder. Available in PWD.  | Leucine metabolism disorders (including isovaleric acidemia) in infants, children or adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>  | Mead Johnson |
| Lophlex LQ PKU                     | Metabolic                    | Phenylalanine and fat-free; nutritionally incomplete; 20 g protein equivalents/125 mL pouch. Available in RTU.   | Phenylketonuria in children older than 4 years   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                                | Nutricia     |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name        | Category  | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---------------------|-----------|---|--|---|--------------|
| MCT Oil             | Modular   | 8.3 cal/g, 7.7 cal/mL, lactose-free, 100% MCT oil. Available in RTU.  | <ol style="list-style-type: none"> <li>1) Malabsorption syndrome</li> <li>2) Defective lymphatic transport of fat</li> <li>3) Conditions with decreased pancreatic lipase and/or decreased bile salts</li> <li>4) Increased calorie needs</li> </ol> | <b>Complete assessment required.</b> Requires State Agency approval.  | Nestle       |
| MCT Procal          | Metabolic | High in medium-chain triglyceride (MCT) fat for the dietary management of disorders of long-chain fatty acid oxidation, fat malabsorption and other disorders requiring a high MCT, low long-chain triglyceride (LCT) diet. MCT | <ol style="list-style-type: none"> <li>1) Long chain fatty acid oxidation disorder</li> <li>2) Fat malabsorption -Disorders requiring a high MCT or low long chain triglyceride (LCT) diet.</li> </ol>   | <b>No assessment required.</b><br>For children 3 years and older and adults. Requires State Agency Approval and <b>metabolic prescription form</b> . Can only be issued to women and children |              |
| Microlipid          | Modular   | 4.5 cal/mL, lactose-free, 100% of total calories from safflower oil; fat emulsion for use in oral or tube-feeding formulas; discard bottle 5 days after opening. 1 Tbsp = 68 cal. Available in RTU.                             | <ol style="list-style-type: none"> <li>1) Increased calorie needs</li> <li>2) Anorexia</li> <li>3) Fluid restriction</li> <li>4) Decreased carbohydrate tolerance</li> <li>5) Ketogenic diet</li> </ol>  | <b>Complete assessment required.</b> Requires State Agency approval.  | Nestle       |
| MMA-PA Anamix Early | Metabolic | Methionine, threonine, valine-free and low isoleucine with a prebiotic fiber, iron and DHA/ARA. Provides 13.5 g of protein equivalent per 100 g of powder. Available in PWD.  | Vitamin B-12 non-reponsive methylmalonic acidemia or propionic acidemia in infants or young children.  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> .   | Nutricia     |
| MMA-PA Anamix Next  | Metabolic | Methionine, threonine, valine-free and low isoleucine with a prebiotic and DHA. Available in PWD.   | Vitamin B-12 non-reponsive methylmalonic acidemia or propionic acidemia in children 1 year of age and up.  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> .   | Nutricia     |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name      | Category                   | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|-------------------|----------------------------|---|--|---|--------------|
| Monogen           | Special Medical Conditions | Milk-based; 90% of fat is MCT oil. Nutritional complete, formula low in long chain triglycerides (LCT) and high in medium chain triglycerides (MCT) containing linoleic acid (LA) and alpha-linolenic acid (ALA); supplemented with DHA/ARA; and updated micronutrient profile; not recommended for infants under 1; similar to Portagen. Available in PWD. | 1) Chylolothorax<br>2) Malabsorption syndrome<br>3) Fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia Type 1, or long chain 3-hydroxyacyl-CoA dehydrogenase deficiency (LCHAD)<br>4) High MCT oil needs | <b>Formula history required.</b>  | Nutricia     |
| MSUD Anamix Early | Metabolic                  | Isoleucine, leucine and valine-free with iron, DHA/ARA and prebiotic fiber blend. For oral or tube feeding. Available in PWD.   | Maple syrup urine disease (MSUD).  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>  | Nutricia     |
| MSUD Maxamum      | Metabolic                  | Isoleucine, leucine and valine-free; nutritionally incomplete; not intended for children under 9 years of age; 40 g protein equivalents/100 g powder. Available in PWD.   | Maple syrup urine disease (MSUD) in older children and adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                              | Nutricia     |
| Neocate w/DHA/ARA | Elemental                  | 20 cal/oz, lactose, sucrose, and soy-free; hypoallergenic; 100% free amino acids; 33% of fat is MCT oil. Standard 20 cal mixing is 1 scoop of powder to 1 oz water. Similar to Alfamino, PurAmino and Elecare. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc.  | <b>Formula history required.</b><br>A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. | Nutricia     |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                   | Category  | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|--------------------------------|-----------|--|---|---|--------------|
| Neocate Junior                 | Elemental | 30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids; for oral or tube feeding; 35% of fat is MCT oil. Similar to Alfamino Jr. and Elecare Jr. Unflavored: 1 Tbsp = 7 g; 1 C = 100 g; Available in PWD.                                       | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b> Can only be issued to women and children.  | Nutricia     |
| Neocate Junior with Prebiotics | Elemental | 30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids with prebiotic fiber; for oral or tube feeding; 35% of fat is MCT oil. Unflavored: 1 Tbsp = 7 g; Tropical Fruit and Chocolate; 1 Tbsp = 7 g, 1 C = 108 g; 1 C = 100 g. Available in PWD. | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b> Can only be issued to women and children.  | Nutricia     |
| Neocate Nutra                  | Elemental | 472 cal/ 100 g; 4.7 g per scoop, approximately 22 cal/scoop, (1 tsp = 2 g), serving size = 8 scoops; hypoallergenic, amino acid-based semi-solid food; not nutritionally complete;   | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required.</b> Requires State Agency approval.<br><br>Note: For infants 6 months of age or older and typically issued with formula.                           | Nutricia     |
| Neocate Splash                 | Elemental | 30 cal/oz, hypoallergenic, nutritionally complete, 100% non-allergenic free amino-acids; for oral or tube feeding; 35% of fat is MCT oil. Available in RTU.  | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required.</b> Can only be issued to women and children. Multiple flavors replacing E028 Splash.  | Nutricia     |
| Neocate Syneo                  | Elemental | 20 cal/oz, lactose, sucrose, and soy-free; hypoallergenic; 100% free amino acids; 33% of fat is MCT oil; contains a blend of prebiotics and probiotics. Standard 20 cal mixing is 1 scoop of powder to 1 oz water. Available in PWD.   | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required.</b><br>A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) is recommended before issuing unless medically contraindicated. | Nutricia     |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name           | Category                   | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|------------------------|----------------------------|---|--|--|--------------|
| NeoSure                | Premature/<br>LBW          | 22 cal/oz, high in protein, vitamins, and minerals for preterm and/or low birth weight infants; contains 25% fat from MCT oil; similar to EnfaCare. Available in PWD, RTU.  | 1) Prematurity (<37 weeks), regardless of birthweight, may issue up to 12 months chronological age<br>2) Low or very low birth weight (LBW/VLBW) ≤ 5lb 8oz may issue up to 12 months chronological age | <b>Complete assessment required.</b><br>Staff will need to bring back infant at 6 months of age to determine readiness to eat solids.<br>If requested outside of these parameters or for other reasons, contact Local RD or the State Agency for approval.<br>RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the infants condition.<br><br><b>Formula-certified WCS may approve.</b> | Abbott       |
| Nepro                  | Special Medical Conditions | 54 cal/oz, calorically dense and lactose-free; for oral or tube feeding. Available in RTU.  | 1) Electrolyte and/or fluid restriction<br>2) Dialysis<br>3) Acute kidney injury<br>4) Chronic renal failure   | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| NovaSource Renal       | Special Medical Conditions | 60 cal/oz, lactose-free, high-calories; with MCT oil. Available in RTU.   | 1) Electrolyte and/or fluid restriction<br>2) Dialysis<br>3) Acute kidney injury<br>4) Chronic renal failure   | <b>Formula history required.</b>   | Nestle       |
| Nutramigen             | Protein Hydrolysate        | 20 cal/oz, hypoallergenic casein hydrolysate, lactose, sucrose, and galactose-free; does not contain MCT oil. Available in CON & RTU.   | 1) Food allergies (cow's milk, soy or intact protein)/FPIES<br>2) Malabsorption syndrome<br>3) GER/GERD<br>4) GI impairment  | <b>Formula history required.</b><br><b>Formula-certified WCS may approve.</b>  | Mead Johnson |
| Nutramigen Enflora LGG | Protein Hydrolysate        | 20 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free; contains probiotic Lactobacillus rhamnosus GG (LGG); does not contain MCT oil; Some similarities to Extensive HA, Alimentum, and Pregestimil. Powder should be measured with packed, level scoops. Available in PWD. | 1) Food allergies (cow's milk, soy or intact protein)/FPIES<br>2) Malabsorption syndrome<br>3) GER/GERD<br>4) GI impairment  | <b>Formula history required. Formula-certified WCS may approve.</b>  | Mead Johnson |
| Nutramigen Toddler     | Protein Hydrolysate        | 20 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free toddler formula; contains probiotic Lactobacillus rhamnosus GG (LGG); does not contain MCT oil; powder should be measured with packed, level scoops. Available in PWD.  | Over age 1 with medical need for 20 cal/oz with:<br>1) Food allergies (cow's milk, soy or intact protein)/FPIES<br>2) Malabsorption syndrome<br>3) GER/GERD<br>4) GI impairment                        | <b>Formula history required.</b> Can only be issued children.<br><b>Formula-certified WCS may approve.</b>   | Mead Johnson |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name          | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|-----------------------|------------------------------|--|---|--|--------------|
| Nutren 1.0            | Increased Calorie Supplement | 30 cal/oz, lactose-free, oral or tube feeding supplement; 25% of fat is MCT oil. Available in RTU.   | 1) Increased calorie needs<br>2) Oral motor feeding issues/aversions<br>3) Tube feeding   | <b>Complete assessment required.</b><br>Normally used for adults. If prescribed for a child or for any other reason, consult with local agency RD or State Agency staff. Can only be issued to women and children. | Nestle       |
| Nutren 1.0 w/Fiber    | Increased Calorie Supplement | 30 cal/oz, lactose-free, oral or tube feeding supplement with fiber; 25% of fat is MCT oil; 3.5 g fiber/250 mL   | Increased fiber needs with one or more of the following:<br>1) Increased calorie needs  | <b>Complete assessment required.</b><br>Normally used for adults. If prescribed for a child or for any other reason, consult with local agency RD or State Agency staff.   | Nestle       |
| Nutren 2.0            | Increased Calorie Supplement | 60 cal/oz, high calorie, lactose-free, oral or tube feeding; 75% of fat is MCT oil. Available in RTU.  | 1) Fluid restriction<br>2) Increased calorie needs  | <b>Complete assessment required.</b> Can only be issued to women and children.   | Nestle       |
| Nutren Junior         | Increased Calorie Supplement | 30 cal/oz, lactose-free, oral or tube feeding; contains 50% whey protein concentrate; 22% of fat is MCT oil. Available in RTU.   | 1) Increased calorie needs<br>2) Inadequate growth<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW   | <b>Complete assessment required.</b><br>Can only be issued to women and children.  | Nestle       |
| Nutren Junior w/Fiber | Increased Calorie Supplement | 30 cal/oz, lactose-free, oral or tube feeding; 22% of fat is MCT oil; 50% whey protein concentrate; 1.5 g fiber/250 mL container. Available in RTU.                      | Increased fiber needs with one or more of the following:<br>1) Increased calorie needs<br>2) Inadequate growth<br>3) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Can only be issued to women and children.  | Nestle       |
| Nutren Pulmonary      | Special Medical Conditions   | 45 cal/oz, high-calorie, high-protein, low-carbohydrate, lactose-free; nutritionally complete; 40% of fat is MCT oil. Available in RTU.                                  | 1) Pulmonary disease<br>2) Respiratory disorder<br>3) Ventilator dependency<br>4) Fluid restriction   | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| NutriHep              | Special Medical Conditions   | 45 cal/oz, high calorie, high branched-chain amino acid, low-aromatic and ammonogenic amino acid hepatic formula, lactose-free; 70% of fat is MCT oil. Available in RTU. | 1) Hepatic insufficiency<br>2) Liver disease  | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name | Category                     | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|--------------|------------------------------|---|--|--|--------------|
| OA 1         | Metabolic                    | Isoleucine, methionine, threonine, valine, lactose and galactose-free; nutritionally incomplete; OA stands for organic acid; 15.7 g protein equivalents/100 g powder. Available in PWD.   | Propionic acidemia or methylmalonic acidemia in infants or toddlers  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Mead Johnson |
| OA 2         | Metabolic                    | Isoleucine, methionine, threonine, valine, fat-free; nutritionally incomplete; OA stands for organic acid; 21 g protein equivalent/100 g powder. 60 calories per scoop (14.5 grams per scoop). Available in PWD.                                | Propionic acidemia or methylmalonic acidemia in children or adults   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Mead Johnson |
| Osmolite 1.0 | Special Medical Conditions   | 32 cal/oz, soy-based, lactose-free, isotonic; nutritionally complete; for oral or tube feeding; 20% of fat is MCT oil; 10.5 g soy protein per 8 oz can. Available in RTU.   | Increased protein needs with intolerance to hyper-osmolar feedings and calorie needs less than 2000 cal/day  | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Osmolite 1.2 | Special Medical Conditions   | 36 cal/oz, high-protein, lactose-free, isotonic, nutritionally complete, for oral or tube feeding; 20% of fat is MCT oil. Available in RTU.   | Increased calorie or protein needs with intolerance to hyperosmolar feedings   | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Oxepa        | Special Medical Conditions   | 45 cal/oz, high-calorie, low-carbohydrate, lactose-free, for tube feeding; 25% of fat is MCT oil. Available in RTU.   | Mechanical ventilation, e.g., acute respiratory distress syndrome  | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Pediasmart   | Increased Calorie Supplement | 30 cal/oz, lactose-free, organic milk-based and nutritionally complete; free of artificial colors, dyes DHA, ARA, hexane processed oils, sweeteners, genetically modified ingredients, pesticides, and added growth hormones. Available in PWD. | 1) Medical conditions that show intolerance to dyes, chemicals or sensitivity to organophosphates or other additives and/or<br>2) Increase calorie needs<br>3) Inadequate growth<br>4) Failure to Thrive (FTT) with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Can only be issued to women and children.  | Natures One  |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name      | Category                     | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated               | Manufacturer |
|-------------------|------------------------------|---|--|---|--------------|
| Pediasmart Soy    | Increased Calorie Supplement | 30 cal/oz, lactose-free, organic soy-based and nutritionally complete; free of artificial colors, dyes DHA, ARA, hexane processed oils, sweeteners, genetically modified ingredients, pesticides, and added growth hormones. Available in PWD.              | <ol style="list-style-type: none"> <li>1) Food allergies (cow's milk or intact protein)/FPIES</li> <li>2) Medical conditions that show intolerance to dyes, chemicals or sensitivity to organophosphates or other additives</li> <li>3) Increased calorie needs</li> <li>4) Inadequate growth</li> <li>5) FTT with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> <li>6) Oral motor feeding issues/aversions</li> <li>7) Prematurity (&lt;37 weeks)/LBW</li> </ol> | <p><b>Complete assessment required.</b><br/>Can only be issued to women and children.</p> | Natures One  |
| PediaSure         | Increased Calorie Supplement | 30 cal/oz, lactose-free; with DHA and prebiotic scFOS; nutritionally complete; 15% MCT oil; Osmolality: vanilla, strawberry and banana cream = 480, chocolate = 560; 1 g fiber and 18 g sugar/8 oz container. Similar to Kids Essentials. Available in RTU. | <ol style="list-style-type: none"> <li>1) Increased calorie needs</li> <li>2) Inadequate growth</li> <li>3) FTT with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> <li>4) Tube feeding</li> <li>5) Oral motor feeding issues/aversions</li> <li>6) Prematurity (&lt;37 weeks)/LBW</li> </ol>  | <p><b>Complete assessment required.</b><br/>Can only be issued to women and children.</p> | Abbott       |
| PediaSure w/Fiber | Increased Calorie Supplement | 30 cal/oz, lactose-free with fiber and DHA; nutritionally complete; 15% MCT oil; 3.2 g fiber and 18 g sugar/8 oz container; Osmolality: 480. Available in RTU.  | <p>Increased fiber needs and/or one or more of the following:</p> <ol style="list-style-type: none"> <li>1) Increased calorie needs</li> <li>2) Inadequate growth</li> <li>3) FTT with weight/length or height &lt;10% and/or downward crossing of 2 major percentiles</li> <li>4) Tube feeding</li> <li>5) Oral motor feeding issues/aversions</li> <li>6) Prematurity (&lt;37 weeks)/LBW</li> </ol>  | <p><b>Complete assessment required.</b><br/>Can only be issued to women and children.</p> | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                  | Category                     | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|-------------------------------|------------------------------|---|---|--|--------------|
| PediaSure Enteral 1.0         | Increased Calorie Supplement | 30 cal/oz, lactose-free and isotonic; nutritionally complete, 15% MCT oil; oral or tube feeding; 7 g sugar/8 oz container; Osmolality: 335. Available in RTU.   | 1) Increased calorie needs<br>2) Inadequate growth<br>3) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW   | <b>Complete assessment required.</b><br>Can only be issued to women and children.  | Abbott       |
| PediaSure Enteral w/Fiber 1.0 | Increased Calorie Supplement | 30 cal/oz, lactose-free and isotonic with fiber and prebiotic short-chain fructo-oligosaccharides (scFOS); nutritionally complete; 15% of fat is MCT oil; for oral or tube feeding; 1.9 g fiber and 7 g sugar per 8 oz container; Osmolality: 345. Available in RTU.    | Increased fiber needs and/or one or more of the following:<br>1) Increased calorie needs<br>2) Inadequate growth<br>3) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Can only be issued to women and children.  | Abbott       |
| PediaSure 1.5                 | Increased Calorie Supplement | 45 cal/oz, lactose-free with DHA; nutritionally complete; 15% MCT oil; for oral or tube feeding; Osmolality: 370; similar to Kid Essentials 1.5. Available in RTU.  | 1) Increased calorie needs<br>2) Inadequate growth<br>3) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW   | <b>Complete assessment required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Can only be issued to women and children. | Abbott       |
| PediaSure 1.5 w/Fiber         | Increased Calorie Supplement | 45 cal/oz, lactose-free with DHA and prebiotic short-chain fructooligosaccharides (scFOS); nutritionally complete, for oral or tube feeding; 15% MCT oil and 3 g fiber per 8 oz container; Osmolality: 390; similar to Kid Essentials 1.5 with Fiber. Available in RTU. | Increased fiber needs and/or one or more of the following:<br>1) Increased calorie needs<br>2) Inadequate growth<br>3) FTT with weight/length or height <10% and/or downward crossing of 2 major percentiles<br>4) Tube feeding<br>5) Oral motor feeding issues/aversions<br>6) Prematurity (<37 weeks)/LBW | <b>Complete assessment required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Can only be issued to women and children. | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name              | Category                     | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---------------------------|------------------------------|---|---|---|--------------|
| PediaSure Peptide 1.0     | Increased Calorie Supplement | 30 cal/oz, lactose-free, nutritionally complete, hydrolyzed whey protein for oral or tube feeding; 50% of fat is MCT oil. Available in RTU.   | 1) Malabsorption syndrome<br>2) GI Impairment                               | <b>Formula history required.</b><br>Can only be issued to women and children.   | Abbott       |
| PediaSure Peptide 1.5     | Increased Calorie Supplement | 45 cal/oz, lactose-free; nutritionally complete; semi-elemental formula with hydrolyzed whey protein and 50% of fat as MCT oil; for oral or tube feeding. Available in RTU.                                     | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Increased calorie needs | <b>Formula history required.</b> Can only be issued to women and children.  | Abbott       |
| PediaSure Reduced Calorie | Special Medical Conditions   | 18.75 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains 3 g prebiotic fiber and milk protein with 40% less fat than PediaSure. Available in RTU.                                 | Decreased calorie needs   | <b>Complete assessment required.</b> Can only be issued to women and children.  | Abbott       |
| Pediasure Sidekicks       | Special Medical Conditions   | 22.5 cal/oz, lactose-free; nutritionally complete; for oral or tube feeding; contains 3 g prebiotic fiber and 10 g milk protein. Available in RTU.  | Decreased calorie needs   | <b>Complete assessment required.</b> Can only be issued to women and children.  | Abbott       |
| Peptamen                  | Elemental                    | 30 cal/oz, lactose-free, elemental; nutritionally complete; 70% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk. Available in RTU.  | GI Impairment   | <b>Formula history required.</b> Can only be issued to women and children.  | Nestle       |
| Peptamen 1.5              | Elemental                    | 45 cal/oz, lactose-free, peptide-based, elemental, nutritionally complete; 70% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk. Available in RTU.   | GI Impairment with increased calorie needs or fluid restriction             | <b>Formula history required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30 cal/oz products. Can only be issued to women and children. | Nestle       |
| Peptamen Junior           | Elemental                    | 30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; similar to Pepdite Junior. Available in RTU.         | GI Impairment   | <b>Formula history required.</b><br>Can only be issued to women and children.   | Nestle       |
| Peptamen Junior 1.5       | Elemental                    | 45 cal/oz, lactose-free, elemental; nutritionally complete; for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 1.35 g fiber per 250 mL container. Available in RTU. | GI Impairment with increased calorie needs or fluid restriction             | <b>Formula history required.</b><br>Typically used when calorie needs are higher than what can be achieved with 30cal/oz products. Can only be issued to women and children.  | Nestle       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name             | Category                   | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|--------------------------|----------------------------|---|--|--|--------------|
| Peptamen Junior w/Fiber  | Elemental                  | 30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 1.8 g fiber per 250 mL container. Available in RTU.                  | GI Impairment with increased fiber needs   | <b>Formula history required.</b><br>Can only be issued to women and children.  | Nestle       |
| Peptamen Junior w/PreBio | Elemental                  | 30 cal/oz, lactose-free, elemental, nutritionally complete, for oral or tube feeding; with prebiotics; 60% of fat is MCT oil; 100% hydrolyzed whey protein from cow's milk; 0.9 g fiber per 250 mL container. Available in RTU. | GI Impairment with increased fiber needs   | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| Perative                 | Special Medical Conditions | 39 cal/oz, lactose-free, hydrolyzed peptide-based protein; with arginine; nutritionally complete; for tube feeding; 40% of fat is MCT oil. Available in RTU.  | For tube feeding with one of more of the following :<br>1) Pressure ulcers, multiple fractures, wounds, burns, or surgery<br>2) Multiple fractures<br>3) Wounds, burns, or surgery<br>4) Conditions causing metabolic stress | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Periflex Advance         | Metabolic                  | Phenylalanine-free; nutritionally incomplete; intended for older children and adults (including pregnant women). Available in PWD.  | Phenylketonuria  | <b>No assessment required.</b><br><b>Requires State Agency approval and metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |
| Periflex Junior Plus     | Metabolic                  | Phenylalanine-free; nutritionally incomplete, 100% RDI Vitamin D, 90 % RDA of DHA in 20 g protein, 30% RDA of soluble & insoluble fiber. 28 protein equivalents per 100 g PWD, Available in PWD.                                | Phenylketonuria (PKU)  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |
| Periflex LQ PKU          | Metabolic                  | Phenylalanine-free; nutritionally incomplete; contains 5 g fat and 15 g protein equivalents/250 mL container; intended for older children and adults. Available in RTU.   | Phenylketonuria (PKU), including maternal PKU  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |
| PFD 2                    | Metabolic                  | Amino-acid, protein, lactose and galactose-free formula; nutritionally incomplete; Available in PWD.  | Inborn errors of amino acid metabolism in children and adults  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Mead Johnson |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name           | Category  | Description  | Qualifying Conditions                          | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|------------------------|-----------|--|--|---|--------------|
| Phenex 1               | Metabolic | Phenylalanine and lactose-free; for infants and toddlers. Available in PWD.  | Phenylketonuria (PKU) or hyperphenylalaninemia | <b>No assessment required.</b><br>For infants and toddlers. Requires State Agency approval and <b>metabolic prescription form.</b>  | Abbott       |
| Phenex 2               | Metabolic | Phenylalanine and lactose-free; nutritionally incomplete; for children and adults. Available in PWD.   | Phenylketonuria (PKU) or hyperphenylalaninemia | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Abbott       |
| Phenyl Free 1          | Metabolic | Phenylalanine, lactose and galactose-free; nutritionally incomplete; 16.2 g protein equivalents/100 g powder. Available in PWD.  | Phenylketonuria (PKU) or hyperphenylalaninemia | <b>No assessment required.</b><br>For infants and toddlers. Requires State Agency approval and <b>metabolic prescription form.</b>  | Mead Johnson |
| Phenyl Free 2          | Metabolic | Phenylalanine, lactose and galactose-free; nutritionally incomplete, 22 g protein equivalents/100 g powder. Available in PWD.  | Phenylketonuria (PKU) or hyperphenylalaninemia | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Mead Johnson |
| Phenyl Free 2HP        | Metabolic | Phenylalanine, lactose, galactose-free; higher in protein and most vitamins and minerals than Phenyl Free 2; nutritionally incomplete; 40 g protein equivalents/100 g powder. Available in | Phenylketonuria (PKU) or hyperphenylalaninemia | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Mead Johnson |
| PhenylAde 60 Drink Mix | Metabolic | Phenylalanine-free; nutritionally incomplete; for oral or tube feeding; 294 cal per 100 g powder; not for infants under 1 year of age. Available in PWD.                                   | Phenylketonuria (PKU)                          | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |
| PhenylAde Drink Mix    | Metabolic | Phenylalanine free; nutritionally incomplete; not for children under one year of age; 40 g/scoop = 10 g protein equivalents. Available in PWD.   | Phenylketonuria (PKU)                          | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b>   | Nutricia     |
| PhenylAde Essential    | Metabolic | Phenylalanine-free, nutritionally incomplete; with flax and soluble fiber; 40 g/scoop = 10 g protein equivalents; not for children under 1 year of age. Available in PWD.                  | Phenylketonuria (PKU)                          | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                   | Category  | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|--------------------------------|-----------|--|---|--|--------------|
| PhenylAde MTE Amino Acid Blend | Metabolic | Phenylalanine-free, nutritionally incomplete; for oral or tube feeding; 313 cal per 100 g powder; not for children under 1 year of age. Available in PWD.          | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children.                   | Nutricia     |
| Phlexy - 10 Drink Mix          | Metabolic | Phenylalanine, vitamin, mineral, and fat-free; nutritionally incomplete; not intended for infants under 1 year of age. Available in PWD.                           | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For children 3 years and older and adults. Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Nutricia     |
| PKU Air20                      | Metabolic | Phenylalanine-free* with docosahexaenoic acid (DHA); nutritionally incomplete; 20g protein equivalents/174 mL pouch. Contains tuna oil, and soy. Available in RTU. | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For children 3 years and older and adults. Requires State Agency Approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Vitaflo      |
| PKU Periflex Early             | Metabolic | Phenylalanine-free with DHA/ARA and prebiotic blend. 13.5 g of pretein equivalent per 100 g powder. Available in PWD.  | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For infants and young children. Requires State Agency approval and <b>metabolic prescription form</b> .  | Nutricia     |
| PKU Sphere15                   | Metabolic | Phenylalanine -free, nutritionally incomplete. 15g protein equivalents. Contains tuna oil, soy, milk protein. Available in PWD.                                    | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For children 4 years and older and adults. Requires State Agency Approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Vitaflo      |
| PKU Sphere20                   | Metabolic | Phenylalanine-free; nutritionally incomplete. 20g protein equivalents. Contains tuna oil, soy, milk protein. Available in PWD.                                     | Phenylketonuria (PKU)   | <b>No assessment required.</b><br>For children 4 years and older and adults. Requires State Agency Approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Vitaflo      |
| Polycal                        | Modular   | Concentrated maltodextrin; Nutritionally incomplete, 1 scoop = 5g or 20 cal. Available in PWD.   | 1) Increased calorie needs with restricted fluids<br>2) Inborn errors of metabolism | <b>Complete assessment required.</b> Requires State Agency approval. Limit issuance to no more than 3 cans/month.  | Nutricia     |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name        | Category                     | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|---------------------|------------------------------|---|--|--|--------------|
| Portagen            | Special Medical Conditions   | 30 cal/oz, milk-based, lactose-free; nutritionally incomplete; for oral or tube feeding; 87% of fat is MCT oil. Long-term use may lead to essential fatty acid deficiency; not recommended for infants under 1. Similar to Monogen. Available in PWD.       | 1) Chylolothorax<br>2) Malabsorption syndrome<br>3) Fat and long chain fatty acid oxidation disorders, e.g., decreased pancreatic lipase, decreased bile salts, defective mucosal fat absorption, and/or defective lymphatic anomalies, hyperlipoproteinemia Type 1, or long | <b>Formula history required.</b>   | Mead Johnson |
| Pregestimil 24      | Protein Hydrolysate          | 24 cal/oz, hypoallergenic, lactose, sucrose, and galactose-free, casein hydrolysate; nutritionally complete; 55% of fat is MCT oil; appropriate for infants with galactosemia. Available in RTU.  | Increased calorie needs with one of the following:<br>1) GI Impairment<br>2) Malabsorption syndrome<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES<br>4) Severe protein calorie malnutrition   | <b>Formula history required.</b>   | Mead Johnson |
| Pregestimil DHA/ARA | Protein Hydrolysate          | 20cal/oz, hypoallergenic, lactose, sucrose, and galactose-free; casein hydrolysate; nutritionally complete; 55% of fat is MCT oil; appropriate for infants with galactosemia. Some similarities to Extensive HA, Alimentum and Nutramigen. Powder should be | 1) GI Impairment<br>2) Malabsorption syndrome<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES<br>4) Severe protein calorie malnutrition   | <b>Formula history required.</b><br>RTU may be issued for intolerance to powder, if the RTU form improves compliance, or better accommodates the condition.<br><b>Formula-certified WCS may approve.</b> | Mead Johnson |
| Promote             | Increased Calorie Supplement | 30 cal/oz, lactose-free, very high-protein formula; nutritionally complete; for oral or tube feeding; 19% of fat is MCT oil; 14.8 g soy protein/8 oz can. Available in RTU.   | 1) Pressure ulcers<br>2) At risk for protein-energy malnutrition<br>3) Low caloric and/or wound healing needs<br>4) Increased calorie needs  | <b>Formula history required.</b> Requires State Agency approval.<br>Can only be issued to women and children.  | Abbott       |
| Promote w/Fiber     | Increased Calorie Supplement | 30 cal/oz, lactose-free, very high-protein formula with fiber; nutritionally complete, for oral or tube feeding; 19% of fat is MCT oil; 3.4 g fiber and 14.8 g soy protein/8 oz can. Available in RTU.  | Increased fiber needs with one of the following:<br>1) Pressure ulcers<br>2) At risk for protein-energy malnutrition<br>3) Low caloric and/or wound healing needs<br>4) Increased calorie needs  | <b>Formula history required.</b> Requires State Agency approval.<br>Can only be issued to women and children.  | Abbott       |
| Pro-Phree           | Special Medical Conditions   | Protein and lactose-free; nutritionally incomplete; provides 49% of energy as fat; supplemented with L-carnitine and taurine. 1 Tbsp = 8 g, 1 C = 120 g. Available in PWD.  | Medical condition with a need for reduced protein intake in infants or toddlers  | <b>Formula history required.</b> Requires State Agency approval.   | Abbott       |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                 | Category                   | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|------------------------------|----------------------------|---|---|--|--------------|
| Propimex 1                   | Metabolic                  | Methionine, valine and lactose-free; low in isoleucine and threonine; nutritionally incomplete; for infants and toddlers. Available in PWD.   | Propionic or methylmalonic acidemia in infants or toddlers  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| Propimex 2                   | Metabolic                  | Methionine, valine, and lactose-free; low in isoleucine and threonine; for children and adults. Available In PWD.   | Propionic or methylmalonic acidemia   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children.                                     | Abbott       |
| Pulmocare                    | Special Medical Conditions | 45 cal/oz, high-calorie, low-carbohydrate, lactose-free formula; for oral or tube feedings; 20% of fat is MCT oil. Available in RTU.  | Respiratory condition   | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| PurAmino                     | Elemental                  | 20 cal/oz, hypoallergenic; lactose, sucrose, soy, and galactose-free; 100% free amino acids; 14.3 g protein equivalents/100 g powder. Formerly known as Nutramigen AA. Standard mixing is 1 unpacked level scoop of powder to 1 oz water. Available in PWD. | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b><br>Note: A protein hydrolysate (Extensive HA, Nutramigen, Alimentum, or Pregestimil) should be tried before issuing unless medically contraindicated. | Mead Johnson |
| PurAmino Jr                  | Elemental                  | 30 cal/oz, hypoallergenic, 100% free amino acids; contains DHA. Standard mixing is 1 unpacked scoop of powder to 1 oz water. Similar to Elecare Jr, Neocate Jr and Alphamino Jr. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI impairment<br>3) GER/GERD<br>4) Food allergies (cow's milk, soy or intact protein)/FPIES<br>5) Medical condition requiring an elemental formula such as: short bowel syndrome, necrotizing enterocolitis, eosinophilic esophagitis, etc. | <b>Formula history required.</b> For children older than 1 year.   | Mead Johnson |
| RCF (Ross Carbohydrate Free) | Special Medical Conditions | 20 cal/oz, carbohydrate and lactose free, soy protein; carbohydrate source must be added separately. Available in CON.  | Non-metabolic reason:<br>Seizure disorders requiring a ketogenic diet<br>Metabolic reasons: Carbohydrate intolerance.   | <b>Formula history required.</b> Requires State Agency approval.<br>Metabolic request requires <b>metabolic prescription form.</b>   | Abbott       |
| Renalcal                     | Special Medical Conditions | 60 cal/oz, high calorie, low-electrolyte, lactose-free; nutritionally incomplete; 70% of fat is MCT oil. Available in RTU.  | Renal failure   | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name              | Category                     | Description   | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|---------------------------|------------------------------|---|--|---|--------------|
| Renastart                 | Special Medical Conditions   | 30 cal/oz, low levels of milk protein, calcium, potassium, phosphorus and vitamin A. Available in PWD.  | Renal disease  | <b>Formula history required.</b> Can only be issued to women and children.  | Vitaflo      |
| Replete w/Fiber           | Increased Calorie Supplement | 30 cal/oz, high-protein, lactose-free with fiber; 25% of calories as protein; 25% of fat is MCT oil; 3.5 g fiber/250 mL container. Available in RTU.            | Increased protein needs with one of the following:<br>1) Pressure ulcers<br>2) Burns<br>3) Surgical wounds<br>4) Fiber needs for bowel function                                    | <b>Formula history required.</b> Can only be issued to women and children.  | Nestle       |
| Resource 2.0              | Increased Calorie Supplement | 60 cal/oz, lactose-free, calorically dense, high-nitrogen, with reduced sodium; similar to TwoCal HN. Available in RTU.   | 1) Increase calorie needs<br>2) Increased protein needs<br>3) Fluid restriction  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Nestle       |
| Scandishake               | Increased Calorie Supplement | 75 cal/oz when mixed with whole milk; nutritionally incomplete. Available in PWD.   | Increased calorie needs  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Aptalis      |
| Scandishake w/Aspartame   | Increased Calorie Supplement | 75 cal/oz when mixed with whole milk; nutritionally incomplete, sweetened with aspartame. Available in PWD.   | Increased calorie needs  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Aptalis      |
| Scandishake Lactose Free  | Increased Calorie Supplement | 65 cal/oz when mixed with soy beverage; lactose-free; nutritionally incomplete. Available in PWD.   | Increased calorie needs  | <b>Complete assessment required.</b> Can only be issued to women and children.  | Aptalis      |
| Similac Advance           | Milk-Based Infant Formula    | 20 cal/oz, milk-based with prebiotic GOS (Galacto-oligosaccharides); similar to Enfamil Infant. Available in PWD, CON, RTU.                                     | Current contract standard milk-based infant formula.<br>Over age 1 with medical need for a milk-based product with one or more of the following:<br>1) Prematurity (<37 weeks)/LBW | <b>Formula history and medical request required when over 1 year of age.</b><br>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA pager for medically fragile infants.<br><b>All WCS may approve.</b> | Abbott       |
| Similac for Diarrhea      | Special Medical Conditions   | 20 cal/oz, lactose-free, soy protein with added soy fiber (6 g/L) for infants; for management of diarrhea; low osmolality: 240 mOsm/kg water. Available in RTU. | 1) Malabsorption syndrome<br>2) GI Impairment  | <b>Formula history required.</b><br>Should only be used for a short duration - no longer than 10 days. Can be issued 1 month at a time.   | Abbott       |
| Similac Go & Grow Toddler | Special Medical Conditions   | Milk-based with prebiotic GOS (Galactooligosaccharides); similar to Enfagrow Toddler and Good Start Grow. Available in PWD.                                     | 1) Prematurity (<37 weeks)/LBW<br>2) Developmental delays (sensory & motor)<br>3) Oral motor feeding issues/aversions  | <b>Complete assessment required.</b> For children older than 1 year.<br><b>Formula-certified WCS may approve.</b>   | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                        | Category                   | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated   | Manufacturer |
|-------------------------------------|----------------------------|--|--|---|--------------|
| Similac Human Milk Fortifier (SHMF) | Premature/LBW              | Supplement for mother's milk collected after 2 weeks postpartum; similar to Enfamil HMF; nutritionally incomplete. Available in PWD.   | 1) Prematurity (<37 weeks)<br>2) Low or very low birth weight (LBW/VLBW)   | <b>Complete assessment required.</b> Requires State Agency approval. Can only be issued 1 month at a time. Used for the fortification of human breastmilk. Not intended for use after infant reaches 8 lbs (3600 g) in weight. For additional 2 cal/oz, add 1 HMF packet to every 50 ml of preterm human milk. For additional 4 cal/oz, add | Abbott       |
| Similac PM 60/40                    | Special Medical Conditions | 20 cal/oz, (60:40) whey:casein ratio, lower in iron and other minerals and electrolytes; additional iron should be supplied from other sources. Available in PWD.  | 1) Hypocalcemia<br>2) Hyperphosphatemia<br>3) Renal disease/low mineral condition  | <b>Formula history required.</b>  | Abbott       |
| Similac Sensitive                   | Milk-Based Infant Formula  | 20 cal/oz effective 2/1/2021. Low-lactose, milk-based with prebiotic GOS (Galacto-oligosaccharides); not intended for infants or children with galactosemia. Available in PWD, RTU.                                  | Current contract low lactose, milk-based formula. Intolerance to Similac Advance. Spitting up and/or reflux or other intolerance symptoms.<br>Over age 1 with medical need for a milk-based product. Possible reasons include:<br>1) Prematurity (<37 weeks)/LBW<br>2) Developmental delays (sensory & | <b>Formula history and medical request required when over 1 year of age.</b><br><b>All WCS may approve (when requested for infants.)</b><br><br>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder. Contact SA for medically fragile infants.   | Abbott       |
| Similac Soy Isomil                  | Soy-Based Infant Formula   | 20 cal/oz, lactose-free, soy-based. Available in PWD, CON, RTU.  | Current contract standard soy-based infant formula.<br>Over age 1 with medical need for a soy-based product with one or more of the following:<br>1) Cow's milk allergy or intolerance<br>2) Galactosemia<br>3) Vegan/Vegetarian Diet  | <b>Formula history and medical request required when over 1 year of age.</b><br>RTU only allowed for unsafe or unsanitary water supply or inability to correctly dilute powder or concentrate. Contact SA for medically fragile infants.  | Abbott       |
| Similac for Spit-Up                 | Milk-Based Infant Formula  | 20 cal/oz effective 2/1/2021. Low-lactose, milk-based with rice starch; not intended for infants or children with galactosemia; should not be mixed higher than 24 kcal/oz; similar to Enfamil AR. Available in PWD. | Current contract added rice starch, milk-based formula. Intolerance to Similac Advance. Spitting up and/or reflux.<br>Over age 1 with medical need for a milk-based product. Possible reasons include:   | <b>Formula history and medical request required when over 1 year of age.</b><br><b>All WCS may approve when requested for infants.</b>  | Abbott       |
| Similac Special Care 20 w/Iron      | Premature/LBW              | 20 cal/oz, preterm; 50% of fat is MCT oil. Available in RTU.   | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)   | <b>Complete assessment required.</b> Requires State Agency approval. Not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours. Can only issue one month at a time.  | Abbott       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name                                | Category                   | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|---|----------------------------|---|---|--|--------------|
| Similac Special Care 24 w/Iron              | Premature/LBW              | 24 cal/oz, preterm; 50% of fat is MCT oil. Similar to Enfamil Premature 24 w/iron. Available in RTU.  | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)  | <b>Complete assessment required.</b> Requires State Agency approval. Not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours. Can only issue one month at a time. | Abbott       |
| Similac Special Care 24 High Protein w/Iron | Premature/LBW              | 24 cal/oz, preterm; 3.3 g of protein /100 cal. Similar to Enfamil Premature High Protein 24. Available in RTU.  | 1) Prematurity (<37 weeks) with increased protein needs<br>2) Low birth weight or very low birth weight (LBW, VLBW)   | <b>Complete assessment required.</b> Requires State Agency approval. Not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours. Can only issue one month at a time. | Abbott       |
| Similac Special Care 30                     | Premature/LBW              | 30 cal/oz, preterm; 50% of fat is MCT oil; can be mixed with human milk as a fortifier or an extender; Similar to Enfamil Premature 30. Available in RTU.   | 1) Prematurity (<37 weeks)<br>2) Low birth weight or very low birth weight (LBW, VLBW)  | <b>Complete assessment required.</b> Requires State Agency approval. Not intended for feeding LBW infants after they reach a weight of 8 pounds or consume 16-24 oz in 24 hours. Can only issue one month at a time. | Abbott       |
| Similac Total Comfort                       | Milk-Based Infant Formula  | 20 cal/oz effective 2/1/2021. Milk-based with prebiotic Galacto-oligosaccharides (GOS); 2% lactose; partially hydrolyzed 100% whey; similar to Gentlease and Good Start Soothe. Current contract partially hydrolyzed milk-based formula. Available in PWD. | Intolerance to Similac Advance Digestive issues and/or colic<br>Over age 1 with medical need for a milk-based product. Possible reasons include:<br>1) Prematurity (<37 weeks)/LBW<br>2) Developmental delays (sensory & motor)<br>3) Oral motor feeding issues/aversions | <b>Formula history and medical request required when over 1 year of age.</b><br><b>All WCS may approve when requested for infants.</b>   | Abbott       |
| SOD Anamix Early                            | Metabolic                  | Methionine, cysteine-free with prebiotic fiber. Available in PWD.   | Sulfite oxydase deficiency  | <b>No assessment required.</b><br>For infants and young children. Requires State Agency approval and <b>metabolic prescription form.</b>   | Nutricia     |
| Suplena                                     | Special Medical Conditions | 54 cal/oz, low in protein, phosphorus, potassium and sodium. High-calorie, lactose-free diet; nutritionally complete with fiber and prebiotics; for oral or tube feeding. Available in RTU.   | 1) Renal disease/low mineral condition<br>2) Fluid restriction<br>3) Protein restriction  | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Tolerex                                     | Elemental                  | 30 cal/oz, lactose-free, low fat, elemental with 100% free amino acids; nutritionally complete. Available in PWD.   | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Food allergies (cow's milk, soy or intact protein)/FPIES  | <b>Formula history required.</b>   | Nestle       |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name     | Category                     | Description  | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|------------------|------------------------------|--|---|--|--------------|
| TwoCal HN        | Increased Calorie Supplement | 60 cal/oz, high-calorie, high-nitrogen, high-protein; lactose-free; nutritionally complete; for oral or tube feeding; similar to Resource 2.0. Available in PWD.                                       | Fluid restriction with:<br>1) Increased protein needs<br>2) Increased calorie needs | <b>Complete assessment required.</b> Can only be issued to women and children.   | Abbott       |
| TYR Anamix Early | Metabolic                    | Tyrosine and phenylalanine-free with DHA/ARA. 13.5 g of protein equivalent per 100 g. Available in PWD.  | Tyrosinemia   | <b>No assessment required.</b><br>For infants and young children. Requires State Agency approval and <b>metabolic prescription form.</b>           | Nutricia     |
| TYR Anamix Next  | Metabolic                    | 34.7 cal/9 g scoop; Phenylalanine and tyrosine free with DHA & multi-fiber blend (29% soluble and 71% insoluble); 90% DHA & 100% Vit D in 20 g of protein. Nutritionally incomplete. Available in PWD. | Tyrosinemia   | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Nutricia     |
| Tyrex 1          | Metabolic                    | Phenylalanine, tyrosine and lactose-free; nutritionally incomplete; for infants and toddlers; 15 g protein equivalents/100 g powder. Available in PWD.   | Tyrosinemia type I, II, or III  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Abbott       |
| Tyrex 2          | Metabolic                    | Phenylalanine, tyrosine and lactose-free; nutritionally incomplete; for children and adults; 30 g protein equivalents/100 g powder. Available in PWD.  | Tyrosinemia type I, II, or III  | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Abbott       |
| TYROS 1          | Metabolic                    | Phenylalanine, tyrosine, lactose and galactose-free; nutritionally incomplete; 16.7 g protein equivalents/100 g powder; intended for infants and toddlers. Available in PWD.                           | Tyrosinemia or other inborn errors of tyrosine metabolism                           | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b>   | Mead Johnson |
| TYROS 2          | Metabolic                    | Phenylalanine, tyrosine, lactose and galactose-free formula; nutritionally incomplete; 22 g protein equivalents/100 g powder; intended for children and adults. Available in PWD.                      | Tyrosinemia or other inborn errors of tyrosine metabolism                           | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form.</b> Can only be issued to women and children. | Mead Johnson |

TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name      | Category                   | Description   | Qualifying Conditions   | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|-------------------|----------------------------|---|---|--|--------------|
| UCD Anamix Jr.    | Metabolic                  | 0.6 g protein (19.2 calories) in 5 g powder; essential amino acids and branched chain amino acids for positive nitrogen balance, non-protein calories, calcium, vitamin D, and zinc; nutritionally incomplete; not for infants under 1 year of age. Available in PWD. | Medical condition of Urea Cycle Disorder (UCD), hyperammonemia, hyperonithinemia, homocitrullinemia (HHH), and gyrate atrophy | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children.                                | Nutricia     |
| Vital HN          | Special Medical Conditions | 30 cal/oz, high-nitrogen, low-fat, partially hydrolyzed protein; nutritionally complete; for oral or tube feeding; <0.25 g lactose per packet. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI Impairment   | <b>Formula history required.</b> Can only be issued to women and children.   | Abbott       |
| Vivonex Pediatric | Elemental                  | 24 cal/oz, lactose-free, nutritionally complete elemental; with 100% free amino acids; contains 68% MCT oil; for oral or tube feeding. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI Impairment   | <b>Formula history required.</b><br>Can only be issued to women and children.  | Nestle       |
| Vivonex Plus      | Elemental                  | 30 cal/oz, lactose-free, high-nitrogen, low-fat, elemental, 100% free amino acids; nutritionally complete; for oral or tube feeding. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Surgery or trauma   | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| Vivonex T.E.N.    | Elemental                  | 30 cal/oz, lactose-free, high-nitrogen elemental; with 100% free amino acids with glutamine; for oral or tube feeding. Available in PWD.  | 1) Malabsorption syndrome<br>2) GI Impairment<br>3) Surgery or trauma   | <b>Formula history required.</b> Can only be issued to women and children.   | Nestle       |
| WND 1             | Metabolic                  | Non-essential amino acids, lactose and galactose-free; nutritionally incomplete; 6.5 g protein equivalents/100 g powder. Available in PWD.  | Urea cycle disorders  | <b>No assessment required.</b><br>For infants and toddlers. Requires State Agency approval and <b>metabolic prescription form</b> .  | Mead Johnson |
| WND 2             | Metabolic                  | Non-essential amino acids, lactose and galactose-free; nutritionally incomplete; 8.2 g protein equivalents/100 g powder. Available in PWD.  | Urea cycle disorders  | <b>No assessment required.</b><br>For children and adults. Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children.       | Mead Johnson |
| XLeu Maxamum      | Metabolic                  | Leucine and fat-free; nutritionally incomplete; 40 g protein equivalents/100 g powder. Available in PWD.  | Isovaleric acidemia and other disorders of leucine metabolism   | <b>No assessment required.</b><br>For older children and adults. Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Nutricia     |



TEXAS WIC FORMULARY AND MEDICAL REASONS FOR ISSUANCE

December 2020

| Formula Name       | Category  | Description  | Qualifying Conditions  | Staff Instructions - May issue for 1 cert period unless otherwise indicated  | Manufacturer |
|--------------------|-----------|--|--|--|--------------|
| XLys, XTrp Maxamum | Metabolic | Lysine, tryptophan and fat-free; nutritionally incomplete; does not contain fat; 40 g protein equivalents/100 g powder. Available in PWD.  | Glutaric acidemia type I   | <b>No assessment required.</b><br>For older children and adults. Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children. | Nutricia     |
| XMet Maxamum       | Metabolic | Methionine and fat-free; nutritionally incomplete; 40g protein equivalents/100g powder; intended for older children and adults. Available in PWD.                                      | 1) Homocystinuria (vitamin B-6 non-responsive)<br>2) Hyper-methioninemia         | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women (including pregnant) and children.           | Nutricia     |
| XMTVI Maxamum      | Metabolic | Methionine, threonine, valine and fat-free, low isoleucine; nutritionally incomplete; 40 g protein equivalents/100 g powder; intended for older children and adults. Available in PWD. | 1) Methylmalonic acidemia (vitamin B-12 non-responsive)<br>2) Propionic acidemia | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children.                                | Nutricia     |
| XPhe Maxamum       | Metabolic | Phenylalanine-free; nutritionally incomplete; Fat-free and contains 40 g protein equivalents/100 g powder. Available in PWD.   | Phenylketonuria (PKU), including maternal PKU                                    | <b>No assessment required.</b><br>Requires State Agency approval and <b>metabolic prescription form</b> . Can only be issued to women and children.                                | Nutricia     |

## NUTRITION ASSESSMENT REQUIREMENTS GUIDE (December 2020)

### Legend

\*\* = FC-WCS (Formula Certified WIC Certification Specialist) can approve

\* = WCS (WIC Certification Specialist) can approve

SA = State Agency approval required

CA = Certifying Authority

### Directions

This handout lists all Texas WIC formulas in columns according to the assessment parameters required by the Texas WIC Formulary and Policy FD: 16.0. The required assessment parameters are described as follows:

**No Assessment Required** – Diet history, and other assessment parameters are not required in order to approve the formulas listed in this column. This applies to metabolic formulas (noted by ‡ ).

**Formula History Required** – Only a formula history is required to approve the formulas listed in this column. All other assessment parameters are optional at CA discretion. This applies to: Alternate contract formulas, formulas for tube feeding only, and all other formulas and situations not otherwise described. (noted by Δ)

**Complete Assessment Required** – A complete assessment includes: formula history, diet history, pertinent medical history, and anthropometric measurements and plotting. This applies to: situations when growth is of concern such as; prematurity, failure to thrive, growth impairment, etc. (noted by ○)

| No Assessment Required ‡(All SA) | Formula History Required Δ         | Complete Assessment Required ○            |
|----------------------------------|------------------------------------|---|
| BCAD 1                           | Alfamino Infant                    | Benecalorie (SA)                          |
| BCAD 2                           | Alfamino Junior                    | BetaQuik MCT (SA)                         |
| Complex Essential MSD            | Alimentum**                        | Boost                                     |
| Complex Junior MSD               | Calcilo XD                         | Boost Breeze                              |
| Complex MSD AA Blend             | Carb Zero (SA)                     | Boost High Protein                        |
| Cyclinex 1                       | Compleat                           | Boost Kid Essentials                      |
| Cyclinex 2                       | Compleat Pediatric                 | Boost Plus                                |
| GA 1 Anamix Early Years          | Compleat Pediatric Reduced Calorie | Boost Pudding (SA)                        |
| GA                               | DiabetiSource AC                   | Boost VHC                                 |
| GlutarAde AA Blend GA-1          | Elecure DHA/ARA                    | Bright Beginnings Soy                     |
| GlutarAde Jr GA-1 Drink          | Elecure Jr                         | Duocal (SA)                               |
| Glutarex 1                       | Enfaport                           | Enfacare/Enfamil Neuropro Enfacare**      |
| Glutarex 2                       | Extensive HA**                     | Enfagrow Premium Toddler**                |
| Glycosade                        | FiberSource HN                     | Enfamil HMF (SA)                          |
| HCU Anamix Early                 | Glytrol                            | Enfamil Premature 24 (SA)                 |
| HCU Anamix Next                  | Impact                             | Enfamil Premature High Protein 24 (SA)    |
| HCY 1                            | Isosource 1.5                      | Enfamil Premature 30 (SA)                 |
| HCY 2                            | Isosource HN                       | Ensure                                    |
| Hominex 1                        | Jevity 1 Cal                       | Ensure Clear                              |
| Hominex 2                        | Kate Farms Pediatric Peptide 1.5   | Ensure High Calcium                       |
| 1 Valex 1                        | Kate Farms Peptide 1.5             | Ensure High Protein Therapeutic Nutrition |
| 1 Valex 2                        | Ketocal 3:1 (SA)                   | Ensure Plus                               |
| IVA Anamix Early                 | Ketocal 4:1 (SA)                   | Ensure Pudding (SA)                       |
| IVA Anamix Next                  | Lipistart (SA)                     | Kate Farms Pediatric Standard 1.2         |
| Ketonex 1                        | Monogen                            | Kate Farms Standard 1.0                   |
| Ketonex 2                        | Neocate w DHA/ARA                  | Good Start Grow (3)**                     |
| LMD                              | Neocate Junior                     | Kid Essentials 1.5 (Boost)                |
| Lophlex LQ PKU                   | Neocate Junior w Prebiotics        | Kid Essentials 1.5 w Fiber (Boost)        |
| MMA-PA Anamix Early              | Neocate Nutra (SA)                 | Liquigen (SA)                             |
| MMA-PA Anamix Next               | Neocate Splash                     | MCT Oil (SA)                              |
| MSUD Anamix Early                | Neocate Syneo                      | MCT Procal (SA)                           |
| MSUD Maxamum                     | Nepro                              | Microlipid (SA)                           |
| OA 1                             | NovaSource Renal                   | Neosure**                                 |
| OA 2                             | Nutramigen**                       | Nutren 1.0                                |
| Periflex Advance                 | Nutramigen Enflora LGG**           | Nutren 1.0 w/Fiber                        |
| Periflex Junior Plus             | Nutramigen Toddler**               | Nutren 2.0                                |



## NUTRITION ASSESSMENT REQUIREMENTS GUIDE (December 2020)

| No Assessment Required ‡(All SA) | Formula History Required Δ                | Complete Assessment Required ○            |
|----------------------------------|---|---|
| Periflex LQ PKU                  | Nutren Pulmonary                          | Nutren Junior                             |
| PFD 2                            | NutriHep                                  | Nutren Junior w/Fiber                     |
| Phenex 1                         | Osmolite 1.0                              | Pediasmart                                |
| Phenex 2                         | Osmolite 1.2                              | Pediasmart Soy                            |
| Phenyl-Free 1                    | Oxepa                                     | Pediasure                                 |
| Phenyl-Free 2                    | Pediasure Peptide 1.0                     | Pediasure w/Fiber                         |
| Phenyl-Free 2HP                  | Pediasure Peptide 1.5                     | Pediasure Enteral 1.0                     |
| PhenylAde 60 Drink               | Peptamen                                  | Pediasure Enteral w/Fiber 1.0             |
| PhenylAde (Drink)                | Peptamen 1.5                              | Pediasure 1.5                             |
| PhenylAde Essential              | Peptamen Jr                               | Pediasure 1.5 w/Fiber                     |
| PhenylAde MTE AA Blend           | Peptamen Jr 1.5                           | Pediasure Reduced Calorie                 |
| Phlexy-10 Drink                  | Peptamen Jr w/Fiber                       | Pediasure Sidekicks                       |
| PKU Air20                        | Peptamen Jr w/Prebio                      | Polycal (SA)                              |
| PKU Periflex Early               | Perative                                  | Resource 2.0                              |
| PKU Sphere15                     | Portagen                                  | Scandishake                               |
| PKU Sphere20                     | Pregestimil 24                            | Scandishake w/ Aspartame                  |
| Propimex 1                       | Pregestimil DHA/ARA**                     | Scandishake Lactose-Free                  |
| Propimex 2                       | Promote (SA)                              | Sim Go&Grow Toddler**                     |
| SOD Anamix Early                 | Promote w/Fiber (SA)                      | Similac Human Milk Fortifier              |
| TYR Anamix Early                 | Pro-Phree (SA)                            | Similac Special Care 20 (SA)              |
| TYR Anamix Next                  | Pulmocare                                 | Similac Special Care 24 w/ Iron (SA)      |
| Tyrex 1                          | PurAmino                                  | Similac Special Care 24 High Protein (SA) |
| Tyrex 2                          | PurAmino Jr                               | Similac Special Care 30 (SA)              |
| TYROS 1                          | RCF (SA)                                  | TwoCal HN                                 |
| TYROS 2                          | Renalcal                                  |   |
| UCD Anamix Jr                    | Renastart                                 |   |
| WND 1                            | Replete w/ Fiber                          |   |
| WND 2                            | Similac Advance (over 1 yr of age)*       |   |
| XLeu Maxamum                     | Similac for Diarrhea                      |   |
| XLys, XTrp Maxamum               | Similac PM 60/40                          |   |
| XMet Maxamum                     | Similac Sensitive (over 1 yr of age)*     |   |
| XMTVI Maxamum                    | Similac Soy Isomil (over 1 yr of age)*    |   |
| XPhe Maxamum                     | Similac for Spit-Up (over 1 yr of age)*   |   |
|                                  | Similac Total Comfort (over 1 yr of age)* |   |
|                                  | Suplena                                   |   |
|                                  | Tolerex                                   |   |
|                                  | Vital HN                                  |   |
|                                  | Vivonex Pediatric                         |   |
|                                  | Vivonex Plus                              |   |
|                                  | Vivonex T.E.N.                            |   |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat    | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|----------------|-----------------------------------|--|----------------------------|
| <b>593</b> | <b>ALFAMINO INFANT PWD 14.1OZ</b>        |                |                                   |  | <b>94</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| <b>598</b> | <b>ALIMENTUM PWD 12.1OZ</b>              |                |                                   |  | <b>87</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 6                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 11                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 11                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 8                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 6                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 11                                |  |                            |
| <b>395</b> | <b>ALIMENTUM RTU 32OZ</b>                |                |                                   |  | <b>32</b>                  |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 0-3                       | Single         | 12                                |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 14                                |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 26                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 28                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 20                                |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 26                                |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 28                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 20                                |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 14                                |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 28                                |  |                            |
| <b>463</b> | <b>BCAD 1 PWD 16OZ</b>                   |                |                                   |  | <b>114</b>                 |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| 470     | CALCILO XD PWD 13.2OZ                    |                |                                   |  | 96                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 342     | CYCLINEX 1 PWD 14.1OZ                    |                |                                   |  | 102                        |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Average        | 19                                | (4, 3, 3, 3, 3, 3)                             |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|         | Infant-SBF Age 0-3                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 9                                 |  |                            |
| 238     | DUOCAL PWD 400G                          |                |                                   |  | 66                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 6                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 7                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 5                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 13                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 14                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 10                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 13                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 14                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 10                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 7                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 14                                |  |                            |
| 479     | ELECARE DHA/ARA PWD 14.1OZ               |                |                                   |  | 95                         |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 443     | ENF PREMATURE 24 /IRON RTU 2OZ           |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 557     | ENF PREMATURE 30 RTU 2OZ                 |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 509     | ENF PREMATURE HI PRO24 RTU 2OZ           |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 305     | ENFAMIL HMF PWD .71G                     |                |                                   |  | 1                          |
|         | Infant-PBF-Age 0                         |                | 104                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 364                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 312                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 806                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 884                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 624                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 806                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 884                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 624                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 442                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 884                               |  |                            |
| 510     | ENFAMIL LIQUID HMF RTU 5ML               |                |                                   |  | 1                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 364                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 312                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 806                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 884                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 624                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 806                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 884                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 624                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 442                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 884                               |  |                            |
| 371     | ENFAMIL NEUROPRO ENFACARE PWD 12.8OZ     |                |                                   |  | 82                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 6                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 11                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 11                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 8                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 6                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 11                                |  |                            |
| 623     | ENFAMIL NEUROPRO ENFACARE RTU 2OZ        |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 564     | ENFAPORT RTU 6OZ-6PACK (36OZ)            |                |                                   |  | 36                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 31                                | (11, 10, 10)                                   |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 13                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 23                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 25                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Average        | 104                               | (18, 18, 17, 17, 17, 17)                       |                            |
|         | Infant-SBF Age 0-3                       | Single         | 23                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 25                                |  |                            |
|         | Infant-SBF Age 6-11                      | Average        | 104                               | (18, 18, 17, 17, 17, 17)                       |                            |
|         | More Formula (Partial) 6-11              | Single         | 13                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 25                                |  |                            |
| 592     | EXTENSIVE HA PWD 14.1OZ                  |                |                                   |  | 96                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 580     | GA 1 ANAMIX EARLY PWD 400G               |                |                                   |  | 90.1                       |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |



TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 464     | GA PWD 16OZ                              |                |                                   |  | 114                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| 344     | GLUTAREX 1 PWD 14.1OZ                    |                |                                   |  | 96                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 576     | HCU ANAMIX EARLY PWD 400G                |                |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 465     | HCY 1 PWD 16OZ                           |                |                                   |  | 114                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat    | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|----------------|-----------------------------------|--|----------------------------|
|            | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| <b>346</b> | <b>HOMINEX 1 PWD 14.1OZ</b>              |                |                                   |  | <b>96</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| <b>348</b> | <b>I VALEX 1 PWD 14.1.OZ</b>             |                |                                   |  | <b>96</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| <b>577</b> | <b>IVA ANAMIX EARLY PWD 400G</b>         |                |                                   |  | <b>90.1</b>                |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 456     | KETOCAL 3:1 PWD 300G                     |                |                                   |  | 105                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Average        | 9                                 | (5, 4)   |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Average        | 26                                | (5, 5, 4, 4, 4, 4)                             |                            |
|         | More Formula (Full) 6-11                 | Single         | 9                                 |  |                            |
| 364     | KETOCAL 4:1 PWD 300G                     |                |                                   |  | 50                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 8                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 9                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 7                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 17                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 18                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 13                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 17                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 18                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 13                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 9                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 18                                |  |                            |
| 350     | KETONEX 1 PWD 14.1OZ                     |                |                                   |  | 96                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 498     | LIPISTART PWD 400G                       |                |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 567     | LIQUIGEN RTU 8.5OZ                       |                |                                   |  | 8.5                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 43                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 52                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 37                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 95                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 104                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 74                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 95                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 104                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 74                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 52                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 104                               |  |                            |
| 574     | LMD PWD 16OZ                             |                |                                   |  | 114                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| 425     | MCT OIL RTU 32OZ                         |                |                                   |  | 32                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 20                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | More Formula (Partial) 6-11              | Single         | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 28                                |  |                            |
| 424     | MICROLIPID RTU 3OZ                       |                |                                   |  | 3                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 122                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 148                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 104                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 269                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 295                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 208                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 269                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 295                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 208                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 148                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 295                               |  |                            |
| 579     | MMA-PA ANAMIX EARLY PWD 400G             |                |                                   |  | 90.1                       |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 449     | MONOGEN PWD 400G                         |                |                                   |  | 76                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 6                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 5                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 11                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 12                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 11                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 12                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 9                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 6                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 12                                |  |                            |
| 575     | MSUD ANAMIX EARLY PWD 400G               |                |                                   |  | 90.1                       |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 440     | NEOCATE DHA/ARA PWD 400G                 |                |                                   |  | 97                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Average        | 20                                | (4, 4, 3, 3, 3, 3)                             |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 34                                | (9, 9, 8, 8)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Average        | 19                                | (10, 9)  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 34                                | (9, 9, 8, 8)                                   |                            |
|         | Infant-SBF Age 4-5                       | Average        | 19                                | (10, 9)  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Average        | 55                                | (10, 9, 9, 9, 9, 9)                            |                            |
| 525     | NEOCATE NUTRA PWD 14OZ                   |                |                                   |  | 36                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 11                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 13                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 23                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 25                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 18                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 23                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 25                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 18                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 13                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 25                                |  |                            |
| 601     | NEOCATE SYNEO PWD 400G                   |                |                                   |  | 95                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |



TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 370     | NEOSURE PWD 13.1OZ                       |                |                                   |  | 87                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 6                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 11                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 11                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 8                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 6                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 11                                |  |                            |
| 430     | NEOSURE RTU 32OZ                         |                |                                   |  | 32                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 28                                |  |                            |
| 031     | NUTRAMIGEN CON 13OZ                      |                |                                   |  | 26                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 14                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 17                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 12                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 31                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 34                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 24                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 31                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 34                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 24                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 17                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 34                                |  |                            |
| 480     | NUTRAMIGEN ENFL LGG PWD 12.6OZ           |                |                                   |  | 87                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 6                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 10                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat    | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|----------------|-----------------------------------|--|----------------------------|
|            | Infant-Formula-Age 4-5                   | Single         | 11                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 11                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 8                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 6                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 11                                |  |                            |
| <b>024</b> | <b>NUTRAMIGEN RTU 32OZ</b>               |                |                                   |  | <b>32</b>                  |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 12                                |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 14                                |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 26                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 28                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 20                                |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 26                                |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 28                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 20                                |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 14                                |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 28                                |  |                            |
| <b>445</b> | <b>OA 1 PWD 16OZ</b>                     |                |                                   |  | <b>114</b>                 |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| <b>352</b> | <b>PHENEX 1 PWD 14.1OZ</b>               |                |                                   |  | <b>96</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat    | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|----------------|-----------------------------------|--|----------------------------|
| <b>311</b> | <b>PHENYL FREE 1 PWD 16OZ</b>            |                |                                   |  | <b>114</b>                 |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|            | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| <b>581</b> | <b>PKU PERIFLEX EARLY PWD 400G</b>       |                |                                   |  | <b>90.1</b>                |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| <b>570</b> | <b>POLYCAL PWD 400G</b>                  |                |                                   |  | <b>51</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 8                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 9                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 7                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 16                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 18                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 13                                |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 16                                |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 18                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 13                                |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 9                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 18                                |  |                            |
| <b>597</b> | <b>PORTAGEN PWD 14.46OZ</b>              |                |                                   |  | <b>64</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 6                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 7                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 5                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 13                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 14                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-Formula-Age 6-11                  | Single         | 10                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 13                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 14                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 10                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 7                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 14                                |  |                            |
| 462     | PREGESTIMIL 20 RTU 2OZ                   |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 461     | PREGESTIMIL 24 RTU 2OZ                   |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 036     | PREGESTIMIL DHA&ARA PWD 16OZ             |                |                                   |  | 112                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| 356     | PRO PHREE PWD 14.1OZ                     |                |                                   |  | 102                        |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat    | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|------------|--|----------------|-----------------------------------|--|----------------------------|
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Average        | 19                                | (4, 3, 3, 3, 3, 3)                             |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 8                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 6-11                  | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|            | Infant-SBF Age 0-3                       | Single         | 8                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 6-11                      | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 9                                 |  |                            |
| <b>354</b> | <b>PROPIMEX 1 PWD 14.1OZ</b>             |                |                                   |  | <b>96</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|            | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| <b>460</b> | <b>PURAMINO DHA&amp;ARA PWD 14.1OZ</b>   |                |                                   |  | <b>98</b>                  |
|            | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|            | Infant-PBF-Age 6-11                      | Average        | 20                                | (4, 4, 3, 3, 3, 3)                             |                            |
|            | Infant-Formula-Age 0-3                   | Average        | 33                                | (9, 8, 8, 8)                                   |                            |
|            | Infant-Formula-Age 4-5                   | Average        | 19                                | (10, 9)  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|            | Infant-SBF Age 0-3                       | Average        | 33                                | (9, 8, 8, 8)                                   |                            |
|            | Infant-SBF Age 4-5                       | Average        | 19                                | (10, 9)  |                            |
|            | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|            | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|            | More Formula (Full) 6-11                 | Average        | 55                                | (10, 9, 9, 9, 9, 9)                            |                            |
| <b>230</b> | <b>RCF CON 13OZ</b>                      |                |                                   |  | <b>26</b>                  |
|            | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|            | Infant-PBF-Age 1-3                       | Single         | 14                                |  |                            |
|            | Infant-PBF-Age 4-5                       | Single         | 17                                |  |                            |
|            | Infant-PBF-Age 6-11                      | Single         | 12                                |  |                            |
|            | Infant-Formula-Age 0-3                   | Single         | 31                                |  |                            |
|            | Infant-Formula-Age 4-5                   | Single         | 34                                |  |                            |
|            | Infant-Formula-Age 6-11                  | Single         | 24                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 0-3                       | Single         | 31                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 34                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 24                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 17                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 34                                |  |                            |
| 042     | SIM PM60/40 LOW IRON PWD 14.1OZ          |                |                                   |  | 102                        |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Average        | 19                                | (4, 3, 3, 3, 3, 3)                             |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|         | Infant-SBF Age 0-3                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Average        | 37                                | (7, 6, 6, 6, 6, 6)                             |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 9                                 |  |                            |
| 595     | SIM SPEC CARE 20 RTU 2OZ                 |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 596     | SIM SPEC CARE 24 HP RTU 2OZ              |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 441     | SIM SPEC CARE24 W/IRON RTU 2OZ           |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |



TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 503     | SIM SPECIAL CARE 30 RTU 2OZ              |                |                                   |  | 2                          |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 182                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 221                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 156                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 403                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 442                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 312                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 403                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 442                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 312                               |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 221                               |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 442                               |  |                            |
| 388     | SIMILAC ADVANCE CON 13OZ                 |                |                                   |  | 26                         |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 14                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 17                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 12                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 31                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 34                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 24                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 31                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 34                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 24                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 17                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 34                                |  |                            |
| 414     | SIMILAC ADVANCE PWD 12.4OZ               |                |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average                           | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|--|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 4-5                       | Single                                   | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                   | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                   | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                   | 10                                |  |                            |
| 365     | <b>SIMILAC ADVANCE RTU 32OZ</b>          |  |                                   |  | <b>32</b>                  |
|         | Infant-PBF-Age 0                         |  | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                   | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                   | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                   | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                   | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                   | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                   | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                   | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                   | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                   | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                   | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                   | 28                                |  |                            |
| 019     | <b>SIMILAC FOR DIARRHEA RTU 32OZ</b>     |  |                                   |  | <b>32</b>                  |
|         | Infant-PBF-Age 0                         |  | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                   | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                   | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                   | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                   | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                   | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                   | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                   | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                   | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                   | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                   | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                   | 28                                |  |                            |
| 561     | <b>SIMILAC FOR SPIT-UP PWD 12OZ</b>      | Code 561 will be active until 01/31/2021 |                                   |  | <b>90</b>                  |
|         | Infant-PBF-Age 0                         |  | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                                  | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                   | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                   | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                   | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                   | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                   | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                   | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                   | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                   | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                   | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                   | 10                                |  |                            |
| 621     | <b>SIMILAC FOR SPIT-UP PWD 12.5OZ</b>    | Code 621 to begin 2/1/21                 |                                   |  | <b>90</b>                  |
|         | Infant-PBF-Age 0                         |  | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                                  | 13                                | (5, 4, 4)                                      |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average                        | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|---------------------------------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 10                                |  |                            |
| 235     | SIMILAC HMF PWD 0.9G                     |                                       |                                   |  | 1                          |
|         | Infant-PBF-Age 0                         |                                       | 104                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                | 364                               |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 442                               |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 312                               |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 806                               |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 884                               |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 624                               |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 806                               |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 884                               |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 624                               |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 442                               |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 884                               |  |                            |
| 559     | SIMILAC SENSITIVE PWD 12OZ               | Code 559 will be active until 1/31/21 |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                                       | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                               | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 10                                |  |                            |
| 619     | SIMILAC SENSITIVE PWD 12.5OZ             | Code 619 to begin 2/1/21              |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                                       | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                               | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average                        | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|---------------------------------------|-----------------------------------|--|----------------------------|
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 10                                |  |                            |
| 560     | SIMILAC SENSITIVE RTU 32OZS              | Code 560 will be active until 1/31/21 |                                   |  | 32                         |
|         | Infant-PBF-Age 0                         |                                       | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 28                                |  |                            |
| 620     | SIMILAC SENSITIVE RTU 32OZ               | Code 620 will begin 2/1/21            |                                   |  | 32                         |
|         | Infant-PBF-Age 0                         |                                       | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 28                                |  |                            |
| 391     | SIMILAC SOY ISOMIL CON 13OZ              |                                       |                                   |  | 26                         |
|         | Infant-PBF-Age 0                         |                                       | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                | 14                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 17                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 12                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 31                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 34                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 24                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 31                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 34                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 24                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 17                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 34                                |  |                            |
| 389     | SIMILAC SOY ISOMIL PWD 12.4OZ            |                                       |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                                       | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                               | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average                        | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|---------------------------------------|-----------------------------------|--|----------------------------|
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 10                                |  |                            |
| 390     | SIMILAC SOY ISOMIL RTU 32OZ              |                                       |                                   |  | 32                         |
|         | Infant-PBF-Age 0                         |                                       | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Single                                | 12                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 14                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 26                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 28                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 20                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 26                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 28                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 20                                |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 14                                |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 28                                |  |                            |
| 563     | SIMILAC TOTAL COMFORT PWD 12OZ           | Code 563 will be active until 1/31/21 |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                                       | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                               | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single                                | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single                                | 10                                |  |                            |
| 622     | SIMILAC TOTAL COMFORT PWD 12.6OZ         | Code 622 will begin 2/1/21            |                                   |  | 90                         |
|         | Infant-PBF-Age 0                         |                                       | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average                               | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single                                | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single                                | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single                                | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single                                | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single                                | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single                                | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single                                | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single                                | 7                                 |  |                            |

TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 578     | SOD ANAMIX EARLY PWD 400G                |                |                                   |  | 90.1                       |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 240     | TOLEREX PWD 2.82OZ                       |                |                                   |  | 10                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 37                                |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 45                                |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 32                                |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 81                                |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 89                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 63                                |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 81                                |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 89                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 63                                |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 45                                |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 89                                |  |                            |
| 582     | TYR ANAMIX EARLY PWD 400G                |                |                                   |  | 90.1                       |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 13                                | (5, 4, 4)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 357     | TYREX 1 PWD 14.1OZ                       |                |                                   |  | 96                         |
|         | Infant-PBF-Age 0                         |                | 1                                 |  |                            |
|         | Infant-PBF-Age 1-3                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 5                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 4                                 |  |                            |



TXIN INFANT FORMULA MAXIMUM QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name/Food Package and Time Frame | Single/Average | Monthly Formula Container Amounts | Monthly Formula Container Number when Averaged | Reconstituted Ounce Amount |
|---------|--|----------------|-----------------------------------|--|----------------------------|
|         | Infant-Formula-Age 0-3                   | Single         | 9                                 |  |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 10                                |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 7                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Single         | 9                                 |  |                            |
|         | Infant-SBF Age 4-5                       | Single         | 10                                |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 7                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 5                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 10                                |  |                            |
| 467     | TYROS 1 PWD 16OZ                         |                |                                   |  | 114                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |
| 468     | WND 1 PWD 16OZ                           |                |                                   |  | 114                        |
|         | Infant-PBF-Age 0                         |                | N/A                               |  |                            |
|         | Infant-PBF-Age 1-3                       | Average        | 10                                | (4, 3, 3)                                      |                            |
|         | Infant-PBF-Age 4-5                       | Single         | 4                                 |  |                            |
|         | Infant-PBF-Age 6-11                      | Single         | 3                                 |  |                            |
|         | Infant-Formula-Age 0-3                   | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-Formula-Age 4-5                   | Single         | 8                                 |  |                            |
|         | Infant-Formula-Age 6-11                  | Single         | 6                                 |  |                            |
|         | Infant-SBF Age 0-3                       | Average        | 29                                | (8, 7, 7, 7)                                   |                            |
|         | Infant-SBF Age 4-5                       | Single         | 8                                 |  |                            |
|         | Infant-SBF Age 6-11                      | Single         | 6                                 |  |                            |
|         | More Formula (Partial) 6-11              | Single         | 4                                 |  |                            |
|         | More Formula (Full) 6-11                 | Single         | 8                                 |  |                            |

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                   | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|--------------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 593     | ALFAMINO INFANT PWD 14.1OZ     | 9                        | 94           | 846                | Y  | LA                     |
| 594     | ALFAMINO JR PWD 14.1OZ         | 14                       | 62           | 868                | N  | LA                     |
| 598     | ALIMENTUM PWD 12.1OZ           | 10                       | 87           | 870                | Y  | LA                     |
| 395     | ALIMENTUM RTU 32OZ             | 28                       | 32           | 896                | Y  | LA                     |
| 463     | BCAD 1 PWD 16OZ                | 7                        | 114          | 798                | Y  | SA                     |
| 278     | BCAD 2 PWD 16OZ                | 9                        | 93           | 837                | N  | SA                     |
| 528     | BENECALORIE RTU 1.5OZ          | 606                      | 1.5          | 909                | N  | SA                     |
| 571     | BETAQUIK MCT RTU 8.45OZ        | 107                      | 8.45         | 904                | N  | SA                     |
| 496     | BOOST BREEZE RTU 8OZ           | 113                      | 8            | 904                | N  | LA                     |
| 274     | BOOST HP RTU 8OZ               | 113                      | 8            | 904                | N  | LA                     |
| 492     | BOOST KID ESSENTIALS RTU 8OZ   | 113                      | 8            | 904                | N  | LA                     |
| 429     | BOOST PLS RTU 8OZ              | 113                      | 8            | 904                | N  | LA                     |
| 275     | BOOST PUDD RTU 5OZ             | 182                      | 5            | 910                | N  | SA                     |
| 428     | BOOST RTU 8OZ                  | 113                      | 8            | 904                | N  | LA                     |
| 538     | BOOST VHC RTU 8OZ              | 113                      | 8            | 904                | N  | LA                     |
| 434     | BRIGHT BEGIN SOY RTU 8OZ       | 113                      | 8            | 904                | N  | LA                     |
| 470     | CALCILO XD PWD 13.2OZ          | 9                        | 96           | 864                | Y  | LA                     |
| 572     | CARB ZERO LCT RTU 8.45OZ       | 107                      | 8.45         | 904                | N  | SA                     |
| 539     | COMPLEAT PED RED CAL RTU 250ML | 107                      | 8.45         | 904                | N  | LA                     |
| 101     | COMPLEAT PEDIATRIC RTU 250ML   | 107                      | 8.45         | 904                | N  | LA                     |
| 102     | COMPLEAT RTU 250ML             | 107                      | 8.45         | 904                | N  | LA                     |
| 544     | COMPLEX ESSENTIAL MSD PWD 1LB  | 10                       | 91           | 910                | N  | SA                     |
| 542     | COMPLEX JR MSD PWD 400G        | 9                        | 100          | 900                | N  | SA                     |
| 543     | COMPLEX MSD AA BLEND PWD 1LB   | 11                       | 80.5         | 886                | N  | SA                     |
| 342     | CYCLINEX 1 PWD 14.1OZ          | 8                        | 102          | 816                | Y  | SA                     |
| 343     | CYCLINEX 2 PWD 14.1OZ          | 10                       | 88           | 880                | N  | SA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                         | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|--------------------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 109     | DIABETISOURCE AC RTU 250ML           | 107                      | 8.45         | 904                | N  | LA                     |
| 238     | DUOCAL PWD 400G                      | 13                       | 66           | 858                | Y  | SA                     |
| 479     | ELECARE DHA/ARA PWD 14.1OZ           | 9                        | 95           | 855                | Y  | LA                     |
| 515     | ELECARE JR PWD 14.1OZ                | 14                       | 62           | 868                | N  | LA                     |
| 443     | ENF PREMATURE 24 /IRON RTU 2OZ       | 455                      | 2            | 910                | Y  | SA                     |
| 557     | ENF PREMATURE 30 RTU 2OZ             | 455                      | 2            | 910                | Y  | SA                     |
| 509     | ENF PREMATURE HI PRO24 RTU 2OZ       | 455                      | 2            | 910                | Y  | SA                     |
| 608     | ENFAGROW PREMIUM TODDLER PWD 24OZ    | 7                        | 130          | 910                | N  | LA                     |
| 604     | ENFAGROW TODDLER NEXT STEP PWD 24OZ  | 6                        | 149          | 894                | N  | LA                     |
| 305     | ENFAMIL HMF PWD .71G                 | 910                      | 1            | 910                | Y  | SA                     |
| 510     | ENFAMIL LIQUID HMF RTU 5ML           | 910                      | 1            | 910                | Y  | SA                     |
| 371     | ENFAMIL NEUROPRO ENFACARE PWD 12.8OZ | 11                       | 82           | 902                | Y  | LA                     |
| 623     | ENFAMIL NEUROPRO ENFACARE RTU 2OZ    | 455                      | 2            | 910                | Y  | LA                     |
| 564     | ENFAPORT RTU 6OZ-6PACK (36OZ)        | 25                       | 36           | 900                | Y  | LA                     |
| 606     | ENSURE CLEAR RTU 8OZ                 | 113                      | 8            | 904                | N  | LA                     |
| 279     | ENSURE HC RTU 8OZ                    | 113                      | 8            | 904                | N  | LA                     |
| 573     | ENSURE HP TN RTU 8OZ                 | 113                      | 8            | 904                | N  | LA                     |
| 121     | ENSURE PLS RTU 32OZ                  | 28                       | 32           | 896                | N  | LA                     |
| 120     | ENSURE PLS RTU 8OZ                   | 113                      | 8            | 904                | N  | LA                     |
| 122     | ENSURE PUDD RTU 4OZ                  | 227                      | 4            | 908                | N  | SA                     |
| 075     | ENSURE RTU 8OZ                       | 113                      | 8            | 904                | N  | LA                     |
| 592     | EXTENSIVE HA PWD 14.1OZ              | 9                        | 96           | 864                | Y  | LA                     |
| 126     | FIBERSOURCE HN RTU 250ML             | 107                      | 8.45         | 904                | N  | LA                     |
| 580     | GA 1 ANAMIX EARLY PWD 400G           | 10                       | 90.1         | 901                | Y  | SA                     |
| 464     | GA PWD 16OZ                          | 7                        | 114          | 798                | Y  | SA                     |
| 541     | GLUTARADE AA GA 1 PWD 1LB            | 11                       | 81           | 891                | N  | SA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                            | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|---|--------------------------|--------------|--------------------|--|------------------------|
| 540     | GLUTARADE JR GA 1 PWD 400G              | 16                       | 54.7         | 875                | N  | SA                     |
| 344     | GLUTAREX 1 PWD 14.1OZ                   | 9                        | 96           | 864                | Y  | SA                     |
| 345     | GLUTAREX 2 PWD 14.1OZ                   | 11                       | 82           | 902                | N  | SA                     |
| 614     | GLYCOSADE PWD 60G                       | 166                      | 5.48         | 910                | N  | SA                     |
| 132     | GLYTROL RTU 250ML                       | 107                      | 8.45         | 904                | N  | LA                     |
| 603     | GOOD START GROW 3 PWD 24OZ              | 5                        | 162          | 810                | N  | LA                     |
| 576     | HCU ANAMIX EARLY PWD 400G               | 10                       | 90           | 900                | Y  | SA                     |
| 583     | HCU ANAMIX NEXT PWD 400G                | 17                       | 51.3         | 872                | N  | SA                     |
| 465     | HCY 1 PWD 16OZ                          | 7                        | 114          | 798                | Y  | SA                     |
| 328     | HCY 2 PWD 16OZ                          | 9                        | 93           | 837                | N  | SA                     |
| 346     | HOMINEX 1 PWD 14.1OZ                    | 9                        | 96           | 864                | Y  | SA                     |
| 347     | HOMINEX 2 PWD 14.1OZ                    | 11                       | 82           | 902                | N  | SA                     |
| 348     | I VALEX 1 PWD 14.1.OZ                   | 9                        | 96           | 864                | Y  | SA                     |
| 349     | I VALEX 2 PWD 14.1OZ                    | 11                       | 82           | 902                | N  | SA                     |
| 140     | IMPACT RTU 250ML                        | 107                      | 8.45         | 904                | N  | LA                     |
| 152     | ISOSOURCE 1.5 RTU 250ML                 | 107                      | 8.45         | 904                | N  | LA                     |
| 153     | ISOSOURCE HN RTU 250ML                  | 107                      | 8.45         | 904                | N  | LA                     |
| 577     | IVA ANAMIX EARLY PWD 400G               | 10                       | 90.1         | 901                | Y  | SA                     |
| 584     | IVA ANAMIX NEXT PWD 400G                | 18                       | 50.3         | 905                | N  | SA                     |
| 155     | JEVITY RTU 8OZ                          | 113                      | 8            | 904                | N  | LA                     |
| 456     | KETOCAL 3:1 PWD 300G                    | 8                        | 105          | 840                | Y  | SA                     |
| 364     | KETOCAL 4:1 PWD 300G                    | 18                       | 50           | 900                | Y  | SA                     |
| 505     | KETOCAL 4:1 RTU 8OZ                     | 113                      | 8            | 904                | N  | SA                     |
| 350     | KETONEX 1 PWD 14.1OZ                    | 9                        | 96           | 864                | Y  | SA                     |
| 351     | KETONEX 2 PWD 14.1OZ                    | 11                       | 82           | 902                | N  | SA                     |
| 610     | KFARMS PEDIATRIC PEPTIDE 1.5 RTU 8.45OZ | 107                      | 8.45         | 904                | N  | LA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                             | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|--|--------------------------|--------------|--------------------|--|------------------------|
| 611     | KFARMS PEDIATRIC STANDARD 1.2 RTU 8.45OZ | 107                      | 8.45         | 904                | N  | LA                     |
| 612     | KFARMS PEPTIDE 1.5 RTU 11OZ              | 82                       | 11           | 902                | N  | LA                     |
| 613     | KFARMS STANDARD 1.0 RTU RTU 11OZ         | 82                       | 11           | 902                | N  | LA                     |
| 476     | KID ESSENTIALS 1.5 FBR RTU 8OZ           | 113                      | 8            | 904                | N  | LA                     |
| 475     | KID ESSENTIALS 1.5 RTU 8OZ               | 113                      | 8            | 904                | N  | LA                     |
| 498     | LIPISTART PWD 400G                       | 10                       | 90           | 900                | Y  | SA                     |
| 567     | LIQUIGEN RTU 8.5OZ                       | 107                      | 8.5          | 910                | Y  | SA                     |
| 574     | LMD PWD 16OZ                             | 7                        | 114          | 798                | Y  | SA                     |
| 499     | LOPHLEX LQ PKU RTU 4.2OZ                 | 216                      | 4.2          | 907                | N  | SA                     |
| 425     | MCT OIL RTU 32OZ                         | 28                       | 32           | 896                | Y  | SA                     |
| 618     | MCT PROCAL PWD 16G                       | 404                      | 2.25         | 909                | N  | SA                     |
| 424     | MICROLIPID RTU 3OZ                       | 303                      | 3            | 909                | Y  | SA                     |
| 579     | MMA-PA ANAMIX EARLY PWD 400G             | 10                       | 90.1         | 901                | Y  | SA                     |
| 585     | MMA-PA ANAMIX NEXT PWD 400G              | 18                       | 50.3         | 905                | N  | SA                     |
| 449     | MONOGEN PWD 400G                         | 11                       | 76           | 836                | Y  | LA                     |
| 575     | MSUD ANAMIX EARLY PWD 400G               | 10                       | 90.1         | 901                | Y  | SA                     |
| 173     | MSUD MAXAMUM PWD 454G                    | 11                       | 78           | 858                | N  | SA                     |
| 440     | NEOCATE DHA/ARA PWD 400G                 | 9                        | 97           | 873                | Y  | LA                     |
| 504     | NEOCATE JR PREBIOTICS PWD 400G           | 14                       | 62           | 868                | N  | LA                     |
| 332     | NEOCATE JR PWD 400G                      | 14                       | 62           | 868                | N  | LA                     |
| 525     | NEOCATE NUTRA PWD 14OZ                   | 25                       | 36           | 900                | Y  | SA                     |
| 565     | NEOCATE SPLASH RTU 8OZ                   | 113                      | 8            | 904                | N  | LA                     |
| 601     | NEOCATE SYNEO PWD 400G                   | 9                        | 95           | 855                | Y  | LA                     |
| 370     | NEOSURE PWD 13.1OZ                       | 10                       | 87           | 870                | Y  | LA                     |
| 430     | NEOSURE RTU 32OZ                         | 28                       | 32           | 896                | Y  | LA                     |
| 174     | NEPRO RTU 8OZ                            | 113                      | 8            | 904                | N  | LA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                    | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|---------------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 176     | NOVASOURCE RENAL RTU 8OZ        | 113                      | 8            | 904                | N  | LA                     |
| 031     | NUTRAMIGEN CON 13OZ             | 35                       | 26           | 910                | Y  | LA                     |
| 480     | NUTRAMIGEN ENFL LGG PWD 12.6OZ  | 10                       | 87           | 870                | Y  | LA                     |
| 024     | NUTRAMIGEN RTU 32OZ             | 28                       | 32           | 896                | Y  | LA                     |
| 555     | NUTRAMIGEN TODDLER PWD 12.6OZ   | 10                       | 86           | 860                | N  | LA                     |
| 183     | NUTREN 1.0 RTU 250ML            | 107                      | 8.45         | 904                | N  | LA                     |
| 184     | NUTREN 1.0 W/FBR RTU 250ML      | 107                      | 8.45         | 904                | N  | LA                     |
| 187     | NUTREN 2.0 RTU 250ML            | 107                      | 8.45         | 904                | N  | LA                     |
| 189     | NUTREN JR RTU 250ML             | 107                      | 8.45         | 904                | N  | LA                     |
| 188     | NUTREN JR W/FBR RTU 250ML       | 107                      | 8.45         | 904                | N  | LA                     |
| 192     | NUTREN PULMONARY RTU 250ML      | 107                      | 8.45         | 904                | N  | LA                     |
| 190     | NUTRIHEP RTU 250ML              | 107                      | 8.45         | 904                | N  | LA                     |
| 445     | OA 1 PWD 16OZ                   | 7                        | 114          | 798                | Y  | SA                     |
| 446     | OA 2 PWD 16OZ                   | 9                        | 93           | 837                | N  | SA                     |
| 062     | OSMOLITE 1.0 RTU 8OZ            | 113                      | 8            | 904                | N  | LA                     |
| 193     | OSMOLITE 1.2 RTU 8OZ            | 113                      | 8            | 904                | N  | LA                     |
| 196     | OXEPA RTU 8OZ                   | 113                      | 8            | 904                | N  | LA                     |
| 607     | PED SIDEKICKS RTU 8OZ-6PK(48OZ) | 18                       | 48           | 864                | N  | LA                     |
| 524     | PEDIASMART PWD 12.7OZ           | 16                       | 56           | 896                | N  | LA                     |
| 556     | PEDIASMART SOY PWD 12.7OZ       | 16                       | 56           | 896                | N  | LA                     |
| 506     | PEDIASURE 1.5 RTU 8OZ           | 113                      | 8            | 904                | N  | LA                     |
| 507     | PEDIASURE 1.5 W/FBR RTU 8OZ     | 113                      | 8            | 904                | N  | LA                     |
| 292     | PEDIASURE ENTER 1.0 RTU 8OZ     | 113                      | 8            | 904                | N  | LA                     |
| 293     | PEDIASURE ENTER 1.0FBR RTU 8OZ  | 113                      | 8            | 904                | N  | LA                     |
| 514     | PEDIASURE PEPTIDE 1.0 RTU 8OZ   | 113                      | 8            | 904                | N  | LA                     |
| 529     | PEDIASURE PEPTIDE 1.5 RTU 8OZ   | 113                      | 8            | 904                | N  | LA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                      | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|-----------------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 550     | PEDIASURE REDUCED CALORIE RTU 8OZ | 113                      | 8            | 904                | N  | LA                     |
| 034     | PEDIASURE RTU 8OZ                 | 113                      | 8            | 904                | N  | LA                     |
| 035     | PEDIASURE W/FBR RTU 8OZ           | 113                      | 8            | 904                | N  | LA                     |
| 199     | PEPTAMEN 1.5 RTU 250ML            | 107                      | 8.45         | 904                | N  | LA                     |
| 478     | PEPTAMEN JR 1.5 RTU 250ML         | 107                      | 8.45         | 904                | N  | LA                     |
| 438     | PEPTAMEN JR PREBIO RTU 250ML      | 107                      | 8.45         | 904                | N  | LA                     |
| 051     | PEPTAMEN JR RTU 250ML             | 107                      | 8.45         | 904                | N  | LA                     |
| 469     | PEPTAMEN JR W/FBR RTU 250ML       | 107                      | 8.45         | 904                | N  | LA                     |
| 197     | PEPTAMEN RTU 250ML                | 107                      | 8.45         | 904                | N  | LA                     |
| 200     | PERATIVE RTU 8OZ                  | 113                      | 8            | 904                | N  | LA                     |
| 527     | PERIFLEX ADVANCE PWD 16OZ         | 10                       | 87           | 870                | N  | SA                     |
| 566     | PERIFLEX JR PLS PWD 400G          | 17                       | 51           | 867                | N  | SA                     |
| 497     | PERIFLEX LQ PKU RTU 8.5OZ         | 107                      | 8.5          | 910                | N  | SA                     |
| 329     | PFD 2 PWD 16OZ                    | 10                       | 91           | 910                | N  | SA                     |
| 352     | PHENEX 1 PWD 14.1OZ               | 9                        | 96           | 864                | Y  | SA                     |
| 353     | PHENEX 2 PWD 14.1OZ               | 16                       | 55           | 880                | N  | SA                     |
| 311     | PHENYL FREE 1 PWD 16OZ            | 7                        | 114          | 798                | Y  | SA                     |
| 297     | PHENYL FREE 2 PWD 16OZ            | 9                        | 93           | 837                | N  | SA                     |
| 298     | PHENYL FREE 2HP PWD 16OZ          | 10                       | 89           | 890                | N  | SA                     |
| 545     | PHENYLADE 60 PWD 1LB              | 14                       | 62.5         | 875                | N  | SA                     |
| 501     | PHENYLADE ESSENTIAL PWD 454G      | 10                       | 89           | 890                | N  | SA                     |
| 338     | PHENYLADE PWD 454G                | 10                       | 90           | 900                | N  | SA                     |
| 547     | PHENYLADE MTE AA BLEND PWD 1LB    | 11                       | 78           | 858                | N  | SA                     |
| 439     | PHLEXY 10 DRINK PWD 20G           | 303                      | 3            | 909                | N  | SA                     |
| 617     | PKU AIR20 RTU 5.88OZ              | 154                      | 5.88         | 906                | N  | SA                     |
| 581     | PKU PERIFLEX EARLY PWD 400G       | 10                       | 90.1         | 901                | Y  | SA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only



TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                    | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|---------------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 615     | PKU SPHERE15 PWD 27G            | 210                      | 4.33         | 909                | N  | SA                     |
| 616     | PKU SPHERE20 PWD 35G            | 172                      | 5.28         | 908                | N  | SA                     |
| 570     | POLYCAL PWD 400G                | 17                       | 51           | 867                | Y  | SA                     |
| 597     | PORTAGEN PWD 14.46OZ            | 14                       | 64           | 896                | Y  | LA                     |
| 462     | PREGESTIMIL 20 RTU 2OZ          | 455                      | 2            | 910                | Y  | LA                     |
| 461     | PREGESTIMIL 24 RTU 2OZ          | 455                      | 2            | 910                | Y  | LA                     |
| 036     | PREGESTIMIL DHA&ARA PWD 16OZ    | 8                        | 112          | 896                | Y  | LA                     |
| 356     | PRO PHREE PWD 14.1OZ            | 8                        | 102          | 816                | Y  | SA                     |
| 213     | PROMOTE RTU 8OZ                 | 113                      | 8            | 904                | N  | SA                     |
| 214     | PROMOTE W/FBR RTU 8OZ           | 113                      | 8            | 904                | N  | SA                     |
| 354     | PROPIMEX 1 PWD 14.1OZ           | 9                        | 96           | 864                | Y  | SA                     |
| 355     | PROPIMEX 2 PWD 14.1OZ           | 16                       | 55           | 880                | N  | SA                     |
| 219     | PULMOCARE RTU 8OZ               | 113                      | 8            | 904                | N  | LA                     |
| 460     | PURAMINO DHA&ARA PWD 14.1OZ     | 9                        | 98           | 882                | Y  | LA                     |
| 599     | PURAMINO JR PWD 14.1OZ          | 13                       | 66           | 858                | N  | LA                     |
| 230     | RCF CON 13OZ                    | 35                       | 26           | 910                | Y  | SA                     |
| 222     | RENALCAL RTU 250ML              | 107                      | 8.45         | 904                | N  | LA                     |
| 600     | RENASTART PWD 14.1OZ            | 13                       | 70           | 910                | N  | LA                     |
| 224     | REPLETE W/FBR RTU 250ML         | 107                      | 8.45         | 904                | N  | LA                     |
| 177     | RESOURCE 2.0 RTU 8OZ            | 113                      | 8            | 904                | N  | LA                     |
| 232     | SCANDISHAKE LF PWD 12OZ         | 28                       | 32           | 896                | N  | LA                     |
| 233     | SCANDISHAKE PWD 12OZ            | 28                       | 32           | 896                | N  | LA                     |
| 234     | SCANDISHAKE W/ASP PWD 18OZ      | 18                       | 48           | 864                | N  | LA                     |
| 602     | SIM GO&GROW MILK PWD 1.5LB      | 5                        | 174          | 870                | N  | LA                     |
| 042     | SIM PM60/40 LOW IRON PWD 14.1OZ | 8                        | 102          | 816                | Y  | LA                     |
| 595     | SIM SPEC CARE 20 RTU 2OZ        | 455                      | 2            | 910                | Y  | SA                     |

Shading = Issued to Infants, Women and Children  
No Shading = Issued to Women and Children Only

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                                  | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|---|--------------------------|--------------|--------------------|--|------------------------|
| 596     | SIM SPEC CARE 24 HP RTU 2OZ                   | 455                      | 2            | 910                | Y  | SA                     |
| 441     | SIM SPEC CARE24 W/IRON RTU 2OZ                | 455                      | 2            | 910                | Y  | SA                     |
| 503     | SIM SPECIAL CARE 30 RTU 2OZ                   | 455                      | 2            | 910                | Y  | SA                     |
| 388     | SIMILAC ADVANCE CON 13OZ                      | 35                       | 26           | 910                | Y  | LA                     |
| 414     | SIMILAC ADVANCE PWD 12.4OZ                    | 10                       | 90           | 900                | Y  | LA                     |
| 365     | SIMILAC ADVANCE RTU 32OZ                      | 28                       | 32           | 896                | Y  | LA                     |
| 019     | SIMILAC FOR DIARRHEA RTU 32OZ                 | 28                       | 32           | 896                | Y  | LA                     |
| 561     | SIMILAC FOR SPIT-UP PWD 12OZ (Ends 1/31)      | 10                       | 90           | 900                | Y  | LA                     |
| 621     | SIMILAC FOR SPIT-UP PWD 12.5OZ (Starts 2/1)   | 10                       | 90           | 900                | Y  | LA                     |
| 235     | SIMILAC HMF PWD 0.9G                          | 910                      | 1            | 910                | Y  | SA                     |
| 559     | SIMILAC SENSITIVE PWD 12OZ (Ends 1/31)        | 10                       | 90           | 900                | Y  | LA                     |
| 619     | SIMILAC SENSITIVE PWD 12.5OZ (Starts 2/1)     | 10                       | 90           | 900                | Y  | LA                     |
| 620     | SIMILAC SENSITIVE RTU 32OZ (Starts 2/1)       | 28                       | 32           | 896                | Y  | LA                     |
| 560     | SIMILAC SENSITIVE RTU 32OZS (Ends 1/31)       | 28                       | 32           | 896                | Y  | LA                     |
| 391     | SIMILAC SOY ISOMIL CON 13OZ                   | 35                       | 26           | 910                | Y  | LA                     |
| 389     | SIMILAC SOY ISOMIL PWD 12.4OZ                 | 10                       | 90           | 900                | Y  | LA                     |
| 390     | SIMILAC SOY ISOMIL RTU 32OZ                   | 28                       | 32           | 896                | Y  | LA                     |
| 563     | SIMILAC TOTAL COMFORT PWD 12OZ (Ends 1/31)    | 10                       | 90           | 900                | Y  | LA                     |
| 622     | SIMILAC TOTAL COMFORT PWD 12.6OZ (Starts 2/1) | 10                       | 90           | 900                | Y  | LA                     |
| 578     | SOD ANAMIX EARLY PWD 400G                     | 10                       | 90.1         | 901                | Y  | SA                     |
| 239     | SUPLINA RTU 8OZ                               | 113                      | 8            | 904                | N  | LA                     |
| 240     | TOLEREX PWD 2.82OZ                            | 91                       | 10           | 910                | Y  | LA                     |
| 245     | TWOCAL HN RTU 8OZ                             | 113                      | 8            | 904                | N  | LA                     |
| 582     | TYR ANAMIX EARLY PWD 400G                     | 10                       | 90.1         | 901                | Y  | SA                     |
| 568     | TYR ANAMIX NEXT PWD 400G                      | 17                       | 51.3         | 872                | N  | SA                     |
| 357     | TYREX 1 PWD 14.1OZ                            | 9                        | 96           | 864                | Y  | SA                     |

TXIN WOMEN AND CHILDREN MAXIMUM FORMULA QUANTITIES TABLE  
DECEMBER 2020

| Sub-Cat | Formula Name                | Monthly Formula Quantity | Recon. Ounce | Monthly Max Ounces | Y=Issued to Infants<br>N=Not Issued to Infants | Formula Approval Level |
|---------|-----------------------------|--------------------------|--------------|--------------------|--|------------------------|
| 358     | TYREX 2 PWD 14.1OZ          | 11                       | 82           | 902                | N  | SA                     |
| 467     | TYROS 1 PWD 16OZ            | 7                        | 114          | 798                | Y  | SA                     |
| 330     | TYROS 2 PWD 16OZ            | 9                        | 93           | 837                | N  | SA                     |
| 548     | UCD ANAMIX JR PWD 400G      | 16                       | 56           | 896                | N  | SA                     |
| 249     | VITAL HN PWD 2.79OZ         | 101                      | 9            | 909                | N  | LA                     |
| 250     | VIVONEX PEDIATRIC PWD 1.7OZ | 113                      | 8            | 904                | N  | LA                     |
| 251     | VIVONEX PLS PWD 2.8OZ       | 91                       | 10           | 910                | N  | LA                     |
| 252     | VIVONEX TEN PWD 2.84OZ      | 91                       | 10           | 910                | N  | LA                     |
| 468     | WND 1 PWD 16OZ              | 7                        | 114          | 798                | Y  | SA                     |
| 331     | WND 2 PWD 16OZ              | 9                        | 93           | 837                | N  | SA                     |
| 255     | XLEU MAXAMUM PWD 454G       | 8                        | 104          | 832                | N  | SA                     |
| 258     | XLYS,XTRP MAXAMUM PWD 454G  | 8                        | 104          | 832                | N  | SA                     |
| 261     | XMET MAXAMUM PWD 454G       | 8                        | 104          | 832                | N  | SA                     |
| 264     | XMTVI MAXAMUM PWD 454G      | 8                        | 104          | 832                | N  | SA                     |
| 243     | XPHE MAXAMUM PWD 454G       | 8                        | 104          | 832                | N  | SA                     |